



A. P. M. DE KLUIJS TILBURG

J. Minder (1576)



Smithsonian Institution Libraries

Gift of

DR. DAN H. NICOLSON



Hortus Suburbanus Londinensis:

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE NEIGHBOURHOOD OF LONDON;

ARRANGED ACCORDING TO

THE LINNEAN SYSTEM:

WITH THE ADDITION OF THE

Natural Orders to which they belong, References to Books where they are described, their native Places of Growth, when introduced, Time of Flowering, and Reference to Figures.

- BY ROBERT SWEET, F.L.S. -

London:

PRINTED FOR JAMES RIDGWAY, 170, PICCADILLY.

1818.

9K 306 594 1818 70NAEB

ADVERTISEMENT.

An appeal to the numerous and rapidly succeeding editions of works of the same stamp as the one now offered to the Public, supersedes the necessity of enlarging upon the utility such may possess. The Compiler of the present has, from his infancy to the present time, been unceasingly employed in the cultivation of exotic plants as the means of his livelihood; and, as far as a laborious business and his opportunities of acquirement have admitted, he has industriously endeavoured to combine the scientific with the practical part of his calling. That no one can have possessed better or readier means of inspecting the plants contained in the collections and gardens of this country, is what he knows will not be contradicted by any one enabled to judge, and what the extent of his employment entitles him to say. Whether he has availed himself of these means in a way to have rendered himself equal to the present task, is for those into whose hands his publication may fall to More than a thousand species have been added to the latest edition of any work of the same scope that has come to his knowledge. Every species which has been represented by a figure, is recorded with its figure for the synonym. No species has been taken up without reference to an authentic document. In one material point the present compilation has an advantage over any other, viz. the addition of the natural orders, which has been made without disturbing the sequence and facility of the Linnean method, maintained throughout. Natural orders, independent of their relation to science, are in some degree useful in practice, in as

far as they point out to the cultivator the vegetable relatives, between which there is always the greatest probability of success in attempting the union, either by engrafting or inarching, or mixing the breed. At least, such natural groups generally indicate the confines, out of which species cannot be united by any of those means. All plants contained in the various periodical publications where the vegetables cultivated amongst us are treated of, have been most carefully enumerated up to the present moment; and this Compilation may be so far considered as a general index to them.

BOOKS QUOTED.

Act. ber. Mémoires de l'Académie Royale des Sciences et Belles Lettres.

Act. helv. Acta Helvetica physico, mathematico, botanico-medica.

Act. par. Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.

Act. pet. Acta Academiæ Scientiarum Imperialis Petropolitanæ.

Act. soc. h. nat. par. Actes de la Société d'Histoire Naturelle de Paris.

Act. stock. Kongl. Vetenskaps Academiens Handlingar. Stockholm.

Act. ups. Acta Societatis Regiæ Scientiarum Upsa-

Ait. Kew. Aiton's Hortus Kewensis.

All. ped. Car. Allionii Flora Pedemontana.

All. rar. Car. Allionii Rariorum Pedemontii Stirpium Specimen.

All. taur. Car. Allionii Miscellanea Philosophico-mathematica Societatis privatæ Taurinensis.

Alp. ægypt. Prosp. Alpini de Plantis Ægypti Liber. Alp. exot. Prosp. Alpini de Plantis exoticis Libri 2.

Anm. ruth. Stirpium rariorum in Imperio Rutheno sponte provenientium Icones et Descriptiones collectæ à Jo. Ammano.

And. ger. Geraniums; or, a Monograph of the Genus Geranium. By H. C. Andrews.

And. heaths. Coloured Engravings of Heaths. By H. C. Andrews.

Ann. mus. Annales du Muséum d'Histoire Naturelle. Par les Professeurs de cet Etablissement.

Ann. bot. Annals of Botany. By C. Kouig and J. Sins.

Ard. mem. Mémorie di Osservazioni, e di Sperienze sopra la Coltura, e gli Usi di varie Piante. Da P. Arduino.

Ard. spec. Petr. Arduini Animadversionum Botanicarum Specimen 1, Patavii, 1759. Specimen 2, Venetiis, 1764.

Asiat. res. Asiatic Researches; or, Transactions of the Society instituted in Bengal.

Aub. gui. Histoire des Plantes de la Guiane Françoise. Par M. Fusée Aublet.

Balb. mis. Balbis (Joh. Bapt.) Miscellanea Botanica.
1 Fasc. in 4. ex Actis Academiæ Taurinensis, exserta.

B. Houst. Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis.

Barr. ic. Plantæ per Galliam, Hispaniam, et Italiam, observatæ, Iconibus æneis exhibitæ à Jac. Barreliero.

Bartr. it.
Bartr. trav. Travels through North and South
Carolina, Georgia, East and West
Florida, &c. Ey W. Bartram.

Bauh. prod. Casp. Bauhini Προδρομος Theatri Botanici.

Berg. cap. Petr. Jon. Bergii Descriptiones Plantarum ex Capite Bonæ Spei.

Besl. eyst. Bas. Besleri Hortus Eystettensis.

Blackw. Blackwell (Elizabeth). A curious Herbal, containing 500 Cuts of the useful Plants.

Boc. mus. Museo di Piante rare. Di Don Paulo Boccone.

Boc. sic. Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galliæ, et Italiæ. Auctore Paulo Boccone.

Bocr. lugd. Herm. Boerhaave Index alter Plantarum quæinHorto Academiæ Lugduno Batavæaluntur.

Bot. mag. Curtis's Botanical Magazine.

Bot. reg. The Botanical Register.

Bot. rep. The Botanist's Repository for new and rare Plants. By H. Andrews.

Bradl. suc. Ric. Bradley Historia Plantarum succulentarum.

Breyn. cent. Jac. Breynii Exoticarum aliarumque minus cognitarum Plantarum Centuria prima.

Breyn. ic. Jac. Breynii Icones rariorum et exoticarum Plantarum.

Bro. jam. The civil and natural History of Jamaica. By Patr. Browne.

Bull. herb. Herbier de la France. Par Mr. Bulliard. Burm! afr. Jo. Burmanni rariorum Africanarum Plantarum Decades 10.

Burm. ind. Nic. Lanr. Burmanni Flora Indica.

Burm, zeyl. Jo. Burmanni Thesaurus Zeylanicus. Buxb, cent. Joh. Chr. Buxbaumii Plantarum minur

Buxb, cent. Joh. Chr. Buxbaumii Plantarum minus cognitarum Centuriæ 5.

Camer. hort. Joach. Camerarii Hortus medicus et philosophicus.

Cat. car. The natural History of Carolina, Florida, and the Bahama Islands. By Mark Catesby.
Cav. dis. Monadelphiæ Classis Dissertationes decem.

Cav. dis. Monadelphiæ Classis Dissertationes decem. Auctore Ant. Jos. Cavanilles.

Cav. ic. Ant. Jos. Cavanilles, Icones et Descriptiones Plantarum quæ ant sponte in Hispania crescunt, aut in Hortis hospitantur.

Clus. his. Car. Clusii rariorum Plantarum Historia.
Col. eephr. Fab. Columnæ minus cognitarum Stirpium Eephrasis.

Col. phyt. Fab. Columnæ Phytobasanos sive Plantarum aliquot Historia.

Com. hort. Horti medici Amstelodamensis rariorum Plantarum Descriptio et Icones. Auctore Jo. Commelino.

Com. præl. Casp. Commelini Præludia Botanica.

Com. rar. Casp. Commelini Plantæ rariores exoticas Horti Medici Amstelodamensis.

Com. pet. Commentarii Academiæ Scientiarum Imperialis Petropolitanæ.

Com. got. Commentarii Societatis Regiæ Scientiarum Gottingensis.

Cor. can. Jac. Cornuti Canadensium Plantarum, aliarumque nondum editarum Historia.

Cyr. neap. Dom. Cyrilli Plantarum rariorum Regni Neapolitani.

D. Asso arag. (Ign. de Asso) Synopsis Stirpium indigenarum Aragoniæ.

Dec. ann. mus. Annales du Muséum d'Histoire Naturelle.

Dec. pl. gras. Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.

Delar. ering. Eryngierum Historia. Auctore F. Delaroche.

Desf. ann. mus. Annales du Muséum d'Histoire Naturelle.

Desf. atl. Flora Atlantica. Auctore Renato Desfontaines.

Dill. elt. Joh. Jac. Dillenii Hortus Elthamensis.

Dill. musc. Joh. Jac. Dillenii Historia Muscorum. Dod. mem. Mémoires pour servir à l'Histoire des

Plantes. Par M. Dodart.

Duham arb. Traité des Arbres et Arbustes, qui se cultivent en France en pleine Terre. Par M. Du Hamel du Monceau.

Ehr. pict. Plantæ et Papiliones rariores. Depictæ et Æri incisæ, à Ge. Dion. Ehret. Eng. bot. English Botany. By J. E. Smith: the

Figures by J. Sowerby.

Exot. bot. Exotic Botany. By J. E. Smith: the Figures by J. Sowerby.

Feuil. it. Journal des Observations faites sur les Cotes orientales de l'Amérique Meri-Few. per. dionale. Par le R. P. Louis Feuillée.

Fl. dan. Icones Plantarum sponte nascentium in Regnis Daniæ et Norvegiæ. Editæ à Ge. Chr. Œder, Oth. Frid. Muller, et Mart. Vahl.

Fl. græe. Flora Græca; sive Plantarum rariorum Historia quas in Provinciis aut Insulis Græciæ legit, investigavit, et depingi curavit Joh. Sibthorp; Characteres omnium, Descriptiones et Synonyma elaboravit Jac. Edv. Smith.

Fl. per. Ruiz et Pavon Flora Peruviana et Chilensis. Forsk. ic. Fcones Rerum naturalium, quas in Itinere Orientali depingi curavit Petr. Forskal.

Fuchs. hist. Leon. Fuchsii de Historia Stirpium Commentarii.

Gært. de fruct. Jos. Gærtner de Fructibus et Seminibus Plantarum. Gært. se.

Garid. prov. Histoire des Plantes qui naissent en Provence et principalement aux Environs d'Aix. Par Mr. Garidel.

Ger. emac. J. Gerard's Herball, enlarged by Th. Johnson.

Ger. herb. J. Gerard's Herball.

Ger. prov. Lud. Gerard Flora Gallo-provincialis.

Giseke ic. Giseke et Schulze Icones Plantarum:

Gmel. it. Sam. G. Gmelin, Reise durch Russland. Gmcl. sib. Jo. Ge. Gmelin, Flora Sibirica.

Gouan. ill. Ant. Gouan Illustrationes et Observationes Botanicæ.

Hacq. pl. alp. Hacquet (Balth.) Plantæ Alpinæ Carniolicæ.

Hall. hist. Alb. v. Haller Historia Stirpium indigenarum Helvetiæ inchoata.

Hall. opus. Halleri Opuscula Botanica.

Hayne in ust. ann. Hayne in Usteri Annalen der

Herm. par. P. Hermanni Paradisus Batavus.

Hill. exot. Hill (John). Exotic Botany illustrated. (Flore Portugaise. Par J. C. Hof. et L. lus. Comte de Hoffmansegg et H. et L. fl. por. H. F. Link.

Hort. ang. A Catalogue of Trees, Shrubs, Plants, and Flowers, which are propagated for Sale in the Gardens near London.

Hort. Kew. Aiton's Hortus Kewensis.

Dec. astrag. Augustini Pyrami Decandolle Astraga- | Hort. trans. Transactions of the Horticultural Society.

> Host. gram. Nic. Thomæ Host Icones et Descriptiones Graminum Austriacorum.

> Houst. phil. trans. Philosophical Transactions of the Royal Society.

> Natuurlyke Historie of Nitvoerige Beschryving der Dieren. Planten Hout. nat. his. en Mineraalen, Volgens het Sa-Hout. sys. menstel van den Heer Linnæus (Door Mart. Houttuyn).

Icon. hort. kew. Delineations of exotic Plants cultivated in the Royal Garden at Kew. Drawn by Francis Bauer; published by W. T. Aiton.

Icon. Kæmpf. Icones selectæ Plantarum quas in Japonia collegit et delineavit Engelb. Kæmpfer; ex Archetypis in Museo Britannico asservatis (edidit Jos. Banks).

Isnard act. par. Vid. Act. par.

Jac. amer. Nic. Jos. Jacquin selectarum Stirpium Americanarum Historia.

Jac. am. ed. pict. N.J. Jacquin Stirpium Americanarum Historia. Ed. additis Tab. pictis.

Jac. aust. N. J. Jacquin Flora Austriaca.

Jac. col. N. J. Jacquin Collectanea ad Botanicam, Chemiam et Historiam Naturalem spectantia.

Jac. frag. N. J. Jacquin Fragmenta Botanica. Jac. ic. Icones Plantarum rariorum. Editæ à N. J.

Jacquin.

Juc. mis. N. J. Jacquin Miscellanea Austriaca ad Botanicam etc. spectantia.

Jac. obs. N.J. Jacquin Observationes Botanicæ. Jac. ox. Oxalıs Monographia Iconibus illustrata.

Autore N. J. Jacquin. Jac. schen. Plantarum rariorum Horti Cæsarei

Schenbrunnensis Descriptiones et Icones. Opera N. J. Jacquin.

Jac. stap. N. J. Jacquin Stapeliæ cultæ.

Jac. vind. N. J. Jacquin Hortus Botanicus Vindobonensis.

Jour. of sc. J. B. Ker, in Journal of Science and the Arts.

Jung. ic. rar. Junghan's (Phil. Casp.) Icones Plantarum ad Vitam impressæ.

Kamp. aman. Engelb. Kampfer Amanitates exoticæ.

Ker's rev. Ker's Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts.

Knight's prot. Knight (Joseph). Horticultural Essays on the natural Order of Proteeæ.

Kniph. ccnt. Kniphoff (Joh. Hier.) Botanica in originali seu Herbarium vivum, Centuriæ 12.

Knorr. thes. Thesaurus Rei herbariæ hortensisque universalis. Apud Ge. Wolfg. Knorrii Hæredes.

Krock. sil. Krocker (Ant. Joh.) Flora Silesiaca

Lab. nov. hol. Novæ Hollandiæ Plantarum Specimen. Auctore Jac. Jul. Labillardière.

Lab. syr. Icones Plantarum Syriæ rariorum. Auctore Jac. Jul. Labillardière.

Lam. enc. Encyclopédie Methodique Botanique. Par M. le Chevalier de Lamarck.

Lam. ill. Tableau Encyclopédique et Methodique des trois Regnes de la Nature, Botanique : Illustration des Genres. Par M. de Lamarck.

Lamb. cinch. A Description of the Genus Cinchons. By A. B. Lambert.

Lamb. pin. A Description of the Genus Pinus. By Aylmer Bourke Lambert.

Lap. pyr. Figures de la Flore des Pyrenées. Par Lapey. fl. Phil. Picot Lapeyrouse.

Leers herb. Joh. Dan. Leers Flora Herbornensis.

L'Her. ger. Car. Lud. L'Heritier Geraniologia.

L'Her. sert. Car. Lud. L'Heritier Sertum Anglicum. L'Her. stirp. Stirpes novæ Descriptionibus et Iconi-

bus illustratæ. A Car. Lud. L'Heritier.

Lin. act. ups. Vid. Act. ups.

L. amæn. ac. Caroli Linnæi Amœnitates Academicæ. Lin. fil. dec. Car. Linnæi Fil. Decas 1 & 2. Plantarum rariorum Horti Upsaliensis.

Lin. fil. fasc. Car. Linnei Fil. Plantarum rariorum

Horti Upsaliensis Fasciculus 1.

Lin. hort. clif. Car. Linnæi Hortus Cliffortianus.

Lin. trans. Transactions of the Linnæan Society of London.

Lin. zeyl. Car. Linnæi Flora Zeylanica.

Lind. alsat. Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia nobili designans.

Lob. hist. Plantarum seu Stirpium Historia Matthiæ de Lobel.

Lob. ic. Plantarum seu Stirpium Icones.

Lef. it. Læfling (Petr.) Iter Hispanieum, eller Resa til Spanska, &c. 1 vol. in 8.

Læs. prus. Joh. Læselii Flora Prussica. Auxit et edidit Joh. Gottsched.

Ludw. ect. Ludwig (C. Gottl.) Ectypa Vegetabilium Usibus medieis destinatorum.

Magn. b. mons. Petri Magnol Botanicum Monspeli-

Magn. h. mons. Petri Magnol Hortus Regius Monspeliensis.

Marcg. bras. (Guil. Pisonis et Ge. Maregravii) Historia naturalis Brasiliæ.

Mart. dec. Jo. Martyn Historia Plantarum rariorum.

Muss. stap. Stapeliæ Novæ; or, a Collection of several new Species of that Genus discovered in the interior Parts of Africa. By Fras. Masson.

Mat. com. Petri Andr. Matthioli Commentarii in Libros Dioscoridis de Medica Materia.

Meerb. ic. 1. Afbeeldingen van Zeldzaame Gewassen. Door Nic. Meerburgh.

Meerb. ic. 2. Plantarum selectarum Icones pictæ. Editæ à N. Meerburgh.

Mem. de l'Ins. Mémoires de l'Institut National des Sciences et Arts, Sciences mathématiques et physiques.

Mem. de l'Soc. his. nat. Mémoires de l'Société d'Histoire Naturelle de Paris.

Merian. sur. Maria Sibylla Merian de Generatione et Metamorphosibus Insectorum Surinamensium.

Mich. gen. Nova Plantarum Genera. Auctore Petro Ant. Michelio.

Mich. hort. Petr. Ant. Michelii Catalogus Plantarum Horti Cæsarei Florentini.

Mich. amer. Andr. Michaux Flora Boreali-Americana.

Mich. arb. Histoire des Arbres forestiers de l'Amérique Septentrionale. Par F. André Michaux.

Mich. querc. Histoire des Chênes de l'Amérique Septentrionale. Par André Michaux.

Mill. dict, Phil. Miller's Gardener's Dictionary.
 Mill. ic. Figures of Plants described in the Gardener's Dictionary.
 By Phil. Miller.

dener's Dietiquary. By Phil. Miller.

J. Mill. ic. Seven coloured Plates of Plants. B

John Miller.

J. Mill. ill. Joh. Miller Illustratio Systematis sexualis Linnæi.

J. F. Mill. ic. Sixty coloured Plates of Plants and Animals. By Joh. Fred. Miller. Mis. taut. Melanges de Philosophie et de Mathématique de la Société Royale de Turin.

Miss Lawr. pas. Six numbers of coloured Figures of Passion-flowers. By Miss Lawrance.

Miss Lawr. ros. A Collection of Roses from Nature. By Miss Lawrance. Ninety Plates.

Mænch. h. m. Conrad Mænch Methodus Plantas Horti et Agri Marburgensis describendi.

Mænch. h. weis. Verzeichniss Auslandischer Baume und Stauden des Lustchlosses Weissenstein bey Cassel. Von C. Monch.

Mont. act. ups. Vid. Act. ups.

Moris. his. Rob. Morison Historia Plantarum uni-Moris. s. Rob. Morison Historia Plantarum uni-

Moris. s. \ versalis Oxoniensis.

Moris. umb. Rob. Morison Plantarum umbelliferarum Distributio nova.

Murr. com. goett. Vid. Com. got.

Nissole in act. par. Vid. Act. par.

Nov. act. ac. nat. cur. Nova Acta Physico-medica Academiæ Cæsareæ Naturæ Curiosorum.

Nov. act. ber. Der Gesselschaft Naturforsehender Freunde zu Berlin Neue Schriften.

Nov. act. pet. Nova Acta Academiæ Seientiarum Imperialis Petropolitanæ.

Nov. act. ups. Nova Acta Regiæ Societatis Seientiarum Upsaliensis.

Nov. com. got. Novi Commentarii Societatis Regiæ Scientiarum Gottingensis.

Nov. com. pet. Novi Commentarii Aeademiæ Scientiarum Imperialis Petropolitanæ.

Ort. dec. Cas. Gom. Ortegæ novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades.

Osb. it. Pehr Osbeeks Dagbok ofver en Ostindisk resa.

Palis. d. Owar. Palisot de Beauvois Flore des Royaumes d'Oware et de Benin.

Pall. act. pct. Vid. Act. pet.

Pall. astrag. Species Astragalorum descriptæ et Iconibus coloratis illustratæ. A P. S. Pallas.

Pall. it. P. S. Pallas Reise durch Verschiedene Provintzen des Russischen Reichs.

Pall. ros. Flora Rossica. Edidit P. S. Pallas.

Par. lon. The Paradisus Londinensis.

Park. par. J. Parkinson Paradisi in Sole Paradisus terrestris.

Park, theat. J. Parkinson Theatrum Botanicum.

Pass. hort. Crispinus Passarus Hortus floridus.

Paters. it. A Narrative of four Journeys into the Country of the Hottentots and Caffraria. By Will. Patterson.

Pers. in ust. an. Persoon in Paul Usteri Annalen der Botanik.

Pet. H. Brit. James Petiver Herbarii Britannici Catalogus.

Pet. gaz. Jac. Petiver Gazophylaeium Naturæ et Artis.

Phil. trans. Philosophical Transactions of the Royal Society of London.

Pic. hort. pan. Hortus Pansiatieus, o sia Catalogo delle Piante esotiche nel Giardino della Villa detta la Loggia. Descritto da Gius. Piccivoli.

Pis. bras. Gul. Pisonis de Indiæ utriusque re naturali et medica, Libri 14.

Plant. grass. Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.

Pl. rar. hung. Franc. Comitis Waldstein et Pauli Kitaibel Descriptiones et Icones Plantarum rariorum Hungariæ. Pluk. alm. Leon. Plukenett Almagestum Botani-

Pluk. amalth. L. Plukenett Amaltheum Botanicum. Pluk. mant. L. Plukenett Mantissa Almagesti Botanici.

Pluk. phyt. L. Plukenett Phytographia.

Plum. amer. Description des Plantes de l'Amérique, avec leurs Figures. Par le R.P. Charles Plu-

Plum. fil. Charles Plumier Traité des Fougères de l'Amérique.

Plum. ic. Plantarum Americanarum Fasciculi 10, continentes Plantas quas olim Car. Plumierius detexit et depinxit. Edidit Jo. Burmannus.

Poir. it. ed. germ. Poiret (J. L. M.) Voyage en Barbarie.

Poit. ann. mus. Vid. Ann. Mus.

Poit. et T. arb. Traité des Arbres fruitiers. Par Du Hamel du Monceau. Nouvelle Edition, augmentée. Par A. Poiteau et P. Turpin.

Poit. et T. fl. par. Flore Parisienne. Par A. Poitcau et P. Turpin.

Pursh. fl. amer. Flora America Septentrionalis; or, A Systematic Arrangement and Description of the Plants of North America. By Frederick Pursh.

Rauw. it. Der vierte Thail Leonh. Rauwolfen, etlicher Schoner Ausslandischer Kreuter, deren in Seiner Rayss in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.

Red. lil. Les Liliacées. Par P. J. Redouté.

Regn. bot. Regnault (Sr. et De.) La Botanique mise à la portée de tout le Monde.

Reliqu. houst. Vid. B. Houst.

Ren. spec. Pauli Renealmi Specimen Historiæ Plan-

Ret. obs. And. Jah. Retzii Observationes Botanicæ. Ret. Stock. And. Jah. Retzii Floræ Scandinaviæ Prodromus.

Rheed mal. Hortus Indicus Malabaricus. Adornatus per Henr. van Rheede van Drakenstein.

Riv. mon. Aug. Quir. Rivini Ordo Plantaram, quæ sunt Flore irregulari monopetalo.

Riv. tetr. Aug. Quir. Rivini Ordo Plantarum, quæ sunt Flore irregulari tetrapetalo.

Riv. pent. A. Q. Rivini Ordo Plantarum, quæ sunt Flore irregulari pentapetalo.

Rob. ic. Three Hundred and Nineteen Plates of Plants. Engraved by Nic. Robert, A. Bosse, and Lud. de Chastillon.

Roche diss. De la Roche (Daniel) Specimen Botanicum inaugurale sistens Descriptiones Plantarum aliquot novarum.

Ræm. arch. Archiv fur die Botanik. Herausgegeben von Joh. Jac. Ræmer.

Ræm. pl. hisp. lus. Joh. Jac. Ræmer Scriptores de Plantis Hispanicis, Lusitanicis et Brasiliensibus.

Roth abhand. Botanische Abhandlungen und Beobachtungen von Albr. Wilh. Roth.

Rott. gram. C. Friis Rottboll Descriptiones et Icones Plastarum rariorum.

Roxb. cor. Plants of the Coast of Coromandel. By Will. Roxburgh.

Rudb. elys. Campi Elysii Liber 2dus, Opera Olai Rudbeckii, Patris et Filii.

Rudge pl. gui. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descr.

Rum. amb. Ge. Everh. Rumphii Herbarium Amboinense.

Sabb. hort. Sabbati (Liberatus) Hortus Romanus.

Sal. stirp. R. A. Salisbury Icones Stirpium rariorum Descriptionibus illustratæ.

Scheuth. gram. Joh. Scheuchzer, Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium Historia.

Schk. bot. hand. S Botanisches Handbuch. Schk. hand. Christ. Schkuhr.

Schk. car. C. Schkuhr Abbildungen der Riedgraser. Schh. fil. C. Schkuhr Abbildungen der Farrnkrauter.

Schmidel. ic. Cas. Christ. Schmidel Icones Plantarum. Schmidt arb. Franz Schmidt, Oesterreichs Allgemeine Baumzucht.

Schneev. ic. G. Voorhelm Schneevoogt Icones Plantaram rariorum.

Schous. maroc. P. K. A. Schousboe's Beobachtungen uber das Gewachsreich in Marokko.

Schr. bot. Journ. Journal fur die Botanik. Herausgegeben von Schrader.

Schr. neu. jour. Neues Journal fur die Botanik. Herausgegeben von Schrader.

Schr. sert. han. J H. A. Schrader Sertum Hannoveranum.

Schr. ver. H. A. Schrader Commontatio super Veronicis Spicatis Linnæi.

Sch. gram. J. C. D. Schreber's Beschreibung der Graser.

Sch. ic. J. C. D. Schreber Icones Plantarum minus cognitarum Decas 1.

Schw. bes. M. W. Schwencke, Kruidkundige Beschryving der Gewassen.

Scop. carn. Jo. Ant. Scopoli Flora Carniolica.

Scop. ins. J. A. Scopoli Deliciæ Floræ et Faunæ Insubricæ.

Seb. mus. Alb. Sebæ locupletissimi Rerum naturalium Thesauri Descriptio.

Sec. du chen. Mémoires sur l'Histoire naturelle du Chêne. Par M. de Secondat.

Segu. ver. Plantæ Veronenses. Auctore Jo. Franc. Seguierio.

A Voyage to the Islands Madeira, Barbadoes, Nieves, S. Christopher's, and Slo. jam. Jamaica; with the natural History of Slo. hist. the last of those Islands. By Hans Sloane.

Smith ic. Icones pictæ Plantarum rariorum. Auctore J. E. Smith.

Sm. ined. Plantarum Icones hactenus ineditæ. Auctore J. E. Smith.

Sm. n. holl. A Specimen of the Botany of New Holland. By J. E. Smith.

Sm. spicil. Spicilegium Botanicum. Auctore J. E. Smith.

Smith's tracts. Tracts relating to natural History. By J. E. Smith.

Sole's mints. Menthæ Britannicæ; being a new botanical Arrangement of all the British Mints hitherto discovered. By W. Sole.

Sonn. it. Voyage aux Indes Orientales et à la Chine. Par M. Sonnerat.

Sonn. n. gui. Voyage à la nouvelle Guinée. Par M. Sonnerat.

Sparr. act. st. Vid. Act. stock.

Spren. fl. hal. Kurt Sprengel Floræ Halensis Tentamen novum.

Swart. obs. Observationes botanicæ. Auctore Olof Swartz.

Tabern. ic. Eicones Plantarum (cadem ac in Tabernæmontani Krauterbuck).

Th. act. hafn. C. P. Thunberg Acta medica et philosophica Hafniensis.

Thunb. act. st. Vid. Act. stock.

Thunb. diss. C. P. Thunberg Dissertationes.

Thunb. eric. C. P. Thunberg Præsidis Dissertatio de

Thu. gar. C. P. Thunberg Diss. de Gardenia. Thunb. jap. C. P. Thunberg Flora Japonica.

Thunb. prot. C. P. Thunberg Diss. de Protea.

Till. pis Mich. Aug. Tilli Catalogus Plantarum Horti

Tourn. ins. Jos. Pitton Tournefort Institutiones Rei herbariæ.

Tourn. it. Relation d'un Voyage du Levant. Par M. Pitton de Tournefort.

Trew ehret. Plantæ selectæ, quarum Imagines pinxit Ge. Dion. Ehret, collegit et illustravit Christ. Jac. Trew.

Trew pl. rar. Plantæ rariores, quas depingendas Ærique incidendas curavit Chr. Jac. Trew.

Observationes de Ortu ac Vegetatione Plantarum, cum novarum Stirpium Historia Iconibus illustrata. Auc-Triumf. obs. tore Jo. Bapt. Triumfetti.

Triumf. præl. Prælusio ad publicas Herbarum Ostensiones, à Jo. B. Triumfetti, cui accesserunt novarum Stirpium Descriptiones et Icones.

Turp. ann. mus. Vid. Ann. mus.

Tuss. fl. d. ant. Flore des Antilles. Par F. R. de Tussac.

Uster, ann. bot. Annalen der Botanik. Herausgegeben von Paul Usteri.

Vahl symb. Mart. Vahl Symbolæ Botanicæ.

Vahl eclog. Mart. Vahl Eclogæ Americanæ, et Icones Plantarum in Eclogis descripcarum.

Vail. par. Seb. Vaillant Botanicum Parisiense, Leide, et Amsterdam.

Vent. cels. Description des Plantes nouvelles et peu connues cultivées dans le Jardin de J. M. Cels; avec Figures. Par E. P. Ventenat.

Vent. choix. Choix de Plantes dont la plûpart sont cultivées dans le Jardin de Cels. Par E.P. Vent. desc. pl. nov. E. P. Ventenat Decas Generum novorum.

Vent. mal. Jardin de la Malmaison. Par E. P. Ven-

Vent. sc. phys. Vid. Act. par.

Vill. dauph. { Histoire des Plantes de Dauphiné. Par Vill. delph. { M. Villars.

Volck. norib. Joh. Go. Volckameri Flora Noribergensis.

Voya. de Lab. Relation du Voyage à la Récherche de la Pérouse. Par le C. Labillardière. Waldst. et Kit. Vid. Pl. rar. hung.

Walth. hort. Designatio Plantarum quas Hortus Aug. Frid. Waltheri complectitur; accedunt novæ Plantarum Icones 24.

Wang. amer. F. A. J. von Wangenheim Anpflanzung North Amerikanischer Holzarten.

Wein. phyt. Joh. Wilh. Weinmann Phytanthozaiconegraphia.

Wend. eric. Ericarum Icones et Descriptiones. Auctore J. C. Wendland.

Wend. her. Hortus Herrenhusanus. Auctore J. C. Wendland.

Wend, in Ram, archiv, Vid. Ram. arch.

Wend. obs. Botanische Beobachtungen. Von J. C. Wendland.

Tend. sert. han. Sertum Hannoveranum. Auctore J. C. Wendland.

Willd. amar. Historia Amaranthorum. Auctore Car. Lud. Willdenow.

Willd. arb. Berlinische Baumzucht. Von C. L. Willdenow.

Willd. ber. C. L. Willdenow Hortus Berolinensis.

IV. N. act. ber. Vid. Nov. act. ber.

Willd. phyt. C. L. Willdenow Phytographia.

Zanon hist. Jac. Zanonii rariorum Stirpium Historia.

Zorn. ic. Icones Plantarum medicinalium. Joh. Zorn.)

ABBREVIATIONS.

A. G. Andrews's Geraniums.

A. H. Andrews's Heaths.

B. Robert Brown, in Transactions of the Wernerian Society.

B. M. Botanical Magazine.

B. P. Brown's Prodromus Floræ Novæ Hollandiæ.

B. R. Botanist's Repository.

B. reg. Botanical Register.

Cav. Cavanilles.

D. Decandolle's Regni vegetabilis Systema naturale.

Dec. Decandolle's Astragalogia, &c.

Desf. Desfontaine's Flora Atlantica.

E. B. English Botany.

F. P. Flora Peruviana.

G. Gærtner.

H. K. Hortus Kewensis. Second Edition.

H. R. Enumeratio Plantarum Horti Botanici Regiomontani,

H. S. Haworth on Succulent Plants.

J. Jussieu's Genera Plantarum.

Jac. Jacquin.

Kn. P. Joseph Knight on the natural Order of Protecæ.

K. R. Ker's Review of Amaryllideæ in the Journal of Science and Arts.

L. Linnæus.

Lam. Lamarck.

L'Her. L'Heritier.

L. T. Transactions of the Linnwan Society of London.

M. n. Miscellanea naturalia. By A. H. Haworth.

Mi. Mich. Michaux Flora Boreali-Americana.

Ph. Pursh's Flora of North America.

P. L. Paradisus Londinensis.

P. S. Persoon's Synopsis Plantarum.

R. L. Les Liliacées. Par P. J. Redouté.

Ros. Roscoe, in Transactions of the Linnæan Society.

Rox. Roxburgh.

Ru. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descr.

Sc. Schrader.

Sm. Smith.

S. M. Sole's Mints.

S. P. Salisbury's Prodromus,

Sw. Swartz.

Th. Thunberg.

V. Vent. Ventenat.

Vill. Villars.

W. Willdenow's Species Plantarum,

W. en. Willdenow Enumeratio Plantarum Horti Bot, Berolinensis.

1.2. &c. Flowering the first and second month, &c.

1.12. Flowering all the year.

- Same as the line above it.

.... Uncertain.

H.h. Hardy shrub or tree.

F. h. Shrubs requiring the protection of a frame or mat.

G. h. Greenhouse shrub.

S. h. Stove shrub.

D.S. h. Dry stove shrub, requiring but little water, 4. Perennial.

d . Biennial.

O. Annual.

C. B. S. Cape of Good Hope.

N. S. W. New South Wales.

N. Holl. New Holland.

V. Diem. I. Van Diemen's Island.

W. Ind. West Indies.

E. Ind. East Indies,

S. Eur. South of Europe.

N. Eur. North of Europe,

S. Amer. South America.

N. Amer. North America,

HORTUS SUBURBANUS LONDINENSIS,

&c,

CLASS I.—ORDER I,

MONANDRIA MONOGYNIA.

Systematic Name.	English Name.	Natural Order.	Native.	Cultiv. Flowers.	Ref. to Figures,
CANNA. W.	Indian Shot.	Canneæ. B. P.	- 11		D 1 111 and 791 75"
1 Indica. Ros.	common.		India.		. Red. lil. 201.
2 coccinea. Ros.	scarlet.		S. America.	1731. —— S.4	. Bot. reg.
3 patens. Ros.	spreading.		Rio Janeiro	. 1778 G. 4	. Bot. reg.
4 lutea. Ros.	yellow.		E. Ind.	1629. — S.4	0005; 77
5 glauca. Ros.	glaucous.	B	S. America.	1732. 6.8. S. 4	. Ex. bot. 2. t. 102.
6 flaccida, Ros.	flaccid.	·	S. Carolina.	1788. 7. S.4	. Sal. stirp.rar.3.t.2.
7 gigantea. R. L.	gigantic,		,	12.2. S. 4	. Bot. reg. 206. /
MARANTA. W.	ARROW-ROOT.	Canneæ. B. P.			
1 arundinacea. W.	Indian.		S. Amer.	1732. 7.8. S.4	
2 obliqua. Ru.	øblique.		Guiana	1803. 12. S.4	Rudge pl. guian.
2 Obliqua: Itu.	polique.				
3 lutea. W. en.	yellow.	-	Caracas.	1809. 6.7. S.4	. Jac. ic.rar.2, t. 201,
4 comosa. W.	close-spiked.		Surinam.	1812. 6.7. S. 4	
5 zebrina. B. M.	striped-leaved.		Brasil.	1815. — S.4	. Bot. mag. 1926.
THALIA. W.	THALIA.	Canneæ. B. P.			
dealbata. Ros.	mealy.		S. Carolina.	1791. 7.8. G.4	. Bot. mag. 1690.
PHRYNIUM. W.	PHRYNIUM.	Canneæ. B. P.			2
1 capitatum. W.	headed.		E. Ind.	1807 S.4	, Asiat. res. 11. t. &.
2 dichotomum.	forked.			1810. 7.8. S.4	
HEDYCHIUM. W.	GARLAND FLOW.	Scitamineæ. B. P.			
1 coronarium.	sweet-scented.			1791. 7.9. S.24	Bot. mag. 708,
2 angustifolium. B.R.				1815 S.2	
ALPINIA. W.	ALPINIA.			Renealmiæ species	
1 racemosa. Ros.	clustered.				Plum. ic. 11. t. 200
2 comosa, W.	close-spiked.		Caracas.		. Jac. ic. rar. v. 3.
3 occidentalis. W.	occidental.		Jamaica.	1793 S.4	
4 nutans. Ros.	nodding.		E. Ind.		Ex. bot. 2. t. 106.
5 cernua. B. M.	drooping.			S, 4	
6 calcarata. Ros.	upright.		T.	1804 0 5 2	Bot. rep. 421.
HELLENIA. W.	HELLENIA.	Scitamineæ. B. P.			. 2500 гер. 4216
Allughas. W.	Ceylon.	Deraibiliteat. B. 1.		1796. 2.3. S.4	Rot ren 501
ZINGIBER. Ros.	GINGER.	Scitamineæ. B. P.			вос. тер. вот.
1 officinale. Ros.	narrow-leaved.	Schammea. D.1.			Jac. vind. 1. t. 75,
2 Zerumbet. Ros.	broad-leaved.				Ex. bot. 2. t. 112.
3 Casumunar, B. M.					
o Casumunar. D. M.	downy-leaved.			1807. 8. S.4.	Colora biot 1 4
4 sylvestre. Sw.	wood.		Jamaica.	1804. 5.7. S. 4.	Sloan. hist. 1. t, 105. f. 2.
5 Mioga. Ros.	Japanese.		Tomon	1796 G. 4 .	
0	*		F Ind	9. S.4.	
6 purpureum. Ros.	purple-bracted.				
ELETTARIA. L. T.	CARDAMOM.	Scitamineæ. B. P.	Amomi speci	es L.	CT in trong m sa
Cardamomum. L.T.	true.		E. Ind.	1815 S.4	{ Linn.trans.v.10. t. 4, 5.
COSTUS. W.	Costus.	Scitamineæ. B. P.			C 7, 0.
1 speciosus. Ros.		Scientifica: D. 1,	E. Ind.	1794. 8.9. S.24.	Jac. ic. 1. t. 1.
2 arabicus. Ros.	Arabian.			1752. 8. S.4.	
3 spicatus, Ros.					Jac. am. 1. t. 1.
2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- Princis	B	No training	×1000 00 10.40	A MAR MINE I . P. Ye.

	1711.	111210111 111	01.001				
KÆMPFERIA. W.	GALANGALE.	Scitamineæ. B. P.					
1 rotunda. Ros.	round-rooted.	Scitamineæ. B. P.	E. Ind.	1768.	7.8.	S. 21.	Bot. mag. 920.
2 Galanga. Ros.	officinal.		E. Ind.				Bot. mag. 850.
3 angustifolia. Ros.	narrow-leaved.		E. Ind.	1797.			Downing.
4 pandurata. B. Reg.		***************************************					Bot. reg. 173.
AMOMUM. Ros.	AMOMUM.	Scitamineæ. B. P.			2.00	~.4.	200110812700
1 Afzelii. Ros.	sweet-scented.			1795.	5.6.	S. 21	Ann. hot. 1. f. 18.
2 grandiflorum. Ex.B.					6.7.	S.2L.	Ann. bot. 1. t. 18. Ex. bot. t. 111.
CURCUMA. W.	TURMERIC.	Scitamineæ. B. P.		9	•.,•	~.4.	2311 5001 01 1111
1 Zedoaria. Ros.	broad-leaved.		E. Ind.	1797.	4.8.	S:2L.	Bot. mag. 1546. Rum. amb. 5. t.68.
2 Zcrumbet. Roxb.	Zedoary.			1807.		8.21.	Rum, amb, 5, t.68.
3 æruginosa. Roxb.	rusty.					S. 2L.	
4 rotunda. W.	round-rooted.			1803.	8.	S. 7L.	Rheed.mal.11.t.10. Jac. vind. 3.t. 4.
5 longa. Ros.	long-rooted.			1759.	8.	S. 2L.	Jac. vind. 3. t. 4.
6 rubescens. Roxb.	reddish.			1805.	3.9.	8.21.	109
GLOBBA. Ros.	GLOBBA.	Scitamineæ, B. P.	- 10		۵.0٠		
1 marantina. Ros.	marantine.			1800.	7.8.	S. 21.	Ex. bot. 2, t. 103.
2 purpurea. B. R.	purple.				7.9.	8.21.	Ex. bot. 2. t. 103. Bot. rep. t. 228.
3 sessiliflora. B. M.	sessile-flowered.			1807.	8.	S. 21.	Bot. mag. 1428.
4 radicalis. Roxb.	opera girl's.		E. Ind.	1808.	6.	S. 21	Bot. mag. 1320.
Mantisia saltatorie			22. 111.0.	1000	٠.	D. 4 ·	Bot. mag. 10200
PHILYDRUM. B. P.		Junceæ. B. P.					
lanuginosum. B. P		ounced. B. I.	China	1801	67	9 1	Bot. mag. 783.
LOPEZIA. Cav.							
1 hirsuta. H. K.	hairy	Onagrana. o.	Marico	1706	0.11	2 1	Jacesun 5 t 15 f 4
2 racemosa, H. K.	encosh		Mexico.	1700.	9.11		Rot mag 954
3 coronata. H. K.	coronet-flowering			- 1792.	7.0	HO	Jac.c.sup.5.t.15.f.4 Bot. mag. 254. Bot. rep. 551.
BOERHAAVIA. W.	Hocwern	Nyctagines. B. P		- 1000.	1.9.	11.0.	Bot. rep. oo 1.
1 erecta, W.	upright.			1722	7.0	8 21	Jac. vind. 1. t. 5, 6.
2 diffusa. W.	spreading.		inuia.	- 1690.	6.0	S. 4.	Jac. Vina. 1. 6. 0, 0.
3 hirsuta. W.	scarlet-trailing.		Inmaina	1799	5.0	S.4.	Jac. vind. 1. t. 7.
4 scandens. W.	climbing.		o amaica.	1601	4.0	S. D.	Jac. vind. 1. t. 4.
POLLICHIA. W.	Pollichia.			- 1091.	4.9.	3. ŋ.	Jac. vind. 1. 6. 4.
campestris. W.	whorl-leaved.			1780.	9.	C 1	Sm. spicil. 1. t. 1
SALICORNIA. W.	GLASSWORT.	Change and an P. D		1/80.	9.	G. 0 .	Sin. spicit. 1. t. 1.
1 arabica. W.		Chenopodeæ. B.P	• A I. : a	1770		CI	Mania b 0 4 99 f 7
	Arabian.		Araoia.	1758.			Moris.h.2. t.33.f.7.
2 fruticosa. W.	shrubby.		· Britain.	• • • • •	8.9.	н. ђ.	Eng hat 1601
3 radicans. E. B.	rooting.				9.	11.4	Eng. bot. 1691.
4 herbacea. W.	marsh.		72 1 1				Eng. bot. 415.
5 procumbens. E. B.			- England.	• • • • •	. 8.	H.O.	Eng. bot. 1691.
HIPPURIS. W.	MARESTAIL.	Naiades. J.	- Britain.		_	TT 21	E 1-4 #60
vulgaris.	common.		- Britain.	• • • • •	. 5.	H.4	Eng. bot. 763.
e		DICHT					
		DIGYNIA	١.				
CORISPERMUM. W	. TICKSEED.	Chenopodeæ, B.P					•
1 hyssopifolium. W.	hyssop-leaved.		- Europe.	1739.	7.	$H.\odot$	Fl. græc. 1. t. 1.
2 squarrosum. W.	rough-sniked		- Russia.	1759.	8.9.	H.O.	. Pal. ros. 2. t. 99.
-	(Wilman Sman					·	•
CALLITRICHE. W.	wort.	Naiades. J.					
aquatica. E.B.	common.		- Britain.		4.10	H.O.	Eng. bot. 722.
•	(STRAWBERRY						•
BLITUM. W.	BLITE.	Chenopodeæ.B.P	•				
1 capitatum. W.	berry-headed.		- Austria.	1633.	5.8.	H.O.	Poit.et T. fl.p.1.t.2.
2 yirgatum. W.	slender.		S. Europe.				Bot. mag. 276.
~ , g , , .	~ 45 or c * •		~. mioher	2000	4.0.		

CLASS II.

DIANDRIA MONOGYNIA.

NYCTANTHES. W.	NYCTANTHES.	Jasmineæ. B. P.			
arbor tristis. W.	square-stalked.		E. Ind.	1781	"S. h. Lam. ill. t. 6.
JASMINUM. W.	JASMINE.	Jasmineæ. B. P.			
1 Sambac. W.	single Arabian.		E. Ind.	1665. 1.12.	S. b. Bot. reg. 1.
β flo. pleno.	double ditto.			1700. 1.12.	S. b. Bot. rep. 497.
y trifoliatum.	Tuscan.				S. h. Bot. mag. 1785



	DIA	MINICIA MI	21100114	IA.			J
nirsutum. Ex. B.	hairy Indian.	Jasmine. B. P.	E. Ind.	1759.	5.8.	S.h.	Ex. bot. 2. t. 118.
3 gracile. B. P.	slender.		Norfolk Is.				Bot. rep. 127. Ac. 60
4 glaucum. W.	glaucous.		- C. B. S.	1774.			Sat. strip. rar. t. 8.
5 trinerve. W.	three-nerved.		- Java.				astrad it
6 auriculatum. W. 7 azoricum. W.	auriculated. Azorian.		· E. Ind.				Bot. reg. 2 5 4 28
& fruticans. W.	common yellow.		S Eur				Bot. mag. 461.
9 bumile. W.	Italian.						Bot. reg.
10 odoratissimum. W.	sweet-scented.		Madeira.	1656.	5.11.	G.b.	Bot. mag. 285.
11 revolutum. B.M.	curled-flowered.		China.	1812.	3.10.	G.h.	Bot. reg. 178.
12 officinale. W.	common white.						Bot. mag. 31.
13 grandiflorum. W.	Catalonian.		E. Ind.	1629.	6.10.	G.h.	Bot. reg. 91.
GALIPEA, Ju. trifoliataW.	GALIPEA.	• • • • • • • • • • • • • • • • • • • •		1000		0.7	A 1 : 000 / 000
LIGUSTRUM. W.	three-leaved. Priver.	Oleinæ. B. P.	Guiana.	1803.	• • • •	S. n.	Aub.gui.662.t.269.
1 vulgare. W.	common.	Cicina. B. I.	Britain.		6.7.	н.ь.	Eng. bot. 764.
β sempervirens.	evergreen.		Italy.			H. h.	
2 lucidum. H. K.	Wax-tree.		China.			G. 12 .	
OLEA. B. P.	OLIVE & PHIL-	Oleinæ. B. P.	Olea et Phill			•	
	LYREA.						
1 europæa. W.	European olive.		S. Eur.	1570.	6.8.	G. h.	Fl. græc. 1. t. 3.
β longifolia. ¶ latifolia.	long-leaved.						
δ ferruginea.	broad-leaved. iron-coloured.						
z obliqua.	twisted-leaved.						•
Z buxifolia.	box-leaved.						ri .
2 capensis. W. en.	leathery-leaved.		C. B. S.	1730.	6.9.	G.b.	Burm. afr. t. 81. f.2.
3 undulata. W. en.	wave-leaved.				4.5.	C I	Jac. sch. 1. t. 2.
4 verrucosa. W.	warted.			1814.		G.h.	
5 americana. W.	American.		N. Amer.	1758.			Cat. car. 1. t. 61.
6 excelsa. W.	laurel-leaved.		Madeira.	1784.	5.		7) 1
7 fragrans. W.	fragrant.			1771.	6.8.	G.h.	Bot. mag. 1552.
8 angustifolia.W.en. {	narrow-leaved Phillyrea.		S. Eur.	1597.	5.6.	H.h.	
9 media. W. en.	twiggy.					Н.Б.	
10 virgata. W. en.	privet-leaved.					H.b.	
11 pendula. W. en.	drooping.					H. h.	
12 oleæfolia. W. en.	olive-leaved.					H.h.	
13 lævis. W. en.	smooth-leaved.					H. h.	
14 ilicifolia. W. en.	holly-leaved.	-				H.h.	
15 latifolia. W. en. 16 obliqua. W. en.	broad-leaved.					H.h.	
NOTELÆA. B. P.	oblique-leaved.	Oleinæ. B. P.				Π.η.	
1 longifolia. B. P.	long-leaved.		N. S. W.	1790.	3.6.	G.h.	Vent. choix. 25.
2 ligustrina. B. P.	privet-leaved.		Van Die.				
CHIONANTHUS. W.		Oleinæ. B. P.					
1 virginica. W.	smooth-leaved.		N. Amer.	1736.	5.7.	H.h.	Cates. car. 1. t. 68.
2 maritima. Ph.	pubescent.					H.h.	
LINOCIERA. B. P.	LINOCIERA.	Oleinæ. B. P.	Chionanthi sp				7 1 - 1 0 0 -
ornus. P. S.	Caribean.	Oluina P. D	W. Ind.		• • • •	S. h.	Jac. col. 2. t. 6. f.1.
1 europæa. P. S.	FLOWERINGASH European.		Fraxini sp. I. Italy.		5 C	KT T.	Fl. græc. 1. t. 4.
2 rotundifolia. P. S.	Manna.			1697.		H. h.	r1. gaæc. 1. v. 4.
SYRINGA. W.	LILAC.	Oleinæ. B. P.		1007.		11.72.	
1 vulgaris. W.	common.		Persia.	1597.	5.	H. b .	Schku. hand. 1. t.2.
β violacea.	purple.						Bot. mag. 183.
y alba.	white.						
2 chinensis. W.	Chinese.			1795.			70
3 persica. W.	Persian.		Persia.	1640.			Bot. mag. 486.
β alba. y laciniata.	white.					H.h.	
CATALPA. Ju.	CATALPA.	Bignoniaceæ.B.P.				11. n.	Schmidt arb.2.t.79.
1 Syriugifolia. H. K.	common.		N. Amer.	1726.	6.8.	Н. Ь.	Bot. mag. 1094.
2 longissima. H. K.	wave-leaved.						Plum. ic. t. 57.
PIMELEA. B. P.	PIMELEA.	Thymelææ. B. P.					
1 linifolia. B. P.	flax-leaved.		N. S. W.	1793.	2.8.	G.h.	Bot. mag. 891.
2 rosea. B. P.	rose-coloured.		N. Holl.				Bot. mag. 1458.
3 pauciflora. B. P.	few-flowered.		Van Die.	1812.	• • • •	G.h.	,
FONTANESIA. W. phillyræoides. W.	FONTANESIA.	••••••	Suria	1707	0	7.T T.	
g	Phillyrea-leaved.	B 2	Syria.	1787.	٥.	**· 12 ·	Lab. syr. 1. t. 1.
		gar Ag					

CIRCÆA. W.	ENCHANTER'S	Onagrariæ. J.					
1 lutetiana. W.	Nightshade.		Britain.		6.8.	H.i.	Eng. bot. 1056.
2 alpina. W.	mountain.						1057.
VERONICA. W.		Scrophularinæ. B.P					
1 sibirica. W.	Siberian.		Siberia.				Amm. ruth. 20.t.4
2 virginica. W. β incarnata.	Virginian. flesh-coloured.		Virginia.	1714.	7.9.	н. 4.	Hoff. got. 15. t. 1.
8 neglecta. W. en:	tanescent:		Siberia.	1797.	7.8.	H.4.	
4 incana. Sc.	hoary.		Russia.				Hoff. got. 15. t. 6.
5 spicata. Sc.	spiked.	24	England.			H.4.	Eng. bot. 2.
6 hybrida. Sc.	Welsh.		***************************************			н.4.	673.
7 arguta. Sc.	sharp-notched.		S. Eur.	1812.		H.4.	Schr. ver. p. 22. t. 2. f. 2. -, p. 23. t.1. f. 2.
8 media. Sc.	long-spiked.		Germany.	1804.		H.4.	, p. 23. t.1. f. 2.
9 australis. Sc.	pubescent.		S. Eur. S. Eur.	1812.	-	H.4.	-, p. 24. t. 2. f. 3. -, p. 25. t. 1. f. 4.
10 glabra. Sc. β alba.	white.	2	S. Eur.	1004.		11.4.	-, p. 20. t. 1.1.4.
11 amethystina. W. en.				1812. 1808.		н.4.	
12 elatior. W. en.	tall.		S. Eur.	1808.		н.4.	
13 longifolia. Sc.	long-leaved.		11500	1731.		н.4.	Schr. ver. p. 26. t. 2. f. 1.
14 maritima. Sc.	sea-side.		Sweden.	1570.		H.4.	-, p. 29. t. 1. f.1.
15 complicata. W. en.						H.4.	
16 crenulata. Vahl.	notch-flowered.			1804.	7.9.	H.4.	(Schr ver n 31
17 villosa. Sc.	villose.	<u> </u>				H.4.	Schr. ver. p. 31. t. 1. f. 3.
18 foliosa. Sc.	leafy.		Hungary.				, p. 35. t. 2. f. 5.
19 spuria. Sc.	bastard.						Gmel. it. 1. t. 39.
20 pinnata. Sc. 21 laciniata. Sc.	wing-leaved. jagged-leaved.			1776.	6.8.	H.74.	Hoff. got. 15. t. 10.
22 incisa. Sc.	cut-leaved.			1779.		H. 4	Jung. ic. rar. f. 2.
23 aphylla. W.	naked-stalked.		Italy.	1775.	5.	н.и.	Segu. ver. 1. t. 3. 1. 2.
24 bellidioides. W.	Daisy-leaved.		Switzerland.		6.7.	H.4.	Hall. hist. t.15. f.1:
25 gentianoides. W. 26 fruticulosa. W.	Gentian-leaved.		Levant.	1748.	5.6.	H. 4.	Bot. mag. 1002. Eng. bot. 1028.
27 saxatilis. W.	blue Rock.		Scotianu.		7.	H. 21.	1027
28 alpina. W.	Alpine.	·			5.	H.4.	1027.
29 serpyllifolia. W.	smooth.		Britain.	• • • • •	4.7	H.4.	1075.
30 officinalis. W.	officinal.	ě		• • • • •		H.4.	765.
31 Allionii. W.	shining-leaved.			1748.	6.8	H.4.	Allion. ped. 1. t. 46. f. 3.
32 decussata. W.	cross-leaved.			1776.		G. h.	Bot. mag. 242.
83 integrifolia. W.	entire-leaved.		Silesia.				Krock. sil. 28. t. 3. Eng. bot. 655.
39 Beccabunga. W. 40 labiata. B. P.	Brook-lime. labiated.		N Holl				Bot. mag. 1660.
41 Anagallis. W.	long-leav. water.		Britain.				Eng. bot. 781.
42 scutellata. W.	marsh.				6.8.	H.4.	782.
43 Teucrium. P. S.	rugged-leaved.		Germany.	1596.		H.4.	Rivin. t. 95.
44 prostrata. W. 45 perfoliata. B. P.	trailing. perfoliate.		TAT O THE	1915	5.6. 7.8	G.21.	Riv. mon. 95. B.mas 1036
46 montana. W.	mountain.		Britain.		7.0.	H.4.	Eng. bot. 766.
47 Chamædrys. W.	Germander.					H.4.	623.
48 orientalis. W.	various-leaved.		Levant.				Sal. stirp. rar. 7. t.4.
49 austriaca. Jac. 50 multifida. W.	Austrian.		Austria. Siberia.	1748.			Jac. aust. #. t. 329. Bot. mag. 1679.
51 urticæfolia. W.	fine-cut. Nettle-leaved.		Austria.	1776.	6.7.	H.24.	Jac. aust. 1. t. 59.
52 latifolia. W.	broad-leaved.			1748.	5.6.	H.4.	t. 60.
53 paniculata. W.	panicled.	ula .	Russia.			H.4.	
54 agrestis. W.	field.		Britain.				Eng. bot. 783.
55 arvensis. W. 56 hederifolia. W.	wall. Ivy-leaved.			• • • • •	4.7. 3.6	H.O.	734. 784.
57 triphyllos. W.	fingered.				4.5.	H.O.	26.
58 verna. W.	vernal.					H.O.	- 25.
59 digitata. W.	digitated.		S. Eur.	1805.	7.	H.⊙.	
60 filiformis. W.	long-stalked.	<u> </u>	Levant.	1780.	5.	H.O	Bux.cen.1.t.40.f.1. Poit.et.T.fl.p.1.t.23
61 acinifolia. W. 62 peregrina. W.	Basil-leaved. Knot-grass leav.		N. Eur.	1680	5.6.	H.O.	Fl. dan. 407.
ELYTRARIA. M.	ELYTRARIA.	Acanthaceæ. B. P.					
virgata. M.	twiggy.		L.	1813.	7.	H.4.	Mich. am. 1. t. 1.

DÌANDRIA MONOGYNIA.

	2111		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				•
JUSTICIA. W.	JUSTICIA.	Acanthaceæ. B. P.					D. ()
1 bicalyculata. W.	Malabar.		E. Ind.	1785.		=	Ret. stoc. 1775. t.9.
2 sexangularis. W. 3 Ecbolium. W.	Chickweed-leav. long-spiked.	4	S. Amer.	1733.		S.O.	Bot. mag. 1847.
4 coccinea. W.	scarlet.	+	S Amer.	1770.			432.
5 quadrifida. H. K.	twiggy.		Mexico				Par. lon. 50.
6 nitida. W.	glossy.		W Ind				Bot. rep. 570.
7 picta. W.	painted.	<u></u>	E. Ind.	1780.	7.8.	S.h.	Rheed, mal. 6. t. 60.
8 lucida. Va.	shining-leaved.			1795.		- S.h.	Bot. mag. 1014.
9 secunda. Va.	side-flowering.			1793.	• • • •	S.h.	2003
10 ciliaris. W.	ciliated.		17. T. 3				Jac. vind. 2. t. 104.
11 Gendarussa. W. 12 carthaginensis. W.	Willow-leaved. Carthaginian.		Carthagana				Jac. amer. 5. t. 5.
13 americana. W.	American.		N. Amer.				Pluck.alm.t.423.f.5
14 procumbens. W.	procumbent.		E. Ind.	1798.		- S.i.	t. 56, f.3.
15 comata. W.	Balsam-herb.		Jamaica.	1795.	7.8.	S.4.	Slo.jam.1.t.103.f.2. Jac. amer. 4. t. 4.
16 eustachiana. W.	Eustachian.		St. Eustachia	1799.	8.9.	S.h.	Jac. amer. 4. t. 4.
17 nasuta. W.	white-flowering.		E. Ind.	1790.	2.10	. 3. h .	Bot. mag. 325.
18 pectoralis. W.	Garden Balsam.		W. Ind.				Jac. amer. 3. t. 3.
19 periplocifolia. W.	Periploca-leaved.	***************************************	S. Amer.				Jac.col.sup. t.7. f.2.
20 lithospermifolia. W. 21 fürcata. Va.	forked.		Peru.	1790.	4.8.	. S. L.	Jac. scheen. 1. t. 4. Bot. mag. 430.
22 scorpioides. L.	scorpion-like.	-	Vera Cruz.	1802.		S. h.	B. Houst. p.3. t. 1.
23 paniculata. Va:	panicled.	***************************************	E. Ind.	1811.	7.8.	S.b.	Rheed. mal. 9. t. 56.
24 resupinata. W.	resupinate.	2		1805.	7.	S.O.	
25 Adhatoda. W.	Malabar-nut.		Ceylon.	1699	5.7.	G. Iz .	Bot. mag. 861.
26 pectinata. Va.	small-flowered.		E. Ind.				Roxb. cor. 2. t.153.
27 Betonica. Va.	Betony-leaved.						Rheed. mal. 2. t. 21.
28 hyssopifolia. W.	Snap-tree. Broom-leaved.		Canaries.				Mill. ic. 9. t. 13.
ERANTHEMUM.B.P		Acanthaceæ. B. P.				G. n.	Vent. mal. 51.
1 spinosum. B. P.	thorny.	Tichnetiacca. D.1.	W. Ind.			S.h.	Jac.amer.2.t.2.f.1.
2 pulchellum. B. R.	nervose.		E. Ind.				Bot. rep. 88.
3 bicolor. B. M.	two-coloured.		Luconia.				Bot. mag. 1423.
GRATIOLA. Mich.	HEDGE-HYSSOP.	Scrophularinæ. B.P					
1 officinalis. W.	officinal.		Europe.				Fl. dan. 363.
2 veronicifolia. W.	Speedwell-leav.	<u> </u>	E. Ind.				Rheed. mal. 9. t. 59.
3 virginica. W. SCHWENKIA. W.	Virginian. Schwenkia.	Saranhularina P D	virgima.	1759.	8.	H.4.	
americana W.	Guinea.	Scrophularinæ. B.P	Guinea.	1781.	8 9.	S. 2.	Schw.bes.p.328.t.1.
CALCEOLARIA. W.		Scrophularinæ, B.P		.,	0.0.		Sea Sea pro sea attent
1 pinnata. W.	wing-leaved.			1778.	7.9.	$G.\bigcirc$.	Bot. mag. 41.
2 Fothergillii. W.	Fothergill's.		Falkland Isl.				348.
PINGUICULA. W.	BUTTERWORT.	Lentibulariæ.B.P.					
1 lusitanica. W.	pale.						Eng. bot. 145.
2 vulgaris. W.	Alpine		Commons	3704	5.	H.4.	70.
3 alpina. W. 4 grandiflora. W.	Alpine. large-flowered.		Britain	1/94.	4.5	H 2/	Eng. bot. 1128.
5 lutea. M.	yellow.		Carolina.	1816.	6.7.	G. O.	Bot. reg. 126.
							3
UTRICULARIA. W.	{ FOIL. }	Lentibulariæ.B.P.					
1 vulgaris. W.	common.		Britain.	• • • • •	6.7.	H. 24.	Eng. bot. 253.
2 minor. W.	lesser.			• • • • •	7.	H.4.	
3 intermedia. P. S. GHINIA. W.	intermediate.	Washanaam P D	Tamanag D.	· · · · ·	5.6.	н. 4.	
spinosa. W.	GHINIA. thorny-fruited.	Verbenaceæ. B.P.	W. Ind.	1733	Q	S O	Banks, r. Hous. t.2.
STACHYTAR-	(BASTARD					5.0.	Danks, r. 110us, use
PHETA. Va.	VERVAIN.	Verbenaceæ. B. P.	Cymburus. S	al. par.	lon.		
1 indica. Va.	Indian.		Ceylon.	1732.	8.9.	$s.\odot.$	
2 urticifolia. B. M.	Nettle-leaved.						Bot. mag. 1848.
3 jamaicensis. Va.	Jamaica.		W. Ind.				1860.
4 orubica. Va. 5 mutabilis. Va.	Orubian.		Panama.				Ehr. pict. t. 5. f. 1.
6 prismatica. Va.	changeable-flowd Germander-leav.		W. Ind				Bot. mag. 976.
	(WATER-		77 . IIIU.	1099.	0.0.	D. O .	Jac. ic. 2. t. 208.
LYCOPUS. W.	HOREHOUND.	Labiatæ. B. P.	1				
1 europæus. W.	common.		Britain.		7.8.	H.4.	Eng. bot. 1105.
2 exaltatus. W.	tall.		Italy.	1739.		н.4.	Fl. græc. 1. t. 12.
3 virginicus. W.	Virginian.		Virginia.	1760.	8.9.	H.4.	
AMETHYSTEA. W.		Labiatæ. B. P.	Cibi-		A -	11.0	77-II
cærulea, W,	blue-flowering.	the state of the s	otoeria.	1759.	6.7.	H.O.	Hall. ups.1742.t.4.

DIANDRIA MONOGYNIA.

	CUNILA. P. S.	CUNILA.	Labiatæ. B. P.	1				
	1 mariana. Ph.	Mint-leaved.		N. Amer.	1759.	7.9.	H.4.	Moris. h.3. t. 19. f.7.
	2 capitata. P. S.	headed.		Siberia.	1799.			
	ZIZIPHORA. W.	ZIZIPHORA.	Labiatæ. B. P.				•	
	1 capitata. W.	oval-leaved.		Syria.	1752.	7.8.	H.O.	Fl. græc. 1. t. 13.
	2 hispanica. W.	Spanish.		Spain.				Lam. ill. t. 18. f. 1.
	3 tenuior. W.	spear-leaved.		Levant.				t. 18. f. 2.
	4 acinoides. W.	Thyme-leaved.		Siberia.	1786.			
	5 serpyllacea. B.M.	sweet-scented.		Caucasus.	1803.	7.8.	H.h.	Bot. mag. 906.
	6 dasyantha. W. en.	hairy-flowering.		Siberia.	1814.			
	7 Pouschkini. B. M.	hairy-headed.		Caucasus.	1803.	8.	H.h.	Bot. mag. 1093.
	8 taurica. W. en.	Taurian.			1816.	7.9.	H.⊙.	
	HEDEOMA. P.S.	HEDEOMA.	Labiatæ, B. P. C	unilæ species.				
	1 pulegioides. Ph.	l'ennyroyal-leav.		N. Amer.	1777.			
	2 thymoides. P. S.			France.	1699.		н.⊙.	Moris.his.3.t.19.f.6
	MONARDA. W.	Monarda.	Labiatæ. B. P.	NT 4				T
	1 didyma. W.	Oswego Tea.	1	N. Amer.	1752.	6.8.	H.4.	Bot. mag. 546.
	2 Kalmiana. Ph.	pubescent-flow ^d . white.			1813.		н. 4.	Pursh. flor. ani. t. 1.
	3 rugosa. Ph. 4 clinopodia. Ph.	Wild Pacil loon			1701.	7.9.	H. 4.	
	5 purpurea. Ph.	crimson.			17.1.	60	11.4.	Bot. mag. 145.
	6 media. W. en.	purple-bracted.		_	1769.	6.0	п. 4.	Dot. mag. 145.
	7 oblongata. Ph.	long-leaved.			1761	7.0	11.4.	
	8 mollis. Ph.	soft.			1701.	6.0	H 7	
	9 fistulosa. Ph.	hollow-stalked.			1656	6.9.	H 2	Mill. ic. t. 122. f. 2.
	10 punctata. Ph.	spotted.			1714.	6.10.	H. 21	Bot. rev. 87.
8	11 ciliata. Ph.	blue-flowered.			1798	7.	H 2/	Bot. reg. 87. Pluk.alm.t.164.f.3.
	12 hirsuta. Ph.	hairy.				7.9.	H. 2/ .	* * * * * * * * * * * * * * * * * * *
	ROSMARINUS. W.	ROSEMARY.	Labiatæ. B. P.			,		
	1 officinalis. W.	common.		S. Eur.	1548.	1.4.	н.ь.	Fl. grac. 1. t. 14.
	2 chilensis. W.	Chili.		Chili.	1795.			5
	SALVIA. W.	SAGE.	Labiatæ. B. P.		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	• •		
	1 ægyptiaca. W.	Egyptian.		Egypt.	1770.	6.7.	Н.⊙.	Jac. vind. 2. t. 108.
	2 dentata. W.	tooth-leaved.		C. B. S.	1774.			
	3 cretica. W.	Cretan.		Crete.				Riv. mon. t. 128.
	4 angustifolia. Ca.	narrow-leaved.		Mexico.				Cav. ic. t. 317.
	5 azurea. Ph.	azure-flowered.		Carolina.		8.	н. 4.	Bot. mag. 1728.
	6 lyrata. W.	lyre-leaved.		N. Amer.	1728.	6.7.	H.4.	Mor. h.3. t.13. f.27.
	7 Hablitziana. W.	Siberian.		Siberia.				Bot. mag. 1429.
	8 officinalis. W.			S. Eur.	1597.	6.7.	H.h.	Ger. herb. 623. f. 1.
	9 grandiflora. W.	great flowered.						771
	10 triloba. W.	three-lobed.						Fl. græc. 1. t. 17.
	11 pomifera. W.	Apple-bearing.		Candia.				t. 15.
	12 urticifolia. W.			N. Amer.				Mor. h.3. t.13. f.31.
	13 tiliæfolia. W. 15 viridis. W.	Lime-leaved.	•———	S. Amer.				Jac.scheen.3. t.254.
	16 Horminum. W.	green-topped. annual Clary.		C Furance				Fl. grac. 1. t. 19.
	a violacea.			S. Europe.	1590.	0.7.	n	t. 20.
	β rubra.	purple-topped. red-topped.						
	17 truncata. W. en.	truncated.			1800.	7.8	HO	
	18 serotina. W.	late-flowering.			1803.			Jac. ic. rar. 1. t. 3.
	19 virgata. W.	long-branched.	1	Armenia.				Jac. schoen. 1. t.37.
-	20 campestris. W. en.	field.		Tauria	1813.			
	21 amplexicaulis. W.en	stem-clasping.		Levant.				
	22 sylvestris. W.	spotted-stalked.		Germany.				Jac. aus. 3. t. 212.
	23 nemorosa. W.	spear-leaved.			1728.			
	24 syriaca. W.	Syrian.		Levant.	1759.			Bauh. prodr. t.114.
	25 viscosa. W.	-1		TA. S.				Jac. ic. 1. t. 5.
	26 hæmatodes. W.	bloody-veined.			1699.	7.8.	H.4.	Mor.h.3. t.14.f.15.
	27 pratensis. W.	meadow.		England.	. ,	5.11.	H.4.	Eng. bot. 153.
	28 variegata. W. en.				1814.	6.8.	H.4.	
	29 bicolor. W.	two-coloured.		Barbary.	1793.	6.7.	н. 4.	Bot. mag. 1774.
	30 crassifolia. P. S.	thick-leaved.			1804.			
	31 indica. W.	Indian.		India.				Bot. mag. 395.
	32 hirsuta. W. en.	hirsute.						Jac.schæn.3. t.252.
	33 lanceolata. W. en.	lanceolate.			1813.			0
	34 dominica. W.	Dominica.		W. Ind.				Swart.ob.18.t.1.f.1.
	35 verbenaca. W.	wild Clary.		Britain.				Eng. bot. 154.
	36 Spielmanni. W. en.	Spielman's.		0.77.6	1813.			
	37 scabra. W.	rough-leaved.		C. B. S.	1774.	4.9.	G. h.	

DIANDRIA MONOGYNIA.

	Dilli	,DICITE MO	11001111			<u> </u>	
38 runcinata. W.	runcinated.	Labiatæ. B. P.				Jac. scheen. 1. t. 8.	
39 clandestina. W.	cut-leaved.		Italy.			Fl.græc.1.p.18.t.24	
40 austriaca. W.	Austrian.		Austria.	1776. 6.7. 1 1804. 7.8. 3		Jac. aust. 2. t. 112.	
41 bullata. W. en. 42 disermas. W.	blistered. long-spiked.		Svria.			Arduin. spec.1. t.1.	
43 rugosa. W.	wrinkle-leaved.		C. B. S.	1775. 7.8.			
44 nubia. W.	Nubian.		Africa.			Murr.gott.1778.t.3	
45 nilotica. W.	Nilotic.		Egypt.	1780. 6.8.	н.⊙.	Jac. vind. 3. t. 92.	
46 mexicana. W.	Mexican.		Mexico.			Cav. ic. 1. t. 26.	
47 cæsia. W. en.			S. Amer.	1813. 6.9.			
48 reptans. W. en.	linear-leaved.		Mexico.	1799. 5.8.		Bot. mag. 376.	
49 formosa. W. 50 coccinea. W.	scarlet-flowered.		S. Amer.			Murr.gott.1778.t.1	
51 pseudococcinea. W.	pale-scarlet.					Jac. ic. 2. t. 209.	
52 amarissima. H. K.	bitter.		Mexico.			Cav. ic. 4. t. 318. β	4:
53 hispanica. W.	Spanish.		Spain.			Ard. spec. 1. t. 2. 🐉	51
54 abyssinica. W.	Abyssinian.		Africa.			Jac. ic. 1. t. 6.	
55 verticillata. W.	whorl-flowered.		Germany.	1658. 6.11.		In a mind a + asa	
56 napifolia. W.	Rape-leaved.		Germony			Jac. vind. 2. t. 252. Mor. h.3. t.13. f.18.	
57 glutinosa. W. 58 amœna. B. M.	glutinous. Violet-flowered.		W Ind			Bot. mag. 1294.	4/1
59 canariensis. W.	Canary.		Canaries.			Trew.pl.rar.2. t.19.	
60 aurita. W.	eared-leaved.		C. B. S	1795. 5.6.			
61 africana. W.	African.			1731. 4.6.	G. h .	Comm.hort.2.t.91.	
62 aurea. W.	golden-flowered.					Bot. mag. 182.	
63 colorata. W.	coloured-calyxed					Mill. ic. t. 225. f.2.	
64 chamædryoides. Va.			Mexico.	1795. 6.9.	G. h.	Bot. mag. 808.	
65 paniculata. W.	panicled. thorny-calyxed.		Egypt			Mill. ic. t. 225, f.1,	
66 spinosa. W.	Tangier.		Barbary.			Jac. ic. 1. t. 7. Riv. mon. t. 62.	
68 odorata. W. en.	sweet-scented.		Bagdad.	1804. —			
69 Sclarea. W.	common Clary.		· Italv.			Fl. græc. 1. t. 25.	
70 ceratophylla. W.	horn-leaved.		· Persia.	1699. 7.8.	н.д.	Pluk.alm.t.194.f.5.	
71 argentea. W.	silvery.		Crete.			Fl. græc. 1. t. 27.	
72 patula. W. en.	spreading.			1805. —			
73 Æthiopis. W.	woolly.		- Austria.	1570. 5.6.	н. г.	Jac. aus. 3. t. 211.	
74 phlomoides. W.	Mullein-leaved.		- Spain.	1805. ——	H.4.	{ Rœm.pl. hisp. lus. t. 1. f. 1.	
75 pinnata. Va.	winged-leaved.	,	- Levant.			Boer.lugd.1. t.167.	
76 interrupta. Va.	Ash-leaved.		- Barbary.			Schons.moroc.6.t.1	
77 ceratophylloides.W.	branchy.		- Egypt.			Arduin. spec.2. t.2.	
78 Forskohlii. W.	Forskohl's.		- Levant.	1800. 6.8.	H.4.	Bot. mag. 988.	0%
79 nutans. W.	nodding.		- Kussia.	1780	H. 24.	Kniph.cent.7.t.79.	24
80 betonicæfolia. W. COLLINSONIA. W.	Betony-leaved.	Labiatæ. B. P.	-	1804	н. 4.		
1 canadensis. W.	Nettle-leaved.		- N. Amer.	1735, 8,10,	H.2/.	Linn. hort, cliff. t.5.	
2 scabriuscula. W.	rough-stalked.		- E. Florida.	1776. 7.9.			
3 ovalis. Ph.	oval-leaved.		- Carolina.	1812. 8.	H. 2.		
4 tuberosa. Ph.	tuberous.			1806	H.4.		
5 anisata. B. M.	Anise-scented.		•	10.	H.4.	Bot, mag. 1213.	1
MORINA. W.	Morina.	Dipsaceæ. J.	Domais	1740 76	0 4	[2] • 4 oc	
persica. W.	Persian.	Rosaceæ. J. And			G. 4.	Fl. græc. 1. t. 28.	
ACÆNA. Vahl. 1 latebrosa. Va.	Acæna.	Acosacca. o. ZIII	- C. B. S.	1774. 4.6	G. 21		
2 Sanguiserbæ. Va.	Burnet-leaved.		- NewZealand	1796. 6.	Н. 4.	Lam. ill. t. 12. f. 1.	
3 ovalifol a. Va.	creeping.		- Peru.	1802. 5.6.	н. 4.	Vent. cels. 6.	
4 lucida. Va.	shining.		 Falkland Isl. 	1777. 5.6.	G. 24.	Lam, ill.1. t.22.f.3.	
5 lævigata. H. K.	smooth.		- Magellan.	1790. 6.8.	H.4.	. 1	
		DICUN	TT A				
		DIGYN	ild.				
ANTHOXAN-	SPRING-GRASS.	Gramineæ. B. P.					
THUM. W. 1 odoratum. W.			- Reitain	_	LI or	Fra hot Car	
2 amarum. Brot.	sweet-scented. bitter.		- Britain. - Morocco.		H. 4.	Eng. bot. 647,	
.,			112010000	70.00	*** 4		
		TRIGY	NIA.				
PIPER. W.	Depare						
1 peltatum. W.	PEPPER. peltated.	Urticæ? J.	- W. Ind.	1748	S-21	Plum amon 50 4 ma	
2 umbellatum. W.	umbelled.	***************************************				Plum.amer.56.t.74	
		* ******	******	,	~. //.		

3 macrophyllum. W. 4 aduncum. W. 5 reticulatum. W. 6 Amalago. W. 7 nigrum. W. 8 Betle. W. 9 longum. P. S.	broad-leaved. hooked. netted. rough-leaved. hlack. Betle. long.	W. Ind. Jamaica. E. Ind.	1748. 1759 1790 1804	8. S.h. S.h. S.h.	Jac. is. 2. t. 210. Plum.amer.57.t.75. Sloa.hist.1.t.87.f.1. Lam. ill. 79. t. 23. Rheed. mal. 7. t. 15. Gumph. amb. 5. t. 116. f. 2.
10 clusiæfolium. H. K. 11 maculosum. L. 12 nitidum. W. 13 distachyon. P. S. 14 alatum. P. S. 15 hispidum. W. 16 pellucidum. W. 17 cuneifolium. W. en. 18 acuminatum. W. en. 19 amplexicaule. W.	Clusia-leaved. spot-stalked. shining-leaved. two-rowed. winged. hairy-leaved. pellucid. wedge-leaved.	W. Ind. Pillao. Jamaica. S. Amer. Jamaica. S. Amer. Caracas. W. Ind.	1793. 4 1790. 1793. 5 ————————————————————————————————————	5. S. h. 9. S. h. 1.6. S. h. 1.7. S. h. 7. S. h. 1.9. S. h. 1.9. S. h.	Jac. ic. 2. t. 212. Plum.amer.60.t.66, Plum.amer.51.t.67 Fl. per. 31. t. 48. Plum.amer.54.t.72 Jac. ic. 2. t. 214, Bot. mag. 1882.
20 magnoliæfelium. Va 21 obtusifolium. W. 22 blandum. W. 23 pubescens. H. S. 24 polystachion. W. 25 trifolium. P. S. 26 pulchellum. W. 27 stellatum. P. S. 28 inæqualifolium.	Magnolia-leaved obtuse-leaved. villous. pubescent. many-spiked. three-leaved. small-leaved. starry. pnequal-leaved,	Caracas. Jamaica. S. Amer. Jamaica.	1739. 4 1802. 5. 1809. 7. 1775. 6 1802. 6 1778. 7. 1802. 5	.7. S.4. .11. S.4. .10. S.4. .7. S.4. .8. S.4. .10. S.4.	Jac. ic. 1. t, 9. Plum.amer.52.t.68

CLASS III.

TRIANDRIA MONOGYNIA,

	1 1012	ALTIDICALL IN	OLIOUI	ATT			
VALERIANA. W.	VALERIAN.	Dipsaceæ. J.					
I rubra. W.	red.				6.10.	H.4.	Eng. bot. 1581.
2 angustifolia. W.	narrow-leaved.		S. Eur.	1731.	5.7.	H. 4.	Fl. græc. 1. t. 29,
3 Calcitrapa. W.	cut-leaved.		Portugal.				1. t. 30,
A dicica. W.	diæcious.		Britain,		5.7.	H.4.	Eng. bot. 628.
5 officinalis. W.	great wild.						698.
6 Phu. W.	garden.		Germany.	1597.	5.7.	H.4.	Blacw. t. 250.
7 tripteris. W.	three-leaved.		Switzerland.	1752.	3.5.	H. 4.	Jac. aus. 3. t. 268,
8 montana. W.	mountain.			1748.	6.7.	H.4.	3. t. 269. A
9 celtica. W,	Celtic.				6.	H.4.	Jac. coll. 1. t. 1.
10 tuberosa. W.	tuberous-rooted.		S. Eur.	1629.	5.6.	H, 4.	
11 saxatilis. W.	rock.		Austria.	1748.	7.	H. 14.	Jac. aus. 3. t. 267,
12 elongata. Ja.	elongated.			1812.	6.7,	H. 24.	3. t. 219.
13 pyrenaica. W.	heart-leaved.		Scotland.		5.6.	H. 4.	Eng. bot. 1591.
FEDIA. Gært.	FEDIA.	Dipsaceæ. J. Val		L.		•	•
1 sibirica. W.	Siberian.		Siberia.	1759.	5.6.	H, O,	Gmel. sib. 3. t. 24,
2 ruthenica. W.	Russian.						Amm. ruth. 18, t. 3.
3 Cornucopiæ. W.	purple.		S. Eur.				Fl. græc. 1. t. 32.
4 echinata, W.	prickly capsuled.			1807.	7.8.	H.O.	Col. ecph. 1. t. 206,
5 olitoria. W.	Lamb's Lettuce.		Britain.		4.5.	H.O.	Eng. bot. 811.
6 dentata. W.	oval-fruited.				4.6.	H.O.	1370.
7 vesicaria. W.	bladdered.		Candia.	1739.	4.5.	H.O.	Fl. græc. 1. t. 34.
8 coronata. W.	prickly-seeded.	***************************************	Portugal.	1731.	4.6.	H.Ŏ.	Col. ecph. 1. t. 209,
9 discoidea. W.	discoid.				4.7.	H,Õ.	Mor.his.3.t.16,f.29
OXYBAPHUS, W.	{Umbrella- }	Nyctagines. J. Co	,	rs. Syn			
1 viscosus. W.	viscid.		Peru.	1793.	5,9.	S. 24 .	Bot. mag. 434.
2 aggregatus. Cav.	aggregate.		New Spain.	1811.	7.8.	S.O.	Cav. ic. t. 437,
3 glabrifolius. W. en.							
CNEORUM. W.	WIDOW-WAIL.	Terebintaceæ. J.					
tricoccum. W.	smooth.		S. Eur.	1793.	4.9.	G.b.	Lam. ill. t. 27.
COMOCLADIA. W.	MAIDEN PLUM.						
			7	1550		e t	Sloan. jam. 2, 4,
1 integrifolia, W,	entire-leaved.	-	namaica,	1778.		S. 17.	222. f. l.

TRIANDRIA MONOGYNIA.

	1111	ANDIUA I					J
2 dentata, W.	tooth-leaved.	Terebintaceæ. J.	W. Ind.	1790.	7.	S.h.	Jac.am.13.t.173.f.4
3 ilicifolia. W.	holly-leaved.		Caribee Isl.	1789.		S. h.	{ Plum. ic. 108. t. 118. f. 1.
MELOTHRIA. W.	MELOTHRIA.	Cucurbitaceæ. J.					-
pendula. W.	pendulous.		America.	1752.	6.7,	H.⊙.	Plum. ic. t. 66. f. 2.
ORTEGIA. W.	ORTEGIA.	Caryophylleæ. J.	Spoin	1768	6.7	H. 21.	Cav. ic. 1. t. 47.
1 hispanica. W. 2 dichotoma. W.	Spanish. forked.		Italy.				Allio.tauri.3.t.4.f.1
LŒFLINGIA. W.	LŒFLINGIA.	Caryophylleæ. J.		- 1			
hispanica. W.	Spanish.	Cl. 1 D.F	Spain.	1770.	6.	$H.\odot$	Cay. ic. 1. t. 94.
POLYCNEMUM. W.	Polycnemum. trailing.	Chenopodeæ. B. I		1640.	7.	HQ.	Jac. aus. 4. t. 365,
arvense, W. HIPPOCRATEA. W.	HIPPOCRATEA.	Aceræ. J.	5. 11	1040.	,.	11.0.	000.000.4.0000
volubilis. W.	climbing.		S. Amer.	1739.		S. h.	Jac. amer. t. 9.
CROCUS. Ker.	CROCUS.	Irideæ. B. P.	~			TT	7 1 1 044
1 vernus. E. B.	spring.		England.				Eng. bot. 344. Bot. mag. 1110.
2 versicolor. H. K. 3 biflorus. H. K.	party-coloured. Scotch.						845.
4 susianus. H. K.	Cloth of Gold.		Turkey.	1605.		H. 2.	652.
5 sulphureus. H. K.	sulphur-colour'd		S. Eur.	1629.		H.4.	938.
β flavus.	pale Yellow.		m 1			H.4.	938. ————————————————————————————————————
6 mæsiacus. H. K.	common yellow.		Turkey.		0 10	H 21	Eng. bot. 343.
7 sativus. W. 8 serotinus. H. K.	late-flowered.		S. Eur.				Bot. mag. 1267.
9 nudiflorus. H. K.	naked-flowered.		England.				Eng. bot. 491.
TRICHONEMA, Ker.		Irideæ. B. P. Ixi	æ species W il				
1 Bulbocodium. H.K.			S. Eur.	1739.	3.4.	H.4.	Bot. mag. 265.
2 cruciatum. H. K. 3 caulescens. B. M.	square-leaved.		C. B. S.	1758.	5. 6.7	G.4.	1302
4 pudicum. B. M.	blush.			1808.	8.	G. 24.	1244.
5 speciosum. B. M.	crimson.				3.4.	G. 24.	575. 1392. 1244. 1476. 1225.
6 roseum. B. M.	rose-coloured.				7.	G. 24.	1225.
GEISSORHIZA. Ker.		Irideæ. B. P. Ixi	æ species Wil	ld.			
1 Rochensis. H. K. 2 setacea. B. M.	plaid. bristle-leaved.	· · · · · · · · · · · · · · · · · · ·	С. В. S.	1790.	5. 6.7	G. 4.	Bot. mag. 598.
3 obtusata. H. K.	yellow-flowered.			1801.	5.	G. 4.	672.
4 secunda. H. K.	one-ranked.			1795.		G. 4.	597·1105.
5 excisa. H, K.	short-leaved.			1789.	4.5.	G. 24,	584,
6 ciliaris. Sal.	ciliated.			• • • • •		- G. 4.	
HESPERANTHA. }	FLOWER.	Irideæ. B. P. Ixi	æ species Wi	lld.			
1 radiata. H. K.	nodding-flower'd		C. B. S.	1794.	4.6.	G. 24.	Bot. mag. 573,
2 pilosa. B. M.	hairy.			1811.	4.5.	G. 4.	1475, ————————————————————————————————————
3 graminifolia.	grass-leaved.			1808.	8.9.	G. 4.	1254,
4 falcata. H. K.	sickle-leaved.			1787.	4.5.	G. 4.	566. 1054,
5 cinnamomea, H. K. SPARAXIS, Ker.	Sparaxis.	Iridex. B. P. Ivi	e species Wi	Ud.		· G. 4 ·	1054,
1 tricolor, H. K.	three-coloured.			1789.	5.	G. 24.	Bot. mag. 381.
β sanguineo-pur- }	various-coloured.			1811.	4.5.	G. 21 .	1482.
purea.							
y violaceo-purpurea 5 roseo-alba.	light-coloured.		÷			G. 4.	1482.f.2, 1482 f.3,
2 bicolor. H. K.	two-coloured.		-	1786.	3.4.	$G. \mathcal{U}$.	548.
3 grandiflora. H. K.	purple-flowered.		· ,	1758.	4.	G. 21.	541.
β striata.	streak-flowered.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			- G. 4.	779.
y Liliago.	hull bearing				5.0	G.4.	Bot. reg. 252.
4 bulbifera. H. K. IXIA. Ker.	bulb-bearing, IXIA.	Irideæ. B. P.			J.D.	G. 4,	Bot. mag. 545.
1 linearis. H. K.	slender.		C. B. S.	1796.	4.5.	G. 24.	Bot. mag. 570,
2 capillaris. B. M.	capillary.			1774.		- G. 24.	617.
3 aulica. W.	rose-coloured.			-		- G. 4.	1013.
4 fucata. Ker. 5 patens. W.	painted. spreading-flow.			1770	6.7.	G. 24.	1379.
6 leucantha. P. S.	white-flowered.	- 1		1779.	4,	G. 4.	Jac. ic. 2. t. 278.
7 flexuosa. H. K.	bending-stalked.						Bot. mag. 624.
8 hybrida. Ker.	spurious.					- G. 4.	128.
9 conica. H. K.	orange-coloured.						539.
10 monadelpha. H. K. 11 curta. B. R.	short.			1792.	_	- G. 74, - G. 71	607. 1378,
12 columellaris, H. K.		p-ex-parent and a second	· · · · · · · · · · · · · · · · · · ·	1790,			630.
	S and	C			21	. 77	2.444

3 maculata W. 4 capitata, P. S. 14 capitata, P. S. 15 ovata. B. R. 0.12 0.12 0.15	10	Inii	INDAIA	MUNUGI	HIF		
14 capitata, P. S. beaded. G. 7, 159.	12 magnista W	anotted	Isidem B D	CRS	1700	5 C C 1	Rot nan 104
15 oviata, B. R. cycle c						(1 21	150
18 erecta, H. K.			-			G. 4.	159.
18 erecta, H. K.						G. 4.	23.
18 erecta, H. K.					1000	G. 4.	D-+ 1005
20 retusa, H. K. 22 crispa, H. K. 22 crispa, H. K. 22 crispa, H. K. 23 crispa, H. K. 24 crispa, H. K. 24 crispa, H. K. 24 crispa, H. K. 25 crispa, H. K. 26 crispa, H. K. 27 crispa, H. K. 27 crispa, H. K. 27 crispa, H. K. 28 crispa, H. K. 29 crispa,					- 1809.	G. 4.	Bot. mag. 1285.
20 retusa, H. K. 22 crispa, H. K. 22 crispa, H. K. 22 crispa, H. K. 23 crispa, H. K. 24 crispa, H. K. 24 crispa, H. K. 24 crispa, H. K. 25 crispa, H. K. 26 crispa, H. K. 27 crispa, H. K. 27 crispa, H. K. 27 crispa, H. K. 28 crispa, H. K. 29 crispa,				******	- 1757.	G. 4.	623.1173.
1 Sellaris H. K. Sapull-flewered.					- 1778.	G. 4.	594.
ANOMATHECA. Ker. Juncea. H. K. Capt. C					- 1793.	1.2. 6.24.	629.
ANOMATHECA. Ker. Juncea. H. K. Capt. C					- 1787.	G. 4.	542.
Juncea, H. K. C. B. S. 1791 4.5 G. ½ Bot. mag. 606 Trifform. 1 curled-leaved. C. B. S. 1787 4.5 G. ½ Bot. mag. 606 Trifform. 1 curled-leaved. C. B. S. 1787 4.5 G. ½ Bot. mag. 607 G. ½ 4 capensis. B. M. Cape. 1811 8.10 G. ½ 1531 1502 f. major. 1502 f. major. 1503 f. major. 1502 f. major. 1503 major. 1502 f. major. 1503						4.5. G.4.	599.
TRITONIA. Ker. 1 crispa. H. K. 2 viridis. H. K. 3 viridis. H. K. 2 viridis. H. K. 2 viridis. H. K. 2 viridis. H. K. 3 viridis. H. K. 2 viridis. H. K. 2 viridis. H. K. 2 viridis. H. K. 3 viridis. H. K. 2 viridis. H. K. 2 viridis. H. K. 3 viridis. H. K. 3 viridis. H. K. 4 viridis. H. K. 2 viridis. H. K. 3 viridis. H. K. 4 viridis. H. K. 5 viridis. H. K. 5 viridis. H. K. 6 viridis. H.							
1 crispa. H. K., curled-leaved. C. B. S. 1787. 4.5. G. 2µ. Bot. mag. 678. 2 viridis. H. K. rosy. 1788. 7. G. 2µ. 1275. 3 rosca. H. K. rosy. 1793. 6.7. G. 2µ. 1531. 8.10. G. 2µ. 1531. 9.10. 9.10. 1502. f. major.	J						Bot. mag. 606.
2 viridis, H. K. 3 rosea, H. K. 4 capensis, B. M. 4 capensis, B. M. 5 longiflora, H. K. 10ng-flowered. 5 longiflora, H. K. 10ng-flowered. 6 tenuiflora, Va 8 lender-tubed. 11811. 9 (a.) 1774. 8 Rochensis, B. M. 9 pallida, Ker. 10 lineata, H. K. 11 securigera, H. K. 20 planta, H. K. 21 flana, H. K. 21 flana, H. K. 21 flana, H. K. 21 service, H. K. 22 planta, H. K. 23 service, H. K. 24 plantaginea, H. K. 25 plantaginea, H. K. 27 plantaginea, H. K. 28 plantaginea, H. K. 38 punctata, H. K. 40 procease, M. K. 41 procease, M. K. 42 plantaginea, H. K. 43 punctata, H. K. 44 procease, M. K. 45 procease, M. K. 45 procease, M. K. 46 procease, M. K. 47 miniata, H. K. 48 procease, M. K. 49 plantaginea, H. K. 40 procease, M. K. 40 procease, M. K. 41 procease, M. K. 42 plantaginea, H. K. 43 punctata, H. K. 44 procease, M. K. 45 procease, M. K. 46 procease, M. K. 47 miniata, H. K. 48 procease, M. K. 49 procease, M. K. 40 procease, M. K. 40 procease, M. K. 41 procease, M. K. 42 plantaginea, H. K. 43 punctata, H. K. 44 procease, M. K. 45 procease, M. K. 46 procease, M. K. 47 procease, M. K. 48 procease, M. K. 49 printificia, M. K. 40 procease, M. K. 40 procease, M. K. 41 procease, M. K. 41 procease, M. K. 42 plantaginea, H. K. 43 punctata, H. K. 44 procease, M. K. 45 procease, M. K. 46 procease, M. K. 47 procease, M. K. 48 procease, M. K. 49 printificia, M. K. 40 procease, M. K. 40 procease, M. K. 41 procease, M. K. 41 procease, M. K. 42 plantaginea, H. K. 43 procease, M. K. 44 procease, M. K. 45 printificia, M. K. 46 procease, M. K. 47 procease, M. K. 48 procease, M. K. 49 printificia, M. K. 40 printificia, M. K. 40 printificia, M. K. 41 procease, M. K. 42 procease, M. K. 43 printificia, M. K. 44 procease, M. K. 45 printificia, M. K. 46 procease, M. K. 47 printificia, M. K. 48 printificia, M. K. 49 printificia, M. K. 40 printificia, M. K. 40 printificia, M. K. 41 procease, M. K. 42 plantagines, M. K. 43 plantagines, M. K. 44 procease, M. K. 45 printificia, M. K. 46 printificia, M. K. 46 printificia, M. K. 47 printificia, M. K.			Irideæ. B. P.	Ixiæ & Gladioli	species l	Willd.	
3 rosca. H. K. Cape. 1311. 8.10. G. ½. 5131. 5 long/flora, H. K. long-flowered. 1311. 8.10. G. ½. 1531. 6 tenniflora, Va slender-tubed. 1811. G. ½. 7 concolor. self-coloured. 1811. G. ½. 8 Rochensis, B. M. pallida, Ker. 10 fineata, H. K. pale-flowered. 1806. G. ½. Jac. tenra. 12 finaya, H. K. pencilled. 1774. 5. G. ½. Bot. mag. 487. 13 squalida, H. K. 18 corrected. 1806. G. ½. Jac. tenra. 14 fenestrata, H. K. open-flowered. 1806. G. ½. Jac. tenra. 15 crocarta, H. K. open-flowered. 1801. 5.6. G. ½. Bot. mag. 581. 15 crocarta, H. K. open-flowered. 1801. 5.6. G. ½. Bot. mag. 581. 15 crocarta, H. K. open-flowered. 1774. 5. G. ½. Bot. mag. 581. 16 deuta, H. K. spotted. 1774. 5. G. ½. G. ½. 17 miniata, H. K. spotted. 1774. 5. G. ½. G. ½. 18 refracta, B. Reg. WATSONIA. Iridex, B. P. Ixiæ & Gladioii species Willul. 18 punctata, H. K. Fox-tail.							
4 capensis, B. M. Cape. 1811. 8.10. G. μ. 1531. 1502. fm aignor. H. K. 16 tenuiflora, V. 256. 1702. fm aignor. 256. 1502. fm aignor. 256. f	2 viridis. H. K.	green-flowered.			- 1788.	7. G.4.	1275.
5 tongillora, H. K. long-flowered. 1774 4.6. G, μ. 1502 f. major. 1503 f	3 rosea. H. K.	rosy.			- 1793.	6.7. G.4.	618.
5 tongillora, H. K. long-flowered. 1774 4.6. G, μ. 1502 f. major. 1503 f	4 capensis. B. M.	Cape.			- 1811.	8.10. G. 4.	1531.
Self-coloured. Sel	5 longiflora. H. K.	long-flowered.			- 1774.	4.6. G. 4.	256.
Self-coloured. Sel	C. Assert Comp. Wo	alondon tubad			1011	C 21	∫——— 1502. f.
Self-coloured. Sel	6 tenumora, va				- 1811.	G. 4 .	major.
18	_ 1	16 1 11				C 41	1502. f.
18	7 concolor.	self-coloured.			-	G. 4.	minor.
18	8 Rochensis, B. M.	bending-flower'd	·			8. G. 21.	1503.
18		pale-flowcred.			- 1806.	G. 2L.	Jac. ic. rar. 2, t. 262.
18		nencilled.			- 1774.	5. G.21.	Bot. mag. 487.
18		copper-coloured				G 2/	383
18		vellow			1780	23 G 1	000.
18		sweet-scented			- 1750.	5 G 1	Rot mag 581
15 crocata, H. K. crocus-flowered. 1758. 5.6. G. ½. 184. 16 deusta, H. K. late-flowered. 1774. 5. 6. G. ½. 609. 18 refracta, B. Reg. Warsonia. Irideæ, B. P. Ixiæ & Gladioli species Willd. 18 picata, H. K. 1 spicata, H. K. 2 plantaginea, H. K. 3 punctata. H. K. 4 roseo-alba, B. M. 6 variegata. variegated. 1815. 6. G. ½. Bot. mag. 523. 16 strictiflora, B. M. 7 rosea, H. K. 8 brevifolia, H. K. 8 brevifolia, H. K. 8 brevifolia, H. K. 10 ligidia. \$3a. 10 fulgida. \$3a. 10 fulgida. \$3a. 10 fulgida. \$3a. 10 fulgida. \$4a. 10 fulgida. \$4b. 12 humilis. H. K. 13 aletroides, H. K. 2 variegated-flowered. 1755. 5. G. ½. 3 for. mag. 600. 1795. 5. G. ½. 5 for. mag. 600. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795. 1795		oneco occarecar			1001	5. G.4.	704
16 deusta, H. K. 17 miniata, H. K. 18 refracta, B. Reg. 18 refracta, B. R. Reg. 18 refr					1750	5 C C 31	704.
17 miniata, H. K. late-flowered, reflexed. 1795. 8, G. ½. 609. 18 refracta, B. Reg, WATSONIA, Ker. 1 spicata, H. K. 2 plantaginea, H. K. 3 punctata, H. K. 4 rosco-alba, B. M. β variegata. 4 k. 6 k.					- 1/38.	5.6. G. 4.	184.
18 refracta. B. Reg. VATSONIA. Ker. 1 spicata. H. K. hollow-leaved. Lideæ. B. P. Ixiæ & Gladioli species Willd. 1774 6.7 6.2 1.5 5.8		4			- 1774.	5. G.4.	692.
WATSONIA. Ker. 1 spicata. H. K. 2 plantaginea. H. K. 3 punctata. H. K. 4 cosco-alba. B. M. 5 variegata. 5 marginata. H. K. 6 punctata. H. K. 6 punc					- 1795.	8. G.4.	D. 4 105
1 spicata, H. K. 2 plantaginea, H. K. 3 punctata, H. K. 4 roseo-alba, B. M. β variegata. b marginata, H. K. colored delete flowered. colored dele	9		Y 11 Y 15		- 1815.	5.6. G. 4.	Bot. reg. 135.
2 plantaginea. H. K. 3 punctata. H. K. 4 rosco-alba. B. M. 6 variegata. 5 marginata. H. K. 6 μπίστ. 6 strictiflora. B. M. 7 rosea. H. K. 9 piridifolia. Ja. 10 fulgida. Sal. 11 Meriana. H. K. 12 thumilis. H. K. 13 aletroides. H. K. 2 variegata. 6 LADIOLUS. Ker. 1 Cunonia. H. K. 2 varison. H. K. 2 variegata. 6 LADIOLUS. Ker. 1 changularis. H. K. 2 variegata. 6 LADIOLUS. Ker. 1 changularis. H. K. 2 variegata. 6 Labiolus. H. K. 5 alatus. H. K. 5 labius. H. K. 6 barietishiks. 6 canaquensis. H. K. 6 barietishiks. H. K. 6							70 /
3 punctata, H. K. 4 roseo-alba, B. M. β variegata.				— С. В. S.	1791.	5. G.4.	Bot. mag. 523.
β mariegata. variegated. 1774. 6. G. μ. 608. 1193. β minor. shining-leaved. 1812. 10. G. μ. 1530. 608. 6 strictiflora. B. M. upright-flowered 1812. 10. G. μ. 1406. 1406. 7 rosea. H. K. pyramidal. 1803. 7.8. G. μ. 1072. 1072. 9 iridifolia. Ja. iris-leaved. 1794. 5. G. μ. 601. 601. 10 fulgida. Sal. scarlet. 1795. 5. G. μ. Jac. ic. 2. t. 234. 601. 11 Meriana. H. K. red-flowered. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 12 humilis. H. K. lake-coloured. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 13 aletroides. H. K. akeriegatel-flow. 1774. G. μ. Jac. ic. 2. t. 234. 601. 12 humilis. H. K. lake-coloured. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 13 aletroides. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 601. 14 burdilis. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 602. 601. 14 cunonia. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 602. 602. 600. 600. <td></td> <td></td> <td></td> <td></td> <td>- 1774.</td> <td>6.7. G. 4.</td> <td>553.</td>					- 1774.	6.7. G. 4.	553.
β mariegata. variegated. 1774. 6. G. μ. 608. 1193. β minor. shining-leaved. 1812. 10. G. μ. 1530. 608. 6 strictiflora. B. M. upright-flowered 1812. 10. G. μ. 1406. 1406. 7 rosea. H. K. pyramidal. 1803. 7.8. G. μ. 1072. 1072. 9 iridifolia. Ja. iris-leaved. 1794. 5. G. μ. 601. 601. 10 fulgida. Sal. scarlet. 1795. 5. G. μ. Jac. ic. 2. t. 234. 601. 11 Meriana. H. K. red-flowered. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 12 humilis. H. K. lake-coloured. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 13 aletroides. H. K. akeriegatel-flow. 1774. G. μ. Jac. ic. 2. t. 234. 601. 12 humilis. H. K. lake-coloured. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 13 aletroides. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 601. 14 burdilis. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 602. 601. 14 cunonia. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 602. 602. 600. 600. <td></td> <td></td> <td></td> <td></td> <td>- 1800.</td> <td>4.5. G.4.</td> <td>Bot. rep. 177.</td>					- 1800.	4.5. G.4.	Bot. rep. 177.
β mariegata. variegated. 1774. 6. G. μ. 608. 1193. β minor. shining-leaved. 1812. 10. G. μ. 1530. 608. 6 strictiflora. B. M. upright-flowered 1812. 10. G. μ. 1406. 1406. 7 rosea. H. K. pyramidal. 1803. 7.8. G. μ. 1072. 1072. 9 iridifolia. Ja. iris-leaved. 1794. 5. G. μ. 601. 601. 10 fulgida. Sal. scarlet. 1795. 5. G. μ. Jac. ic. 2. t. 234. 601. 11 Meriana. H. K. red-flowered. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 12 humilis. H. K. lake-coloured. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 13 aletroides. H. K. akeriegatel-flow. 1774. G. μ. Jac. ic. 2. t. 234. 601. 12 humilis. H. K. lake-coloured. 1750. 5.6. G. μ. Jac. ic. 2. t. 234. 601. 13 aletroides. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 601. 14 burdilis. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 602. 601. 14 cunonia. H. K. barriegata. 60. μ. Jac. ic. 2. t. 234. 602. 602. 600. 600. <td>4 roseo-alba. B. M.</td> <td></td> <td></td> <td></td> <td></td> <td>7.8. G.4.</td> <td>Bot. mag. 537.</td>	4 roseo-alba. B. M.					7.8. G.4.	Bot. mag. 537.
5 marginata, H. K. β minor. 6 strictiffora, B. M. 7 rosea, H. K. 8 brevifolia, H. K. 9 irridifolia, Ja. 10 fulgida, Sal. 11 Meriana, H. K. 12 humilis, H. K. 12 humilis, H. K. 13 variegata. 6 CARN FLAG. 1 Cunonia, H. K. 2 watsonius, H. K. 3 quadrangularis, H. K. 5 alatus, H. K. 5 hirsutus, H. K. 10 binerivis, B. M. 11 cdulis, B. Reg. 12 hastatus, B. M. 13 trichonemifolius, R. K. 14 concolor, Sal. 15 trichonemifolius, R. K. 16 strictiffora, B. M. 16 gracilis, H. K. 18 strictiffora, B. M. 16 gracilis, H. K. 18 strictiffora, B. M. 16 gracilis, H. K. 18 strictiffora, B. M. 1812, 10, G. ½, 1530, 1540	β variegata.	variegated.			-	(2.7/	1103
Tosea, H. K. Pyramidal. 1803, 7.8, G. ½ 1072, short-leaved. 1794, 5, G. ½ 1672, short-leaved. 1794, 5, G. ½ 1672, short-leaved. 1795, 5, G. ½ Jac, ic, 2, t, 234, scalet. G. ½ Bet. mag. 600, state thinks, H. K. 18 aletroides, H. K. 18 aletroides, H. K. 18 aletroides, H. K. 2 wariegata. 1794, 5, G. ½ 441, state-like. 1774, G. ½ 441, state-like. 1796, 5, G. ½ 533. 1791, 2.4, G. ½ 450.569. 1791, 2.4, G. ½ 450.569. 1799, 3.4, G. ½ 567. 1799, state-like. 1800, G. ½ 586. 592. 586. 1802, 12.1, G. ½ 592. 574. 1806, G. ½ 574. 688. 1802, 12.1, G. ½ 574. 688. 1802, 12.1, G. ½ 574. 574. 1806. G. ½ 672. 672. 688. 1806. G. ½ 672. 688. 1806. G. ½ 672. 672	5 marginata. H. K.	broad-leaved.			1774	6. G. 4.	608.
Tosea, H. K. Pyramidal. 1803, 7.8, G. ½ 1072, short-leaved. 1794, 5, G. ½ 1672, short-leaved. 1794, 5, G. ½ 1672, short-leaved. 1795, 5, G. ½ Jac, ic, 2, t, 234, scalet. G. ½ Bet. mag. 600, state thinks, H. K. 18 aletroides, H. K. 18 aletroides, H. K. 18 aletroides, H. K. 2 wariegata. 1794, 5, G. ½ 441, state-like. 1774, G. ½ 441, state-like. 1796, 5, G. ½ 533. 1791, 2.4, G. ½ 450.569. 1791, 2.4, G. ½ 450.569. 1799, 3.4, G. ½ 567. 1799, state-like. 1800, G. ½ 586. 592. 586. 1802, 12.1, G. ½ 592. 574. 1806, G. ½ 574. 688. 1802, 12.1, G. ½ 574. 688. 1802, 12.1, G. ½ 574. 574. 1806. G. ½ 672. 672. 688. 1806. G. ½ 672. 688. 1806. G. ½ 672. 672	β minor.	shining-leaved.			- 1812.	10. G. 24.	1530.
7 rosea, H. K. 8 brevifolia, H. K. 9 fridifolia, Ja. 16 fulgida, Sal. 1794. 5 G. ½. 1794. 1794. 1795. 1795. 1795. 1795. 1795. 1796. 1797. 1797. 1797. 1797. 1797.	6 strictiflora. B. M.	upright-flowered			- 1810.	6. G. 24.	1406.
9 iridifolia. Ja. 10 fulgida. Sal. 11 Meriana. H. K. 12 humilis. H. K. 12 humilis. H. K. 13 aletroides. H. K. 14 variegata. GLADIOLUS. Ker. 1 Cunonia. H. K. 2 watsonius. H. K. 3 quadrangularis. H. K. 4 viperatus. H. K. 5 alatus. H. K. 5 alatus. H. K. 5 hirsutus. H. K. 5 hirsutus. H. K. 10 binervis. B. M. 11 binervis. B. M. 12 tristis. B. M. 13 tristis. B. M. 14 concolor. Sal. 15 trichonemifolius. B. M. 16 gracilis. H. K. 16 gracilis. H. K. 17 Jac. ic. 2. t. 234. 17 G. ½. 1750. 5.6. G. ½. 1750. 5.6. G. ½. 1750. 5.6. G. ½. 1754. 5.7. 1754. 5.7. 1754. 5.7. 1755. 5.6. G. ½. 1756. 5.6. G. ½. 1757. 5.6. G. ½. 1758. 5.6. G. ½. 1759. 3.4. G. ½. 1759.	7 rosea. H. K.				- 1803.	7.8. G. 4.	1072.
9 iridifolia. Ja. 10 fulgida. Sal. 11 Meriana. H. K. 12 humilis. H. K. 12 humilis. H. K. 13 aletroides. H. K. 14 variegata. GLADIOLUS. Ker. 1 Cunonia. H. K. 2 watsonius. H. K. 3 quadrangularis. H. K. 4 viperatus. H. K. 5 alatus. H. K. 5 alatus. H. K. 5 hirsutus. H. K. 5 hirsutus. H. K. 10 binervis. B. M. 11 binervis. B. M. 12 tristis. B. M. 13 tristis. B. M. 14 concolor. Sal. 15 trichonemifolius. B. M. 16 gracilis. H. K. 16 gracilis. H. K. 17 Jac. ic. 2. t. 234. 17 G. ½. 1750. 5.6. G. ½. 1750. 5.6. G. ½. 1750. 5.6. G. ½. 1754. 5.7. 1754. 5.7. 1754. 5.7. 1755. 5.6. G. ½. 1756. 5.6. G. ½. 1757. 5.6. G. ½. 1758. 5.6. G. ½. 1759. 3.4. G. ½. 1759.	8 brevifolia. H. K.	short-leaved.			- 1794.	5. G. 24.	601.
10 fulgida. Sal. scarlet.		iris-leaved.			1705	6 G 31	Jac ic 0 + 094
11 Meriana, H. K. 12 humilis, H. K. 13 aletroides, H. K. 13 aletroides, H. K. 14 bumilis, H. K. 15 aletroides, H. K. 16 yaricgata. 1754. 5.7 G. ½. 631.1194. 1774. 5.7 G. ½. 631.1195. 1774. 6. ½. 641. 1775. 5.6 G. ½. 631.1195. 1774. 6. ½. 631.1195. 1775. 5.6 G. ½. 651. 1775. 5.6 G. ½. 65		o an ml ot				C: 21	Rot mar 600
Contact Cont		red-flowered.			1750.	5.6. G.21.	418,1194
Contact Cont		lake-coloured.			- 1754.	5.7. G. 21.	631.1195.
Contact Cont		aletris-like.			1774.	G. 21 .	441.
Contact Cont		varies ated-flow.	•			G. 21 .	533.
1 Cunonia. H. K. 2 watsonius. H. K. Watson's. 1756. 5.6. G. \(\frac{7}{2} \) Bot. mag. 343. 2 watsonius. H. K. Watson's. 1791. 9.4. G. \(\frac{7}{2} \) 3 quadrangularis. H. K. four-channelled. 1799. 3.4. G. \(\frac{7}{2} \) 4 viperatus. H. K. perfumed. 1787. 4.5. G. \(\frac{7}{2} \) 5 datus. H. K. winged-flowered 1795. 5.6. G. \(\frac{7}{2} \) 5 brevifolius. H. K. belmet-flowered 1800. G. \(\frac{7}{2} \) 5 brevifolius. H. K. bairy. 1795. 4.6. G. \(\frac{7}{2} \) 5 versicolor. H. K. various-coloured 1802. 12.1. G. \(\frac{7}{2} \) 7 versicolor. H. K. various-coloured 1794. 5.6. G. \(\frac{7}{2} \) 1 cdulis. B. Reg. eatable. 1806. G. \(\frac{7}{2} \) 2 hastatus. B. M. square-leaved. 1816. G. \(\frac{7}{2} \) 3 tristis. B. M. square-leaved. 1795. 5.6. G. \(\frac{7}{2} \) 3 tristis. B. M. square-leaved. 1795. 5.6. G. \(\frac{7}{2} \) 3 tristis. B. M. square-leaved. 1795. 5.6. G. \(\frac{7}{2} \) 4 concolor. Sal. self-coloured. 1790. G. \(\frac{7}{2} \) 5 dot. mag. 272. 1810. G. \(\frac{7}{2} \) 1810. G. \(7		CORN FLAG.	Irideæ, B. P.			0.4.	
2 watsonius. H. K. 3 quadrangularis. H. K. 5 dur-channelled. 1799. 8.4. G.24. 567. 4 viperatus. H. K. 9 perfumed. 1787. 4.5. G.24. 688. 5 alatus. H. K. winged-flowered 1795. 5.6. G.24. 586. 6 namaquensis. H. K. belmet-flowered 1800. G.24. 592. 7 brevifolius. H. K. bary. 1795. 4.6. G.24. 727.992. 8 hirsutus. H. K. bary. 1795. 4.6. G.24. 727.992. 9 versicolor. H. K. various-coloured 1794. 5.6. G.24. 6.1042. 10 binervis. B. M. two-nerved. 1806. G.24. 6.1042. 11 edulis. B. Reg. eatable. 1816. G.24. Bot. reg. 169. 12 hastatus. B. M. square-leaved. 1745. 5.6. G.24. Bot. mag. 272. 14 concolor. Sal. self-coloured. 1790. G.24. Bot. mag. 272. 15 trichonemifolius. B. M. square-leaved. 1810. G.24. Bot. mag. 272. 16 gracilis. H. K. slender. 1800. 3.4. G.24. 562.				C. B. S.	1756	5.6. G 21.	Bot. mag. 343.
3 quadrangularis, H. K. H. K. 1799. 8.4. G.½. 567. 4 viperatus, H. K. perfumed. 1787. 4.5. G.½. 688. 5 alatus, H. K. winged-flowered 1795. 5.6. G.½. 586. 6 namaquensis, H. K. belmet-flowered 1800. G.½. 592. 7 brevifolius, H. K. short-leaved. 1802. 12.1. G.½. 727.992. 8 hirsutus, H. K. hairy. 1795. 4.6. G.½. 574. 9 versicolor, H. K. various-coloured 1794. 5.6. G.½. 2.1. 042. 10 binervis, B. M. two-nerved. 1806. G.½. a. 1042. 11 edulis, B. Reg. eatable. 1816. G.½. Bot. reg. 169. 12 hastatus, B. M. spade. 4.5. G.½. Bot. mag. 1564. 13 tristis, B. M. square-leaved. 1745. 5.6. G.½. Bot. mag. 272. 14 concolor, Sal. self-coloured. 1790. G.½. Par. Lon. 8. 15 trichonemifolius, B. M. self-coloured. 1810. G.½. Bot. mag. 1483. 16 gracilis, H. K. slender. 1800. 3.4. G.½. 562.					1700.	0.0. G. 21	450 560
H. K.		Watson 5.			1/314	2.2. (1.24.	400.003.
4 viperatus, H. K. perfumed. 1787. 4.5. G. ½. 688. 5 alatus, H. K. winged-flowered 1795. 5.6. G. ½. 586. 6 namaquensis, H. K. belmet-flowered 1800. G. ½. 592. 7 brevifolius, H. K. short-leaved. 1802. 12.1. G. ½. 727.992. 8 hirsutus, H. K. hairy. 1795. 4.6. G. ½. 574. 9 versicolor, H. K. various-coloured 1794. 5.6. G. ½. α. 1042. 10 binervis, B. M. two-nerved. 1806. G. ½. ε. 1042. 11 edulis, B. Reg. eatable. 1816. G. ½. Bot. reg. 169. 12 hastatus, B. M. spade. 1816. G. ½. Bot. mag. 1564. 13 tristis, B. M. square-leaved. 1795. 5.6. G. ½. Bot. mag. 272. 14 concolor, Sal. self-coloured. 1790. G. ½. Par. Lon. 8. 15 trichonemifolius, B. M. slender. 1810. G. ½. Bot. mag. 1483.	11 " >	four-channelled.			1799.	3.4. G. 4.	567.
6 namaquensis, H. K. belmet-flowered		- o-f			100	45 031	000
6 namaquensis, H. K. belmet-flowered	•	perumea.			- 1787.	4.5. G. 4.	- 688.
7 brevifolius, H. K. 8 hirsutus, H. K. 9 versicolor, H. K. 10 binervis, B. M. 11 edulis, B. Reg. 12 hastatus, B. M. 13 tristis, B. M. 14 concolor, Sal. 15 trichonemifolius, B. M. 16 gracilis, H. K. 1802, 12.1, G. 24, — 727.992. 1795, 4.6, G. 24, — 574. 1794, 5.6, G. 24, — 6, 1042. 1806, — G. 24, — 6, 1042. 1816, — G. 24, Bot. reg, 169. 1816, — G. 24, Bot. mag. 1564. 1790, — G. 24, Bot. mag. 272. 1810, — G. 24, Bot. mag. 1483.		winged-nowered			- 1795.	5.6. G. 4.	586.
9 versicolor, H. K. 10 binervis, B. M. 11 edulis, B. Reg. 12 hastatus, B. M. 13 tristis, B. M. 14 concolor, Sal. 15 trichonemifolius, B. M. 16 gracilis, H. K. 16 gracilis, H. K. 1794, 5.6, G. \(\frac{1}{2} \), \(\text{a. 1042}, \) 1806, \(\frac{1}{2} \), \(\text{bot. reg. 169}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 1564}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 272}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\text{Bot. mag. 1483}, \)					- 1800.	(T. 4.	592.
9 versicolor, H. K. 10 binervis, B. M. 11 edulis, B. Reg. 12 hastatus, B. M. 13 tristis, B. M. 14 concolor, Sal. 15 trichonemifolius, B. M. 16 gracilis, H. K. 16 gracilis, H. K. 1794, 5.6, G. \(\frac{1}{2} \), \(\text{a. 1042}, \) 1806, \(\frac{1}{2} \), \(\text{bot. reg. 169}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 1564}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 272}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1810, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\frac{1}{2} \), \(\text{Bot. mag. 1483}, \) 1800, \(\text{Bot. mag. 1483}, \)					- 1802.	12.1. G. 4.	727.992.
10 binervis. B. M. 11 edulis. B. Reg. 12 hastatus. B. M. 13 tristis. B. M. 14 concolor. Sal. 15 trichonemifolius. B. M. 16 gracilis. H. K. 1806. — G. ½. Bot. reg. 169. 1816. — G. ½. Bot. mag. 1564. 1745. 5.6. G. ½. Bot. mag. 272. 1790. — G. ½. Par. Lon. 8. 1810. — G. ½. Bot. mag. 272. 1810. — G. ½. Bot. mag. 273. 1810. — G. ½. Bot. mag. 1483.		nairy.			- 1795.	4.6. 6.4.	574.
12 hastatus. B. M. spade. — 4.5. G. 4. Bot. mag. 1564. square-leaved. — 1745. 5.6. G. 4. Bot. mag. 272. 14 concolor. Sal. self-coloured. — 1790. — G. 4. Par. Lon. 8. 15 trichonemifolius. B. M. slender. — 1810. — G. 4. Bot. mag. 1483. 16 gracilis. H. K. slender. — 1800. 3.4. G. 4. — 562.					1794.	5.6. 6.4.	α. 1042.
12 hastatus. B. M. spade. — 4.5. G. 4. Bot. mag. 1564. square-leaved. — 1745. 5.6. G. 4. Bot. mag. 272. 14 concolor. Sal. self-coloured. — 1790. — G. 4. Par. Lon. 8. 15 trichonemifolius. B. M. slender. — 1810. — G. 4. Bot. mag. 1483. 16 gracilis. H. K. slender. — 1800. 3.4. G. 4. — 562.					- 1806.	G.4.	E. 1042.
13 tristis. B. M. square-leaved. — 1745. 5.6. G. 4. Bot. mag. 272. 14 concolor. Sal. self-coloured. — 1790. — G. 4. Par. Lon. 8. 15 trichonemifolius. B. M. slonder. — 1810. — G. 4. Bot. mag. 1483. 16 gracilis. H. K. slender. — 1800. 3.4. G. 4. — 562.		_			- 1816.	G.4.	Bot. reg. 169.
14 concolor. Sal. 15 trichonemifolius. B. M. 16 gracilis, H. K. 18 lender. 1800. 3.4. G. 4. Par. Lon. 8. 1810. — G. 4. Par. Lon. 8. 1810. — G. 4. Bot. mag. 1483.						4.5. G.4.	not. mag. 1564.
14 concolor. Sal. 15 trichonemifolius. B. M. 16 gracilis, H. K. 18 lender. 1800. 3.4. G. 4. Par. Lon. 8. 1810. — G. 4. Par. Lon. 8. 1810. — G. 4. Bot. mag. 1483.					- 1745.	5.6. G.4.	Bot. mag. 272.
B. M. 1810. — G. 2. Bot. mag. 1483. 16 gracilis. H. K. slender. — 1800. 3.4. G. 2. — 562.		self-coloured.			- 1790.	G. 4.	Par. Lon. 8.
16 gracilis, H. K. slender. 1800. 3.4. G. 4. 562.		violet-scented	-		1810	G. V	Bot. mag. 1483.
16 gracilis. H. K. slender. 1800. 3.4. G. 4. 562. 17 recurvus. H. K. spotted-sheathed 1758. 4.5. G. 4. 578.	B. M.						
17 recurvus. H. K. spotted-sheathed 1758. 4.5. G.4 578.	16 gracilis. H. K.				1800.	3.4. G. 4.	562.
	17 recurvus. H. K.	spotted-sheathed		****	1758.	4.5. G.4.	578.

TRIANDRIA MONOGYNIA.

	110	tiinibitii .		11.
18 carneus. H. K.	flesh-coloured.	Irideæ. B. P.	C. B. S.	1796. 5.6. G. 4. Bot. mag. 591.
19 cuspidatus. H. K.	tall.	`		1705 A5 GN - 500
20 blandus. H. K.	blush.			- 1774 6 G.N 695
21 campanulatus. P.S.	bell-flowered.			- 1704 5 GM Bot von 188
22 angustus. H. K.	narrow-leaved.			- 1757 5 6 G M Bot may: 609
23 involutus. Ker.	involute.			G.M. Roche, Diss. 2, 1, 3
24 undulatus. H. K.	wave-flowered.			1770 45 C 31 Dot man 500
25 floribundus. H. K.	large-flowered.			
26 Milleri. H. K.	Miller's.			- 1751. 4.5. G. 24. — 632.
27 cardinalis. H. K.	superb.			1789. 7.8. G. 2. — 135.
28 byzantinus. H. K.	Turkish.	ot	- Turkey.	1629. 6.7. H. 2 874.
29 communis. H. K.	common.		- S. Europe.	- 1788. 5.7. G. 4
MELASPHÆRULA.				
Ker.	MELASPHÆRULA	A. Irideæ. B. P. Gi	ladioli species	Willd.
graminea. H. K.	grass-leaved.		- C. B. S.	1787. 4.8. G. 4. Bot. mag. 615.
ANTHOLYZA. Ker.	ANTHOLYZA.	Irideæ. B. P.		
1 vittigera, Sal.	riband.		- C. B. S.	1.2. G. 4. Bot. mag. 1172.
2 æthiopica. H. K.	flag-leaved.		CDS	1759. 5.6. G. 4. Bot. mag. 561.
3 segetum. Ker.	European.		S. Eur.	1596. 6.7. H. 4. — 719.
BABIANA, Ker.	BABIANA.	Irideæ. B. P. Ix	iæ & Gladioli	energies Willd
1 Thunbergii. H. K.	many-spiked.	711dcd. D. 1. 2a	- C B S	1774 4 G 21
2 ringens. H. K.	gaping-flowered.		- С. Б. S.	1774. 4. G.4. 1752. 5.6. G.4. Comm.hort.1.t.41.
3 tubiflora. W.	tube-flowered.			
4 tubata. W.	long-tubed.			6. G. 4. Doi: mag. 847.
5 spathacea. H. K.	stiff-leaved.			1774. 6. G. 4. Bot. mag. 847. - G. 4 680. 1801 G. 4 638.
6 sambucina. H. K.				1799. 4.5. G. 4. — 1019.
7 disticha. H. K.	elder-scented.		-	1799. 4.5. G.4. —————————————————————————————————
	two-ranked.			1774. 6.7. G.4. — 626.
8 plicata. H. K.	sweet-scented.			$\begin{array}{cccccccccccccccccccccccccccccccccccc$
9 stricta. H. K.	upright.			1757. — G.4. — 621.637
10 purpurea. W.	purple.			1806. 5.6. G. 21. ——————————————————————————————————
14 villosa. H. K.	dark-red.			1778. 8. G. 4. — 583.
12 rubro-cyanea. H.K.				1794. 4.6. G. 4. — 410.
ARISTEA. Ker.	ARISTEA.	Irideæ. B. P.		
1 cyanea. H. K.	woolly headed.		- C. B. S.	1759. 4.6. G. 4. Bot. mag. 458. 1790. 7.8. G. 4. 605.
2 capitata. H. K.	tallest.			1790. 7.8. G.4. ——— 605.
3 spiralis. H. K.	spiral-flowered.			1795, 4.5, G. 21, 520,
4 melaleuca. H. K.	three-coloured.			1786. 5.6. G. 4. ————————————————————————————————
5 pusilla. B. M.	flat-stemmed.			1806. 6.7. G.4. ——— 1231.
WITSENIA. Ker.	WITSENIA.	Irideæ. B. P.		
1 maura. H. K.	downy-flowered.		- C. B. S.	1790. 11.1. G.4. Bot. reg. 5.
2 corymbosa. H. K.	corymbose.			1803. 4.9. G. 4. Bot. mag. 895.
LAPEYROUSIA. Ker.	LAPEYROUSIA.	Trideæ. B. P. Ix		
1 corymbosa. H. K.	level-topped.	***************************************	C. B. S.	1791. 5.6. G. 4. Bot. mag. 595.
2 fissifolia. B. M.	leafy-spiked.			1809. 8.9. G. 4. — 1246.
MORÆA. Ker.	MORÆA.	Iridem B P		
1 flexuosa. H. K.	flexuose.		- C. B. S.	1803. 4.5. G. 4. Bot. mag. 695. 1768. 5. G. 4. ————————————————————————————————
2 collina. B. M.	equal-flowered.			1768. 5. G. 4. — 1033.
3 miniata. B. R.	spot-flowered.			5.6. G. 4. Bot. rep. 404.
4 pavonia. H. K.	Peacock.			1700 (2.7) Bot mag 1047
5 tripetala. H. K.	three-petaled.			1802. 4.5. G. 21. — 702.
6 angusta. B. M.	narrow loaved			
7 tricuspis. H. K.	trident-petaled.			$\begin{array}{cccccccccccccccccccccccccccccccccccc$
8 tenuis. H. K.	brown-flowered.			1807. 5.6. G. W. ————————————————————————————————
9 unguiculata. H. K.	long-clawed.			1802. — G. 1. — 593
10 edulis. H. K.	long-leaved.			1792. — G.21. — 613.8:1938
11 longiflora. H. K.	long-flowered.			1801 — G. 2/ 719
12 spicata. B. M.	spiked.	•		1795 — G 2/ — 1992
13 tristis. H. K.	dull-coloured.			1801. G. Д. 712. 1785. G. Д. 1283. 1768. G. Д. 577. 1803. G. Д. 1284. 1787. 4.5. G. Д. 1045.
14 crispa, H. K.	short-spathed.			1000 6.4.
15 bituminosa. H. K.	clammy.			1803. — G. 4. — 1284.
16 viscaria. H. K.				1/87. 4.3. G. 4 1045.
17 ramosa. H. K.	bird-limed.			1800. 6. G.4. —————————————————————————————————
18 villosa. B. M.	branching.	1		1789. 5.6. G.4. — 771.
19 barbigera. Sal.	villous.			4.5. G. 4 571.
	bearded.			— G.4. — 1012.
20 ciliata. H. K.	fringed-leaved.		(1. T)	1787. 4.6. G. 4. ————————————————————————————————
21 Sisyrinchium, H.K.			S. Europe.	1597. 5.6. H. 4. ————————————————————————————————
22 papilionacea. H. K.				
23 spathacea. W.	sheathed.	T 11 72 73		1798. 7. G. 4.
IRIS. Ker.	IRIS.	Irideæ. B. P.		area ar Trai
1 pumila. H. K.	dwarf.		- Austria.	1596. 4.5. H. 4. Bot. mag. 6. 1209.
		C 2		

TRIANDRIA MONOGYNIA.

		1.11.21.2					
2 lutescens. W. 3 cristata. W.	pale yellow. crested.	Irideæ. B. P.	Germany. N. America.	1748. 1756.			Bot. mag. 412.
4 arenaria. W. en.	sand.		Hungary.	1802.			(Walds. & Kit
5 susiana. W.	Chalcedonian.	-, -, -, -, -, -, -, -, -, -, -, -, -, -	Tamant				hung. 1. t. 57. \$4
6 florentina. W.	Florentine.		S Europe				Bot. mag. 91.
7 flavissima. W.	bright yellow.		Siberia				Jac. ic. 3. t. 220.
8 biflora. W.	two-flowered.		S Europe	1596.			Jac. 10. 5. t. 220.
9 aphylla. W.	naked-stalked:		Di Durope.				Bot. mag. 870.
10 variegata. W.	variegated.		Hungary.				
11 squalens. W.	brown-flowered.		& Furana	1768.	6.	H. 2.	16. 787.
12 sambucina. W.	elder-scented.		- Zaroper	1658.		н.и.	187.
13 lurida. W.	dingy.			1758.	4.	H. 24.	187.
14 fimbriata. Ven.	Chinese.		China.	1792.	5.6.	H. 4.	373.
15 subbiflora. H. K.	double-bearing.	-	Portugal.	1596.	4.5.	H. 4.	1130.
16 germanica.	German.		Germany.	1573.	5.6.	H. 4.	1130.
17 pallida. W.	pale Turkey.		Turkey.	1596.			
18 hungarica. W. en.	Hungarian.	***************************************		1815.	5.	H.4.	f Walds. et Kit.
19 dichotoma. W.	forked.			1784.			hung. 3. t. 226. Bot. reg. 246.
20 moræoides. Ker.	Moræa-flowered.		ODE				Bot. mag. 693.
21 Pseud-Acorus. W.	yellow water.		Thursday,				Eng. bot. 578.
22 ochroleuca. W.	sulphur-colourd.		Levant.				Bot. mag. 61.
23 halophila. W.	long-leaved.		Siberia.	1780.	7.9.	H.4.	1131.
24 spuria. W.	spurious.			1759.	7.	H. 24.	875.
25 spathulata:	spathulate-flowd.		Germany.		7.8.	H.4.	875. ————————————————————————————————————
26 desertorum. Fl. C.	sweet-scented.		Russia.	1811.	7.	H.4.	1514.
27 stenogyna. Red.	cream-coloured.		Siberia.	1804.		H. 4.	1515.
28 fœtidissima. W.	Gladwyn.		Britain		6.	H.4.	Eng. bot. 596.
29 graminea. W.	grass-leaved.		Austria.	1597.		H.4.	Bot. mag. 681.
30 sibirica. W.	Siberian.		Siberia.	1596.	5.6.	H. 24.	50 & 1163.
31 prismatica. Ph.	New Jersey.		N. America.	1812.		H. 24.	1504. 1604.
32 orientalis. W.	red-leaved.		China.	1790.		H. 4.	1604.
33 fulva. B. M.			N. America.	1812.	6.7.	H. 24.	1496.
34 virginica. W.	Virginian.			1758.		· H. 4.	703.
35 versicolor. W.				1732.	5.6.	11.24.	21.
36 verna. W.	spring.		Virginia.				Pluk.alm.t.196. f.6.
37 ruthenica. Ker.	pigmy.		Siberia.				Bot.m.1123&1393.
38 tenuifolia. W.	slender-leaved.		Dauma.				Pall. it. 3. t. C. f. 2.
39 ventricosa. W.	bellied.		~ .	1800.	6.	H. 24.	t. B. f. 1.
40 Xiphium. W.	small bulbous.		Spain.	1596.		- 11. 24 .	Bot. mag. 686.
41 Xiphioides. W.	great bulbous.			1571.		- E1. 24 .	687.
42 lusitanica. H. K.	Portuguese.		Portugal.				Deef Add 1 4 C
43 alata: Lanı.	long-tubed.		Algiers.				Desf. Atl. 1. t. 6.
44 persica. W.	Persian. Snake's-head.		Persia.				Bot. mag. 1.
45 tuberosa. W. MARICA. Ker.	MARICA.	Irideæ. B. P.	Levant.	1097.	3,4.	11.4.	531.
1 Northiana. H. K.	broad-stemmed.	Trucac. D. 1.	Brazil	1789	48.	S 21	Bot. mag. 654.
2 martinicensis. H.K.			Martinico:	1782.			416.
3 gladiata. B. Reg.	Cape.		C.B.S.				Bot. reg. 229.
4 paludosa. H. K.	marsh.		Guiana				Bot. mag. 646.
5 plicata. B. M.	broad-leaved.		W. Ind.				
6 californica. B. M.	yellow.		California	1796.	5.9.	F. 24 .	655.
7 palmifolia. W.	palm-leaved.	r	Brazil.			S. 24 .	
8 striata. B. M.	streaked.		Mexico.				Bot. mag. 701.
PARDANTHUS. Ker		Irideæ. B. P. Be		douté.			
chineusis. H. K.	Chinese.		China.	1759.	6.7	H. 4.	Bot. mag. 171.
COMMELINA. B. P.	COMMELINA.	Commelineæ. B.F	•				
1 communis. W.	common.		America.	1732.	6.7.	H.O.	Red. lil. 206.
2 africana. W.	African.		C. B. S.	1759.			Bot. mag. 1431.
3 bengalensis. W.	Bengal.		Bengal.	1794.			Murr.gott.p.18.t.5.
4 erecta. W.	upright.		Virginia.	1732.	8.9.	H. 4.	Dil.elt.94.t.77.f.88.
5 virginica. W.	Virginian.	<u> </u>		1779.	6.	H. 4.	Pluk. alm. 135.
			Caracas.	1806.			1 t. 174. f. 4. Jac. ic. 2. t. 294.
6 longicaulis. W. 7 mollis. W.	long-stalked.		Caracas.				2. t. 293.
8 tuberosa. W. en.	tuberous-rooted.		Mexico.				Bot. rep. 399.
9 cœlestis. W. en.	sky-blue.		Mexico.				Bot. mag. 1695.
ANEILEMA. B. P.	Aneilema.	Commelineæ. B.I					
spirata. B. P.	spear-leaved.	Commentee: Di				. S.⊙:	
agrae would have to a	Y			_,,			A

CALLISIA. W.	CALLISIA.	Commeliueæ. B.P		1776	c =	8 21	Tag amer 11 t 11
repens. W LEPTANTHUS.Mich.	creeping. LEPTANTHUS.		w. ind.	1770.	0.7.	5.4.	Jac. amer. 11. t. 11.
reniformis. M.	kidney-leaved.		N. America.	1812.	6.7.	н.4.	
WACHENDORFIA. Ker.	WACHENDORFIA	Hæmodoraceæ.B.I	2.				
1 thyrsiflora. W.	tall-flowered.		CBS	1750	5.6	GN	Bot mag 1060.
2 pariculata. W.	panicled.		C. 2. 5.	1700.	2.	G. 24.	Bot. mag. 1060.
3 graminea. W.	grass-leaved.				6.	G24.	**
4 hirsuta. W.	hairy.			1687		G. 11.	614.
5 brevifolia. H. K.	short-leaved.			1795.	3.4.	G. 4 -	1166.
XIPHIDIUM. W.	XiPHIDIUM.	Hæmodoraceæ.B.				0.01	
1 album. W. 2 cœruleum. W.	white.		W. Ind.	1787.			And Cod a 4 as
DILATRIS. Ker.	blue. DILATRIS.	Hæmodoraceæ.B.		1793.	• • • •	5. n.	Aub. Gui. 1. t. 11.
1 corymbosa. W.	broad-petaled.	Themotoracca:		1790.	5.	G. 2L.	Ex. bot. 1. t. 16
2 viscosa. W.	clammy.						Lam. ill. t. 34.
HÆMODORUM. Sm.		Hæmodoraceæ.B.	Ρ.				
planifolium. B. P.	plain-leaved.	144	N. S. W.	1810. 7	7.11.	G.4.	Bot mag. 1610.
XYRIS. L.	XYRIS.	Restiaceæ. B. P.				.	
1 operculata. B. P.	rush-leaved.		N. S. W.				Bot. mag. 1158.
2 brevifolia. P. S. MARISCUS. Va.	short-leaved	Cyperaceæ. B. P.		1812.		н. 4.	
1 umbellatus. W. en.	MARISCUS.					8 21	Rott. gram. t. 4. f.2.
2 elatus. W. en.	tall.		D. Thu.	1805	9.0.	3.24.	Jac. ic. 2. t. 300.
KYLLINGA. W.	KYLLINGA.	Cyperaceæ. B. P.					0.001 101 21 01 0001
1 monocephala. W.	one-headed.		India.	1793.	6.7.	S. 24.	Rott.gram.t.4.f.4.
2 triceps. W.	three-headed.			1776.	9.11.	S. 24.	t. 4. f.6.
CYPERUS. W.	CYPERUS.	Cyperaceæ. B. P.				~	
1 dubius. W.	bulbous-rooted.		E. Ind.	1802.	7.	S. 4.	Rot.gram.20.t.4.f.5
2 pannonicus. W., 3 Luzulæ. W.	dwarf. compact-flower ^d .		W Ind				Host. gram.3.t. 20.
4 viscosus. W.	clammy.		Jamaica				Rott.gram.t.13.f.3. Jac. ic. 2. t. 295.
5 fastigiatus. W.	lofty.		E. Ind.				Rot.gram.32.t.7.f.2
	round-headed.		Italy.	1804		H.O.	2.00.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
7 elegans. W.	elegant.		Jamaica.	1801.	5.9.	G. 3.	Sloan.ja.1.t.75.f.1.
8 flavescens. W.	yellow.		Germany.	1776.	6.9.	H. &.	Host.gram.3.t.72.
9 fuscus. W.	brown.		Europe.	1777.	7. 9,	$H.\odot$.	3. t. 73.
10 strigosus. W.	bristle-spiked.		W. Ind.				Rott.g.40.t.11.f.3.
11 vegetus. W. 12 esculentus. W.	smooth.		C France				Jac. vind. 3. t. 12.
13 longus. W.	Rush-nut.		England	1097.	<i>'</i> ·	H 21	Host.gram.3.t.75.
14 Iria. W.	tall.	*	E. Ind.	1802		8.21.	Eng. bot. 1309. Rheed.mal.12.t.56.
15 Papyrus. W.	Paper.		Egypt.		7.9.	S. 24.	Rheed.mal.12.t.56. Mich.gen.44.t.19. Rott.g.38.t.8.f.2. Desf. At.1. t.7.f.2. Jac. ic. 2. t. 298.
16 alopecuroides. P. S.	fox-tailed.		C. B. S. &c.	1804.	5.8.	G. 4.	Rott.g. 38.t.8.f.2.
17 badius. P. S.	saw-leaved.		Algiers.	1800.	7.	G. 4.	Desf. At.1. t.7. f. 2.
18 alternifolius. W.	alternate-leaved.	`	Madagascar.	1781. 9	2.3.	S. 4.	Jac. ic. 2. t. 298.
ISOLEPIS. B. P. 1 fluitans. B. P.	Isolepis.						
2 setacea. B. P.	bristle-like.		Diftain.		7.8.	п4.	1693.
SCIRPUS. B. P.	CLUB-RUSH.	Cyperaceæ. B. P.		••••		11.0.	1093.
	many-stalked.		Britain.		7	H.24.	Eng. bot. 1187.
2 cæspitosus. W.	scaly-stalked.					H. 24.	1029.
3 pauciflorus. E. B.	chocolate-headd.				Q	T-I 3/	1100
4 compressus. P. S.	compressed.		-	6	.7.	H.4.	791.
5 lacustris. W.	tall.		England	• • • • •	7.8.	н. 4.	666.
6 Holoschænus. W.	cluster-headed. Roman.		ingiand.	• • • •			
	glaucous.				7.8.	H 2/	Jac. aust. 5. t. 448. Eng. bot. 2321.
9 triqueter. W.	triangular.	***************************************		• • • • •	8.	Н. Ц.	1694.
10 mucronatus. W.	sharp-pointed.					H.4.	****
11 carinatus. E. B.	blunt-edged.			7	7.8.	H.4.	Eng. bot. 1983.
12 maritimus. W.	salt marsh.	-	Britain.	7	7.9.	H.4.	542.
13 Luzulæ. W.	clustered.	-	E. Ind.	1776		S. 4.	Pluk. mant. 27. t. 417. f. 3.
	wood.					H.4.	Eng. bot. 919.
	SPIKE-RUSH.	Cyperaceæ. B. P.				EY NI	Vmm but and
1 palustris. B. P. 2 acicularis. B. P.	marsh. upright-needle.						Eng. bot. 131.
	-L. San Michael					270 1/2 2	749.

			100	
RHYNCHOSPORA. RH	YNCHOSPORA. Cyperaccæ. B. I	. Schani species .	L.	
	ite-headed.	*** ** *		The hat gor
	wn-headed.		8. H.4. — H.4.	Eng. bot. 985.
	G-Rusн. Cyperaceæ. В. I		11141	10/0*
	stered.	- S. Europe. 17	781. 4.5. H.4.	Fl. græc. 1. t. 43.
2 nigricans. W. blac	ek	- Britain	7. H.4.	Eng. bot. 1121.
	stered. ek. wn. occious.	- Scotland	H.4.	1010.
	nœcious. Cyperaceæ, B. I	- England Schwni species .	7.8. H.4.	1410.
			7.8. H.4.	Eng. hot 950
	2 2 2 2		· ·	111g. 000. 504.
RUM. P. S.	Monomi.	. Eriophori speci	es Willd.	
	crine. —————	- N. Amer. 18		Pluk.mant.t.419.f.3
			7. H.4.	Eng. bot. 311.
ERIOPHORUM. P. S. Con 1 vaginatum. W. Har			0.4 77.34	V 1-4 000
	ad-leaved.		3.4. H.4.	
	row-leaved.		4. H. 2.	564.
	rinian.	- N. Amer 18		Pluk.alm. t.299.f.4.
- 0	ider.	- Scotland	7.8. H. 1.	Eng. bot. 2402.
	nd-headed.		8.9. Н.4.	2387.
	T-GRASS. Gramineæ. B. P		0.5. 77.34	En hat ogo
2 aristata. W. awn	ned.		6.7. H.4.	Vill. delph. 2. t. 2.
	GEUM. Gramineæ. B. P			v III. deipii. 2. t. 2.
Spartum. W. rusl	n-leaved.	_	76. 5.6. H.4.	Clus. hist. 2. f. 2.
	RNUCOPIÆ. Gramineæ. B. P			
			788. 8. H.⊙.	Fl. græc. 1. t. 51.
	CCHRUS. Gramineæ. B. P		- 11.0	
1.4	gh-spiked.	- India. 17	773. 7. H.O.	Cav.ic.5.p.39.t.462
	LERIA. Gramineæ. B. P		0.12. 0.0	Cav.10.9.03.0.402
1 cœrulea. E. B. blue			4.5. H.4.	Eng. bot. 1613.
	eg-spiked		5.6. H.4:	Host. gram. 2. t.97.
	INETIS. Gramineæ. B. P	Dactylidis spec	ries L.	
	ight. ————————————————————————————————————	- Britain	8. H.4.	Eng. bot. 380.
	ry-spiked.	- N. Allier. 17	781. 8.9. 11.4. ———— H. 71.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
	eading.		- 7.8. H.4.	,
•	0		•	
	DIGY	NIA.		
TRICHODIUM Mi. TRI		Agrostidis speci		
	ambent.	- N. Amer. 17	786. 6.7. H. 24.	Fraser.Mon.cum.ie Eng. bot. 1856.
2 caninum. W. en. brov				Eng. bot. 1856.
SPOROBOLUS, B. P. Seo indicus, B. P. Indi		. Agrostidis speci – India. 17		
	NT-GRASS. Gramineæ. B. P		73. 6.10. 11.0.	
1 Spica-venti. W. silk	v	- England	6.7. H.O.	Eng. bot. 951.
	ad-leaved.	- N. Holland. 18 - England Britain	306. 7.8. H. 4.	
	side.	- England	8. Н.4.	
4 setacea. E. B. bris	ctly.	- Britain	7.8. H. 4.	1188.
5 vulgaris. E. B. fine 6 hispida. W. hisp		- Europe. 18	— H. 4. 805. — H. 4.	10/1.
	eping.			Eng. bot. 1532.
	sh		н. 4.	r189.
-	l-like.		789. —— H. 4.	
	xican.		780. 6.9. H. 4.	
11 tenacissima. W. toug			801. 8.9. S.4. 800. 6.7. H	
12 verticillata. W. who 13 sylvatica. L. woo			— H.4.	
14 lenta. W. fork			778. 7.10. H.⊙.	
KNAPPIA. E. B. KNA	APPIA. Gramineæ. B. P	Agrostidis speci	ies L. Sturmia P.	S.
agrostidea. E. B. sma			3.4. H.⊙.	Eng. bot. 1127.
	Rotis. Gramineæ. B. P		777 00 50	Phead mal 10 + 60
latifolia. W. spik POLYPOGON. W. cn. Por			(11. 8.9. 3.0).	Rheed.mal.12.t.62.
			7.8. Н. 4.	Eng. bot. 1704.
Post	D			

	,				
STIPA. W.	FEATHER-GRASS	Gramineæ. B. P.			D 1 4
1 pennata. W.	common.		Britain.	7.8. H.4.	
2 humilis. P. S.	law.		S. Amer.		Cav.ic.5. t.466. f.1.
3 juncea. W.	rush-leaved.		France.		Fl. græc. 1. t. 85. Gmel. sib. 1. t. 22.
4 sibirica. P. S.	Siberian. awned.		Montroliar	1806. — H. 24.	
5 aristella. W. TRISETUM. P. S.	TRISETUM.	Gramineæ. B. P.	Annua enecie		
1 striatum. P. S.	striated.	Grammea, D. C.	S Europe.	1804. 7.8. H.⊙.	
2 hispanicum. P. S.	Læfling's.		Spain.		Cav. ic. 1. t. 45. f. 1.
3 pratense. P. S.	yellowish.		Britain.	— н. 4.	
AVENA. P. S.	OAT-GRASS.	Gramineæ. B. P.		•	
1 pensylvanica. W.	Pensylvanian.		N. Amer.	1785. 6.7. H.⊙.	
2 strigosa. W.	bristle-pointed.		Britain.	— H.⊙.	Eng. bot. 1266.
3 brevis. W.	short.		Germany.	1804. — H.⊙. 1798. — H.⊙. — H.⊙.	
4 orientalis. W.	Tartarian.			1798. —— H.⊙.	
5 sativa. W.	common.		S. Amer.	— н.⊙.	Host.gram. 2. t. 59.
6 nuda. W.	naked.		70. 14. 1	— H. O.	3. t. 43.
7 fatua. W.	wild.		Britain.	8. H.⊙.	Eng. bot 1640
8 pubescens. W.	downy.		Parhany	7.8. H.4.	Host gram t 9 57
9 sterilis. W. 10 fragilis. W.	bearded, brittle.		S Furona	1770 — H.O.	Host. gram.t. 2. 57. ———————————————————————————————————
11 planiculmis. E. B.	flat-stalked.		Britain	67. H.M.	Eng. hot. 2141.
12 pratensis. W.	narrow-leaved.		Direction.	— Н. 4.	1204.
13 argentea. W. en.	silvery.		Switzerland.	1791. — H. 24.	Host. gram. 2. t.53.
14 distichophylla.				TT 01	(Vill. delph. 2. t.
W. en.	fan-leaved.			— Н. 4.	{ Vill. delph. 2. t. 4. f. 4.
BROMUS. W.	BROME-GRASS.	Gramineæ. B. P.			
1 secalinus. W.	smooth Rye.		England.	6.8. H.⊙.	Eng. bot. 1171.
2 commutatus. W. en.			Britain.	— H.⊙.	1,881.
3 multiflorus. W. en.	many-flowered.		Germany.	1815. —— H.⊙.	
4 mollis, W.	soft.		Britain.	— H.O.	Eng. bot. 1078. Buxb.cen.5. f.ap.19
5 lanceolatus. W.	spear-leaved.		Caspia.	1798. — H.O.	Buxb.cen.5. f.ap.19
6 squarrosus. W.	corn.		England.	— н.4.	Eng. bot. 1885.
7 Alopecurus. W.	Fox-tail.		Barbary.	1799. — H	Desf. atl. 1. t. 25,
8 purgans. W.	purging.		Canada.	1793. — H. 4.	Host. gram. 1. t. 9.
9 inermis. W. 10 asper. W.	awnless. hairy wood.		Germany.		
11 pratensis. E. B.	meadow.		England.	— н. 4.	Eng. bot. 1172.
12 littoreus. W.	sea.		Furone	1802. —— H. 2/.	
13 ciliatus. W.	ciliated.		· Canada.	— H.24.	
14 sterilis. W.	barren.		Britain.	— Н.О	Eng. bot. 1030. 1984. 471. Hort. gram. 1. t. 15.
15 arvensis. E. B.	field.			— н. 4.	1984.
16 erectus. E. B.	upright.		England.	— н. 4.	471,
17 tectorum. W.	nodding.	·	Europe.	1776 H. J.	Hort. gram. 1. t. 15.
18 altissimus. Ph.	tallest.		N.Amer.	1812. — n.4.	
19 racemosus. W.	smooth.		England.	 H.⊙.	Eng. bot. 1079.
20 maximus. Roth.	great.		Morocco.	1804. — H.O.	
21 madritensis. W.	wall.		-	— H.⊙.	1006,
22 sylvaticus. E. B.	wood.		Britain.	— H.⊙. — H.4. — H.4. — H.4.	729.
23 pinnatus. W. 24 cristatus. W.	spiked-heath. crested.		Capthord	H. 4.	730.
and the second s			Scottand.	1770 — H 3	Host.gram. 1.t. 20.
25 distachyos. W. FESTUCA. W.	two-spiked. Fescue-Grass.	Gramineæ. B. P.	. P. Tatobe.	11.4.	11036. grain. 1. 6. 20.
1 bromoides. W.	barren.		Britain	6. H.O.	Eng. bot. 1411.
2 tenella. Ph.	slender.		N. Amer.	1804. 7.8. H.⊙.	
3 ovina. W.	sheep's.		Britain.		Eug. bot. 585.
4 vivipara. E. B.	viviparous.			7. H.4.	1355.
5 rubra. W.	creeping.			н. 4.	1355.
6 duriuscula, W.	hard.			6. Н. 4.	470.
7 amethystina. W.	blue.	***	S. Europe.	1804. 6.7. H. 4.	
8 cæsia. E. B.	gray.		England.		Eng. bot. 1917,
9 dumetorum. W.	bushy.			— Н. 4.	Fl. dan. t. 700.
10 Myurus. W.	wall.			H.O.	Eng. bot. 1412.
11 uniglumis. W.	single-husked.	*****	72.14.1	H.⊙.	1430.
12 gigantea. E. B.	gigantic.		Britain,	7.8. H.⊙.	1820.
18 calamaria. E. B. 14 triflora. E. B.	reed-like.		Scotland.	H. 4.	1430. ————————————————————————————————————
15 spadicea. W.	three-flowered. Gerard's.		ttoly	1775 15 11 0	Host gram 9 t on
16 pratensis. E. B.	meadow.		Paritain		Host.gram.3.t.20. Eng. bot. 1592.
17 vaginata. W. en.	sheathed.		- Hungary.	1804. — H.4	
			24. 24. 3 A. 1 A	- a h d who had	

	JE .	CALLLADICALL	3010111	111.	
18 decidua. E. B.	deciduous.	Gramineæ. B. P.	England.	6.7. Н.4.	Eng hot ooss
19 elatior. W.	tall.			H.2/	1503
20 diandra. Ph.	diandrous.		N. Amer.	1810. — H. 2/	1593. Mich. amer. t. 10. Eng. bot. 1821.
21 loliacea. W.	spiked.		- England.	H 21	Eng bot 1891
22 grandiflora. Ph.	large-flowered.		N. Amer.	1812. — H. 4.	Eng. oot. 1021.
23 rubens. P. S.	Spanish.		S. Europe.		Host.gram. 1. t. 18.
24 stipoides. P. S.	fine-leaved.		· Maiorca.		Barrel ic. t. 76. f. 1.
25 calycina. W.	bearded-leaved.		- Spain.		Cav. ic. 1. t.44. f. 2.
26 glauca. P. S.	glaucous.		S. Europe.		Lam.ill. 1.t. 46.f. 3.
27 ciliata. P. S.	ciliated.		Portugal.	1802. 7.8. H. 4.	230100111111111111111111111111111111111
28 distichiphylla. Ph.	two-ranked.		N. Amer.	1789. 6.7, H. 4.	
29 nutans. Ph.	nodding.			1805. —— H.2/.	
30 heterophylla. P. S.	various-leaved.		France.	1819. — H. 11.	Vaill. par. t. 19. f. 6.
31 unioloides. Ph.	uniola-like.		N. Amer.	1796. — H. 4.	Willd her t 2
TRITICUM. W.	WHEAT-GRASS.	Gramineæ. B. P.		17.701	William derr to or
1 æstivum. W.	summer.		Baschiros.	, 6.7. H, O.	
2 hybernum. W.	Lammas.			— H ()	Hoet gram 3 t 90
3 compositum. W.	Egyptian.		Ecvnt.	1709 H O	Morie his 2 t 1 f 7
4 turgidam. W.	turgid.		D _B , po	HO	Host. gram. 3. t. 20. Moris. his. 3. t. 1. f. 7. Host. gram. 3. t. 28.
5 polonicum. W.	Polish.				
6 Spelta. W.	Spelt.			H O	
7 monococcum. W.	one-grained.			1692. — H.⊙. 1648. — H.⊙.	3 t 30
8 prostratum. W.	trailing.				
9 squarrosum. Roth.			Egypt.	1900 67 H O	onc. tind. D. t. 44.
10 junceum. W.	rushy.		England	1000. 0.7. II.O.	For hot 014
11 repens. W.	Couch-grass.		Britain.	1800. 6.7. H.⊙. H.↓. 7.8. H.↓.	Eng. 00t. 814.
12 caninum. E. B.	bearded.		Diffatti.	7.8. H.4.	1070
13 tenellum. W.	dwarf.		Spain	— H.4. 1781. — H.⊙.	Heat war 0 t 00
14 unioloides. W.			Ttoly		
15 loliaceum. W.	linear-spiked.		Duitain		Jac. ic. 2. t. 303,
	spiked sea,	V	Diligitt.	6.7. H,⊙.	Eng. bot. 221.
16 unilaterale. W.	one-sided.		Commont.	1800. — H.⊙.	
17 rigidum. W. en.	rigid.	Graminan R P	Germany.	1805. —— H. 4.	
SECALE. W.	RYE	Grammea, D. I.		0 m TV O	TT4 0.4.40
1 cereale. W.	common.	-i	Crete.	1700 H.O.	Host, gram. 2.t. 48,
2 villosum. W.	villous.		S. Europe.	1/90. — H.O.	Buxb. cent. 5. t. 41.
3 orientale. W.	hairy-spiked.	***************************************	Levant.	1807 H. 3.	Willd. N. Act. Ber. 2. t. 4. f. 3.
HODDEHM III		Commission D. D.		•	ber. 2. t. 4. 1. 3.
HORDEUM. W.	BARLEY.	Gramineæ. B, P,	61.21.	- II O	77
1 vulgare. W.	spring.		Sicily.	7. H.⊙. H.⊙. H.⊙. 8. H.⊙.	Host gram. 3. t. 34.
2 hexastichon. W.	winter.		773	H.O.	3.t.35.
3 distiction. W.	common.		Tartary.	H.().	3. t. 36,
4 Zeocriton. W.	Battledore.		T. 1.	8. H.O,	3. t.37.
5 bulbosum. W.	bulbous.	-	Italy.	1770. 7. 11.4.	F1. græc. 1. t. 98.
6 murinum. W.	wall.		Britain.	4.8. H.⊙.	Eng. bot. 1971.
7 pratense. Roth.	meadow.	***************************************	-	6. н. 4.	409.
8 secalinum. Ro h.	rye-like.	*	Europe.	*****	
9 maritimum. W.	sea.		Britain.	6.7, H.⊙.	Eng. bot. 1205.
10 jubatum. H. K.	long-bearded.	C 1 D D	N. Amer.	1782. 7,8. H. &,	
ELYMUS. W.	LYME-GRASS.	Gramineæ. B. P.	D '4 '	4 0 TT 21	T 1-4 10-5
1 arenarius. W.	upright sea.		Britain,	4.6. H. 2.	
2 geniculatus. E. B.	pendulous.		England.		1586.
3 sabulosus. W. en.	glaucous.		Siberia.	1806. 6.7. H. 4.	
4 giganteus. W.	gigantic.		N. Amer.	1790. 7.8. H. 4.	0.1
5 sibiricus. W.	Siberian.		Siberia.	1758. 6.7. H.4.	Scur.gra.2.t.21.t.1.
6 tener. W.	tender.			1801. — H. 4.	
7 philadelphicus. W.	Philadelphian.		N. Amer.	1790. 7.8. H. 4.	
8 canadensis. W.	Canadian.			1699. — H. 4.	Mor, ms, 3.t.2.1.10.
9 virginicus. W.	Virginian.		Virginia.	1781. 6.7. H.4.	
10 striatus. W.	striated.		N. Amer.	1790. — H. 4. 1802. — H. 4.	
11 villosus. Ph.	villous.			1802. — H. 4.	n 1 /
12 europæus. W.	wood.		England.	— Н. 4.	Eng., bot. 1317.
13 crinitus. Sch.	long-awned.	*	Smyrna.	1806. — H.⊙,	
14 Caput-Medusæ. W.	Portuguese.		Portugal,	1784. ——H.⊙. ≺	{ 2. p. 17. t. 24. f. 2.
*			- 010-9414	T. J. A. (1. Z1.)	t. 24. f. 2.
LOLIUM. W.	DARNEL.	Gramineæ. B. P.			D 1 4
1 perenne. W.	Rye-grass.	,	Britain.	5.6. H. 4.	Eng. bot. 315,
2 tenue. W.	slender.		S. Europe.	1590. 7.8. H.4.	n 1
3 temulentum. W.	bearded.			., —H.⊙.	
4 arvense. E. B.	beardless,	22-22-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	England,	7. H.⊙.	1125,

tion-mail no	**	G					
KŒLERIA. P.S.	KŒLERIA. crested.	Gramineæ. B. P.	Farone		6.9	н.4.	
1 cristata. P. S. 2 tuberosa. P. S.	tuberous.		Britain.		7.8.	H.2.	Eng. bot. 648.
3 pubescens.	pubescent.	. !	S. Europe.	1800.			
GLYCERIA. B. P.	GLYCERIA.	Gramineæ. B. P.	Festucæ sp				
fluitans. B. P.	floating.		Britain.	• • • •	5.8.	H.4.	Eng. bot. 1520.
POA. W.		Gramineæ. B. P.	73.1.1			** **	T 1 4 2022
1 aquatica. W.	water.		Britain.	• • • •	7.	H. 4.	Eng. bot. 1315.
2 procumbens. E. B. 3 alpina. W.	procumbent. Alpine.		Scotland	• • • •	6.7	H.21.	532. 1003.
4 flexuosa. E. B.	zigzag.						
5 laxa. W.	loose-spiked.		Germany.	1800.		H.4.	Host.gram.3.t.15.
6 cæsia. E. B.	sea-green.		Scotland.			H.4.	Eng. bot. 1719.
7 vivipara. W. en.	viviparous.		Switzerland.	1800.		H.4.	
8 trivialis. W.	common.		Britain.	• • • •	6.8.	H.4.	Eng. bot. 1072.
9 angustifolia. W.	narrow-leaved.		Germany.			11.4.	Leers, t. 6. f. 3. Eng. bot. 1073.
10 pratensis, W. 11 humilis. F. B.	short bluish.		Diftain.				
12 annua. W.	annual.				3.10.	H.O.	1004.
13 badensis. W.	turfy		Baden.	1800.	7.	H.4.	
14 amabilis. W.	purple.		E. Ind.	1802.		H.⊙.	Host. gram.2.t. 69.
15 Eragrostis. W.	spreading.		Italy.				Host. gram.2.t.69.
16 sudetica. W.	broad-leaved.		Germany.			H.4.	
17 cenisia. W. cn. 18 flava. W.	soft.		Mt. Cenis.	1791.		H.4.	
19 serotina. W. en.	pale yellow. late-flowering.		Germany.			H.4.	
20 festucæformis.W.en			Dalmatia.				
21 pilosa. W. en.	pilose.		Italy.			н.⊙.	
22 abyssinica. W.	smooth upright.		Ahveeinia				Jac. ic. 1. t. 17.
23 capillaris. W.	hair-panicled.		N. America.				Moris.h.3.t.6.f.33.
24 megastachya. P. S.	Love-grass.		S. Europe.				Schreb. gram. t. 38.
25 tenella. W.	small,		E. Ind.				Burm. zey. t.47.f.3.
26 maritima. W. 27 rigida. W.	sea. hard.		England	• • • •	6.7.	н. 4.	Eng. bot. 1140.
28 compressa. W.	flat-stalked.		Britain.		6.8.	H.O.	365.
29 glauca. E. B.	glaucous.					H.4.	1720.
30 nemoralis. W.	wood.				6.	H.4.	
31 amboinensis. W.	upright.	-		1800.	6.7.	S. 2L.	Rumph. amb. 6. t. 7. f. 3.
32 bulbosa. W.	bulbous.					II N	t. 7. f. 3.
33 distans. W.	distant.		Austria				Eng. bot. 1071.
34 retroflexa. E. B.	reflexed.		Rritain	1734.	7.0.	H. 24.	1532
35 ægyptiaca. W. en.	Egyptian.		Egypt.	1812.		H.O.	1532.
36 elongata. W. en.	long-panicled.		E. Ind.			S. 4.	
37 divaricata. W.	divaricate.		S. Europe.	1802.		$H_{\bullet}(\cdot)$.	Gouan, ill. 4, t. 2, f. 1.
38 peruviana. W.	Peruvian.		Peru.			H.⊙.	Jac. ic. 1. t. 18.
39 nervata. W. 40 ciliaris. W.	nerved.		N. America.	1812.		н.4.	Jac. ic. 2. t. 304.
41 digitata. B. P.	ciliated.		N S W	1976.		H.O.	Jac. 1c. 2. t. 304.
TRIODIA. B. P.	TRIODIA.	Gramineæ. B. P.	Festucæ snec	ies L.		11.0.	
decumbens.	decumbent.				7.8.	H. 24.	Eng. bot. 792.
CALAMAGROS- ?	CALAMAGRAGINA						
TIS. With.		Gramineæ. B. P.	-	ectes L	•		
1 epigejos. W.	wood.			• • • •			Eng. bot. 403.
2 stricta. E. B.	upright.		Scotland.				2160.
3 speciosa. W. en. 4 arundinacea. Roth.	beautiful.		Germany.			H.4.	
5 vulgaris.	common.		England.			H.4.	Fra hat also
6 arenaria. W.	Sea Mat-weed.		Britain.	• • • •			Eng. bot. 2159.
ARUNDO. B. P.		Gramineæ. B. P.	2011111111	• • • •	0.7.	11.4.	020.
1.Donax. W.			S. Europe.	1648.	7.8.	H.24.	
B versicolor.	striped.						Moris.hist.3.t.8.f.9
2 phragmites. W.	common.		Britain.				Eng. bot. 401.
AIRA. W.		Gramineæ. B. P.	7D 14 1			**	
1 aquatica. W. 2 glauca. W. en.	water. glaucous.		Britain.				Eng. bot. 1557.
3 semineutra. W. en.			оалону. Ниноато	1800.			
4 subspicata. W.	spike-flowered.		Switzerland	1813 1800		H.21.	
5 cæspitosa. W.	turfy.	,	Britain.				Eng. bot. 1453.
6 lævigata. L. T.		Complete Management	Scotland.				2102.
		. D					

20	1.10	LILLIAN LULIA .	DIGITAL	. 1.		
7 flexuosa. W.	waved.	Gramineæ. B. P.	Britain.	7.8.	н.и.	Eng. bot. 1519.
8 canescens. W.	grey.		England.		н. ц.	1190.
9 præcox. W.	early.		Britain.	5.6.	H.O.	1190.
10 caryophyllea. W.	silver.			7. 1	H.Õ.	812.
MELICA. W.	Melic-Grass.	Gramineæ. B. P.		-	0	
1 ciliata. W.	ciliated.		Europe.	1771. 7. 1	H.21.	Host.gram. 2.t. 12.
2 Bauhini. W. en.	Italian.		Italy.	1806. 6.7.		
3 nutans. W.	mountain.		Britain.			Eng. bot. 1059.
4 uniflora. W.	wood.			5.6.	н.и.	1058.
5 pyramidalis. P. S.	pyramidal.		Barbary.	1804. 6.7.	H. 24.	, =
6 glabra. Ph.	smooth.		N. Amer.			Mor.his. 3. t.7. f.51.
7 altissima. W.	tallest.		Siberia.			Host gram. 2, t. 9.
8 cærulea. W.	purple.		Britain.			Eng. bot. 750.
ECHINARIA. Des.	ECHINARIA.	Gramineæ. B. P.	2011111111	*****		236. 33 , 34
capitata. D.	headed.		S. Europe.	1771. 5.8.	H.O.	Host. gram. 3. t. 8.
LAPPAGO. W.	LAPPAGO.	Gramineæ. B. P.		.,,		
racemosa. W.	branching.		S. Europe.	1771 78	но	Host.gram.1. t. 36,
ELEUSINE. B. P.	ELEUSINE.	Gramineæ. B. P.			11.0.	11030.5.001.1.0.004
1 coracana. P. S.	thick-spiked.	Oraminea: B.T.	India		HO	Schreb.gram.2.t.35
2 ægyptia. P. S.	creeping.		Egypt	1770	H O	Cili co.gram.z.c.oo
3 indica. P. S.	Indian.		India	1714	H O	Rhecd.mal.12.t.69.
4 virgata. W. en.	fine-spiked.		Inmaios	1714.	\$ 21	Sloa.jam.1.t.70.f.2.
CHRYSURUS. P. S.	CHRYSURUS.	Gramineæ. B/P.			5.4.	510a.jam.1.c./02.
		Grammeæ. B. F.			11.0	Linet man 2 + 4
cynosuroides. P. S.	golden-spiked.		Levant.	1770. 7.	H. ().	Host. gram. 3. t. 4.
CYNOSURUS. P. S.	{ Dog's-TAIL }	Gramineæ. B. P.				
	GRASS.		D '4 '		TT N	T 1.4 010
1 cristatus. W.	crested.		Britain.			Eng. bot. 316.
2 echinatus. W.	rough.		England.			1333.
3 Lima. W.	imbricated.		Spain.			Cav. ic. 1. t. 91.
4 durus. W.	rigid.		S. Europe.		н.⊙.	Host.gram. 2.t. 73.
BECKMANNIA. Host		Grammeæ. B. P.				
erucæformis. W. en.			Europe.	1773. 7.	н.⊙.	Host. gram. 3. t. 6.
DACTYLIS. W. en.	COCK'S-FOOT	Gramineæ. B. P.				
	GRASS.					
1 glomerata. W.	rough.		Britain.			Eng. bot. 335.
2 hispanica. W. en.	Spanish.		Spain.	1814. —	H.4.	
UNIOLA. W.	SEASIDE OAT.	Gramineæ. B. P.				ı
1 latifolia. Ph.	broad-leaved.		N. Amer.	1809. 6.7.	н.4.	
2 paniculata. Ph.	panicled.			1793. ——	н.4.	Cates. car. 1. t. 32.
BRIZA. W.	QUAKING GRASS	Gramineæ. B. P.				
1 minor. W.	small.		England.	7.8.	н.⊙.	Eng. bot. 1316.
2 virens. W.	green.	******	Spain.	1300		
3 media. W.	common.		Britain.	5.6.	H.4.	Eng. bot. 340.
4 maxima. W.	greatest.		S. Europe.			Host.gram. 2. t. 30.
CYNODON. P. S.	CYNODON.	Gramineæ. B. P.				
1 Dactylon. P. S.	creeping.					Eng. bot. 850.
2 linearis. W. en.	linear-leaved.		E. Ind.	1796. 7.8.		
MILIUM. W.		Gramineæ. B. P.			•	
1 lendigerum. W.	Panic.		England.	8.	н.⊙.	Eng. bot. 1107.
2 effusum. W.	common.		Britain.	6.7.	H.4.	1106.
3 paradoxum. W.	black-seeded.		France.	1771	н.О.	Host.gram. 3. t. 23.
4 multiflorum. W. en.			S. Europe.	1778	н.й.	3. t. 45.
	(HARE'S-		.,. 2			
LAGURUS, W.	TAIL GRASS	Gramineæ. B. P.				
ovatus. W.	oval-spiked.		Guernsey.	6.	H.O.	Eng. bot. 1334.
	FOX-TAIL		Cucinsej			3
ALOPECURUS. W.	GRASS.	Gramineæ. B. P.				
1 indicus, W.	giant.		Jamaica.	1739. 7.10.	H.O.	
2 bulbosus. W.	bulbous.		England.			Eng. bot. 1249.
			Britain.			759.
3 pratensis. W.	meadow. Alpine.		Scotland.	5.6.	H. 2!	1126.
4 alpinus. E. B.						848.
5 agrestis. W.	slender.		Britain.			1250.
6 geniculatus. W.	floating.		England	_		1467.
7 fulvus. E. B.	Orange-spiked.		England.	6.	4.	140/.
PHLEUM. W.	{CAT'S-TAIL }	Gramineæ. B. P.				
	GRASS.		Dutto!		Y.Y 31	Eng bot 1076
1 pratense. W.	common.		Britain.			Eng. bot. 1076.
2 alpinum. W.	Alpine.		Scotland.			Flor den t 386
3 nodosum. W.	knotted.		Britain.	7.9.	11. 4.	Flor. dan. t. 380,
4 Bechmeri. W. en.	Phalaris-like.		England.		11.0.	Eng. bot. 459.

	7.10	ALLIA ALLIA	DIG AAIA.	***	1
8 Michefii, W. en.	slender-spiked.	Gramineæ. B. P.	Scotland	6.7. Н.4.	Eng. bot. 2265.
6 Bellardii. W. en.	bulbous.	Grammete, B. T.	Spain	1798. — H.4.	
			England	— H.O.	Eng. bot. 1077.
7 asperum. W. en.	rough.		England.		Ing. sour 10771
CRYPSIS. W.	CRYPSIS.	Gramineæ. B. P.	0.70	A II O	Host. gram. 1.t. 31.
aculeata. W.	prickly.		S. Europe.	1783. 8. H.⊙.	110st. 51am. 1
PHALARIS. W. en.	CANARY-GRASS.	Gramineæ. B. P.	-	- YY 11	F b-6 400
1 arundinacea. P. S.	Reed-like.		Britain.	7. H.4.	
2 canariensis. W.	common.			6.8. H. O.	1310.
3 aquatica. W.	water.		Egypt.		Host.gram. 2.t. 38.
4 capensis. W.	Cape.		C. B. S.	1804. — H.⊙.	
5 arenaria. W.	sea.		England.	7.8. H.⊙.	Eng. bot. 222.
6 paradoxa. W.	bristle-spiked.		Levant.	1687. 6.7. H.⊙.	Host.gram.2.t.40.
TOZZETTIA. Savi.	TOZZETTIA.	Gramineæ. B. P.	Phalaridis s	pecies Willd.	
pratensis. Sa.	bladdered.		Italy.	1777. 7.8. H,⊙.	Host. gram. 3. t. 7.
PASPALUM. W.	PASPALUM.	Gramineæ. B. P.	•		
					Hout. nat. his. 13.
1 scrobiculatum. W.	dimpled.		E. Ind.	1778. 7.9. 8.4.	Hout. nat. his. 13. t. 89. f. 3.
2 paniculatum. W.	panicled.		Jamaica.	1782. — S.O.	Sloa.hist.1.t.72.f.2.
3 stoloniferum. W.	purple.		Peru	1794. — G. 4.	Jac. ic. 2, t. 302.
4 distichum. W.	two-spiked.		Jamaica		Swar.obs, 35. t.2.f.1
					Suariotogottian
DIGITARIA. P. S.	FINGER-GRASS.	Gramineæ. B. P.		63 L.	Eng bot 940
1 sanguinalis. P. S.	slender-spiked.		britain.	8. H.⊙.	Eng. 501. 545.
2 villosa. P. S.	villous.		N. Amer.	1781. 7.9. H.⊙.	In ha 0 4 #0
3 ægyptiaca. W. en.	Egyptian.		Egypt.	1794. 7. H.⊙.	Jac. obs. 3. t. 70.
4 serotina. P. S.	decumbent.		N. Amer.	1804. 7.8. H.⊙.	,
5 ciliaris. P. S.	ciliated.		China.	—— H.⊙.	
6 linearis. P. S.	linear.		India,	— H.⊙.	Bur.ind.25.t.10.f.3.
PANICUM. B. P.	PANIC-GRASS.	Gramineæ. B. P.		,	
1 polystachion. W.	many-spiked.		E. Ind.	1804. 7.8. S.J.	
2 sericeum. W.	silky.		W. Ind.	1780. 5.9. H.O.	
3 germanicum. W.	German.		S. Europe.		Host. gram. 2. t.15.
4 stagninum. W.	pond.		E. Ind.	1802. 7.8. H.⊙.	
5 Crus-corvi. W.	Crow's-foot.		i. ind.	1781. — H.O.	•
	-		England	1781 11.0.	Eng hat 076
6 Crus-galli. W.	loose.		E L. 1	— H.O.	Ebrot pict + 9 f 9
7 colonum. W.	purple.				Ehret. pict. t. 3. f. 3.
8 brizoides. W.	Briza-like.			1801. 6.7. S.J.	∫ Pluk. alm. 174. t.
					191. f. 1.
9 fasciculatum. W.	fascicled.		Jamaica.	—— H.⊙.	
10 hispidulum. W.	hispid.		E. Ind.	1804. 7.8. H.⊙.	
11 cimicinum. W.	spotted,		India.	1778. 7.9. H.⊙.	
12 coloratum. W.	coloured.		Egypt.	1771. —— H.⊙.	Jac. ic. 1. t. 12.
13 repens. W.	slender.		S. Europe.	1777. — H.O.	Jac. ic. 1. t. 12. Fl. græc. 1. t. 61.
14 miliaceum. W.	millet.		E. Ind.	1596. — H.O.	Host. gram. 2.t. 20.
15 muricatum. W.	prickly.			1805 H.O.	0
16 capillare. W.	hair-panicled.		America.	1758. 6.8. H.O.	
17 latifolium. W.	broad-leaved.		N Amer		Mor. his. 3. t. 5. f. 4.
18 clandestinum. W.	hidden-flowered.		14. Miller.	1802. 7. H.4.	
			Tr. In J		
19 arborescens. W.	tree.		N. Ind.	1776. 3.4. S.h.	
20 virgatum. W.	long-panicled.		N. Amer.	1781. 8.9. H. 4.	
21 patens. P. S.	spreading.		India.	1804. 7.8. S. J.	m. 1 1
22 brevifolium. W.	short-leaved.		E. Ind.	1800. — H.O.	Pluk.alm.176.t.189 Jac, schœn. 1. t. 25.
23 divaricatum. W.	straddling.		Jamaica.	1800. — S.4.	Jac. schoen. 1. t. 25.
24 palmifolium.	Palm-leaved.		E. Ind.	1804. —— S.4.	
plicatum. W. en.		catum. P. S.	×	•	
ORTHOPOGON. B.P.		Gramineæ. B. P.	Panici speci	ies L.	
hirtellus. B. P.	hairy.		W. Ind.	1795. 6.7. S. &.	Host.gram.3.t.52.
PENNISETUM. B. P.		Graminea. B. P.	Panici & Ce	enchri species L.	0
1 verticillatum. B.P.			England.	7.8. H.⊙.	Eng. bot. 874.
2 glaucum. B. P.	glaucous.		S. Europe.		Host.gram. 2. t. 16.
3 viride. B. P.	green.		England	H.O.	Eng hot 975
4 italicum. B. P.	Italian.		India	1616 - 4	Eng. bot. 875. Rum.am.5.t.76.f.2.
	spiked.	4	Allulo.		
5 typhoideum. P. S.			CRE		Pluk.alm. t. 32.f.4.
6 cenchroides. P. S.	ciliated.		C. B. S.		Gisecke ic. t. 23,
7 setosum. P. S.	setose.	~	W.Ind.	1804. — H.⊙.	
SACCHARUM. W.	SUGAR-CANE.	Gramineæ. B. P.			
officinarum. W.	common.		India.	1597 S. 4.	Sloan. jam. 1. t. 66.
ROTTBŒLLIA. W.	HARD-GRASS.	Gramineæ. B. P.			
1 incurvata. Roth.	sea.		Britain.	7. H.⊙.	Eng. bot. 760.
2 filiformis. Roth.	thready.		Portugal.	1800. — H.O.	Barr. ic. 2, 117, f. 3
3 biflora. Roth.	two-flowered.	-	Hungary.	1804 H.O.	Bair. ic. t. 117. f. 1
		D 2			•

4 monandra. Roth.	monandrous.	Gramineæ. B. P.		1804.	7.	$H.\odot.$	Cav. ic. t. 39. f. 1.
5 exaltata. W.	tall.					S. J.	
MICHROCHLOA.B.P		Gramineæ. B. P.	Rottbælliæ s	pecies F	Roxb.		
setacea. B. P.	bristly.						Roxb.c.2.p.18.t.132
LEERSIA. B. P.	LEERSIA.	Gramineæ. B. P.					
1 oryzoides. Ph.	Virginian.			1793.	7.8.	H.4.	Host.gram.1.t.35,
2 Hystrix.	rough.		Levant.	1770.		H.⊙.	Jac. ic. 2. t. 305.
	,	TRIGY	NIA.				
ERIOCAULON. W.	PIPEWORT.	Restiaceæ. B. P.					
septangulare. E. B.	jointed.		Scotland.		9.	H. 24.	Eng. bot. 733.
MONTIA. W.	CHICKWEED,	Portulaceæ. J.					
fontana. W.	water.		Britain.		4.5.	H.O.	Eng. bot. 1206.
KŒNIGIA. W.	KŒNIGIA.	Polygoneæ. J.					
islandica. W.	Iceland.	- 70	Iceland.	1773.	4.	н.о.	Lam. ill. gen. t. 51.
HOLOSTEUM. W.	Holosteum.	Caryophylleæ. J.					
umbellatum. W.	umbelliferous.	7.1 7	England.		7.8.	н.о.	Eng. bot. 27.
POLYCARPON, W.	ALL-SEED.	Caryophylleæ. J.				;0	
tetraphyllum. W.	four-leaved.	, I .	England.		7.	н.⊙.	Eng. bot. 1031.
MOLLUGO. W.	Mollugo.	Caryophylleæ. J.	9				
verticillata. W.	whorled.		Virginia.	1748.	6.8.	H.O.	Ehret. pict. t. 6.
MINUARTIA. W.	MINUARTIA.	Caryophylleæ. J.	. 0		'		1
	*		~ .				(Act. stockh, 1758.
1 dichotoma. W.	forked.		Spain.	1771.	6.7.	$H.\odot.$	Act. stockh. 1758. t. 1. f. 2.
2 campestris. W.	field.						t. 1. f.3,
3 montana. W.	mountain.						Læfl.it. rar. t.1. f.4.
QUERIA. W.	QUERIA.	Caryophylleæ. J.					
hispanica. W.	Spanish,		Spain.	1800.	5.9.	н.⊙.	
LECHEA. W.	LECHEA.	Caryophylleæ. J.	1				
1 major. W.	greater.		Canada.	1780.	7.8.	H. 2.	Lam.ill.1.t.52.f. 2.
2 minor. W.	lesser.						t.52.f.1.
	71			,			0.04.1.1

CLASS IV.

TETRANDRIA MONOGYNIA,

PETROPHILA. L.T.	PETROPHILA.	Proteaceæ. B. P.	Proteæ specie	es Wille	d.	
1 pulchella. L. T.	Fennel-leaved.		N. S. W.	1790.	7.8. G.h.	Bot. mag. 796.
2 diversifolia. L. T.	various-leaved.					
ISOPOGON, L. T.	Isopogon.	Proteaceæ. B. P.	Proteæ speci	es Will	d.	
1 anethifolius. L. T.	Dill-leaved.		N. Holland.	1796.	3.6. G.h.	Cav. ic. 6. t. 549.
2 formosus. L. T.	handsome.			1805.	G. h.	
3 anemonifolius. L.T.	Anemone-leaved.	. ———————		1791.	7,8. G.h.	Bot. mag. 697.
4 trilobus. L. T.	three-lobed.			1803.	5.6. G.h.	_
PROTEA. L. T.	PROTEA.	Proteaceæ. B. P.	Erodendri s	pecies K	nts. Prot.	
1 cynaroides. L. T.	Artichoke-flowd.		C. B. S.	1774.	11.3. G. h.	Bot. mag. 770.
2 latifolia. L. T.	ray-flowered.			1806.	7.9. G.h.	1717.
3 compacta. L. T.	compact.		-	1810.	G.h.	
4 longiflora. L. T.	milk-coloured.					
5 speciosa L. T.	splendid.			1786.	3.6. G.h.	Knight's prot. c. ic.
6 obtusa. Kn. P.	obtuse.		-		G. h.	Bot. rep. 110.
7 formosa. L. T.	crown-flowered.			1789.	5.6. G.h.	Bot. mag. 1713.
3 melaleuca, L. T.	black-fringed.					
9 Lepidocarpon. L.T.	crested.					301.2.
10 neriifolia, L. T.	Oleander-leaved.					
11 pulchella. L. T.	wave-leaved.			1795.	3.8. G.h.	Bot. reg. 20.
12 patens. L. T.	spreading.			1789	3.6. G.h.	Bot. rep. 543.
13 magnifica. Kn. P.	magnificent.					
14 longifolia. L. T.	long-leaved.					
15 umbonalis. Kn. P.	embossed.					
16 ligulæfolia. Kn P.	strap-leaved.					
17 mellifera. L. T.	honey-bearing.			- 1774.	12.5. G. h.	Bot. mag. 346.
18 grandiflora. L. T.	great-flowered.			- 1787.	5.6. G.h.	Wein.phyt.4.t.891.
19 Scolymus. L. T.	small-flowered.					
90 mucronifolis, L. T.	dagger-leaved.			1803.	7.12. G. h.	933.

TETRANDRIA MONOGYNIA.

```
1787. 4.7. G. h. Ex. bot. 1. t. 44.
                      dwarf.
                                       Proteaceæ. B. P. C. B. S.
21 nana. L. T.
                                                                     1806. 3.6. G. h.
22 pendula. L. T.
                      pendulous.
                      tough.
                                                                   - 1801. 2.5. G. h. Par. lond. 70.
23 tenax. L. T.
24 canaliculata. L. T.
                                                                     1800. 12.2. G. h. Bot. rep. 487.
                      channel-leaved.
                                                                  - 1809. 3.6. G. h. Bot. mag. 1694.
25 acuminata. B. M.
                      sharp-pointed.
                                                                    - 1802. 5.9. G. h. Boerh. lugd. bat.
26 acaulis. L. T.
                      short-stalked.
27 glaucophylla, Kn.P. glaucous-leaved.
                                                                             7.9. G. h. Par. lond. 11.
                                                                  - 1806. ... G. h. 3, 70, 2434
28 lævis. L. T.
                      smooth-leaved.
                                                                  — 1809. .... G. h.
                      rough-leaved.
29 scabra. L. T.
                                                                    - 1800. .... G.h.
30 repens. L. T.
                      creeping.
                      turfy.
                                                                  -- 1803. 4.5. G. l2. Par. lond. 108.
31 turbiniflora, L. T.
32 Scolopendrium.L.T. Hart's-tongue.
                                                                   — 1802. .... G. h.
                                                                    - 1790. 3.5. G. la. Bot. rep. 289.
33 cordata, L. T.
                      heart-leaved.
34 amplexicaulis. L.T. stem-clasping.
                                                                    - 1802. 1.3. G. h. Par. lond. 67.
                      low-flowering.
                                                                             6.8. G. h. Bot. rep. 532.
35 humilis. L. T.
36 acerosa. L. T.
                      Pine-leaved.
                                                                  — 1803. 3.5. G.h. — 577.
LEUCOSPERMUM \
                      LEUCOSPERMUM. Proteaceæ. B. P. Leucadendron. Knts. Prot. Proteæ species Willd.
    L. T.
                                                                      1774. 8.9. G. h. Thunb. prot. n. 35. t. 4.
                                             · C. B. S.
                      linear-leaved.
 1 lineare. L. T.
                                                                           - 6.8. G.h.
                      smooth-bracted.
 2 tottum. L. T.
                                                                 --- 1794. .... G.h.
 3 medium. L. T.
                      oval-leaved.
 4 formosum. Kn. P.
                      handsome.
                                                                     - 1784. 5.8. G. h. Bot. rep. 17.
                                                                  -- 1803. --- G.h.
 5 ellipticum. L. T.
                       elliptic.
                                                                    - 1774. . . . G. h . Pluk.phyt.t.200.f.2
 6 Conocarpum. L. T.
                      many-toothed.
                                                                  — 1800. 5.7. G. h. Par. lond. 116.
— 1774. 5.8. G. h.
                       great-flowered.
 7 grandiflorum. L.T.
 8 puberum. L. T.
                       downy-leaved.
                                                                    - 1789. 8.9. G.h.
 9 tomentosum. Kn. P. cottony.
                                                        10 parile. Kn. P.
                       matched.
11 candicans. B. R.
                       Rose-scented.
12 Hypophyllum. L.T. trifid-leaved.
                                        Proteaceæ. B. P. Proteæ species Willd.
MIMETES. L. T.
                       MIMETES,
                                                                      1774. 6.8. G. h. Wein. phyt. 4. t. 899. f. a.
                                                       - C. B. S.
 1 hirta. L. T.
                       hairy,
                                                                                - G. h. Boerh. lugd. 2. p. 194. c. t.
                                                                     - 1802. -
 2 palustris. Kn. P.
                       marsh.
                                                                     - 1789. .... G. h. Pluk. alm. 212. t. 304. f. 6.
                       three-toothed.
 3 cucullata. L. T.
                                                                   - 1795. 6.9. G.h.
  4 divaricata. L. T.
                       divaricate.
 5 vacciniifolia.
                       Vaccinium-leavd.
                                                                     - 1800. .... G.h.
    Diastella vacciniifolia. Knts. Prot.
                       Heath-leaved.
                                                                     - 1789. 11.12.G.h.
  6 purpurea. L. T.
                                        Proteaceæ. B. P. Proteæ species Willd.
SERRURIA. L. T.
                       SERRURIA.
  1 abrotanifolia. Kn.P. Southernwood-ld
                                             _____ C. B. S.
                                                                      1803. 6.8. H.h. Bot. rep. 522.
                                                                      2 millefolia. Kn. P.
                       thousand-leaved.
                                                                     - 1789. -
  3 artemisiæfolia.Kn.P
                       Wormwood-ld.
                                                                               --- G.h.
                                                                          93. — G. h. — 512.
— G. h.
                       slender.
                                                                      1803. -
  4 pinnata. L. T.
  5 arenaria. L. T.
                       sand.
                                                                                 - G. h. { Pluk. mant. 61. t. 345. f. 6.
  6 cyanoides. L. T.
                       trifid-leaved.
                                                                    - 1789. - G. h. Bot. rep. 264.
                       woolly-headed.
  7 pedunculata. L. T.
                                                                    - 1800. - G.h. -
- 1803. - G.h.
  8 Niveni. L. T.
                       Nivens.
  9 ciliata. L. T.
                       ciliated.
                                                                    - 1788. — G. h. Bot. rep. 507. f. 4.
10 phylicoides. L. T.
                       Phylica-flowered .
                                                                     - 1803. - G. h.
                       grey-branched.
 11 æmula. L. T.
12 parilis. Kn. P.
                       matched.
                                                                     - - G. h. Bot. rep. 507.
                                                                       ____ G.h. -
 13 odorata.
                       sweet-scented.
                                                                    -\frac{1800.}{-1800.} -\frac{G.h.}{-536.} -\frac{545.}{536.}
                       emarginated.
 14 emarginata.
    Serruria arenaria. Knts. Prot.
 15 glomerata. L. T.
                       many-headed.
                                                                     - 1789. - G. h. Burm.afr. t.99. f.2.
                                                                    - 1806. - G. h.
 16 decipiens. L. T.
                       decipient.
 17 Roxburgii. L. T.
                       Roxburgh's.
                                                                          - - G. h.
                                                        1786. — G. h. Burm.afr. t.99. f.1.
1802. — G. h. Bot. rep. 447.
1800. — G. h.
 18 Burmanni, L. T.
                       Burmann's.
 19 triternata. L. T.
                       silvery-flowered.
 20 elongata. L. T.
                       long-peduncled.
                                        Proteacew. B. P. Paranomus. Knts. Prot. Proteæ species Willd.
NIVENIA. L. T.
                       NIVENIA.
                                                                       1790. 5.6. G. h. Sparr.act.st.1777. p. 53. t. 1.
  1 Sceptrum. L. T.
                       sceptre-like.
                                                       - C. B. S.
                                                                     7.8. G. 4. Thunb.diss.n.58.t.5
  2 spathulata. L. T.
                       maiden-hair-ld.
  3 spicata. L. T.
                       spiked.
                                                               1786. 6.8. G.h.
```

```
4 crithmifolia. L. T.
                       Samphire-leaved. Proteaceæ. B. P.
                                                          C. B. S.
                                                                       1797. 6.8. G. h. Bot. rep. 248.
                       middle.
                                                                      1803. - G.h.
 5 media. L. T.
SOROCEPHALUS.
                       SOROCEPHALUS.
                                        Proteaceæ. B. P.
                                                          Soranthe. Knts. Prot. Proteæ species Willd.
     L. T.
                                                                       1806. 6.8. G.h.
 1 imberbis. L. T.
                       smooth.
                                                         C. B. S.
                                                                               — G. h.
 2 spatalloides. L. T.
                       club-bearing.
                                                                      1803. ---
                                                                                 — G. ի .
 3 tenuifolia. L. T.
                       slender-leaved.
                                                                     - 1802. -
                                                                       1790. 6.9. G. h. Thunb.dis.n.80.t.3.
 4 lanatus. L. T.
                       woolly.
 5 imbricatus. L. T.
                                                                       1794. 4.7. G. h. Bot. rep. 517.
                       imbricated.
SPATALLA. L. T.
                       SPATALLA.
                                        Proteacew. B. P. Proteæ species Willd.
                       proliferous.
 I prolifera. L. T.
                                                          C. B. S.
                                                                       1800. 6.8. G. h. Thunb.diss.27. t.4.
                       incurved-leaved.
                                                                       1789. 5.6. G.h. - 22.t.3.
 2 incurva. L. T.
 3 Thunbergii. L. T.
                       Thunberg's.
                                                                       1806. -
PERSOONIA. L. T.
                       PERSOONIA.
                                        Proteaceæ. B. P.
                                                          Linkia. Cav. ic.
 1 hirsuta. L. T.
                       hairy.
                                                         N. S. W.
                                                                       1800. 5.7. G.h.
                       linear-leaved.
                                                                       1794. 7.8. G. h. Bot. mag. 760.
 2 linearis. L. T.
 3 lanceolata. L. T.
                      spear-leaved.
                                                                     - 1791. 6.7. G.h. Bot. rep. 74.
 4 salicina. L. T.
                       Willow-leaved.
                                                                      1795. -
                                                                                  - G. h .
                                        Proteaceæ. B. P. Stylurus. Lysanthe & Grevillea. Knight's Prot.
GREVILLEA. L. T.
                      GREVILLEA.
                                                           Embothrii species Willd.
 1 sericea. L. T.
                      silky.
                                                          N. S. W.
                                                                       1790. 4.9. G.h. Bot. mag. 862.
                                                                               - G.h. Bot. rep. 272. 7661
- G.h.
2 linearis. L. T.
                       linear-leaved.
                       river-side.
                                                                       1791. -
 3 riparia. L. T.
                                                                       1803. 4.9. G.h.
 4 arenaria. L. T.
                       sand.
 5 acuminata. L. T.
                       acute-leaved.
                                                                       1805. — G. h.
                                                                                  - G. h.
 6 stylosa. Kn. P.
                       long-styled. .
                                                                       1809. -
                                                                                  - G. ኢ.
 7 mucronulata. L. T.
                       Podalyria-leav'd.
                                                                      1790. 2.9. G. h. Bot. rep. 218. 4 143
 8 buxifolia. L. T.
                       Box-leaved.
                                                                       1802. 3.7. G.h.
 9 collina. Kn. P.
                       hill.
                       Asplenium-leavd
                                                                       1806. --
10 aspleniifolia. L. T.
                                                                                 – G. ኢ.
                       HAKEA.
                                        Proteaceæ. B. P.
                                                          Conchium. Smith.
HAKEA. L. T.
 1 pugioniformis. L.T. dagger-fruited.
                                                        - N. S. W.
                                                                       1796. 5.6. G.h. Cav. ic. 6. t. 593.
                                                                       ___ G.h.
 2 parilis. Kn. P.
                       matched.
                                                          Van Diem.
                                                        - N. Holland. 1803. ... G. h.
 3 obliqua. L. T.
                       oblique-flower'd.
 4 gibbosa. L. T.
                       gibbous-fruited.
                                                        - N. S. W.
                                                                       1790. 5.6. G. h. Cav. ic. 6. t. 534.
                      needle-leaved.
                                                                       1790. - G. h. Vent. mal. 111.
 5 acicularis. L. T.
                                                        - N. Holland. 1803. 11.1. G. h.
 6 suaveolens. L. T.
                       sweet-smelling.
                                                                              5.6. G. h.
                       many-flowered.
 7 florida. L. T.
                                                                              7.9. G.h.
                       Holly-leaved.
                                                                              6.7. G.h. 5 3, 2246
 8 ilicifolia. L. T.
 9 nitida. L. T.
                       glossy.
                                                                             .... G. h.
10 amplexicaulis. L.T.
                      stem-clasping.
11 prostrata. L. T.
                       trailing.
                                                                              .... G.h.
                                                                              .... G.h.
12 ceratophylla. L. T.
                      horn-leaved.
                       wave-leaved.
                                                                       1803. .... G. h.
13 undulata. L. T.
14 oleifolia. L. T.
                       Olive-leaved.
                                                                       1794. 6.7. G.h.
                                                                       1791. 3.7. G. h. Bot. rep. 215.
15 saligna. L. T.
                       Willow-leaved.
                                                                       1803. 6.7. G.h.
                       hoary-leaved.
16 cinerea. L. T.
                                                                       1790. 6.8. G. h. Cav. ic. 6. t. 535.
                                                        - N. S. W.
17 dactyloides. L. T.
                       nerved-leaved.
                       oval-leaved.
                                                         N. Holland. 1794. - G. h.
18 elliptica. L. T.
                                        Proteaceæ. B. P.
LAMBERTIA. L. T.
                       LAMBERTIA.
                                                                       1788. 6.8. G. h. Bot. rep. 69. 2. 528
                                                         N. S. W.
   formosa. L. T.
                       handsome.
                                        Proteaceæ. B.P.
                      XYLOMELUM.
XYLOMELUM. L. T.
                                                                       1789. .... G. h. Cav. ic. 6. t. 536.
                                                          N. S. W.
   pyriforme. L. T.
                       Pear-fruited.
                                                          Embothrii species Willd.
                                        Proteacere. B. P.
TELOPEA. L. T.
                       WARATAH.
   speciosissima. L. T. splendid.
                                                          N. S. W.
                                                                       1789. 5.7. G.h. Bot. mag. 1128.
                                                          Embothrii species Willd.
                       LOMATIA.
                                        Proteaceæ. B. P.
LOMATIA. L. T.
                                                                      1792. 6.8. G. h. Bot. mag. 1272.
                                                          N. S. W.
 I silaifolia. L. T.
                       cut-leaved.
                       long-leaved.
                                                                     - 1816. .... G. h. Park Meg JAS
 2 longifolia. L. T.
                                        Proteaceæ. B. P.
RHOPALA. L. T.
                       RHOPALA.
                                                          S. America.
                                                                        1802. 5.8. S.h.
                       tooth-leaved.
 1 dentata. L. T.
                                                                       1803. .... S. h. Rudge guian.1.t.31
                       sessile-leaved.
                                                          Guiana.
 2 sessilifolia. L. T.
                                        Proteaceæ. B. P.
BANKSIA. L. T.
                       BANKSIA.
                      small-flowered.
                                                          N. Holland. 1805. . . . G. h.
 1 pulchella. L. T.
                                                                       1803. ... G. h.
1803. 6.9. G.h.
                       round-fruited.
 2 sphærocarpa. L. T.
                       nodding-flower'd
 3 nutans. L. T.
                                                          N. S. W.
                                                                       1788. 1.12. G. h. Bot. mag. 738.
 4 ericifolia. L. T.
                       Heath-leaved.
                                                                            - 12.5. G. h. Bot. rep. 457.
                       spiny.
 5 spinulosa. L. T.
                                                                     - 1800. .... G. h.
                       hill.
 6 collina. L. T.
                                                         - N. Holland. 1803. .... G. h.
 7 occidentalis. L. T.
                       West-coast.
                                                                           - .... G.h.
 8 littoralis. L. T.
                       scaside.
```

	TEIF	CANDRIA .	MONOGI	NIA		~	23
9 marginata. L. T.	various-leaved. entire-leaved.	Proteaceæ. B. P.		1788.		G.h.	Cav. ic. 6. t. 544.
11 verticillata. L. T.	verticillate.		N. Holland.	1794.	7.10.	G.h.	1.4
12 coccinea. L. T. 13 paludosa. L. T.	scarlet-flowered. marshy.			1805.	1.4.	G.h.	R. 697
14 oblongifolia. L. T.	oblong-leaved.		N O W	1788.	5.8.	G. h.	Cav. ic. 6. t. 542. Cav. ic. 6. t. 543. 24 Bot. rep. 258.
15 latifolia. L. T.	broad-leaved. short-leaved.		N.S.W.	1704	1 10	G. h.	Bot rep 058
16 marcescens. L. T.	smooth-flower'd.		- 11. 110H.	1/34.	1.12.	G. h.	100. гер. 2001
18 serrata. L. T.	saw-leaved.		N. S. W.	1788.	7.9.	G.b.	Bot. rep. 82.
19 æmula. L. T.	deeply-sawed.					G. h .	1 AND D 24 1
20 quercifolia. L. T.	Oak-leaved.		N. Holland.	1805.	• • • •	G.h.	1. Sell with the first the many of the
21 speciosa. L. T.	long-leaved.				5.8.	G.h.	
22 grandis. L. T.	great-flowered.			1794.	• • • •	G.h.	Voya.deLab.1.t.23.
23 repens. L. T. DRYANDRA. L. T.	Creeping. DRYANDRA.	Proteaceæ. B. P.		1000.	• • • •	υ. η.	Bot. rep. 82.
1 floribunda. L. T.	many-flowered.						
2 cuneata. L. T.	wedge-leaved.				11.2.	G. h.	3 ,
3 armata. L. T.	acute-leaved.				1.12.	G. h.	
4 formosa. L. T.	splendid.					G.h.	•
5 plumosa. L. T.	feathered.				• • • •	G.h.	
6 obtusa. L. T. 7 nivea. L. T.	obtuse-leaved. white-leaved.				7.0	G.h.	Vove del ab 1 + 0 *
8 longifolia. L. T.	long-leaved.			1805.	1.12.	G. h.	Bot. mag. 1589.
9 tenuifolia. L. T.	fine-leaved.			1803.	3.5.	G.h.	Bot. mag. 1581. Voya.deLab.1.t.24. Bot. mag. 1582.
GLOBULARIA. W.	GLOBULARIA.	Globulariæ.				-	
1 longifolia. W.	long-leaved.		Madeira.				Sloan.jam.1.t.5.f.3.
2 Alypum. W.	three-toothed.		S. Europe.				Nissole in act. par. 1712. t. 18.
3 vulgaris. W.	common.		Europe.				Schku.hand.1.t.21. 2
4 spinosa. W. 5 cordifolia. W.	prickly-leaved. wedge-leaved.		Germany			G.4.	Jac. aus. 3. t. 245.
6 nudicaulis. W.	naked-stalked.		Germany.				3. t. 230.
ADINA. P. L.	ADINA.	Globulariæ.		10201			0 2004
globiflora. P. L.	globe-flowered.		China.	1804.	7.8.	S. L.	Par. lon. 115.
THUS. W.	BUTTON-WOOD.	Rubiaceæ. J.					
occidentalis. W.	American.		N. Amer.	1735.	8.	H.h.	Schmidt arb.1.t.45
DIPSACUS. W.	TEASEL.	Dipsaceæ. J.					
1 fullonum. W. 2 sylvestris. W.	manured. wild.		· Britain.		7.	н. д.	Eng. bot. 2080.
3 laciniatus. W.	cut-leaved.		Germany.				Jac. aust. 5. t. 403.
4 pilosus. W.	small.		Britain.				Eng. bot. 877.
SCÁBIOSA. W.	Scabious.	Dipsaceæ. J.					
1 alpina. W.	Alpine.		Switzerland.	1570.	6.7.	H.4.	Bes.eyst.æst.t.8.f.1
2 albescens. W. en.	whitish.		Siberia.	1804.		H.4.	
3 rigida. W. 4 attenuata. W.	rough-leaved.		C. B. S.	1731.	7.	G. h.	Comm. hort.2.t.93.
5 transylvanica. W.	narrow-leaved. Transylvanian.	-	Transylvania	1600	7.9.	H.O.	Jac. vind. 2. t.111.
6 syriaca. W.	Syrian.		Syria.	1633.		н.⊙.	Mor.his.3.t.14.f.14
7 leucantha. W.	white-flowered.		Transylvania. Syria. France.		9.10.	н. 4.	Ger. emac. 721. f. 8.
8 corniculata. P. S.	horned.		Hungary.	1801.	7.8.	H.1.	{ Pl. rar. hung. p. 11. t. 13.
9 dichotoma. W. en.	fouled		61t1	1004	0.0		11. t. 13.
10 Succisa. W.	Devil's-bit.			1804.			Eng hat age
11 integrifolia. W.	red-flowered.		France.	1748.	6.10.	H. Q.	Eng. bot. 878.
12 tatarica. W.	Tartarian.						Act.upsal.1744.t.1.
13 arvensis. W.	field.		Britain.		7.10.	н. 4.	Eng. bot. 659.
14 uralensis. W.	Uralian.		Siberia.	1789.		н.⊙.	Murr. com. got. 1782. t. 4.
15 sylvatica. W.	broad-leaved.		Austria.	1633.			Jac. aus. 4. t. 362.
16 longifolia. P. S.	long-leaved.		Hungary.				Pl. rar. hun. p.4.t.5.
17 canescens. P. S. 18 gramuntia. W.	hoary.		C Familia				p. 53. t. 58.
19 columbaria. W.	fine-leaved.						Ger.herb. 582. f. 2.
20 grandiflora. P. S.	great-flowered.						Eng. bot. 1311. Scop.del.ins.3.t.14.
21 lucida. P. S.	shining.		Dauphiny.	1800.			
22 sicula. W.	Sicilian.		Sicily.	1783.			Jac. vind. 1. t. 15.
23 rutæfolia. P. S.	Rue-leaved.				6.8.	H.4.	Bocc. sic. t. 52.
24 maritima. W.	sea.		Italy.	1683.	7.	н.⊙.	

24	TET	KANDRIA	MONOG	(NIA.	
25 stellata. W.	starry.	Dipsaceæ. J.	Spain.	1596. 7.8. H.⊙. (Clus, hist, 2, p. 1, ic.
26 prolifera. W.	prolific.	Dipacet. 0.	Egypt.	1683. — H.O. H	Herm.parad.t.125.
27 atropurpurea. W.	sweet.		• • • • • • • • • •	1629. 7.9. H.J. 1	Bot. mag. 247.
28 argentea. W.	silvery.		Levant.	1713. 6.10. H. 4. {	Desf. ann. mus.
29 urceolata. P. S.	jagged.		Barbary.	1804. 7.8. H. N	11. t. 24.
30 africana. W.	African.		Africa.	1690. 7.10. G. h. H	Horis. 6.1.13. f. 24.
31 Massoni.	Masson's.		- Azores.	1779. 6.8. H.4.	xcim. par. c. 213.
Scabiosa lucida. Ho	ort. Kew.				
32 cretica. W.	Cretan.		Crete.	1596. 6.10. G. h. M	or. his. 3. t.15.f.31.
33 graminifolia. W.	Grass-leaved.		Switzerland.	1683. 6. H.4. 1	Pl.rar.hun.2. t.188.
34 caucasea. B. M. 35 lyrata. W.	Caucasian. lyrate-leaved.		Caucasus.		3et. mag. 886.
36 palæstina. W.	Palestine.		Palestine.	1799. — G. J.	(ac. vind 1 t oc.
37 isetensis. W.	Siberian.		Siberia.	1771. — H.O. J 1801. — H.J. G	mel. sib. 2. t. 88.
38 ucranica. W.	Ukraine.		Ukraine.	1795. 9. H.4	2. t. 87.
39 ochroleuca. W. en.	<u> </u>		Germany.	1597. 7.8. H.4. J	ac. aust. 5. t. 439.
40 banatica. P. S.	Hungarian.		Hungary.	1800. — H.4. P	l.rar.hun.10.t.12.
41 papposa. W. KNAUTIA. W.	downy-headed.	Dipsaceæ. J.	S. Europe.	1739. 7. H.⊙.	
1 orientalis. W.	KNAUTIA. red-flowered.		Levent	1713 60 H O S	ables bon 1 + 00
2 propontica. W.	purple-flowered.		Devant.	1713. 6.9. H.⊙. S 1768. 6.8. H.♂. T	
ALLIONIA. W.	ALLIONIA.	Nyctagineæ. J. in		1,000 0.00 11.0 . 1	
1 linearis. Ph.	linearleaved.		Louisiana.	1812. 7.8. H.	
2 hirsuta, Ph.	hairy.			— H.	
OPERCULARIA. W.	OPERCULARIA.	Nyctagincæ? J.	in Ann. Mus.		
aspera. W.	rough-seeded.		N. S. W.	1790. 6.7. G.h. {	Ann. du mus. 4.
CRYPTOSPER-	(CRYPTO-				A CONTRACTOR OF THE CONTRACTOR
MUM. P. S.	{CRYPTO- spermum. }	Nyctagineæ? J.	Operculariæ	species Young. in L. Z	Г.
Youngii. P. S.	chaffy.		N. S. W.	1793. 7.8. G.4. I	inn. trans. 3. t. 5.
SPERMACOCE. W.	BUTTON-WEED.	Rubiaceæ. J.		·	1
1 tenuior. W.	slender.		W. Ind.	1732. 6.8. H.O. S	
2 latifolia. W.	broad-leaved.		Guiana.	1803. 7. S.J. A	
3 strigosa. B. M. 4 radicans. W.	Cross-wort.		W. Ind.	1760. 7.8. S.O. P	
5 verticillata. W.	whorl-flowered.		Africa.	1803. 7. S.4. A 1732. 6.8. S.h. D	Aub.gui.1.t.20.f.4. Dil.elt.t.977.f.358.
6 hispida. W.	bristly.		E. Ind.	1781. 8.9. S.O. M	
7 rubra. W. en.	red.			1804. 6.8. S.J. J	
SHERARDIA. W.	FIELD-MADDER.	Rubiaceæ, J.			
1 arvensis. W.	little.		Britain.	4.9. H.⊙. I	
2 muralis, W.	wall.		Italy.	1805. 6.8. H.⊙. A	All.ped.34.t.77.f.1.
ASPERULA. W. 1 odorata. W.	Woodruff. sweet-scented.	Rubiaceæ. J.	Britain	5.6. Н.4. Е	ing hot 755
2 arvensis. W.	field.		Europe.	1596. 7. H.⊙.	ng. 100. 700.
3 taurina. W.	broad-leaved.		Italy.	1739. 4.6. H.4. M	Ioris.s.9.t.21.f.1.
4 crassifolia. W.	thick-leaved.		Lavont	1775. 6. H.4.	
5 tinctoria. W.	narrow-leaved.	Dakin J	Europe.	1764. 6.7. H.4. T	
6 cynanchica. W.	small.		England.	7. H.4. F	
7 lævigata. W.	shining.		S. Europe.	1775. 6. H.4. N 1801. 6.7. H.4.	
8 montana. W. en. HOUSTONIA. W.	mountain. Houstonia.	Rubiaceæ. J.	Trungary.	1001. 6.7. 11.4.	F t
I cærulea. W.	blue-flowered.	Tenomecter or	N. America.	1785. 5.8. H.4. B	ot. mag. 370.
2 purpurea. W.	purple-flowcred.			1785. 5.8. H.4. B 1800. — H.4.	0
GALIÚM. W.	BED-STRAW.	Rubiaceæ. J.			
1 rubioides. W.	Madder-leaved.		S. Europe.	1775. 7. H.4.	
2 palustre. W.	water.		72	7.8. Н.4. Е	
3 Witheringii. E. B. 4 austriacum. W.	rough. Austrian.		England. Europe.	, 6.7. H.4. – 1804. — H.4. J	
5 Bocconi. W.	Boccone's.		Europe.	1801. 5.6. H.4. B	
6 saxatile. W.	smooth Heath.		Britain.	4.9. H.4. E	
7 erectum. E. B.	upright.			67 H.M	2067
8 pusillum. W.	least.		England.	7.8. H.4 H.4 H.4 1658. — H.4.	74.
9 verum. W.	Cheese-rennet.		Britain.	— н. 4. –	660.
10 Mollugo. W.	great hedge.		S Furana	1658 — H 2	10/3.
11 sylvaticum. W.	wood. Flax-leaved.		S. Europe.	1759. 6.7. H.4. B	arrel. ic. 583.
13 rigidum. W.	rigid.				
14 aristatum. W.	awned.		Italy.	1778. — H. 4. 1699. — H. 4. B	locc, mus. 83.t.75.
15 tyrolense. W. en.	Tyrolese.		Tyrol.	1801. 7. H.4.	b. "

	****	-				-	
16 glaucum. W.	glaucous.	Rubiaceæ. J.	S. Europe.	1710, 6.9,	H. 2.	Jac. aust. 1. t. 81.	
	purple.	Tenomeca. 61	Switzerland.	1731. 6.7.	H. 21.		
17 purpureum. W.	red.	Audiacea. 8.	Italy	1597	H.2/	Ger. herb. 967. f.3.	
18 rubrum. W.			Duitoin	1997.	H 0	Eng. bot. 1871.	
19 spurium. E. B.	spurious.		Diftain.				
20 uliginosum, W.	marsh,	**************************************	P 1 1	7.8.	11.4.	1972. 384,	
21 anglicum. E. B.	wall.		England.				
22 boreale. W.	cross-leaved.		Britain.			Eng. bot. 105.	
23 Aparine. W.	Cleaver's.			5.8.	н.⊙.	816.	
24 pilosum. W.	hairy.		N. America.	1778. 6.7.	H.4.		
25 græcum. W.	Candian.		Candia.			Alp.exo.167.t.166.	
CRUCIANELLA. W.	CROSS-WORT.	Rubiaceæ. J.			·		
1 angustifolia. W.	narrow-leaved.	-	France.	1658. 6.7.	H.O.	Ex. bot. 2. t. 109.	
2 latifolia. W.	broad-leaved.			1633	H.O.	Sch,ic.\$7.t.23.&24.	
	Egyptian.		Fount	1800	HÖ	Southista Laura S. da. d. d.	
3 ægyptiaca. W.			Engin	1800. ———————————————————————————————————	H.O.		
4 patula. W.	spreading.		O- " 1'-	1790.	C 31	*	
5 pubescens, W.	pubescent.		Candia.	1799. 7.8.	G. 4.		
6 ciliata. W,	ciliated.		Levant.	1805. —	-н.⊙.		
7 maritima. W.	sea.	+	France.	1640.	G, h,		
8 monspeliaca. W.	Montpelier.			1791,	·H.⊙,	-	
9 molluginoides.	Mr. 11 126			1000	TT M		
W. en.	Mollugo-like.		Caucasus.	1800.	11.4.		
RUBIA. W.	MADDER.	Rubiaceæ. J.					
1 tinctorum. W.	dyer's.		S Europe	1596, 6,	H. 21		
			England			Eng. bot. 851.	
2 peregrina. W.	wild.		Majand.			frug. nor. ont.	
3 lucida, W.	shining.		Majorca.	1762.			
4 fruticosa. W.	prickly-leaved.		Canaries.			Jac. ic. 1. t. 25.	
5 angustifolia. W.	narrow-leaved.	***************************************	Minorca.	1772. 7.8.	G.h.		
C andifolia W	house loosed		Others.	1 m 0 0 m	TT 31	Pall. it. 3. p, 715, t, L. f. 1.	
6 cordifolia. W.	heart-leaved.		Siberia.	1783, 7.	п. 4.	t, L. f. 1.	
CATESBÆA. W.	LILY THORN.	Rubiaceæ. J.				7	
1 spinosa. W.	spiny.		I Providence	1798 50	SL	Rot mag 131	
2 parviflora. P. S.	small-flowered.		Torracine	1010	O L	Bot. mag. 131. Sloa.his.2.t.207.f.1.	
		Dali' I	oamaiça.	1810	s.n.	Sloa.his.2.t.207.f.1,	
IXORA. W.	Ixora.						
1 grandiflora.	sessile-leaved.		E. Ind.	1814	5. h.	Bot. reg. 154.	
2 coccinea.	scarlet.		China.	1690. 7.8.	S.h.	Bot. mag. 169.	
3 parviflora. W.	small-flowered.		E. Ind.	1800. 8.10.	S, h.	Vah.sy.3.p,11.t.52. Rheed.mal. 2. t.14,	
4 alba. W	white.			1768, 6.	S.h.	Rheed.mal. 2. t.14,	
5 blanda. B. Reg.	charming.				S.h.	Bot. reg. 100.	
PAVETTA. W.	PAVETTA.	Rubiaceæ. J.				8	
indica. W.	Indian.		E. Ind	1701 8 10	SL	Bot. reg. 198.	
BOUVARDIA. H. K.		Rubiaceæ. J.	12. Iliu.	1751. 6.10	. B. n.	Dot. 1eg. 196.	
1 Adalahalla II E	the land	Rublacea. J.	3.5	1 = 0 4 4 1 2	ОТ	Des lead on	
1 triphylla. H. K.	three-leaved.	Transaccio.	Mexico.			Par. lond. 88,	
			S. Amer.?	1814. 7.9.	G. h.	Bot. reg. 245.	
ZIERIA. Sm.	ZIERIA.						
Smithii. B. M.	Smith's.		N. S. W,	1808, 4,7,	G, h.	Bqt. mag. 1395.	
SIDERODEN-	Inest Tonn	Darlinger I					
DRUM. W.	IRON-TREE.	Rubiaceæ, J.				•	
triflorum. W.	three-flowered.		W. Ind.	1793	S. b.	Jac.am.19.t.175.f.9	
CHOMELIA. W.	CHOMELIA.	Rubiaceæ. J.		2100	. ~,,,		
spinosa. W.	spiny.	**************************************	W Ind	1709	S L	Inc. amer 10 4 19	
ÆGIPHILA. W.	1 7	Verbenaceæ. B.P.	14 . IIII.	1/30	D. 17 .	Jac. amer. 18. t, 13.	
	ÆGIPHILA.	verbenaceæ. D.P.	317 f., 1		O T	Termber of or	
1 martinicensis. W.	Martinico.	verocingea. D.1.	w.ind.	1780. 11.	3. h.	Jac. obs. 2. t. 27.	
2 fœtida. W.	fætid.			1800. 6.7.	S. h.		
3 diffusa. B. R.	diffuse.			1804. 7.8.	S.h.	Bot. rep.	
4 oboyata. B. R.	oval-leaved.				- S. h.	Bot. rer.	
MITCHELLA. W.	MITCHELLA.	Rubiaceæ. J.			•		
repens. W.	creeping.		N. Amer.	1761. 6.	Н.Ъ.	Cat. car. 1. t. 20.	
COCCOCYPSI-						5-4	
LUM. W.	Coccocypsilum	Rubiaceæ. J.					
	arouning		W Ind	1700 r	C 11 .	Duran iom + C f 1	
repens. W.	creeping.		W. Ind.	1793. 5.	5, 4 el	Brown.jam.t,6.f.l	
CALLICARPA. W.	CALLICARPA.	Verbenaceæ. B. P.			-		
1 americana. W.	American.		N. Amer.			Cat. car. 2. t. 47.	
2 cana. W.	hoary.		E. Ind.	1799	. S.h.	B B 18804	
3 lanata. W.	woolly.			1788. 6,7.		j -	•
4 macrophylla. W.	long-leaved,		India.			Vahl. symb.3. t. 53.	
5 ferruginea. W.	rusty.		Jamaica,	1794, 6.7,			
WITHERINGIA. W.	WITHERINGIA.			T. C -7 M			
		,				L'Her, sert and	
solanacea. W.	yelfow-flowered.		S. Amer.	1742. 5.9.	S.4.	L'Her. sert. ang,	
MANETTIA. W.	MANEGONIA					6 40.00 x5.	
granding a sale II a	MANETTIA,	Rubiaceæ. J.					
		В					

coccinea. W.	scarlet.	Rubiaceæ. J.	Guiana.	1806.	5.7.	S.h.	Aub.gui.1.t.37.f.9.
PENÆA. W.	PENÆA. heart-leaved.		CDC	1505	o =	0.7	Vent mel en
1 mucronata. W. 2 squamosa. W.	sealy.	Y	С. В. З.				Vent. mal. 87. Bot. reg. 106.
BLÆRIA. W.	BLÆRIA.	Ericeæ. B. P.				43.12.	20011169. 1000
1 ericoides. W.	heath-leaved.		C. B. S.	1774.	8.10.	G.b.	{ Pet. gaz. 471. t.2. f. 10.
2 articulata. W.	jointed.			1795.	5.6.	G. L	(i. 10.
3 purpurea. W.	purple-flowered.			1791.		G. h.	
4 muscosa. W.	Moss-leaved.			1774.	6.8.	G.h.	
5 ciliaris. W. BUDDLEA. W.	ciliated. Buddlea.	Scrophularineæ. J.		1795.		G. h.	
1 globosa. W.	round-headed.		Chili.	1774.	5.6.	н. ђ.	Bot. mag. 174.
2 salvifolia. W.	Sage-leaved.		C. B. S.				Jac. scheen.1. t. 28.
3 saligna. W. en. EXACUM. W.	Willow-leaved. Exacum.	Gentianeæ. B. P.		1816.		G. h.	,
1 viscosum. Sm.	clammy.		Canaries.	1781.	6.7.	G. 3.	Smith.ic.fas.3.t.18.
2 filiforme. W.	least.					$H.\odot.$	Eng. bot. 235.
SEBÆA. B. P. cordata. B. P.	Seb. EA. heart-leaved.	Gentianeæ. B. P.		L.			Burn. afr. t.74. f. 5.
FRASERA. Walt.	FRASERA.	Gentianeæ. B. P.	C. D. S.	1010.	7.0.	11.0.	Durin. wir. 0.7 4. 1. 0.
carolinicasis. P. S.	Carolina.		Carolina.	1795.	7.8.	н. д.	
PLANTAGO. W.	PLANTAIN. greater.	Plantagineæ. B. P			5 ~	H. 2/	Eng. bot. 1558.
2 crassa. W.	thick-leaved.		S. Europe.				Jac.col.sup.34.t.16
3 asiatica. W.	broad-leaved.		Siberia.			H.4.	
4 maxima. W. 5 media. W.	hollow-leaved. hoary.		Britain	1763.			Jac. ic. 1, t. 26. Eng. bot. 1559.
6 yirginica. W.	Virginian.	·	N. America.	1688.	6.9.	H.O.	Mor. his. 3. t. 15.f. \$.
7 altissima. W.	tall.		Italy.	1774.	6.7.	H.4.	Jac. obs. 4. t. 83.
8 lanceolata. W. 9 capensis. W.	Rib-Grass. Cape.		Britain.	1788		H.4.	Eng. bot. 507.
•	round-headed.			1,000	e ~	T.I. M	{ Wein. phyt. 4. t. 820. f. 2.
10 Lagopus. W.			obám.	1000	o.,.	11.4.	820. f. 2.
11 Iusitanica. W. 12 albicans. W.	Portugal. woolly.		S. Europe.				Barrel ic.119.t.745. Cav. ic. 2. t. 124?
13 patagonica. W.	Patagonian.		Patagonia.				Jac. ic. 2. t 306.
14 hirsuta. W.	hairy.		C. B. S.				Jac.scheen.3. t.253.
15 villosa. P. S. 16 Wulfeni. W. en.	villous. Wulfen's.			1802.		-H.⊙. ·H.4.	
17 alpina. W.	Alpine.		Austria.	1774.		-H.4.	Jac. vind. 2. t. 125.
18 Bellardi. W.	Bellardi's.						Allio.ped.1.t.85.f.3
19 cretica. W. 20 maritima. W.	Cretan.		Reitain	1/11.		H.⊙. H. ½,	Eng. bot. 175.
21 graminca. P. S.	Grass-leaved.		France.		6.7.	H. 24.	
22 recurvata. W.	recurved-leaved.		S. Europe.	1799.		-H. д.	Murr. com. gott. 1780. t. 6.
23 subulata. W.	awl-leaved.						Lob. ic. 439.
24 macrorhiza. W.	large-rooted.		Morocco.				Mor. bis. t. 17. f. 2.
25 Serraria. W. 26 Coronopus. W.	saw-leaved. Star of the Earth		Barbary.	1640.			Col. ecphr. t. 259. Eng. bot. 892.
27 Læffingii. W.	narrow-leaved.		Spain.				Jac. vind. 2. t. 126.
28 Cornuti. W.	cut-leaved.						Jac. ic. 1. t. 27.
29 amplexicaulis. W.	stem-leaved.		Spain.			H.⊙.	Cav. ic 2. t. 125.
30 Psyllium. W. 31 arenaria. P. S	Fleawort.		Hungary.				Pl. rar. hung. t. 51.
32 squarrosa. W.	leafy-spiked.		Egypt.	1787.	8.9.	H	Jac. ic. 1. t. 28.
33 indica. W.	Indian.		India. Morocco.			H.⊙.	Scous.mar.1.ic.145
34 stricta. P. S.	upright.					_	(Murr. com. gott.
35 pumila. W.	dwarf.	5	S. Europe.	1790.	1	-н.⊙.	1778. t. 5.
36 Cynops. W.	shrubby.			1596.			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
37 afra. W.	Barbary.		Sicily.	1640.	6.	н.д.	Mor. his.3, t.17.f.4.
ŞCOPARIA. W. dulcis. W.	SCOPARIA.	Scrophularineæ.Bl	P Jamaica.	1790	6.0	S.O.	Herm. par. t. 241.
	SWeet.		v amaica.	1/001	0.3.	٠.ن٠	and the state of t
CENTUNCULUS. W.	PIMPERNEL.	Primulaceæ. B. P.	Dultain		C =	иО	Eng hot 501
minimus. W.	least.	/	Britain.	* * * *	6.7.	11.0.	Eng. bot, 531.
		•					E.

SANGUISORBA, W.	GREAT BURNET.	Rosaceæ. J.					
1 officinalis. W.	officinal.		Britain.				Eng. bot. 1312.
β auriculata.	enred.		Italy.				Bocc. mus. 19. t. 9
2 media. W.	short-spiked.		Canada.				Zan. his. 181. t. 138.
3 canadensis. W. CISSUS. W.	Canadian.	Vites. J.		16331		п. 4.	Cor.can.175. t.174.
			x 1.			о т	Pluk. mant. 27. t.
1 vitiginea. W.	Vine-leaved.		India.	1772.	••••	s.n.	{ Pluk. mant. 27. t. 337. f. 2.
2 Ampelopsis. P. S.	heart-leaved.		N. Amer.	1803.		H.h.	^ 6
3 antarctica. Ven.	Kanguru-Vine.		N. S. W.	1790.	6.8.	G.h.	Vent. choix. 21. 244
4 sicyoides. W.	naked-leaved.		Jamaica.				Jac. amer. 22. t.15.
5 quadrangularis. W. 6 capensis. W.	square-stalked. Cape.		C. B. S.			G.h.	Forsk. ic. t. 2.
7 acida. W.	acid.	***************************************	Jamaica.				Jac. scheen.1. t. 33.
8 trifoliata. W.	three-leaved.						Slo.jam.1.t.144.f.2.
9 hederacea. P. S.	\{\text{Virginian} \}		N America	1690	67	нь	Corn. canad. t.100.
	Creeper.						Com. canada c. 1004
10 hirsuta. Ph.	bairy.		*	1806.			
11 pentaphylla. W.	five-leaved.	N	Japan.	1790	4.9.	G.h.	
12 quinata. H. K. 13 stans. P. S.	wedge-leaved. Pepper-Vine.		N America	1700	7.0	H. L	Pluc.mant.t.412.f.2
EPIMEDIUM. W.	BARRENWORT.	Berberides. J.	14. Milerica.	1700.	1.3.	11.17.	1 Ide.mander 1 2019
alpinum. W.	Alpine.						Eng. bot. 438.
CORNUS. W.	Dogwood.	Caprifoliæ. J.	3				O .
I suecica. W.	dwarf.		Britain.	• • • •		•	Eng. bot. 310.
2 canadensis. W.	Canadian.		Canada.	1774.	6.8.	H.4.	Bot. mag. 880.
3 florida. W.	great-flowered.		N. America.	1731.	4.5.	н. н.	526.
4 mascula. W.	{ Cornelian }		Austria.	1596.	2.4.	н. ү.	Schm. arb. 2. t. 63. 2/
5 sanguinea. W.	common.		Britain.		6.7.	н.ь.	Eng. bot. 249.
6 alba. W.	white-berried.		Siberia.	1741.	6.9.		Sch. arb. 2. t. 65.
7 sericea. W.	blue-berried.		NI Amorica	1000	0	T.J. T.	0 + C1
8 circinata. W.	Pensylvanian.			1784.	7.8.	H. h.	2. t. 69. 2. t. 67.
9 stricta. W.	upright.			1758.	6.7.	H. h.	2. t. 67.
10 paniculata. W. 11 alternifolia. W.	panicled. alternate-leaved.					н. р.	2. t. 68.
FAGARA. W.	FAGARA.	Terebintaceæ. J.		1760.	9.	п. п.	2. t. 70.
1 Pterota. W.			Jamaica.	1768.	8.9.	S. b.	Bro.jam.146.t.5.f.1
2 Piperita. W.	Ash-leaved.		Japan.	1773.			Kæmp.amæn.t.893
3 tragodes. W.	prickly-leaved.		W. Ind.	1759.		S.b.	Jac. amer. 21. t.14.
MONETIA. W.	MONETIA.		Azima. Lam				
barlerioides. W.	four-spined.		E. Ind.	1758.	7.	S.h.	L.Ker.sti.nov.1.t.1.
PTELEA. W.	{SHRUBBY }	Terebintaceæ. J.					
trifoliata. W.	three-leaved.		N America	1704	6.7	нь	Schr. arb. 2. t. 76,
LUDWIGIA. W.	Ludwigia.	Onagrariæ. J.	14. Imierica.	1704.	0.7.	11.77.	Jeni: arb. 2. t. / 04
1 alternifolia. W.	large capsuled.		Virginia.	1752.	6.7.	H.O.	Lam. ill. 1. t. 77.
2 hirsuta. Ph.	hairy.	On a marine. I	N. America.	1812.	6.8.	н.4.	
ISNARDIA. W.	ISNARDIA.	Onagrariae. J.					~
palustris. W.	marsh.		Europe, &c.	1776.	7.	н.⊙.	Schk. han. 1. t. 25.
OLDENLANDIA. W. 1 umbellata. W.	Indian Madder.	Rubiaceæ. J.	T Ind	1700	7 0	8 21	Roxb. cor. 1. t. 3.
	indian Madder.			1/32.	7.0.	5.4.	(Ehret, nict, t. 9, f
2 corymbosa. W.	Hyssop-leaved.		Jamaica.	,1739.	6.10	. s.⊙.	Ehret. pict. t. 2. f. 1. & t. 4.
AMMANNIA. W.	Ammannia.	Salicariæ. J.					
1 latifolia. W.	broad-leaved.		W. Ind.				Sloan.jam.1,t.7.f.4
2 debilis. W.	cluster-flowered.		E. Ind.	1778.		-H.⊙.	
3 ramosior. W.	branching.		Virginia.	1759.		-H.⊙. -H.⊙.	
4 sanguinolenta. W.	bloody.	(Hydrocharideæ	· Jamaica.	1600.		-H.O.	
TRAPA. W.	CALTROPS.	B. P.	>				
1 natans. W.	European.		Europe.	1781.	6.8.	н.⊙.	Bot. reg.
2 bicornis. W.	Chinese.		China.			_	Gært. sem. 2. t. 95.
DORSTENIA. W.	DORSTENIA.	Urticeæ, J.					
1 brasiliensis. W.	Brazilian.		- S. America.	1792.	3.4.	S.4.	(114 -12)
2 Houstoni. W.	Houstoun's.			1747.	6.7.	S.4.	Houst. phil. trans. 37. t. 2.
	(Contrajerva-						
3 Contrajerva. W.	Root.		***************************************	1748.	5.8.	S.4.	Jac. ic. 3. t. 614.
	,	E 2					

28	TEIR	ANDRIA	LEIRAG	YNIA.		
POTHOS. W.	Ротнов.	Aroideæ. B. P.				
1 acaulis. W.	stemless.		W. Ind.	1790. 4.7.	S 21	Jac.amer.240.t.153
2 lanceolata. W.	lance-leaved.		Barbadoes.			Plum.amer.47.t.62
3 violacea. W.	blue-fruited.		Jamaica.	1793. 4.6.		1 rum.um(1.37,000
4 cannæfolia. H. K.	sweet-scented.		W Ind			Bot. mag. 603.
5 crassinervia. W.	thick-nerved.		S. America			Jac. ic. 3. t. 609.
6 cordata. W.	heart-leaved.		America.			Plum. ic. 26. t. 38.
7 sagittata. B. M.	arrow-leaved.		· W. Ind.			Bot. mag. 1584.
8 macrophylla. W.	large-leaved.			1794, 5.6.		Jac. ic. 3. t. 610.
9 obtusifolia. H. K.	blunt-leaved.		Barbadoes.	1790	- S.4.	
10 fœtida. H. K.	Scunkweed.		N. America.	1735. 3.4.	н.4.	Bot. mag. 836.
11 palmata. W.	palmated:		S. America.	1803. 6.7		Plum.amer.49.t.64
12 pentaphylla. W.	five-leaved.			10.1	i.s.4.	Bot. mag. 1375.
CURTISIA. W.					-	0
faginea. W.	Beech-leaved.		C. B. S.	1775	. G.h.	Burm.afr.235.t.82.
CHLORANTHUS.W.	CHULAN.	• • • • • • • • • • • • •				CT 'TT'
1 inconspicuus. W.	trailing	B	China.	1781. 5.9.	G.b.	{ L'Herit. sert. ang. 35. t. 2.
2 erectus.	upright.			1809. 6.8	G L	30. 1. 2.
ELÆAGNUS. W.	OLEASTER:	Elæagni. J.		1009. 0.0	u. n.	
1 angustifolia. W.	narrow-leaved.		S Furone.	1633 7	нь	Pall. ross. 1. t. 4.
2 argentea. Ph.	silvery.		N America.	1813. 7.8	H h	1 411. 1003. 2. 0. 4.
3 orientalis. W.	oriental.		Levant.	1748.	- G. h.	Patt. ross. 1, t. 5.
			·			(Burm, zevl. 92. t.
4 latifolia. W.	broad-leaved.		E. Ind.	.1712. —	- S.h.	Pa ^H . ross. 1. t. 5. { Burm. zeyl. 92. t. 39. f. 2.
SANTALUM. W.	SANDAL-WOOD.	Santalaceæ. B. P.	Sirium. L. &	Roxb.		
album. W.	white.		E. Ind.	1804	S.h.	Roxb. cor. 1. t. 2.
STRUTHIOLA. W.	STRUTHIOLA.	Thymelææ. B. P.				
1 juniperina. W.	drooping.		C. B. S.	1758. 4.9.	G.h.	Bot. mag. 222.
2 erecta. W. en.	upright.			1798	- G. h.	
3 ovata. W.	oval-leaved.	Changadar B.P.		1792. 2.6.	G. h.	Bot. rep. 119.
4 imbricata. H. K.	tiled-leaved.			1794. 4.8.	G. h.	113.
5 tomentosa. H. K.	downy-leaved.			1799. 8.9.	G. n.	534.
6 virgata. H. K. 7 ciliata. B. R.	twiggy. ciliated.			1779. 4.8.	G. n.	139,
8 pubescens. H. K.	downy.			1790	- G. h.	But mag 1910
RIVINA. W.	RIVINA.	Chenopodeæ. B.P		1780.	- G. 17 1	1000 mag. 1014.
1 humilis. W.	downy.	Chehopotica: D.1	W. Ind.	1699. 1.10	. S. b.	Bot. mag. 1781.
2 canescens. W.	hoary.			1804. 5.8.	S.h.	Dott 111011
3 purpurascens.W.en.				1015	C T.	
4 lævis. W.	smooth.			1733. 2.9.	S. b .	Lam. ill. t. 81. f. 2
5 brasiliensis. W.	wave-leaved.		Brazil.	1790. 6.7.		T.
6 octandra. W.	climbing.		W. Ind.	1752. 5.6.	S.h.	Br.jam.149.t.23.f.2
CAMPHOROSMA.W.	CAMPHOROSMA.	Chenopodeæ. B.P				
monspellaca. W.	hairy.		S. Europe.	1640. 8.9.	G. h.	Schk. hand.1. t. 26.
ALCHEMILLA. W.	LADIES-MANTLE.	Rosaceæ. J.		•		
1 vulgaris. W. en.	common.		Britain.	6.8.	H.4.	Eng. bot. 597.
2 montana. W. en.	mountain.		Saxony.	• • • • • • • • • • • • • • • • • • • •	н.4.	
3 pubescens W. en.	pubescent.	4	Caucasus.	1813. —	н. 4.	Hort. ber. 2. t. 79.
4 sericea. W. en.	silky.		D 14 1		- Н. 4.	E 1 .4 044
5 alpina. W.	silvery.		Britain.	7.	11.4.	Eng. bot. 244.
6 pentaphylla. W.	five-leaved.		Switzeriand,			Eng hot 1011
7 Aphanes. W.	Parsley-piert.		Diltain.	*** 4,0.	11.0.	Eng. bot. 1011.
		DIGVNIA				
**********	to	DIGYNIA.		200		
BUFFONIA. W.		Caryophylleæ. J.	T 1. 1		***	Too has total
tenuifelia. W. HAMAMELIS. W.	slender-leaved. Witch-Hazel.		England.	6.	H.O.	Eng. bot. 1313.
	Virginian.	Berberides ? J.	N. Amer.	1726 115	HL	Duham.arb.1.t.114
		Papaveraceæ. J.	A A RIHEL.	.,00. 11.0.	-1.17.	T 011/0111/01 V. 1 1001 1 &
1 procumbens. W.		rapaveraceæ. o.	S. Europe.	1596, 6.7	H.O.	Schk. hand.1. t. 27.
	pendulous.	bi				Park.theat.372.f.2.
3 erectum: W.	erect.	· · · · · · · · · · · · · · · · · · ·				Amm. ruth.58. t.9.
				-		
		TETRAGYNIA.				
MYGINDA. W.	MYGINDA	Rhamni. J.				
	saw-kaved.		S. America.	1790. 8.9.	S.h.	Jac. amer. 24. t.16.
2 Rhacoma. W.	blunt-leaved.		Jamaica.	1798	S.h.	Jac. ic. 2. t. 311.
3 latifolia. W.	broad-leaved.		W. Ind.	1795, 4.5.	S.h.	
			-			

# mer 440	******	Rhamni. J.					
ILEX. W. 1 Aquifolium. W.	Holly.		Britain.		16	HL	Eng. bot. 496.
B heterophylla.	various-leaved.	Þ	Di Italii.	• • • •	4.0.	11.77.	Eng. 600. 430s
y crassifolia.	thick-leaved.	***************************************					
8 recurva.	slender.						
a ferox.	hedge-hog.	A					
Z flava.	yellow-berried.						
n albo-marginata.	silver-edged.						
3 aureo-marginata.							
s medio picta.	painted.						
2 laxiflora. Ph.	loose-flowered.			1811.		H.h.	
3 opaca. W.	Carolina.		Carolina.	1744.	5.6.	H.h.	Meerb. ic. 2. t. 5.
4 crocea. W.	African.		C. B. S.	1794.		· G. h .	
5 Perado. W.	thick-leaved.					G.h.	Meerb. ic. 2. t. 6.
6 Princides. W.	deciduous.		N. America.		7.	H.h.	
7 Cassine. Ph.							Cat. car. 1. t. 31.
8 Dahoon. Ph.	Dahoon.				5.6.	F. h.	
9 augustifolia. W. en.							
10 vomitoria. W.	South Sca Tea.		Florida.	1700.	• • • •	F.h.	Cat. car. 2. t. 57.
11 canadensis. Ph.	Canadian.		N. America.	1802.	4.5.	H.h.	Mich. amer.2. t.49.
COLDENIA. W.	COLDENIA.	Boragineæ. J.					
procumbens. W.	trailing.	111 7 7	E. Ind.	1699.	7.8.	S.⊙.	Lam. ill. t. 89.
POTAMOGETON. W.		Alismaceæ. B. P.	·				n 1
1 natans. W.	broad-leaved.			* * * *			Eng. bot. 1822.
2 fluitans. W.	long-leaved.			• • • •	7.8.	н. 4.	1286. ————————————————————————————————————
3 heterophyllum. W.	various-leaved.						
4 perfoliatum. W.	perfoliate.						168.
5 densum. W.	close-leaved.			• • • •			397.
6 lucens. W.	shining.			• • • •	6.7.	11.4.	376.
7 crispum. W.	flat-stalked.			• • • •		H. 4.	1012.
8 compressum. W. 9 pectinatum. W.	Fennel-leaved.			• • • •		п. 4.	418.
10 lanceolatum. E. B.	spear-leaved.		England		70	п. 4.	1985.
	Grass-leaved.		Britain "				2253.
11 gramineum. W. 12 pusillum. W.	small.						215.
13 setaceum. W	bristly.					H.4.	2100
RUPPIA. W.	Ruppia.	Naiades. J.		• • • •		11.4.	
maritima. W.	sea.	Zvaradesi 61	Britain		7.	H 2/	Eng. bot. 136.
SAGINA. W.	PEARLWORT.	Caryophylleæ. J.	Directin.	• • • •	"	11.4.	nug. bott. 100
1 procumbens. W.	procumbent.		Britain.		5 9.	н.о.	Eng. bot. 880.
2 apetala. W.	small-flowered.		171111111				881.
3 maritima. E. B.	sea-side.		Ireland.				2195.
MŒNCHIA. P. S.	MŒNCHIA.	Caryophylleæ. J.					~1000
glauca. P. S.	glaucous.					н.⊙.	Eng. bot. 609.
TILLÆA. W.	TILLEA.	Sempervivæ. J.					g
muscosa. W.	mossy.		England.		6.10.	H.O.	Eng. bot. 116.
RADIOLA. Sm.	RADIOLA.						G
millegrana. Sm.	All-seed.					H.O.	Eng. bot. 893.
3					,		

CLASS V. PENTANDRIA MONOGYNIA.

HELIOTROPIUM. W	TURNSOLE.	Boragineæ. B. P.					
1 peruvianum. W.	Peruvian.		Peru.	1757.	5.9.	G.h.	Bot. mag. 141.
2 corymbosum. P. S.	large-flowered.		1	1808.		G.h.	1609.
3 parviflorum. W.	small-flowered.		W. Ind.	1732.	7.9.	S. J.	Dill.elt.t.146.f.178
4 europæum. W.	European.		S. Europe.	1562.	6.10.	H.O.	Jac. aust. 3. t. 207.
5 curassavicum. W.	glaucous,		W. Ind.	1731.	6.7.	S. 3.	Mor.s.11.t.31.f.12.
6 humile. B. P.	dwarf.		S. America.	1752.	5.6.	S.h.	Plum. ic. 227. f. 2.
Tournefortia humil	is Willd.					•	
7 indicum. W.	Indian.		W. Ind.	1713.	6.8.	S.O.	Pluk. phyt. 245.f.4.
8 supinum. W.	trailing.		S. Europe.	1640.	6.7.	H.O.	Gouan.m. 17. c.tab.
MYOSOTIS. B. P.	SCORPION-GRASS	. Boragineæ. B. P.				_	
I scorpioides. W.	marsh.		Britain.	• • • •	4.8.	H.4.	Eng. bot. 1973,

2 arvensis. W.	field.	Boragineæ. B. P.	Britain.		4.8.	H.O.	Eng. bot. 480.
3 nana. W.	dwarf.						Hacq.pl.alp.t.2.f.6.
4 obtusa. W. en.	obtuse-calyxed.		Hungary.				Pl.rar.hung.1.t.100
5 rnpicola. E. B.	rock.	to 1 70 70	Scotland.			н.4.	Eng. bot. 2559.
LAPPULA. P. S.	LAPPULA.	Boragineæ. B. P.	Myosotis spec				
1 virginiana. P. S.	Virginian.		Virginia.				Mor.h.s.11.t.30.f.9.
2 vulgaris.	common.		Europe.			H.⊙.	,
3 squarrosa. P. S.	squarrose.					-H.⊙.	CD-11 '4 0
4 pectinata. P. S.	pectinated.	-		1797.	6.8.	н.4.	{ Pall. it. 3. app. n. 71. t. E. f. 4.
LITHOSPERMUM.W	GROMWELL.	Boragineæ. B. P.					(/1. 0. 12. 1. 4.
1 officinale. W.	officinal.	55011g1110tt-12111	Britain.		5.8.	H.26.	Eng. bot. 134.
2 arvense. W.	corn.						123.
3 apulum. W.	small.	·	S. Europe.				Col. ecph. 1. t. 185.
4 purpureo-cæru-							•
leum. W.	creeping.			• • • •	э.	п. 4.	Eng. bot. 117.
5 fruticosum. W.	shrubby.		S. Europe.	1683.	5.6.	H. h.	Barr. ic. 1168.
6 distichum. P. S.	two-rowed.		Cuba.	1806.		- G. 4.	Jac. ic. 2. t. 313.
7 tenuislorum. W.	slender-flowered.		Egypt.				
8 dispermum. W.			Spain.	1799.	6.7.	н.⊙.	Linn. dec. 1. t. 7.
BATSCHIA. Mich.	BATSCHIA.	Boragineæ. B. P.	C P			TT -1	
1 Gmelini. Ph.	Gmeliu's.		Missouri			H. 4.	1
2 longiflora. Ph. ONOSMODIUM.	long-flowered.		MISSOUII.			н.4.	
Mich.	Onosmodium.	Boragineæ. B. P.	Lithospermi:	species ,	Will	d.	
							(Moris, hist, 3 s.
1 hispidum. M.	Virginian.		N. America.	1759.	6.	н.4.	Moris. hist. 3. s. 11. t. 28. f. 3.
2 molle. M.	soft.			1812.	6.8.	H.24.	Mich. amer. t. 15.
ANCHUSA. W.	Bugloss.	Boragineæ. B. P.					
1 paniculata. W.	panicled.		Madeira.	1777.	5.6.	H. J.	
2 capensis. W.	Cape.			1800.	7.	G. 3.	Bot. rep. 336.//
3 officinalis. W.	common.		Britain.	• • • •	6.10.	н.4.	Eng. bot. 662.
4 ochroleuca. B. M.	pale-flowered.		M. Caucasus.	1810.	7.8.	H.4.	Bot. mag. 1608.
5 italica. W.	Italian.		S. Europe.	1597.	6.10.	. н. д.	Trew. pl. rar. t. 18.
6 angustifolia. W.	narrow-leaved.						1897
6 angustriona. W.	rock.		Siberia.				
•	rock.			1802.	7.	н. 4.	{ Pall. it. 3. ap. 71. t. E. f. 3.
7 rupestris.	rock.			1802.	7.	н. 4.	{ Pall. it. 3. ap. 71. t. E. f. 3.
7 rupestris. Myosotis rupestris.	rock. Pallas.		Spain. Montpellier.	1802. 1752. 1596.	7. 6.8. 6.10.	H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 200 Bot. rep. 576.
7 rupestris. Myosotis rupestris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W.	rock. Pallas. waved-lcaved. dycr's. evergreen.		Spain. Montpellier.	1802. 1752. 1596.	7. 6.8. 6.10. 5.6.	H.4. H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 2115 Bot. rep. 576. Eng. bot. 45.
 7 rupestris. Myosotis rupestris. 8 undulata. W. 9 tinetoria. W. 	rock. Pallas. waved-lcaved. dyer's. evergreen. yellow.		Spain. Montpellier.	1802. 1752. 1596.	7. 6.8. 6.10. 5.6.	H.4. H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 200 Bot. rep. 576.
7 rupestris. Myosotis rupestris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W.	rock, Pallas. waved-lcaved, dycr's, evergreen, yellow. HOUND'S		Spain. Montpellier.	1802. 1752. 1596.	7. 6.8. 6.10. 5.6.	H.4. H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 2115 Bot. rep. 576. Eng. bot. 45.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant.	1802. 1752. 1596. 1713.	7. 6.8. 6.10. 5.6.	H.4. H.4. H.4. H.4. H.2.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 2005 Bot. rep. 576. Eng. bot. 45. Bot. mag. 515.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common.	Boragineæ. B. P.	Spain. Montpellier.	1802. 1752. 1596. 1713.	7. 6.8. 6.10. 5.6.	H.4. H.4. H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant.	1802. 1752. 1596. 1713.	6.8. 6.10. 5.6.	H.4. H.4. H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W.	rock. Pullas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America.	1802. 1752. 1596. 1713.	6.8. 6.10. 5.6. 6.7.	H.4. H.4. H.4. H.4. H.4. H.5.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping.	Boraginea. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant.	1802. 1752. 1596. 1713. 1658. 1812.	6.8. 6.10. 5.6. 6.7. 8. 5.7.	H.4. H.4. H.4. H.4. H.4. H.5. H.5.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Ltalv.	1802. 1752. 1596. 1713. 1658. 1812. 1596.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7.	H.4. H.4. H.4. H.4. H.4. H.5.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 chcirifolium. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apenninum. W. en.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine.	Boraginea. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7. 7.8.	H.4. H.4. H.4. H.4. H.5. H.5. H.5. H.5.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. Bon. 21.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria, W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 8 glomeratum. Ph.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus'	Boragincæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731. 1806. 1812.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7. 7.8.	H. 4. H. 4. H. 4. H. 4. H. 4. H. δ. G. δ. H. δ. H. δ. H. δ. H. δ.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. Bon. 21.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 8 glomeratum. Ph. 9 linifolium. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731. 1806. 1812.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7. 7.8.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 3. H. 3.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 2115 Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 302. 212.
7 rupestris. Myosotis rupestris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 9 limifolium. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly.	Boragincæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731. 1806. 1812. 1648.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 7.8. 6.8. 6.8.	H.4. H.4. H.4. H.4. H.4. H.5. H.5. H.5.	{ Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 2
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 anplexicaule. Ph. 5 cheirifolium. W. en. 7 hirsutum. W. en. 9 linifolium. W. 10 lanatum. W. 11 nitidum. W. en.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7. 6.8. 6.8. 6.4.6.	H.4. H.4. H.4. H.4. H.4. H.5. G.3. H.4. H.3. H.3. H.3. H.3. H.4. H.3. H.4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. Bot. 21. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. en. 7 hirsutum. W. en. 9 linifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved.	Boragincæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe.	1802. 1752. 1596. 1713. 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 4.7. 7.8 6.8. 6. 4.6. 3.5.	H.4. H.4. H.4. H.4. H.5. H.5. H.5. H.5.	{ Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. 2
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria, W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 chcirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 9 linifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. & Mert#	7. 6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7. 7.8. 6.8. 6. 4.6. 3.5. censia	H.4. H.4. H.4. H.4. H.3. H.3. H.3. H.3.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 3 25. 2 12. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25. Bot. mag. 7.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 chcirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 8 glomeratum. Ph. 9 linifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria a Britain.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1812. 1648.	7. 6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.7. 4.7. 7.8. 6.8. 6. 4.6. 3.5. densia 4.5.	H.4. H.4. H.4. H.4. H.4. H.5. H.5. H.5.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. Bot. 1642. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25. Eng. bot. 1628.
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria e Britain. England.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$\frac{8}{2}\$ Mert	7. 6.8. 6.10. 5.6. 8. 5.7. 6.7. 4.7. 6.8. 6.8. 6.6. 3.5. 6.8. 6.6. 3.5. 5. 5.	H.4. H.4. H.4. H.4. H.4. H.5. G.3. H.4. H.3. H.3. H.4. H.4. H.4. H.4.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 1642. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. ———————————————————————————————————
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria, W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. en. 7 hirsutum. W. en. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsufe. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria of Britain. England. Dauria.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$\frac{3}{4}\text{Mert} 1812.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.8. 6. 4.6. 3.5. censia 4.5. 5.	H.4. H.4. H.4. H.4. H.3. H.3. H.3. H.3.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 3 25. 2 12. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. ———————————————————————————————————
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apennium. W. en. 7 hirsutum. W. 9 linifolium. W. 10 lanatum. Ph. 9 linifolium. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria a Britain. England. Dauria. Huds.'s Bay.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$ Mert 1812.	6.8. 6.10. 5.6. 6.7. 8. 5.7. 6.8. 6. 4.6. 3.5. censia 4.5. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	H.4. H.4. H.4. H.4. H.3. H.3. H.3. H.3.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 3 25. 2 12. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. ———————————————————————————————————
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria, W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 chcirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 9 linifolium. W. 10 lanatum. W. 11 nitidum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled. spear-leaved.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. Levant. Portugal. S. Europe. Pulmonaria e Britain. England. Dauria. Huds.'s Bay. Louisiana.	1802. 1752. 1596 1713. 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1812. 1648. 1812. 1648. 1812. 1633.	6.8. 6.10. 5.6. 8. 5.7. 6.7. 4.7. 7.8. 6.8. 6.4.6. 4.6. 5.6. 5.6.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 4. H. 3. H. 4. H. 3. H. 3.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 3 25. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 anplexicaule. Ph. 5 cheirifolium. W. 6 apennium. W. en. 7 hirsutum. W. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph. 6 virginica. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled.	Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. Levant. Portugal. S. Europe. Pulmonaria e Britain. England. Dauria. Huds.'s Bay. Louisiana.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. 85 Mert 1812. 1778.	7. 6.8. 6.10. 5.6. 8. 5.7. 6.7. 4.7. 7.8. 6.8. 6. 4.6. 3.6. 5.6. 3.5.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 4. H. 5. H. 5. H. 6. H. 6.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 3 25. 2 12. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. ———————————————————————————————————
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria, W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 chcirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 9 linifolium. W. 10 lanatum. W. 11 nitidum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph.	rock. Pullas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled. spear-leaved. Virginian.	Boragineæ. B. P. Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. Levant. Portugal. S. Europe. Pulmonaria e Britain. England. Dauria. Huds.'s Bay. Louisiana.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. 85 Mert 1812. 1778.	6.8. 6.10. 5.6. 8. 5.7. 6.7. 4.7. 6.8. 6. 4.6. 3.5. 6.3.5. 5. 6.7.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 3. H. 3. H. 3. H. 3. H. 4. H. 5. H. 4. H. 5. H. 4. H. 5. H. 6. H. 6.	Pall. it. 3. ap: 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 1642. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. ———————————————————————————————————
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. en. 7 hirsutum. W. en. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph. 6 virginica. W. 7 sibirica. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled. spear-leaved. Virginian. Siberian.	Boragineæ. B. P. Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria of Britain. England. Dauria. Huds.'s Bay. Louisiana. N. America.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$ Mert 1812. 1778. 1813. 1699. 1801.	6.8. 6.10. 5.6. 8. 5.7. 6.7. 4.7. 6.8. 6. 4.6. 3.5. 6.3.5. 5. 6.7.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 3. H. 3. H. 3. H. 3. H. 4. H. 5. H. 4. H. 5. H. 4. H. 5. H. 6. H. 6.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 1642. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. 118. Bot. mag. 1748. 2 2 2 2 2 3 4 5 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. en. 7 hirsutum. W. en. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph. 6 virginica. W. 7 sibirica. W. 8 maritima. E. B.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled. spear-leaved. Virginian. Siberian. sea.	Boragineæ. B. P. Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria Britain. England. Dauria. Huds.'s Bay. Louisiana. N. America. Britain.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$ Mert 1812. 1778. 1813. 1699. 1801.	6.8. 6.10. 5.6. 8. 5.7. 6.7. 7.8. 6.8. 6. 4.6. 5. 5. 5. 6.8. 6. 8. 6.5. 6.8. 6.3. 6.5. 6.8. 6.3. 6.5. 6.5. 6.5. 6.5. 6.5. 6.5. 6.5	H.4. H.4. H.4. H.4. H.4. H.5. H.5. H.5.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 1642. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. 118. Bot. mag. 1748. 2 2 2 2 2 3 4 5 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
7 rupcstris. Myosotis rupcstris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 amplexicaule. Ph. 5 cheirifolium. W. 6 apenninum. W. en. 7 hirsutum. W. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. PULMONARIA. W. 1 angustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph. 6 virginica. W. 7 sibirica. W. 8 maritima. E. B. SYMPHYTUM. W. 1 officinale. W. 2 tuberosum. W.	rock. Pallas. waved-lcaved. dycr's. evergreen. yellow. HOUND's TONGUE. common. green-leaved. Madeira. stem-clasping. silvery-leaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-leaved. LUNGWORT. narrow-leaved. common. Daurian. panicled. spear-leaved. Virginian. Siberian. sea. Comfrey. common. tuberous.	Boragineæ. B. P. Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. Levant. Portugal. S. Europe. Pulmonaria Britain. England. Dauria. Huds.'s Bay. Louisiana. N. America. Britain. Britain. Britain.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$ Mert 1812. 1778. 1813. 1699. 1801	7. 6.8. 6.10. 5.6. 8. 5.7. 4.7. 7.8. 6.8. 6. 4.6. 3.5. 5.6. 3.5. 6.7. 5.7. 5.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.5. H.5.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 3 20. 2124. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. ———————————————————————————————————
7 rupestris. Myosotis rupestris. 8 undulata. W. 9 tinctoria. W. 10 sempervirens. W. 11 Milleri. W. cn. CYNOGLOSSUM. W. 1 officinale. W. 2 sylvaticum. E. B. 3 pictum. W. 4 anplexicaule. Ph. 5 cheirifolium. W. 6 apennium. W. en. 7 hirsutum. W. 9 limifolium. W. 10 lanatum. W. 11 nitidum. W. en. 12 Omphalodes. W. 14 ungustifolia. W. 2 officinalis. W. 3 davurica. B. M. 4 paniculata. W. 5 lanceolata. Ph. 6 virginica. W. 7 sibirica. W. 8 maritima. E. B. 8 SYMPHYTUM. W. 1 officinale. W.	rock. Pullas. waved-lcaved. dycr's. evergreen. yellow. HOUND'S TONGUE. common. green-leaved. Madeira. silvery-lcaved. Apennine. hirsute. clustered. Venus' Navelwort. woolly. shining. Comfrey-lcaved. LUNGWORT. narrow-leaved. common. Daurian. panicled. spear-lcaved. Virginian. Siberian. sea. COMFREY. common.	Boragineæ. B. P. Boragineæ. B. P.	Spain. Montpellier. Britain. Levant. Britain. Madeira. N. America. Levant. Italy. C. B. S. N. America. Portugal. Levant. Portugal. S. Europe. Pulmonaria Britain. England. Dauria. Huds.'s Bay. Louisiana. N. America. Britain.	1802. 1752. 1596 1713 1658. 1812. 1596. 1731. 1806. 1812. 1648. 1800. 1812. 1633. \$ Mert 1812. 1778. 1813. 1699. 1801	7. 6.8. 6.10. 5.6. 8. 5.7. 4.7. 7.8. 6.8. 6. 4.6. 3.5. 5.6. 3.5. 6.7. 5.7. 5.7.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 4. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 3. H. 4. H. 4.	Pall. it. 3. ap. 71. t. E. f. 3. Barrel. ic. 578. Bot. rep. 576. Eng. bot. 45. Bot. mag. 515. Eng. bot. 921. 1642. Moris. s.11. t. 30. f. 11. H.&L.Fl.por.1.t.25 Bot. mag. 7. Eng. bot. 1628. 118. Bot. mag. 1748. Bot. mag. 1748. Eng. bot. 368. Eng. bot. 368. Eng. bot. 817.

		III I I I	1011001	11211	~~
4 orientale. W. en.	eastern.	Boragineæ. B. P.	Turkey.	1752. 5.7. H.4.	Buxb. cent. 5. t. 68.
5 tauricum. W. en.	Taurian.			1806. — H. 4.	
6 asperrimum. H. K.	roughest.		Caucasus.	1799. 5.9. H.4.	
7 cordatum. W.	heart-leaved.		Transylvan.	1813. 5.7. H.4.	Pl.rar.hung. 6. t.7.
CERINTHE. W.	Honeywort.	Boragineæ. B. P.		** 0	D .
1 major. W.	great.		S. Europe.	1596. 7.8. H.⊙.	Bot. mag. 333.
2 aspera. W.	rough.			1633. — H.O.	7
3 minor. W.	small.		Austria.	1570. 6.10. H. g.	Jac. aus. 2. t. 124.
ONOSMA. W. 1 simplicissima. W.	Onosma. linear-leaved.	Boragineæ. B. P.	Siberia	1769 46 H N	Gmel. sib. 4. t. 40.
2 taurica. H. K.	golden-flowered.		Cancagae	1801. — H.4.	
3 orientalis. W.	oriental.		Levant.	1752. 5.6. G. 4.	200. mag. 003.
4 echioides. W.	hairy.		S. Europe.		Jac. aust. 3. t. 295.
5 sericea. W.	silky-leaved.		Levant.	1752. 6.7. H.4.	
BORAGO, W.	BORAGE.	Boragineæ. B. P.			
1 officinalis. W.	common.		England.	6.9. H.⊙.	Eng. bot. 36.
2 orientalis. W.	oriental.		Turkey.	1752. 3.5. H.4.	Mill. ic. 1. t. 68.
3 laxiflora. B. M.	bell-flowered.			1813. 5.8. H. ♂.	Bot. mag. 1798.
TRICHODESMA.B.P	TRICHODESMA.	Boragineæ. B. P.	Boraginis sp		CTV 1 1 00 1
1 indica. B. P.	Indian.		E. Ind.	1759. 6.10. H.⊙.	{ Pluk. alm. 30. t. 76. f. 3.
				O .	(Tenard act par
2 africana. B. P.	African.		C. B. S.	7.8. H.⊙.	{ Isnard. act. par. { 1718. t. 11.
3 zeylanica. B. P.	Ceylon.		E Ind		Jac. ic. 2. t. 314.
	GERMAN }		1. mu,	1755.	0 ac. 1c. 2. 0. 0140
ASPERUGO. W.	MADWORT.	Boragineæ. B. P.			
procumbens. W.	procumbent.		Britain.	4.5. H.O.	Eng. bot. 661.
LYCOPSIS. W.	WILD BUGLOSS.				8
1 vesicaria. W.	bladdered.		S. Europe.	1686. 5.7. H.⊙.	
2 pulla. W.	dark-flowered.		· Germany	1648. 6.7. H. 4	Jac. aust. 2. t. 188.
3 ciliata. W.	ciliated.		Levant.	1804. — H.⊙.	
4 variegata. W.	variegated.		Candia.	1683. —H.⊙.	∫ Moris. s. 11. t. 26.
5 arvensis. W. 6 lutea. W.	small.		Britain.	5.8. H.O.	
7 orientalis. W.	yellow-flowered. oriental.		·		Buxb. cent. 5.t. 30.
	(VIPER'S BU-)		- Lievant.	175011.	Duxo. cent. o. c. 50.
ECHIUM. W.	GLOSS.	Boragineæ. B. P.			
1 fruticosum. W.	shrubby.		C. B. S.	1759. 5.6. G. b.	Bot. reg. 86. 24 17/7
2 candicans. W.	hoary tree.		- Madeira.	1777 - G. b.	43.
3 grandiflorum. H.K	great-flowered.			- 1787. 6.7. G.h	124.
4 ferocissimum. B. R	prickly-stalked.			- 1794 G. h	. Bot. rep. 39.
5 giganteum. W.	gigantic.	•	- Canaries.	1779. 7.11. G. h	
6 strictum. W.	upright.				. Jac. scheen.1. t.35.
7 argenteum. W.	silvery.		- C. B. S.	1789. 6.7. G. h	
8 lævigatum. W.	smooth-stalked.			- 1774. — G. h	. To a to a to a to
9 glabrum. W. 10 fastuosum. H. K.			Cononius	- 1791. 5.6. G. h	
11 nervosum. H. K.	fastuous. sinewy-leaved.		3.5	1779. 4.8. G.h 1777. 6.8. G.h	
12 spicatum. W.	sniked dwarf.		- C. B. S.	1799. 3.5. G.h	
13 plantagineum. W.	Plantain-leaved.		- Italy.		. Barr. ic. t. 1026.
14 italicum. W.	white.		- Jersey.		. Eng. bot. 2081.
15 rubrum. W.	red.		- Hungary.		. Jac. aus. 5. t. ap. 3. 1
16 vulgare. W.					
	common.		- Britain.		. Eng. bot. 181.
17 violaceum. W.	common. Violet-flowered.		- Britain. - Austria.	— H. д 1658. — Н. О	. Eng. bot. 181.
18 maritimum. W.	sea.		- Italy.	— H.♂ 1658. — H.⊙ 1815. — H.⊙	. Boc. mus. 2. t. 7 %.
18 maritimum. W. 19 pyrenaicum. W. en	sea. . Pyrenean.		- Italy. - Pyrenees.	— H.∂ 1658. — H.⊙ 1815. — H.⊙ — H.∂	. Boc. mus. 2. t. 78.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W.	. Pyrenean. Cretan.		- Italy.	— H. & 1658. — H. © 1815. — H. © 1683. 7.9. H. ©	Boc. mus. 2. t. 78. Bot. mag. 1934.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W.	Sea. Pyrenean. Cretan. oriental.		- Italy Pyrenees Levant.	— H. & 1658. — H. © 1815. — H. © — H. & 1683. 7.9. H. © - 1780. 7.8. H. ©	Bot. mag. 1934. Trew. pl, rar.1.t.1.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W.	sea Pyrenean. Cretan. oriental. Portugal.		- Italy Pyrenees Levant S. Europe.	— H. & 1658. — H. © 1815. — H. & 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. ©	Bot. mag. 1934. Trew. pl. rar.1.t.14
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parviflorum. H. K.	sea. Pyrenean. Cretan. oriental. Portugal. small-flowered.		- Italy Pyrenees Levant S. Europe Barbary.	— H. \$\frac{1}{6}\$58. — H. © 1815. — H. \$\frac{1}{6}\$ 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. © 1798. — H. ©	. Bot. mus. 2. t. 78, . Bot. mag. 1934. . Trew. pl, rar.l.t.l.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parviflorum. H. K. TOURNEFORTIA.	sea. Pyrenean. Cretan. oriental. Portugal. small-flowered.		- Italy Pyrenees Levant S. Europe Barbary.	— H. \$ 1658. — H. © 1815. — H. \$ 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. © 1798. — H. ©	. Bot. mus. 2. t. 78 Bot. mag. 1934 Trew. pl. rar.l.t.l.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parviflorum. H. K. TOURNEFORTIA. B. P.	sea. Pyrenean. Cretan. oriental. Portugal. small-flowered. Tournefortia	. Boragineæ. B. P.	- Italy Pyrenees Levant S. Europe Barbary. Tourneforti	— H. \$ 1658. — H. © 1815. — H. \$ 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. © 1798. — H. ©	. Bot. mus. 2. t. 78 Bot. mag. 1934 Trew. pl. rar.l.t.l.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parviflorum. H. K. TOURNEFORTIA.	sea. Pyrenean. Cretan. oriental. Portugal. small-flowered.	. Boragineæ, B. P.	- Italy Pyrenees Levant S. Europe Barbary Tourneforti - Canaries.	— H. 3 1658. — H. © 1815. — H. © 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. © 1798. — H. © ia & Messerchmidia 1779. 6.10. G. L	Bot. mus. 2. t. 78, Bot. mag. 1934. Trew. pl, rar. l. t. 1. Linn.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parvifforum. H. K. TOURNEFORTIA. B. P. 1 Messerchmidia.	sea Pyrenean. Cretan. oriental. Portugal. small-flowered. Tournefortia	. Boragineæ. B. P.	- Italy Pyrenees Levant S. Europe Barbary Tourneforti - Canaries Siberia,	— H. § 1658. — H. © 1815. — H. § 1683. 7.9. H. © 1780. 7.8. H. © 1791. 7.8. H. © 1798. — H. © 1798. — H. © 1799. 6.10. G. Ig 1780. — H. 4	. Bot. mus. 2. t. 78 Bot. mag. 1934 Trew. pl. rar.l.t.l
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parviflorum. H. K. TOURNEFORTIA. B. P. 1 Messerchmidia. 2 Arguzia.	sea Pyrenean. Cretan. oriental. Portugal. small-flowered. Tournefortia shrubby. herbaceous.	. Boragineæ. B. P.	- Italy Pyrenees Levant S. Europe Barbary Tourneforti - Canaries Siberia,	— H. & 1658. — H. © 1815. — H. © 1815. — H. © 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. © 1798. — H. © 1799. 6.10. G. ½ 1799. 6.10. G. ½ 1780. — H. ½ 1739. 9. S. ½	Bot. mus. 2. t. 78, Bot. mag. 1934. Trew. pl, rar. l. t. 1. Linn.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parvifforum. H. K. TOURNEFORTIA. B. P. 1 Messerchmidia. 2 Arguzia. 3 fœtidissima. B. P. 4 cymosa. B. P. 5 bicolor. B. P.	sea. Pyrenean. Cretan. oriental. Portugal. small-flowered. Tournefortia shrubby. herbaceous. Tobacco-leaved.	. Boragineæ, B. P.	- Italy Pyrenees Levant S. Europe Barbary Tourneforti - Canaries Siberia, - Jamaica.	— H. & 1658. — H. © 1815. — H. © 1815. — H. © 1683. 7.9. H. © 1780. 7.8. H. © 1731. 7.8. H. © 1798. — H. © 1799. 6.10. G. ½ 1799. 6.10. G. ½ 1780. — H. ½ 1739. 9. S. ½	Bot. mus. 2. t. 78. Bot. mag. 1934. Trew. pl, rar.1. t.1. Linn. Heb.com.pet.8. t.11 Plum.ic.226. t. 230. Jac. ic. 1. t. 31.
18 maritimum. W. 19 pyrenaicum. W. en 20 creticum. W. 21 orientale. W. 22 lusitanicum. W. 23 parviflorum. H. K. TOURNEFORTIA. B. P. 1 Messerchmidia. 2 Arguzía. 3 fectidissima. B. P. 4 cymosa. B. P.	sea. Pyrenean. Cretan. oriental. Portugal. small-flowered. Tournefortia shrubby. herbaceous. Tobacco-leaved. broad-leaved.	. Boragineæ, B. P.	- Italy Pyrenees Levant S. Europe Barbary Tourneforti - Canaries Siberia, - Jamaica.	— H. 3 1658. — H. © 1815. — H. © 1683. 7.9. H. © 1780. 7.8. H. © 1798. — H. © 1798. — H. © 1799. 6.10. G. Ig 1780. — H. 2 1780. — H. 2 1739. 9. S. Ig 1777. 7. S. Ig	Boc. mus. 2. t. 78, Bot. mag. 1934. Trew. pl, rar. 1. t. 1. Linn. Heb.com.pet. 8. t. 11 Plum.ic. 226. t. 230, Jac. ic. 1. t. 31,

7 volubilis. W.	climbing.	Boragineæ. B. P.	Jamaica.	1752. 7.8.	S. 72 .	Slo.jam.1.t.143.f.2
CORDIA. B. P.	CORDIA.	Boragineæ. B. P.	Cordia & V			
1 Myxa. W.	smooth-leaved.	Doraginea. 33. 1.	ى. Ind.			Rheed. mal. 4. t. 37.
2 monoica. W. 3 Sebestena. W.	Birch-leaved. rough-leaved.		India	1799, 3.4,	S. h.	Roxb. cor. 1. t. 58. Bot. mag. 794.
4 Geraschanthus. W.			W. Ind.	1720. 7.5.	8.5	Brown.jam.t.29.f.8
	-			1700. 0.	S. n.	(Sloan iam. 2. t.
5 macrophylla. W.	broad-leaved.			1752	S.h.	{ Sloan. jam. 2. t. 221. f. 1.
6 Collococca. W.	long-leaved.		Jamaica.			, 2. t.203. f. 2.
7 hirsuta. W.	hairy.		Guiana.			Aub. guia. 1. t. 86.
8 elliptica. Sw. 9 lineata. W.	elliptic. round-spiked.		w.Ind.	1804	5. h.	Brown.jam.t.13.f.2
10 mirabiloides. W.	jointed.		Hispaniola	1793	S.h.	Jac. amer. 41. t.33.
11 martinicensis. W.	Martinico.		Martinico	1705 00	C T.	41. t.32,
12 curassavica. W.	long-spiked.		S. America.	1759	S. b.	
13 angustifolia. W.	narrow-leaved,		Santa Cruz.	1808	S. b.	
14 Patagonula. W.	spear-leaved.	, , , , , , , , , , , , , , , , , , , 	S. America.	1732. 6.8.	G. h.	Lam. ill. t. 96.
BOURRERIA. Gært.	BOURRERIA.	Boragineæ. B, P.	Ehretiæ spec	cies Willd.		
1 succulenta. Jac.	oval-leaved.		W. Ind.			Jac.obs.2, p. 2. t. 26,
2 exsucca. Jac.	dry-fruited.	D : D D		1804,	S, h.	Jac.ame.t.173.f.17,
EHRETIA. W.	EHRETIA. W.	Boragineæ. B. P.	Tomoico	1504 05	е т	Charact 4 + 05
1 tinifolia. W.	Tinus-leaved.		F Ind			Trew. chret. 4. t. 25,
2 aspera. W. HYDROPHYL-			g. mq.	1790,	5. n.	Roxh. cor. 1. t. 55,
LUM. W.	WATER-LEAF.	Boragineæ. J.				
1 appendiculatum.Ph.	appendaged.		N. America.	1813. 5.6.	H.4.	4
2 virginicum. W.	Virginian.			1739.	- H, 4.	Schku, hand. 1.t.35, 3
3 canadense. W.	Canadian.		Canada.	1759.	н.ц.	Bot. reg. 242.
ELLISIA. W.	ELLISIA.	Boragineæ. J.	X71	1 4 5 4 0	11.0	E1 0 4 = 62
Nyctelea. W.	cut-leaved.	Boragineæ? J.	virginia.	1755. 7.8.	Π, \odot .	Ehr.na.cur.2.t.7.f.1
NOLANA. W. prostrata. W.	NoLANA. trailing.	Boragmeæ: 3.	Peru	1761 70	но	Bot. mag. 731,
ARETIA. W.	ARETIA.	Primulaceæ. B. P.		1701. 7.3.	11.0.	Dati 11166. 7014
1 helvetica, W.	imbricated.		Switzerland	1775. 5.6.	H.24.	Schk.hand. 1. t. 32,
2 alpina. W.	linear-leaved.					Jac.aust.5.t.app.18.
3 Vitaliana. W.	Grass-leaved.		Pyrences.			Par. lond. 107,
ANDROSACE, W.	Androsace.	Primulaceæ. B. P.				
1 maxima. W.	oval-leaved.		Austria.			Jac. aus. 4. t. 331.
2 elongata. W.	cluster-flowered.		T)			4. t. 330,
3 septentrionalis. W.			Russia.			Flor. dan. t. 7. 2021
4 lactiflora. W, en. 5 villosa. W.	milk-coloured.		Pyrences	1815. 6.9.		Bot. mag. 743.
6 coronopifolia, B. R.			Siberia.	1806. 6.9.	H. A.	Bot. rep. 647. 2022
7 Chamæjasme, W.	Grass-leaved.		Ametrin	1760 60	IJ M	
8 lactea. W.	white-flowered.			1752	- H.)į.	Bot. mag. 868.
9 carnea. W.	awl-leaved.	700-100-7	Switzerland.	1768. 7.8.	H.4.	Pluk.alm.t.108.f.5.
PRIMULA. W.	PRIMROSE.	Primulaceæ. B. P.				
1 vulgaris. E. B.	common.		Britain.	3.5.	H. 4,	Eng. bot. 4.
\$ pleno-carnea.B.M					H. 4.	Bot, mag. 229.
y pleno-alba.	double white.				H 21	
8 pleno-sulphurea. 2 pleno-rubra.	double red.				H.21.	
V ,	7. 77				TT 31	
spleno-cuprea. spleno-atropurpurea elatior. W.	double dark purpl	e	-		H.4.	
2 elatior. W.	Oxlip.			,	H.4.	Eng. bot. 518.
3 veris. W.	Cowslip.			, 5.6,	H. 4.	 5.
4 farinosa. W.	Bird's-eye.			6.7.	H.4.	6,
5 intermedia. B. M.		e	Siberia.			Bot. mag. 1219.
6 cortusoides. W.	Cortusa-leaved.					Bot rep 451
7 dentiflora. B. R.	tooth-flowered.		Levent			Bot. rep. 451. Bot. mag. 392.
8 longifolia. H. K.	long-leaved. villous-leaved.		Switzerland	1768.	H. 71	14.
9 villosa. W. ß flore albo.	white-flowered.		Switzerianu,		Н. и.	14. ————————————————————————————————————
10 nivalis. W.	snowy.		Dauria.	1790	-н.4.	Pal. it. t. G.*I. 2.
11 marginata. W.	silver-edged.		Switzerland.	1777. 3.4.	H.4.	Bot. mag. 191.
12 Auricula. W.	Auricula,			1596. 4.5.	H.4.	Jac. aus. 5, t. 415.
13 Palinuri. W, en,	flat-flowered.			1816. —		
14 integrifolia. W.	entire-leaved.		Pyrenees.			Bot. mag. 942.
15 finmarchica. W.	Norwegian.	Carried Andread States and States	Norway.	1798, 5.6.	п. 4.	Flor. dan. 188.

	7 7774	LANDILIA	MONOG	T 1/17			. 00
16 viscosa. W. 17 decora. B. M.	clammy.	Primulaceæ. B. P					Allion.ped.1.t.5.f.1 Bot. mag. 1922.
CORTUSA. W.	{BEAR'S-EAR. } SANICLE.	Primulaceæ. B. P.					
Mathioli. W.	short-calyxed.		Austria.	1596.	4.6.	н.4.	Bot. mag. 987.
SOLDANELLA. W. 1 alpina. W. en.	Soldanella. Alpine.	Primulaceæ. B. P.	Switzerland.	1656.	4.	н.4.	Bot. mag. 49.
2 montana. W. en.	(AMERICANI)			1816.		н.4.	
DODECATHEON.W	· Cowslip.	Primulaceæ. B. P.				TY 21	T-4 10
Meadia. W. CYCLAMEN. W.	Mead's. Cyclamen.	Primulaceæ. B. P	Virginia.	1744.	4.6.	11.4.	Bot. mag. 12.
1 coum. W. 2 europæum. W.	round-leaved.		S. Europe.	1596.			Bot. mag. 4. Jac. aust. 5. t. 401.
3 persicum. W.	Persian.		Cyprus.	1731.	2.4.	G.4.	Bot. mag. 44.
4 hederæfolium. W. HOTTONIA. W.	Ivy-leaved. WATER-VIOLET.	Primulaceæ. B. P.		••••	4.	н.4.	1001.
palustris. W. LYSIMACHIA. W.	marsh. Loose-Strife.	Primulaceæ. B. P.		• • • •	7.8.	H.4.	Eng. bot. 364.
1 vulgaris. W.	common.	-	Britain.	• • • •	7.9.	н.4.	Eng. bot. 761.
2 Ephemerum. W.	Willow-leaved.		Spain.	1730.		н.4.	Mur. com. got. 1782. t. 42. f. 2.
3 angustifolia. Mi.	narrow-leaved.			1000		- T.T 21	
4 dubia. W.	purple-flowered.			1759.		н. д.	Mur. com. got. 1782. t. 1.
5 stricta. W. 6 thyrsiflora. W.	upright. tufted.		England.		5.7.	H. 2/ .	Bot. mag. 104. Eng. bot. 176.
7 capitata. Ph. 8 punctata. W.	headed.		N America	1813.		H.4.	Jac. aus. 4. t. 366.
9 quadrifolia. Ph.	punctated. four-leaved.		N. America.	1794.	7.0.	H.4.	Lam.ill.1.t.101.f.2.
10 ciliata. Ph. 11 quadriflora. H. K.	ciliated. four-flowered.			1732. 1798.	_	· Н. 4. · Н. 4.	Lam.ill.1.t.101.f.2. Walth. hort. t. 12. Bot. mag. 660.
12 hybrida. Ph. 13 Linum-stellatum.W	hybrid.		Italy	1806. 1658.	-	н.4.	Magn.b.mon.t.162
14 nemorum, W.	wood.		Britain.		5.7.	H.4.	Eng. bot. 527.
15 Nummularia. W. ANAGALLIS. W.	Moneywort. PIMPERNELL.	Primulaceæ. B. P		• • • • •	6.7.	н.4.	528.
1 arvensis. W. 2 cærulea. E. B.	common. blue.			••••	6.9.	H.O.	Eng. bot. 529.
3 fruticosa. H. K.	large-flowered.		Morocco.	1803.	5.7.	G. 3.	Bot. mag. 831.
4 latifolia. W. 5 Monelli. W.	broad-leaved. blue Italian.		· Spain. Italy.				Meerb. ic. 1. t. 22. 3 Bot. mag. 319.
6 linifolia. W. 7 tenella. W.	Flax-leaved.		Portugal.	1796.	6.7.	G. 3.	
DIAPENSIA. W.	DIAPENSIA.	Ericese P L		••••	0.9.	п. 4.	Eng. bot. 530.
lapponica. W. PYXIDANTHERA	obtuse-leaved.	The T	Lapland.	1801.	2.3.	н.4.	Bot. mag. 1108.
Mi. barbulata. Mi.	Pyxidanthera. barbed.		Carolina.	1000	~	II a	Mich owen 4 15
AZALEA. W.	AZALEA.	Rhodoraceæ. J.		1806.	7.	11.4.	Mich. amer. t. 17.
1 procumbens. W. 2 indica. W.	trailing. Indian.		China.				Eng. bot. 865. Bot. mag. 1480.
3 pontica. W. 4 calendulacea. Ph.	yellow.			1793.	5.6.	Hh.	433.
B flammea.	Orange. flame-coloured.		N. America.	1812.		H.h.	433. 27 1721. 2 Bot. reg. 145.
5 canescens. Ph. 6 nudiflora. W.	downy. naked-flowered.					\cdot H. h .	
a coccinea. β speciosa.	small scarlet.			-		H.h.	Bot. mag. 180.
y aurantia.	orange.					H.h.	
δ cuprea. ε rutilans.	deep red.					H.h.	
ζ carnea. n alba.	pale red.		-			H.h.	Bot. reg. 120.
3 papilimacea.	early white. variegated.					Н. р. Н. р.	
 partita. x semiplena. 	five parted. semidouble.	***************************************				H.h.	
A flore pleno. 7 bicolor. Ph.	double-flowered.		,			H.h.	Them she to to
8 viscosa. Ph.	two-coloured.						Trew ehret. t. 48. Meerb. ic. 2. t. 9.
		E					

	4 444 4		1011001	111779	
a odorata.	common white.	Rhodoraceæ. J.	N. America.	1734. 7.8. H. 7.	
β vittata.	striped-flowered.			1734. 7.8. H. W	
y fissa.	narrow-petaled.	P		— H.h.	20
9 nitida. Ph.	dwarf glancous		_	1812. — H. h.	9. mg 4864.
10 glauca. Ph. 11 hispida. Ph.	tall glaucous.			1/84. 0. H.h.	*
SPRENGELIA. B. P.	SPRENGELIA.	Epacrideæ. B. P.		11. n.	
incarnata. B. P.	flesh-coloured.	Espainación B. 11	N. S. W.	1793. 4.6. H.h.	Bot. mag. 17fd.
ANDERSONIA. B.P.		Epacrideæ. B. P.	2	2,000 1100 220,70	2000 11.100
sprengelioides. B.P.	Sprengelia-like.		N. Holland.	1803. 3.7. G.h.	Bot. mag. 1645.
LYSINEMA. B. P.	LYSINEMA.	Epacrideae. B. P.	Epacridis sp	ecies Cav.	
pungens. B. P.	pungent.		N. S. W.	1804. 2.4. G.h.	
a alba.	white-flowered.				Cav. ic. 4. t. 346.
β rubra:	red-flowered.	T2 . 11 . 73 . W		manuscrame additional automorphis	Bot. mag. 1199.
EPACRIS. B. P.	EPACRÌS.	Epacrideæ. B. P.	ET C 417	C.T	Da4 244
1 purpurascens. B. P. 2 pulchella. B. P.	sweet-scented.		N. S. W.	1803. 1.3. G.h.	Dot. mag. 844.
3 grandiflora. B. P.	crimson.			1804. 4.6. G.h. 1803. 1.6. G.h.	11700
4 obtusifolia. B. P.	blunt-leaved.			1804. 4.6. G.h.	Ex. bot. 1. t. 40.
5 exserta. B. P.	exserted.		Van Diem.	1804. 4.6. G.h. 1812. — G.h.	2311 550 10 0 100
MONOTOCA. B. P.	Monotoca.	Epacrideæ. B. P.			
1 elliptica. B. P.	elliptic.		N. S. W.	1802. 5.8. G.h.	Lab.nov.holl.1.t.61
2 lineata. B. P.	lineated.		Van Diem.	1804. — G. h.	Lab.nov.holl.1.t.61
LEUCOPOGON. B. P.		Epacrideæ. B. P.	Stypheliæ sp	ecies Smith.	
1 lanceolatus. B. P.	small-flowered.		N.S.W.	1790. 5.8. G.h.	Bot. rep. 287.
2 ericoides. B. P.	Heath-leaved.			1815 G. h.	Bot. rep. 287. Cav.ic.4.t.347. f.1. Linn. trans. 8. t. 8.
3 amplexicaulis. B. P.			-	1804. 4.6. G.h.	Linn. trans. 8. t. 8:
4 juniperinus. B. P. STENANTHERA.	Juniper-leaved.			1804. 4.6. G.n.	
B. P.	STENANTHERA.	Epacrideæ. B. P.			
pinifolia B. P.	Pine-leaved.		N. S. W.	1811. 5.7. G.h.	Bot. reg. 218.
ASTROLOMA. B. P.	ASTROLOMA.	Epacrideæ. B. P.	Vintenatia.		
humifusum. B. P.	Juniper-leaved.		N. S. W.	1807. 5.10. G. h.	Bot: mag. 1439.
STYPHELIA. B. P.	STYPHELIA.	Epacrideæ. B. P.		,	
1 longifolia. B. P.	long-leaved.		N. S. W.	1807. 4.6. G.h. 1791. — G.h. 1796. 5.8. G.h.	Bot. reg. 24.
2 viridiflora. B. P.	green-flowered.			1791. — G. h.	Bot. rep. 312.
3 triflora. B. P.	three-flowered.			1796. 5.8. G. h.	Bot. mag. 1297.
4 tubiflora. B. P.	crimson.	Dlambaria D. T.		1802. — G.h.	Smith n. holl. t. 14.
PLUMBAGO. W.	LEADWORT.	Plumbagineæ. B.F		1506 0 10 H W	Schk.handb.1.t.36. 2
1 europæa. W. 2 zeylanica. W.	European. Ceylon.		E. Ind		Rheed. mal. 10. t. 84
3 rosea. W.	Rose-coloured.			1777. 3.7. S.h.	
4 scandens. W.	climbing.		W Ind		Slo.jam.1.t.133.f.1.
5 tristis. H. K.	dark-flowered.		C. B. S.	1792. 5.6. G.h.	
CONVOLVULUS.B.P	BIND-WEED.	Convolvulaceæ. B.1			
1 årvensis. W.	small.		Britain.	6.9. H.4.	Eng. hot. 312.
2 Scammonia. W.	Scammony.		Levant.	1596. 7.8. H.4.	Mill. ic. 1. t. 102.
3 pannifolius. H. K.	cloth-leaved.			1805. 6.9. G.h.	Bot. reg. 222. Bot. mag. 1228. Par. lond. 45. Dill. elt. t. 85. f. 99. /43
4 canariensis. W.	Canary.		Canaries.	1690. 5.9. G.h.	Bot. mag. 1228.
5 farinosus. W.	mealy-stalked.		Madeira.	17/7. 5.6. G.4.	Dill elt + 85 f ob. /4/3
6 panduratus. W. 7 ciliatus. W. en.	Virginian. hairy:		IV. America.	1816. 7.9. H. ①. 1597 S. 4.	Dill. Cit. ti doi:1.33.17
8 Batatas. W.	tuberous.		India.	1597 S.2.	Rheed. mal. 7. t.50.
9 maximus. W.	great Cevlon.	-	Cevlon.	1799. 7. S.4.	11.t.53.
10 suffruticosus. H. K.	shrubby.		Madeira.	1788 G.h.	Bot. reg. 133.
11 Hermanniæ. W.	Peruvian.		Peru.	1799. 8.9. G.4.	Jac. ic. 2. t. 315.
12 erubescens. B. M.	Maiden Blush.		N. S. W.	1803. 7.9. G.J.	Bot. mag. 1067.
13 althæoides. W.	Althæa-leaved.		Levant.	1597. 6.9. H.4.	359.
14 bryoniæfolius. B.M.			China.	1802. 7.8. G.h.	943.
15 macrocarpus. W.	long-fruited.	<u>S. 14. 14. 14. 14. 14. 14. 14. 14. 14. 14</u>	S. America.		Plum. ic. t. 91. f.1.
16 glaber. W.	smooth.	* * * * * * *	Cayenne.	1806 S.h.	Roce sic t 49
17 siculus. W.	small-flowered.		S. Europe.	1780 6 H O	Bocc. sic. t. 48. // / Jac. col. 4. t.22.f.2.
18 pentapetaloides: W. 19 lineatus. W.	dwarf.		Majorca. S. Europe.	1789. 6. H.O.	Tri.obs.91.t.91.f.2.
20 saxatilis. W:	rock.		S. Lurope.	1796. — G.21.	Bocc.mus.138.t.96
21 Cneorum. W.	silvery-leaved.		Levant.	1640. 5.9. G.h.	
22 linearis. W.	narrow-leaved.			1770 G.h.	289.
23 Cantabrica. W.	Flax-leaved.		S. Europe.	1680. —H.4.	Jac. aus. 3. t. 296.
24 Dorycnium. W.	silky-leaved.		Levant.	1806. 6.7. H.h.	
25 scoparius. W.	Broom.		Canaries.	1733. 8.9. G.h.	Vent. choix. 24.

		¥ TOTA T	ZELIŽIVILI I	1011001				
	26 floridus. W.	many-flowered.	Convolvulaceæ.B.P.		1779.	8.9.	G.ħ.	Jac. ic. 1. t. 34.
	27 elongatus. W. en.	long-peduncled.		0.5	1815.	7.8.	H.⊙.,	Bot mag 97
	28 tricolor. W.	three-coloured.		S. Europe.	1629.		н.б.	Bot. mag. 27.
	29 reptans. W.	creeping.		E. Ind.	1806.	• • • •	S.h.	Rumph. amb. 5. t. 155. f. 1.
	30 hirtus. W.	hairy-stalked.			1804.	6.8.	S.⊙.	
	CALYSTEGIA. B.P.	BEARBIND.	Convolvulaceæ.B.1	P. Convolvuli	species	Will	d.	T . 1 4 010
	1 sepium, B. P.	great hedge.		Britain.	• • • • •	6.9.	H. 4.	Eng. bot. 313.
	6 incarnata.	red-flowered.		N. America.	1815.	3-	H. 24.	Dot. mag. 7520
	2 sylvestris. W. en. 3 spithamæa. Ph.	small upright,		N. America.	1796.	7.	H. 4.	•
	4 Soldanella. B. P.	sea.		Britain.		6.7.	H.4.	Eng. bot. 314.
]	IPOMŒA. B. P.	IPOMŒA.	Convolvulaceæ. B.1	P. Ipomææ &	Convol	vuli s	pecies ,	
	1 Quamoclit, W.	wing-leaved.		E. Ind.				Bot. mag. 244.
	2 luteola. W. en.	common scarlet.		W Ind				Bot. rep. 99.
	3 coccinea. W. en. 4 dissecta. Ph.	bright scarlet.		Georgia.				Willd.phy.1.t.2.f.3.
	5 carolina. Ph.	Carolina.		Carolina.	1732.	7.8.	H.4.	Dill.elt. t. 84. f. 98.
	6 lacunosa. W.	starry.		N America.	1640.	 	H.O.	t.87.f.102.
	7 solanifolia. W.	Nightshade-lead.		America.	1759.		S. 3.	Plum. ic. t. 94. f. 1.
	8 tuberosa. W.			W. Ind.				Sloa. jam.1.t.96.f.2.
	9 insignis. B. Reg.	splendid.		If Ind				Bot. reg. 75.
	10 paniculata. B. Reg. 11 Bona nox. W.	panicled. prickly.		W Ind.				Bot. mag. 752.
	12 campanulata. W.	bell-flowered,		E. Ind.	1800.	8.9.	S.O.	Rheed, mal. 11. t. 56
	13 violacea. W.	purple-flowered.		S. America.	1732.		- s.⊙.	Plum. ic. t. 93. f. 1. Jac. am. 26. t. 18.
	14 carnea. W.	flesh-coloured.			1799.		· \$.⊙.	Jac. am. 26. t. 18.
	15 sanguinea. B. Reg.	blood-flowered,		W. Ind.				Bot. reg. 9.
	16 repanda. W.	scolloped.		W. Ind.	1793.			Par. lond. 81.
	17 sibirica. P. S.	Siberian. arrow-headed.		Siberia.			н.⊙. - S.⊙.	Pall.it.3. p.723.t.K
	18 medium. W. 19 denticulata. B. P.	denticulate.					- S.O.	Rheed, mal. 11. t.55
	20 tridentata. P. S.	trifid.				-	- ŝ.⊙.	11.t.65
	21 speciosa. P. S.	broad-leaved.					- S. h.	11.t.65 Smith ic. pict. 17.
	22 purpurea. P. S.	great purple.		America.	1629.	6.9.	H.(.).	Bot. mag. 113.
	β incarnata.	flesh-coloured.					-H.⊙.	Bot. mag. 1682.
	y varia.	striped-flowered.				6.0	-H.⊙.	Bot. mag. 1682.
	23 discolor. Jac. 24 tamnifolia. W.	Tampus-leaved		Carolina.				Dill.elt.t.318.f.410
	25 glaucifolia. W.	glaucous-leaved.		Mexico.				t.87. f.101.
	26 augustifolia. Jac.	narrow-leaved.		India.				Jac. ic. rar. t. 317.
	27 triloba. W.	three-lobed.		. W Ind	1752.	6.7	H.⊙.	
	28 hederifolia. W.	Ivy-leaved.		- S. America.				. Plum.ic. 92. t. 93.f. 2
	29 Nil. P. S.	blue.		- America.	1597	. 7.9	. S.⊙	Bot. mag. 188.
	30 hederacea. B. Reg. 31 cuspidata. P. S.	five-lobed. sharp-pointed.						
	32 pentaphylla. Jac.	five-leaved.		W. Ind.	1739	8.9	\mathbf{s} .	Jac. ic. 2. t. 319.
	33 mutabilis. B. Reg.	changeable.		- S. America.	1812.	5.9	. G. h	Jac. ic. 2. t. 319. Bot. reg. 39. Bot. mag. 1603.
	34 candicans. B. M.	hoary.	2	N. America.		6.8	. G.4	. Bot. mag. 1603.
	35 grandiflora. B. R.	great-flowered.		- K. Ind.	1802.	. 9.	S.h.	Bot. rep. 188.
	36 Jalapa. Ph.	Jalap.		- America.	1733.	8.9	G. h.	Bot. mag. 1572.
	37 umbellata. 38 muricata. Jac.	umbel-flowered. rough-stalked.		· W.Ind.				Plum.am.88.t.102. Jac. schæ. 3.t.323.
	39 tuberculata. B.Reg.			E. Hid.				Bot. reg. 86.
	40 pendula. B. P.	pendulous.		N. S. W.	1808.	5.10	. G. 24	Bot. rep. 613.
	41 hepaticifolia. W.	Hepatica-leaved.		- E. Ind.	1759.	8.9.	H.⊙.	Bur.ind.50. t.20.f.2
	42 Pes-tigridis. W.	palmated.		-	1732			Dill.elt.t.318.f.411
	43 Pes-capræ.	thick-leaved.		0				Rheed.mal.11.t.57.
	44 brasiliensis.	Brazilian.						Plum ame.89.t.104
	A5 obscura. B. Reg. RETZIA. Th.	hairy. Rerzia.	Convolvulaceæ?	- E. Ind, J	1/32	(1.0	. 3.0	Bot. reg. 239.
	spicata. Th.	spiked.		- C. B. S.		5.6	G. b.	Lam. ill. t. 103.
	COBCEA. Cav.	Совед.	Bignoniaceæ. C.	y		2.0	- • • •	
	scandens. Cay.	climbing.		- Mexico.	1792	5.1	0. G. h	. Bot. mag. 851.
	POLEMONIUM. W.	SGREEK VA- }	Polemoniaceæ. J.					;
	**	LERIAN.		*			TT	35'11 1 0 1 00
	1 reptans. W. 2 cæruleum. W.	creeping.						Mill. ic. 2. t. 209
	β alba.	blue-flowered. white-flowered.		- Britain.		0.		Eng. bot. 14.
	y maculata,	spotted-flowered					-	
	A	A Care A constitution	F			- 40		

A. C.							
PHLOX. W.	LYCHNIDEA.	Polemoniaceæ. J.					
1 paniculata. W.	panicled.		N. America.	1732.	8.9.	н. и.	Mill.ic. 2. t. 205.f.2.
B alba.	white.			1019			
2 undulata. W.	waved-leaved.			1750	78	H 21	
3 acuminata. Ph.	Lyons.			1919	5.8	H 2/	A. C
4 suaveolens. W.	white-flowered.			1766	7.0	LI N	Jac. vind. 2. t. 127.
5 maculata. W.	spot-stalked.			1700.	1.0.	II. 4.	In wind a + 107
6 pyramidalis. H. K.				1/40.		ri. 4.	5ac. viiiu. 2. t. 127.
	pyramidal.			1800.	6.8.	н. 4.	Ex. bot. 2. t. 87. Bot. mag. 1307.
7 pilosa. W.	hairy-leaved.			1759.	5.6.	н. 4.	Bot. mag. 1307.
8 amœna. B. M.	Fraser's hairy.			1809.	6.7.	н.4.	1308.
9 Carolina. W.	rough-stemmed.		Carolina.	1728.	7.9.	H.4.	1344.
10 triflora. Mi.	pubescent.					H.4.	
11 suffruticosa. W. en.	shining-leaved.		N. America.	1790.		н. μ.	Bot. reg. 68.
12 glaberrima. W.	smooth.			1795	6.8	H 2/	Dill elt t.166.f.202
13 divaricata. W.	early-flowering.			1746	4.6	LI N	Dill.elt.t.166.f.202 Bot. mag. 163.
14 prostrata. H. K.	trailing.			1740.	4.0.	11.4.	100. mag. 100.
15 stolonifera. H. K.				1792.		H.4.	D-4 569
	creeping.			1800.	6.9.	н. 4.	Bot. mag. 503.
16 ovata. W.	ovate-leaved.	40		1759.	5.7.	н.4.	528.
17 subulata. W.	awl-leaved.			1786.	4.6.	н. 4.	411.
18 setacea. W.	fine-leaved.				4.5.	H. 4.	410.
VESTIA. W. en.	VESTIA.						0 2412
lycioides. W. en.	Box-thorn-like.		Chili.	1815.		G.b.	. Balon 299.
IPOMOPSIS. Mi.	IPOMOPSIS.	Polemoniaceæ. J.	Cantre spec	ies IV	IId.	1.2	16
1 elegans. Ex. B.	scarlet.	Total on a control				G 1	Ev hot 1 + 12
9							Ex. bot. 1. t. 13.
2 inconspicua. H. K.	small blue.			1793.	9.11.	H.⊙.	1. t. 14.
CALDASIA. W. en.	CALDASIA.	• • • • • • • • • • • • • • • • • • • •					
heterophylla.W.en.				1813.	5.12.	$S.\odot.$	Bot. reg. 92.
LIGHTFOOTIA. W.	LIGHTFOOTIA.	Campanulaceæ.B.	Р.				
1 oxycoccoides. W.	lance-leaved.	-	C. B. S.	1787.	7.	G.b.	Ex. bot. 2. t. 69.
2 subulata. W.	awl-leaved.		C. B. S.				L'Her.s.angl. 4.t.5.
CAMPANULA. B.P.		Campanulaces B P	0.22.0.		•		
1 cenisia. W.	ciliated.	Cumpununacca in i	Switzenland	15	0 7	LI M	All ped 1 + 6 f Q
			TA-1-	1//0.	0.7.	11.4.	All. ped.1. t.6. f. 2.
2 Bellardi. All.	Bellardi's.		Italy.	1813.		н. 4.	1.85.1.5.
3 pulla. W	russet.		Austria.				Jac. aust. 3. t. 285. 24
4 gracilis. B. P.	slender.		N. S. W.	1794.	4.8.	G. 3.	Bot. mag. 691.
5 Zoysii. W.	blunt-leaved.		· Carniola.	1813.	6.8.	H.4.	Jac. ic. 2. t. 334.
6 grandiflora. W.	great-flowered.		· Siberia.	1782.		H.4.	Bot. mag. 252.
7 carpatica. W.	Carpatian.	-	Caro, Alos,				117.
8 verticillata. W.	whorled-leaved.		Siberia.				Pall. it. 3. t. G. f. 1.
9 rotundifolia, E. B.	round-leaved.		Britain				
			C tanana		6.8.	11.4.	Eng. bot. 866.
10 pumila. B. M.	dwarf.		· Switzeriand.	• • • •		н. 4.	Bot. mag. 512.
11 Scheuchzeri. Vill.	Scheuchzer's.	***************************************	Europe.	1813.		H.24.	Vill. delpn. 2. p.
				- 0 - 0 -			\{\text{Vill. delph. 2. p.} \} 50. t. 16.
12 pubescens. W.	pubescent.		Bohemia.			н.4.	
13 Lobelioides. W.	small-flowered.	1	Madeira,	1777.	7.8.	H.⊙.	
14 patula. W.	spreading.		. Britain.	:		H.J.	Eng. bot. 42.
15 Rapunculus. W.	Rampion.						283.
16 persicifolia. W.	Peach-leaved.		Europe.	1596.	7 0.	H. 2/ .	Fl. dan. 1087.
B maxima.	large Peach-lan		zarope.		7.0.		Bot mag 397
17 pyramidalis. W.	pyramidal.		Camiolo			H.4:	
	pyramiuai.		Carmora.	1500		11.4.	Na4 man 1900
18 versicolor. H. K.	various-coloured.		Greece.	1/88.		rı. 4.	дог. тер. 290.
19 americana. W.	American.		- Pensylvania.	1763.	7.	н. б.	_=:_:
20 nitida. W.	smooth-leaved.	**************************************	N. America.	1731.		H.4.	Bot. rep. 396. Dodar.mem.4.t.113.
21 lilifolia. W.	alv-leaved		theria	1784	5 Q	H 7/	Bot. reg. 936.
22 rhomboidea. W.	Germander-leav ^d		Switzerland.	1775.	7.	H. 4.	Barrel. ic. 567.
23 obliqua. W. en.	oblique-flowered.					Н. д.	
24 latifolia. W.	giant.		Britain.				Eng. bot. 302.
25 urticifolia. W.	Nettle-leaved.			1800.		H.4.	
			Eugland				Eng. bot. 1369.
26 Rapunculoides. W.			England.		0.7.	11.4.	Pat mag 551
27 azurea. B. M.	azure.			1/78.		11.4.	Bot. mag. 551.
28 collina. B. M.	Sage-leaved.		· Caucasus.				927.
29 bononiensis. W.	panicled.		Italy.	1773.	8.9.	H.4.	Mor.h.2.s.5.t.4.f.38
30 ruthenica. W. en.	Russian.		Caucasus.	1815.	6.8.	H.4.	· PA 2653.
31 Trachelium. W.	Throatwort.		Britain.			H. 4.	Eng. bot. 12.
32 sarmatica. B. Reg.	Betony-leaved.		Siberia.	1803.		H. 21.	Bot. reg. 237.
33 glomerata. W.	clustered.		Britain				Eng. bot. 90. 2 6.26
\$4 Cervicaria. W.	wave-leaved.		Germany				Fl. dan. 787.
			Switzenland	1705	60	H 4	Bot. mag. 1290.
35 thyrsoidea. W.	long-spiked.	Q	o D o				
36 peregrina. W.	rough-leaved.						1257.
37 cernua. Th.	nodding-flowerd,		-	1804.		G. 6.	

38 capensis. W.	Cape.	Campanulaceæ.B.P	. C. B. S.,	1803.	6.8. G,⊙.	Bot. mag. 782.
39 hederacea. W.	Ivy-leaved.		England.	• • • •	5.6. H.4.	Eng. bot. 73.
40 Erinus. W.	forked.		S. Europe.	1768.	7.8. H.⊙.	Mor.h.s.5. t.3.f.25.
41 divergens. W. en.	spreading.		Hungary.	1814.	6.7. H.J.	
42 macrostachya. W.en	. large-spiked.				H.J.	
43 caucasica. M. B.	Caucasian.		Caucasus.		7.8. H.4.	
44 lingulata. W. en.	tongue-leaved.		Hungary.		H.4.	Plant.rar.hung.t.64
45 capitata. B. M.	headed.		Greece.	1768.	6.7. H. 4.	Bot. mag. 811.
46 punctata. W.	dotted-flowered.		Siberia.		CO TT N	
47 Medium. W.	Canterbury.		Germany.	1597.	6.9. H. A.	1723. Knorr.thes.1,t.G.2. Bot. mag, 1258. All. ped.1.t.46.f.2. Bot. mag. 957.
48 barbata. W.	bearded.		Italy.	1752.	6.7. H. 24.	Bot. mag. 1258.
49 spicata. W.	spiked.		Switzerland.	1786.	7. H. J.	All, ped.1.t.46, f.2.
50 alpina. W.	Alpine.		O W Ton De Tonica V	1779.	H.2/	Bot. mag. 957.
	crowned.		Siharia	1015	Н 2	Bot. reg. 149.
51 coronata. B. Reg. 52 mollis. W.	soft.	-	Sincia.			Bot, mag. 404.
			Condi-			
53 saxatilis. W.	rock.		Canuia.	1768.	G.4.	Barr. ic. 79. t. 813.
54 laciniata. W.	jagged-leaved.		Greece.	1788.	G. 4.	Bot. rep. 385.
55 lanuginosa. W. en.						
56 alliariæfolia. W.	Alliaria-leaved.		Caucasus.	1803.	7.9. H.4.	Par. lond. 26.
57 sibirica. W.	Siberian.		Siberia.	1783.	— H. J.	Bot. mag. 659, Bot. reg. 241.
58 lacticolor. M. B.	milk-coloured.			1814.	H. 4.	Bot. reg. 241.
59 aggregata. W. en.	crowded-flowerd.	555		1817.	— Н.4.	
60 aurea. W.	golden-flowered.	4	Madeira.	1777.	G.h.	Bot. reg. 57.
61 fruticosa. W.	shrubby.		C. B. S.	1787.	8. G.h.	
62 Speculum. W.	Venus'LookgGlas	ss	S. Europe.	1596.	5.8. H.O.	Bot. mag. 102.
63 hybrida. W.	Corn.		England.		—— H.Õ.	Eng. bot. 375.
64 Prismatocarpus. W.	shining.		C. B. S.	1787.	G.O.	L'Her.ser.ang.2.t.3 Bot. reg. 56. Mor.h.2.s.5.t.2.f.23
65 pentagonia. W.	five-angled.		Turkey	1686.	H O.	Bot. reg. 56
66 perfoliata. P. S.	perfoliate.		N America	1690	H O	Morh 9 e 5 t 9 f 93
ROELLA. W.		Campanulaceæ.B.P.	IV. IIIICICA.	1000.	11.0.	MOI.M.2.5.0.6.2.1.20
		Campanulacea.D.F	CPC	1004	co CI	Dot man one
1 ciliata. W.	ciliated.		C. B. S.	1//4.	0.9. G.n.	Dot. mag. 378.
2 squarrosa. W.	trailing.			1787.	7. 6.4.	Bot. mag. 378. L'Her.ser.ang.4.t.6
'3 decurrens. W.	decurrent.				7.9. G.O.	L Her.ser.ang.4.t.6
4 muscosa. W.	Moss-like.			1802.	— G.⊙.	
PHYTEUMA. W.		Campanulaceæ.B.P.				
1 hemisphærica. W.	linear-leaved.		Switzerland,	1752.	7. H.4.	Jac. ic. 2, t. 333. Bot. mag. 1/97. 1466, Jac.aus.5.t. app.50, Eng. bot. 142. Fl. dan. 362.
2 Scheuchzeri. W.	Scheuchzer's.			1813.	5.6. H.4.	Bot. mag. 1/97.
3 cordata. B. M.	heart-leaved.		Hungary.	1804.	7.8. H.4.	1466,
4 comosa. W.	tufted.		Austria.	1752.	6.7. H.J.	Jac.aus.5.t.app.50,
5 orbicularis. W.	round-headed.		England.		6.8. H.4.	Eng. bot. 142.
6 spicata. W.	spiked.		Europe.	1597.	H. 1.	Fl. dan. 362.
7 ovatum. W.	oval-spiked.			1814.	н.4.	
8 canescens. W. en.	hoary.		Hungary.	1804.	H. 2/.	Pl. rar. hung. t. 14.
9 campanuloides.H.K.		-)	Cancasus		H.2/	Bot. mag. 1015,
10 pinnata. W.	winged-leaved.		Candia			Vent. cels. 52.
TRACHELIUM. W.		Campanulaceæ.B.P.		1040.	0.4.	Volita CC13, 522
1 cæryleym. W.	blue.			1640	70 H 1	Pot von 70
			C D C			Bot. reg. 72.
2 diffusum. W,	shrubby.		C, B, S.	1787,	G.h.	
JASIONE. W.	SHEEP'S SCA-	Campanulaceæ.B.P.				
					0 = 77 0	The last day
1 montana. W.	mountain.		Britain.		6.7. H.O.	Eng. bot, 882,
2 perennis. W.	perennial.		France.	1787.	H.4.	Add sug 50 50
LOBELIA. W.		Campanulaceæ.B.P.				
1 simplex. W.	simple-stalked.		C. B. S.	1794.	5.8. G. J.	
2 linearis. W.	linear-leaved.			1791.	, G.h.	
3 pinifolia. W.	Pine-leaved.			1752.	5,8. G. h.	Bot. rep. 240.
4 unidentata. H. K.	single-toothed.					Bot. mag. 1484.
5 Dortmanna. W.	water.		Britain.			Eng. bot. 140.
6 salicifolia.	Willow-leaved.		Chili.			Bot. mag. 1325,
Tupa. H. K. gigan						
7 bellidifolia. W.	Daisy-leaved.		C. B. S.	1790.	5.8. G.4.	
8 triquetra. W.	triangular.		O. D. S.		G. 4.	
9 longiflora. W.	long-flowered.		Jamaica.	1750	5.4.	Joe wind 1 + 07 ()
10 secunda, W.				1702.	0.4.	Jac. vind. 1. t. 27,
	side-flowering.					
11 alata. B, P.	winged-stalked.		N. S. W.			Lab.nov.holl.1.t.72
12 assurgens. W.	purple.		W. Ind,			Bot, rep. 553.
13 fulgens. W. cn.	fulgent.		Mexico.			659.
14 splendens. W. en.	splendid.	***************************************		1814.	F. 4.	Bot. reg. 60.
15 cardinalis. W.	Cardinal-flower.		Virginia.			Bot. mag. 320,
16 debilis. W.	feeble.	Section of the sectio	C. B. S,	1774.	7.8. G.O.	
1	1					

17 gracilis. B. P.		Campanulaceæ.B.P					Bot. mag. 741.
18 purpurascens. B.P.	purplish.		*** * *	- 1809.	6.8.	G.4.	Jac. ic. 3. t. 597. 537 Bot. mag. 225.
19 siphilitica. W.	blue Cardinal.		Virginia.	1665.	8.10.	н. 4.	Jac. ic. 3. t. 597. 537
20 surinamensis. W.	shrubby.		W. Ind.	1786.	1.7.	S.h.	Bot. mag. 225.
21 inflata. W.	bladder-podded.						
22 cliffortiana. W.	purple-flowered.			1733.		H.O.	Lin.h.clif. 426.t.26, Eng. bot. 953.
23 urens. W.	acrid.	· · · · · · · · · · · · · · · · · · ·	England.		6.7.	H.4.	Eng. bot. 953.
24 goodenioides. H.K.	Goodenia-like.		N. America.	1799.	6.8.	H.4.	Willd. hort. ber. 30
25 amœna. Mi.	beautiful-blue.	,		1812.		H.4.	•
26 pallida. Roth.	pale-blue.	parameters parameters		1805.		H.24.	
27 minuta. W.	small.		C. B. S.	1772.	6.9.	G. 21.	Willd. hort. ber. 30 Mich. gen. 18. t. 14. Bot. mag. 901. Herm.lugdb. t. 109. Jac.schœn. 2. t. 178. Bot. mag. 514. 1319.
28 Laurentia. W.	Italian.		Italy.	1778.	7.	G,\bigcirc .	Mich. gen.18. t.14.
29 Erinus. W.	ascending.		C. B. S.	1752.	6.9.	G. 2L.	Bot. mag. 901.
30 erinoides. W.	trailing.			1759.	6.8.	G. A.	Herm high t.109.
31 pubescens. W.	downy-leaved.		************	1780.		GN	Jac schoen 9 t 178
32 bicolor. H. K.	spotted.			1705		G	Bot mag 514
23 lutea. W.	yellow.			1774	6.7	G N	1210
34 variifolia. B. M.	various-leaved.			1010		Cai	1.000
				1750	5.0	G. 4 ,	Burm. afr. t. 40. f.2, Bot. mag. 644.
35 hirsuta. W.	hairy.			1759.	5.9.	G. 4.	Durm. air, t. 40. 1.2,
36 coronopifolia. W.	Buck's-horn.			1752.	7.8.	G. 4.	Bot. mag. 644.
37 ilicifolia. B. M.	Holly-leaved.			1819.	5.9.	G. 4.	1896.
38 crenata. W.	notched-leaved.			1794.	4.5.	G. 4.	-4 .
39 Speculum. B. M.	Looking-glass.			1812.	7.8,	G.⊙.	Bot. mag. 1499.
CYPHIA. W.		Campanulaceæ.B.P.					
1 volubilis. W.	twining.		C. B. S.	1795.		G, 4.	
2 bulbosa, W.	bulbous.		-	1791.	8.9.	G.4.	Burm. afr.t. 39. f.2,
GOODENIA. B. P.	GOODENIA.	Goodenoviæ. B. P.					
1 ovata. B. P.	oval-leaved.		N. S. W.	1793,	6.10.	G.b.	Bot. rep. 68.
2 grandiflora. B. P.	large-flowered.			1802.	6.8.	G.b.	Bot. mag. 890.
EUTHALES. B. P.	EUTHALES.	Goodenoviæ. B. P.	Goodeniæ .	snecies.	B. M	ar.	
trinervis. B. P.	three-nerved.		New Holl.	1803.	5.9.	G.21 .	Bot. mag. 1137,
SCÆVOLA. B. P.	SCÆVOLA.	Goodenoviæ. B. P.		1000	0.0.	~, , , , ,	2000 mag. 11074
1 Lobelia. H. K.	Purslane-leaved.			1794		SL	Plum.ic.t.165.f.1,
•			Now Holl				Lab.nov.holl.1.t.79
2 crassifolia. B. P.	thick-leaved.		NEW HOIL				
3 microcarpa. B. P.	small-fruited.		N. S. W.	1790.	5.9.	0.4	Bot. mag. 287.
4 suaveolens. B. P.	sweet-scented.	C 1 : D D	4000 TO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1793.	8.9.	G, 4.	Bot. rep. 22.
DAMPIERA, B. P.	DAMPIERA.	Goodenoviæ. B. P.				~	
stricta. B. P.	upright.			1814.		G. 4,	
SAMOLUS. W.	BROOK-WEED.	Primulaceæ? B. P.					
1 Valerandi, B. P.	common.		Britain.	• • • •	6.8.	н.4.	Eng. bot. 703,
2 littoralis. B. P.	sea-side.		N. S. W.	1806.	7.9.	G.4.	Lab.nov.hol.1.t.54.
CINCHONA. W.	CINCHONA.	Rubiaceæ. J.					
1 caribæa. W.	Caribæan.		W. Ind.	1780.	6.9.	S, h.	Bot. rep. 481.
2 floribunda. W.	many-flowered.						Lamb.cinch.27.t.7.
PINCKNEYA. Mi.	PINCKNEYA.	Rubiaceæ. J.				•	
pubens. Mi.	downy.		Georgia.	1786.	6.7.	F.b.	Mich. amer. t. 13,
MUSSÆNDA. W.	MUSSÆNDA.	Rubiacea. J.	3				
pubescens. H. K.	pubescent.		China.	1805.	5.9.	G. L.	B.m 2099-2.517
PORTLANDIA. W.	PORTLANDIA.	Rubiaceæ. J.	C1111111		Q.D.	C. 1. 1. 1.	
1 grandiflora. W.	great-flowered.	Tublacca. v.	Jamaica	1775	6 9	S L	Bot. mag. 286.
			o amaica.				вос. мад. 200.
2 coccinea. P. S.	scarlet.	7,1	Cuiona	1812.			Aub mion 1 4 100
3 hexandra. W.	Laurel-leaved,		Ginaita.	1 909.		13. n.	Aub.guian.1.t.122.
	Aublet. & Pers.					7.77 7	
GENIPA. P. S.	GENIP-TREE.	Rubiaceæ. J. Dur					71
1 americana. P. S.	American.						Plum.i.c127.t.136.
2 Merianæ. P. S.	hairy.		Cayenne.	1800.	• • • •	S.h.	
GARDENIA. P. S.	GARDENIA.	Rubiaceæ. J.					101
1 radicans, W.	rooting.		China.	1804.	3.6.	G, h.	Bot. reg. 73. 104
2 florida. W.	Cape Jasmine.			1754.	7.10.	S.h.	Rum.am.7. t.14.f.2.
B flore pleno.	double.						Ehret. pict. t. 15.
3 Thunbergia. W.	starry.		C. B. S,				Bot. mag. 1004.
4 latifolia. W.	broad-leaved.		E. Ind.				Roxb. cor. 2. t.134.
					~	C I	Thunb. act. stock.
5 Rothmannia. W.	spotted-flowered		C. D. 3.	1774.	7.	u.n.	Thunb. act. stock. 1776. t. 2.
6 uliginosa. W.	marsh.		E. Ind.	1802.	7.9.	S.b.	Roxb. cor. 2. t.135.
7 armata. Sw.	armed.		W. Ind.	1813.			
8 spinosa. W.	thorny.		China.				Thu.gar.n.7.t.2.f.4.
9 Dumetorum. W.	bushy.		E. Ind.				Roxb. cor. 2. t.136,
10 micranthus. W.	small-flowered.		China.				Thu.gar.n.8.t.1.f.2,
				1000.			Bot, mag. 1904.
11 amœna. B. M.	crimson-tipped,				2.0	~. 15 .	Sante viewo. Vana

	1 2211	411 1101011			•		•
OXYANTHUS. Dec.	OXYANTHUS.	Rubiaceæ. J.	Gardeniæ species	Andre	ws.		
speciosus. H. K.	tube-flowered.		SierraLeone.	1789.	7.	S.h.	Bot. rep. 183.
RANDIA. P. S.	RANDIA.	Rubiaceæ. J.	Gardeniæ spe — SierraLeone. — W. Ind. Canthium, Pers.	cies W	illd.	Ст	D 1 1
1 longiflora. P. L.	long-flowered. round-leaved.		SierraLeone.	1796.	5.6	5. h	Bro.jam.143.t.8.f.1
2 latifolia. P. S. WEBERA. W.	WEBERA.	Rubiacea, J.	Canthium. Pers.	Sun.	0.0.	5. n.	D10.Jam.140.0001.1
	corymbose.		E. Ind.	1759.		S.h.	Rheed. mal. 2.t.23.
2 cymosa. W.	cymose.			1811.		S.h.	Rheed. mal. 2.t.23.
ERITHALIS. W.	ERITHALIS.	Rubiaceæ. J.					
fruticosa. W.	shrubby.		— Jamaica.	1793.	7.8.	S.h.	Brown.jam.t.17.f.3
MORINDA. W.	Morinda.	Rubiaceæ. J.	- F Ind	1809.		S T.	
1 umbellata. W. 2 citrifolia. W.	umbelled. broad-leaved.		E. Ind. Otaheite.				Rheed. mal. 1. t. 52.
3 Royoc. W.	Laurel-leaved.		W. Ind.				Jac. vind. 1. t. 16.
NAUCLEA. W.	NAUCLEA.	Rubiaceæ. J.					
orientalis. W.	oriental.		E. Ind.	1800.	• • • •	S.h.	Rheed. mal. 3.t.33.
CEPHAELIS. W.	CEPHAELIS.	Rubiaceæ. J.				6.7	
1 elata. W.	tall.		Jamaica. SierraLeone.	1793.	• • • • •	S. h.	Day land 100
2 pedunculata. P. L. HAMELLIA. W.	long-peduncled.	Rubiaceæ. J.	Sierraneone.	• • • •	2.	S. 17.	Tar. Ionu. 105.
1 patens. W.	spreading.		- St. Domingo	1752.	7.8.	S. b .	Ex. bot. 1. t. 24.
2 sphærocarpa. P. S.	round-fruited.		- St. Domingo - Mexico. - W. Ind.	1811.		S.h.	Fl. par. 2. t. 221. f.b.
3 ventricosa. W.	large-flowered.		- W. Ind.	1778.	9.11.	S.h.	Par. lond. 55.
RONDELETIA. W.	Rondeletia.	Rubiaceæ. J.	*** * *				m1 1 1 - 1 - 1 - 1 -
1 americana. W.	American.		W. Ind.	1752.	8.	S.h.	Plum. ic. t. 242. f.1.
2 lævigata. H. K. 3 hirta. H. K.	smooth-leaved.		Jamaica.	1790. 1776.			
MACROCNEMUM {	•		bamaica.	1770.	0.0.	D. 17 •	
w. }	MACROCNEMUM	Rubiaceæ. J.					
jamaicense. W.	Jamaica.	*	Jamaica.	1806.		S.h.	Swar.obs.68.t.3.f.1.
VANGUIERA. W.	VANGUIERA.	Rubiaceæ. J.					
edulis. W.	eatable.	D. L T	— India.	1809.	• • • •	S.h.	Lam. ill. t. 159.
DENTELLA. W. repens. W.	DENTELLAS creeping.	Rubiaceæ. J.	N. Holland.	1000	7	HO	I am ill + 110.
SERISSA. W.	SERISSA.	Rubiaceæ. J.	14. Holland.	1002.	/ -	11.0.	Dam. III. C. 110.
fœtida. W.	Japanese.		- Japan.	1787.	5.9.	G. 7.	Bot. mag. 361.
\$ flore pleno.	double-flowered.						() = ()
PSYCHOTRIA. W.	PSYCHOTRIA.	Rubiaceæ. J.	*** * 1				
1 asiatica. W.	Indian.		W. Ind.	1806.	• • • •	S. h.	Jac.amer. t. 51.f.1.
2 citrifolia. W. 3 parasitica. W.	Citron-leaved.			1793.	5.9	S. h.	Jac amer f 51 f1
4 brachiata. W.	cross-branched.			1793.		S.h.	vac.amei. t. 91.1.1.
5 herbacea. W	herbaceous.		Jamaica.		4.0.	D. 4.	Jac. amer. t. 46.
6 pubescens. W.	pubescent.			1812.		S.h.	
COFFEA. W.	COFFEE-TREE.	Rubiaceæ. J.				~	
1 arabica. W.	Arabian.		Yemen. W. Ind.				Bot. mag. 1303.
2 occidentalis. W. CHIOCOCCA. W.	western. Snow-berry.	Rubiaceæ. J.	W . 115U.	1795.	• • • •	5. n.	Jac. amer. t. 47.
	cluster-flowered.		- Jamaica.	1729.	2.	S.b.	Bot. rep. 284.
PÆDERIA. W.	PÆDERTA.	Rubiacew. J.					
fœtida. W.	stinking.		China.	1806.	• • • •	G.h.	Icon. Kæmpf. 9.
PLOCAMA. W.	PLOCAMA.	Rubiaceæ. J.	Compaire	1550		C T	•
pendula. W.	pendulous. Honeysuckee.	Caprifolize J	Canaries. Caprifolium & 2	1779.	7	G. h.	
LONICERA. W. 1 Caprifolium. W.	early.	Capinonae: 0:	- England.				Eng. bot. 799.
β rubra.	early red.		S. Europe.			H. b .	Schmidt arb. t.106.
2 dioica. W.	small-flowered.		N. America.	1766.	6.7.	H.h.	Bot, reg. 138.
3 sempervirens. W.	trumpet.						Bot. mag. 781.
β minor.	small trumpet.		Carolina.				1753.
4 grata. W.	evergreen.	-	- N. America.	1730.	6.8.	H.h.	Hort. angl. 15. n. 10. t. 8.
5 flava. B. M.	bright yellow.		— Carolina.			$\mathbf{F}.h$.	Bot. mag. 1318.
6 implexa. W.	Minorca.		- Minorca.				640.
7 Periclymenum. W.			Britain.	• • • •			Eng. bot. 800.
β serotina. y belgica.	late red. Dutch.			• • • •		11. h	Schmidt arb. t.108.
δ quercifolia.	Oak-leaved.					Н. Б.	Hor.ang.15.n.5.t.6
8 japonica. W.	Japanese.		China.	1806.	7.9.	F.h.	Bot. reg. 70.
9 nigra. W.	black-berried.		Switzerland.	1597.	3.4.	H.h.	Schmidt arb. 110.
16 tatarica. W.	Tartarian.	-	Russia.				Bot. reg. 31.

						*	
11 Xylosteum. W.	fly.	Caprifoliæ. J.	England.		6.7. H	h. Eng. bot. 916	
12 pyrenaicum. W.	Pyrenean.		- Pyrenees.	1720	5 LI	h. Mag.hor.mon.	400
**	red-berried.	10.00	- Switzenland	1700.	4 5 II	h. Schmidt arb. t	209.
13 alpigena. W.	blue-berried.		- Switzerianu.	1596.	4.5. 11	h. Schmidt arb. t	.112.
14 cærulea. W.				1629.	3.4. H	ht	.114.
15 flexuosa. W.	flexuose.		- China.	1806.	7.9. F	h.R.712	
SYMPHODIA DI	ST. PETER'S	Cautifalia I T				and home	
SYMPHORIA. Ph.	WORT.	Caprifoliæ. J. L	oniceræ specii	es Linn.			
glomerata. Ph.	common.		N America	1720	g a LI	h . Schmidt arb. t.	115
DIERVILLA. J.	DIERVILLA.	Convitation I I	- IV. Zimerica.	7.30.	0.7. 11.	n. Schillet arb. t.	.110.
	-4	Caprifoliæ. J. L	oniceræ specu	es Linn.			
humilis. P. S.	yellow-flowered.		· N. America.	1739.	6.7. H.	h. Bot. mag. 179	6.
TRIOSTEUM. W.	FEVERWORT.	Caprifoliæ. J.					
1 perfoliatum. W.	perfoliate.		- N. America.	1730.	6.7. H	4. Schku.hand.1.	t. 41
2 angustifolium. W.	narrow-leaved.		- Virginia.			24. Pluk.alm.t.104	
CONOCARPUS. W.	BUTTON-TREE.	Combretaceæ. B.					
1 erecta. W.	upright.			1750	c	I. Cot sow 0 to	
			O l			h. Cat. car. 2. t. 3	
2 procumbens. W.	procumbent.		Cuba.	1730.	5.	h. Jac.amer. t. 52	.1.2.
THESIUM. W.	BASTARD	Santalaceæ. B. P.					
IIIDSIOM: W.	TOAD FLAX.	Cantanacca. D					
1 linophyllum. W.	common.		- England.		6.7. H.	4. Eng. bot. 247.	
2 alpinum. P. S.	Alpine.		Germany.			4. Jac. aust. 5. t.	
2 dipinanti 1 t St	**·P·····		Scrinary	101-20	11.	(Salmad hat	
3 ebracteatum. P. S.	obtuse-leaved.				—- Н.	4. Schrad. bot.	jour.
						(1000. 0. /.	
4 umbellatum. W.	umbelled.		N. America.	1782.	6. H.	4. Pluk.man.t.349	2.f.1.
5 amplexicaule. W.	heart-leaved.		· C. B. S.	1787.	G	h.	
	[MARVEL OF]						
MIRABILIS. W.	PERU.	Nyctagineæ. J.					
3 3'-1-40 317	forked.		Manda	1010		31	
1 dichotoma. W.			Mexico.		7.8. G.		
2 Jalapa. W.	common.		India.			4. Bot. mag. 371.	•
β flava•	yellow-flowered.						
y alba.	white-flowered.						
ð rubro-alba.	red and white.						
* rubro-flava.	red and yellow.						
3 hybrida. W. en.	close-flowered.			1813.	6.9. G.	4.	
4 longiflora. W.	long-flowered.		Mexico.	1759.	—— G.	4. Ex. bot. 1. t. 2	3.
CORIS. W.	Coris.	Primulaceæ. B. P.				253	6
monspeliensis. W.	Montpelier.	-		1640.	6.7. G.	J. Park.theat.571	f. 3.
RAMONDA. P. S.	RAMONDA.	Solaneæ. B. P. V		Linn		21	3 1 .
					e TT	N Pat man 000	
pyrenaica. W. cn.	Borage-leaved.		Pyrenees.	1731,	ð. n.	4. Bot. mag. 236.	
Verbascum Myconi	. Linn.						
VERBASCUM. W.	MULLEIN.	Solaneæ. B. P.					
1 Thapsus. W.	Shepherd's Club		Britain.	'	7.8. H.	J. Eng. bot. 549.	
2 Thapsoides. W.	bastard.		England.		H.		
3 ovalifolium. H. K.			Cancacae			4. Bot. mag. 1037	7
			Caucasus.				
4 Boerhaavii. W.	annual.	***************************************	S. Europe.			⊙. Mill. ic. 2. t. 27	3.
5 elongatum. W. en.	long-stalked.			1813	— Н. — Н.	ਰੱ∙	
6 pyramidatum. W.en	pyramidal.		Caucasus.	1804	—— H.	₫•	
7 hæmorrhoidale. W.			Madeira.		6.8. G.		
8 phlomoides. W.	woolly.		Italy			3. Mænchh.n.170	.t.4.
			Llungony			3. Pl. rar. hung. t.	
9 floccosum. P. S.	wool-bearing.		Tinigary.				13.
10 Lychnites. W.	white.		Britain.			3. Eng. bot. 58.	
11 pulverulentum. E.B	powdered.		England.			₫. ——— 487.	
12 ferrugineum. W.	rusty.		S. Europe.	1683.	5.8. H.	4. Bot. rep. 162.	
13 cupreum. B. M.	copper-coloured		Caucasus.	1798	— H.	4. Bot. mag. 1226	3.
14 nigrum. W.	black-rooted.		England.		— Н	4. Bot. mag. 1226 4. Eng. bot. 59. 4. Bot. mag. 885.	
			S. Furance	1506	LI	W Bot mar 885	
15 phæniceum. W.	purple-flowered.		S. Europe.		П.	4. Dot. mag. 800.	
16 virgatum. E. B.	slender.		Britain.	• • • •		3 . Eng. bot. 550.	
17 Blattaria. W.	moth.			• • • • •	7.8. H.	3 393.	
18 glabrum. W. en.	smooth.			1805	— Н. — Н.	₫•	
19 repandam. W. en.	waved.			1813	— Н.	₫.	
	scollop-leaved.		S. Europe.	1570 -	II	1	
20 sinuatum. W.			A. Europe.	10/0.	— H.	0 •	
21 pinnatifidum. W.	pinnatifid.		Archipelago.				
22 bipinnatifidum.B.M	cut-leaved.		Tauria.	1813.	7.8. H.	3. Bot. mag. 1777	•
23 Osbeckii. W.	Osbeck's.		Spain.	1752	— Н.	3 . Tourn. it. 2. t.	83.
DATURA. W.	THORN-APPLE.	Solaneæ. B. P.	•				
1 ferox. W.	Chinese.		China.	1731	7.9. H	. Zano.his.212.t.	162
			England				
2 Stramonium. W.	common.		Digiand.		F1.(O. Eng. bot. 1288	10
3 Tatula. W.	blue.		N. America.	1629	H.(Meerb. ic. 2. t.Knor.thes.1.t.S	13.
4 fastuosa. W.	purple.	`	Egypt.		— H.	.). Knor.thes.1.t.S	.11.
5 Metel. W.	downy.		Asia.). Bot. mag. 1440	
6 lævis. W.	smooth-fruited.	· · · · · · · · · · · · · · · · · · ·		1780	Н.	Jac. vind. 3. t.	82.
4, 100 me 11 s	AMOUNT-II MILEM		AAAA 10111	-1001 -	***	J. 2.1.2	

7 ceratacaula. Jac.	horn-stalked.	Solaneæ. B. P.	Cuba.	1805. 6.8. H.⊙.	Bot. reg.
BRUGMANSIA. P.S.		Solaneæ. B. P.			200.005
1 suaveolens. W. en.	smooth-stalked.		- Peru.	1733. 8.9. S.h.	
2 arborea. W. en.	downy-stalked,	-		1813 S.h.	
HYOSCYAMUS. W.	HENBANE.	Solaneæ. B. P.	- Britain	67 H 1	Eng. bot. 591.
2 albus. W.	white.		- S. Europe.	1570. 7.8. H.⊙.	120g. 000. 071.
3 reticulatus. W.	Egyptian.		- Egypt.	1640. — H.O.	Com.hort.77. t. 22.
4 pallidus. W. en.	pale-flowered.		- Hungary.	1815. — H.Ō.	Com.hort.77. t. 22.
5 Senecionis. W. en.	yellow-flowered.		- Egypt.	1812. 3.10. G.4.	
6 aureus. W.	golden.		- Levant.	1640. — G.h.	
7 canariensis. B. Reg 8 pusillus. W.	dwarf.		Damie	1816. 1.12. G. h.	Pluk. alm. t. 37. f.5.
9 physaloides. W.	purple-flowered.		- Siberia.	1777. 3.4. H. 4.	
10 Scopolia. W.	Nightshade-lead.		- Carniola.	1780. 4.5, H.4.	
NICOTIANA. W.	TOBACCO.	Solancæ. B. P.			
1 Tabacum. W. en.	Virginian.		- America.	1570. 7.8. H.O.	
2 macrophylla. W.en				— H.O. 1699. — G.h.	
3 fruticosa. W. 4 undulata. B. P.	shrubby. waved-leaved.		- Ching. - N. S. W.	1800. 5.9. G. 4.	
5 rustica. W.	common.		- America.	1570. 7.9. H.O.	
6 paniculata. W.	panicled.		- Peru.	1752. — H.O.	Flor. per. 2. t. 129.
7 glutinosa. W.	clammy.			1759. — H.O.	
8 plumbaginifolia.	curled-leaved.		- America.	1816 G.4.	
W. en. 5 9 pusilla. W.					Mill.ic. 2. t. 185.f. 2.
10 quadrivalvis. Ph.	four-valved.			1811. 7.8. H.⊙.	
MANDRAGORA.		0.1. D.D		•	2.00.1.00
W. en.	MANDRAKE.	Solaneæ. B. P.	Atropæ species	Linn.	
officinalis. W. en.	officinal.		- Leyant.	1548. 3.4. H. 4.	Bull. herb. t. 145.
ATROPA. W.	ATROPA.	Solaneæ. B. P.			
1 Belladonna. W.	{ Deadly Nightshade. }	**************************************	Britain.	6.7. Н.4.	Eng. bot. 592.
2 frutescens. W.	shrubby.		- Spain.	1737. 1.3. G.b.	Cav. ic. 2. t. 102.
SOLANDRA. W.	SOLANDRA.	Solaneæ. B. P.			
grandiflora. W,	great-flowered.		- Jamaica,	1781. 3. S.h.	Jac. scheen.1. t. 45.
Brunding it			Dammicus	1,01.	and acrediting co and
PHYSALIS. W.	WINTER }		- papininous	1,01. 6, 5,12.	
PHYSALIS. W.	{WINTER CHERRY. }	Solangæ. B. P.	Movico	30	
PHYSALIS. W. 1 somnifera. W.	WINTER CHERRY.	Solangæ. B. P.	Movico	1596. 7.8. G.h.	Car. ic. 2. t. 103.
PHYSALIS. W.	{WINTER CHERRY. }	Solangæ. B. P.	Movico	1596. 7.8. G.h. 1779 G.h.	Cav. ic. 2. t. 103.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W.	WINTER CHERRY. Clustered. bearded.	Solangæ. B. P.	Movico	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h.	Car. ic. 2. t. 103.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian.	Solangæ. B. P.	Movico	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W.	WINTER CHERRY, clustered. bearded. flexuose. shrubby. Curassavian. clammy.	Solangæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.H. 1732. 7. H.H.	Cav. ic. 2. t. 103. Rheed. mal .4. t. 55. Mill. ic. 2. t. 206. f. 2.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian,	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. 4. 1732. 7. H. 4. 1726. 7.9. H. 4.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common,	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.4. 1548. H.4.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5. Jac. yind. 2. t. 136.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America America.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.4. 1548. H.4. 1772. 4.10. G.4.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5. Jac. yind. 2. t. 136. Bot. mag. 1068.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch,	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America America India.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. 4. 1732. 7. H. 4. 1726. 7.9. H. 4. 1772. 4.10. G. 4. 1640. 7.8. H 1732. 6.9. H	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. yind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 1.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d .	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America America India.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.4. 1772. 4.10. G.4. 1640. 7.8. H. \odot . 1732. 6.9. H. \odot .	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America America America W. Ind.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.4. 1772. 4.10. G.4. 1640. 7.8. H. \odot . 1732. 6.9. H. \odot .	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America America India W. Ind E. Ind.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. 4. 1732. 7. H. 4. 1726. 7.9. H. 4. 1772. 4.10. G. 4. 1792. 4.10. G. 4. 1793. 6.9. H. 6. 1798. 7.8. H. 6. 1798. 7.8. H. 6.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. yind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America America India W. Ind E. Ind.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. 4. 1732. 7. H. 4. 1726. 7.9. H. 4. 1772. 4.10. G. 4. 1792. 4.10. G. 4. 1793. 6.9. H. 6. 1798. 7.8. H. 6. 1798. 7.8. H. 6.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. yind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 5 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America India W. Ind E. Ind America.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.1. 1726. 7.9. H.1. 1772. 4.10. G.1. 1732. 6.9. H.0. 1798. 7.8. H.0. 1799. H.0. 1759. H.0. 1759. H.0.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ics Linn.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S.	WINTER CHERRY, clustered. bearded. flexuose. shrubby. Curassavian. clammy. Pensylvanian. common. eatable. downy. angular-branch, Goose-foot-leav ^d . Barbadoes. small. hairy-annual. trailing.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America India W. Ind E. Ind America.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.1. 1726. 7.9. H.1. 1772. 4.10. G.1. 1732. 6.9. H.0. 1798. 7.8. H.0. 1799. H.0. 1759. H.0. 1759. H.0.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ics Linn.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE.	Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America N. America S. Europe S. America India W. Ind E. Ind America Peru Calydermos Fl.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.4. 1742. 4.10. G.4. 1742. 4.10. G.4. 1742. 6.9. H.0. 1759. H.0. 1759. H.0. 1759. H.0. 1759. H.0. 1759. Atropæ spec 1759. 7.9. H.0.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 93.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved.	Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America N. America S. Europe S. America America India	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. J. 1782. 7. H. J. 1726. 7.9. H. J. 1548. H. J. 1772. 4.10. G. J. 1640. 7.8. H. O. 1798. 7.8. H. O. 1798. T. H. O. 1759. H. O. 1759. H. O. 1759. H. O. 1759. J. H. O. 1759. T. O. Tropæ spec 1759. 7.9. H. O. 1749. 6.7. S. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved.	Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America N. America S. Europe S. America India	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. 4. 1732. 7. H. 4. 1726. 7.9. H. 2. 1548. H. 4. 1772. 4.10. G. 4. 1640. 7.8. H. ①. 1798. 7.8. H. ①. 1798. 7.8. H. ①. 1759. H. ①. 1759. H. ①. 1759. H. ①. 1759. Atropæ spec 1759. 7.9. H. ①. 1749. 6.7. S. h. 1773 S. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk. alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 93.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved.	Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America N. America S. Europe S. America America India	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. J. 1782. 7. H. J. 1726. 7.9. H. J. 1548. H. J. 1772. 4.10. G. J. 1640. 7.8. H. O. 1798. 7.8. H. O. 1798. T. H. O. 1759. H. O. 1759. H. O. 1759. H. O. 1759. J. H. O. 1759. T. O. Tropæ spec 1759. 7.9. H. O. 1749. 6.7. S. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d . Barbadoes, small, harry-annual, trailing. NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved.	Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America N. America S. Europe S. America America India India.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. J. 1732. 7. H. J. 1748. H. J. 1749. 4.10. G. J. 1749. 6.9. H. O. 1759. H. O. 1749. 6.7. S. h. 1749. 6.7. S. h. 1596. 6.9. G. h. 1699. 6.7. S. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed.mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W.	WINTER CHERRY, clustered. bearded. flexuose. shrubby. Curassavian. clammy. Pensylvanian. common. eatable. downy. angular-branch, Goose-foot-leav ^d . Barbadoes. small. hairy-annual. trailing. NICANDRA. blue-flowered. NIGHTSHADE. Mullein-leaved. ear-leaved. Winter-cherry. two-leaved. Bitter-sweet.	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America S. Europe S. America America America America America America America America Peru W. Ind Peru W. Ind Madagascar Madeira W. Ind.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. J. 1732. 7. H. J. 1748. H. J. 1749. 4.10. G. J. 1749. 6.9. H. O. 1759. H. O. 1749. 6.7. S. h. 1749. 6.7. S. h. 1596. 6.9. G. h. 1699. 6.7. S. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed.mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved, Bitter-sweet, thick-leaved.	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America S. Europe S. America America America India W. Ind E. Ind America Peru W. Ind Madagascar Madeira W. Ind Mind W. Ind W. Ind W. Ind Mind Britain C. B. S.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.1. 1732. 7. H.1. 1726. 7.9. H.2. 1726. 7.9. H.2. 1772. 4.10. G.1. 1732. 6.9. H.0. 1732. 6.9. H.0. 1759. H.0. 1759. H.0. 1759. H.0. 1759. Atropæ spec 1759. 7.9. H.0. 1749. 6.7. S.h. 1798. 6.9. G.h. 1699. 6.7. S.h. 1784. H.0.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. 1. 273. f. 352
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved, Bitter-sweet, thick-leaved. Oak-leaved.	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America S. Europe S. America America India W. Ind E. Ind America Peru W. Ind W. Ind Peru W. Ind W. Ind W. Ind W. Ind W. Ind W. Ind Madagascar Madeira W. Ind Britain C. B. S Peru.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.2. 1740. 7.8. H.3. 1759. H.3. 1759. H.3. 1759. H.3. 1759. H.3. 1759. H.3. 1760. H.3. 1782. Atropæ spec 1759. 7.9. H.3. 1749. 6.7. S.h. 1749. 6.7. S.h. 1596. 6.9. G.h. 1699. 6.7. S.h. 1784. H.4. 1784. G.h. 1784. H.4.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. Dil. elt. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. 1. 273. f. 352 Few. per. 772. t. 15.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved, Bitter-sweet, thick-leaved.	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America America S. Europe S. America America America India W. Ind E. Ind America Peru W. Ind Madagascar Madeira W. Ind Mind W. Ind W. Ind W. Ind Mind Britain C. B. S.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. J. 1732. 7. H. J. 1726. 7.9. H. J. 1749. 6.9. H. O. 1798. 7.8. H. O. 1798. 7.8. H. O. 1759. H. O. 1759. H. O. 1759. H. O. 1759. T. H. O. 1759. T. H. O. 1759. T. H. O. 1759. H. O. 1759. T. O. H. D. 1759. G. O. G. h. 1784. G. h. 1784. G. h. 1784. G. h. 1787. T. S. G. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. Dil. elt. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. 1. 273. f. 352 Few. per. 772. t. 15.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W. 10 havanense. W,	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, cut-leaved, cut-leaved, cut-leaved, rooting, Havannah,	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America N. America S. Europe S. America America India	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. μ. 1732. 7. H. μ. 1726. 7.9. H. Ω. 1748. — H. Ω. 1759. — H. ⊙. 1760. — H. ⊙. 1760. — H. ⊙. 1782. H. ⊙. 1782. H. ⊙. 1782. — H. ⊙. 1784. — G. h. 1784. — G. h. 1787. — H. ¼. 1771. — G. ¼. 1793. — S. h.	Cav. ic. 2. t. 103. Rheed. mal .4. t. 55. Mill.ic.2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt.13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322. Eng. bot. 565. Dill.elt.t. 273. f. 352 Few. per. 772. t. 15. Bot. mag. 349. Linn. fil.dec. 1. t. 10. Jac. amer. 49. t. 35.
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W. 10 havanense. W. 11 racemosum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, cut-leaved, rooting, Havannah, wave-leaved.	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America S. Europe S. America America India W. Ind E. Ind Peru W. Ind Madagascar Madeira W. Ind, - Britain C. B. S Peru N. Holland Peru W. Ind.	1596. 7.8. G.h. 1779 G.h. 1759. 7.8. G.h. 1733. 6.8. S.h. 1699. 6.9. S.4. 1732. 7. H.4. 1726. 7.9. H.9. 1740. 7.8. H.9. 1759	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. 1273. f. 352 Few. per. 772. t. 15. Bot. mag. 349. Linn. fil. dec. 1. t. 10. Jac. amer. 49. t. 35. ————————————————————————————————————
PHYSALIS. W. 1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W. 10 havanense. W,	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav ^d , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, cut-leaved, cut-leaved, cut-leaved, rooting, Havannah,	Solaneæ. B. P. Solaneæ. B. P. Solaneæ. B. P.	- Mexico Canaries E. Ind Campeachy S. America N. America N. America N. America N. America India India.	1596. 7.8. G. h. 1779 G. h. 1759. 7.8. G. h. 1733. 6.8. S. h. 1699. 6.9. S. μ. 1732. 7. H. μ. 1726. 7.9. H. Ω. 1748. — H. Ω. 1759. — H. ⊙. 1760. — H. ⊙. 1760. — H. ⊙. 1782. H. ⊙. 1782. H. ⊙. 1782. — H. ⊙. 1784. — G. h. 1784. — G. h. 1787. — H. ¼. 1771. — G. ¼. 1793. — S. h.	Cav. ic. 2. t. 103. Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. Dil. elt. 13. t. 12. f. 12 Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. ies Linn. Jac. obs. 4. t. 98. Jac. vind. 1. t. 13. Scop. insub. 3. t. 8. Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. 1273. f. 352 Few. per. 772. t. 15. Bot. mag. 349. Linn. fil. dec. 1. t. 10. Jac. amer. 49. t. 35. ————————————————————————————————————

1.4	1 1111 1		1011041	TATES.		
13 bonariense. W.	tree.	Solaneæ. B. P.	Buen. Ayres.	1727. 6.9.		Dill. elt. 364. t.
14 macrocarpon. W.	large-fruited. Potatoc.		Peru.	1759. 5.9.	S.b.	Mill. ic. 2. t. 294. Bauh.prod.89.t.89.
15 tuberosum. W.			e America	1597. 6.8.	н. 4.	Rumph. amb. 5. t.
16 Lycopersicum. W.	Love-Apple.	-	S. America.	1596. 7.9.	H.O.	Rumph. amb. 5. t. 154. f. 1.
17 Pseudo-Lycoper-	round-fruited.			1800	н.⊙.	Jac. host. 1. t. 11.
18 nigrum. W.	black-berried.		Britain.			Eng. bot. 566.
19 patulum. W. 20 villosum. W. en.	spreading.		India.			Dill.elt.t.275. f.355
21 guincense. W. en.	large-berried.		Guinea.		H.O.	t.274.f.353 t.274.f.354
22 melanocerasum. W. en.	small-berried.					t.275.f.356
23 suffruticosum.W.en	fringed-leaved.		Barbary.	1804. 5.9.	G.b.	
24 Seaforthianum. B.R			Barbadoes.	1804. 7.9.	S.h.	Bot. rep. 504. 95 10.
25 æthiopicum. W. 26 betaceum. P. S.	Ethiopian. Beet-leaved.		Ethiopia.			Jac. vind. 1. t. 12. Bot. rep. 511.
27 Melongena. W.	Egg-plant.		Africa, &c.			Pluk. phyt. 226. f. 2
28 subinerme. W.	spear-leaved.		W. Ind.	1752. 7.8.	S.h.	Jac.amer. t. 40.f. 3.
29 muricatum. W. 30 ferox. W.	warted. Malabar.		Feru.	1785. ——		Feuill.per. 2. t. 26.
31 insanum. P. S.	insane.					Pluk.alm.t.226.f.3.
32 campechiense. W.	purple-spined.		America.			Dill.elt. t.268.f.347
33 mammosum. W. 34 virginianum. W.	nipple. Virginian.		W. Ind. Virginia.			Pluk. alm.t.226.f.1. Dill.elt. t.267.f.346
35 Jacquini. W.	Jacquin's.		E. Ind.	1804. 9.11.	S.O.	Jac. ic. 2. t. 332.
36 coagulans. W.	scollop-leaved.		Arabia Felix			75/11 11 1 2 2 2 2 2 2 2
37 indicum. W. 38 carolinense. W.	Indian. Carolina.		Carolina.			Dill.elt. t.270.f.349 Jac. ic. 2. t. 331.
39 sodomenm. W.	black-spined.		Africa.	1688, 6.7,	G. b.	Her.lud. 573.t. 575.
40 Pyracantha. Sm.	Orange-thorned.		Madagascar.			Ex. bot. 2. t. 64.
41 marginatum. W. 42 stramolifolium. W.	white-margined. broad-leaved.		Atrica, W. Ind			Jac. ic. 1. t. 45.
43 tomentosum. W.	woolly.	-	C. B. S.	1662. 6.7.	G.b.	Bocc. sic. 8. t. 5.
44 bahamense. W.	Bahama.	-	Bahama.	1732. ——	G. h.	Dill.elt. t.271.f.350
45 giganteum. W. 46 Milleri. W.	tall. Miller's.		C. B. S.	1792.	G.h.	Jac. ic. 2. t. 328.
47 lanceolatum. W.	spear-leaved.		Mexico.	6.7.	S. b.	Cav. ic. 3. t. 245. 2 17
48 igneum. W.	red-spined.		S. America.	1714. 3.11.	S.h.	Jac. vind. 1. t. 14.
49 trilobatum. W. 50 lycioides. W.	three-lobed.		India.			Bur.ind.57.t.22.f.2 Jac. ic. 1. t. 46.
51 cordifolium. Vent.	Canary.	-	Canaries.			Vent. malm. 85.
52 amazonium. B. M.	Lambert's.		Brazils.	1814. 5.9.	S.h.	Bot, reg. 71.
53 Fontancsianum. 54 pinnatifidum.	Desfontaines'.			1813. 7.9.	H.⊙.	Pur. fl. am. sept. t.7
Solanum heterandr		Supp.			11.0.	are in amoscott try
CAPSICUM, W.	CAPSICUM.	Solaneæ. B. P.	T 71 1	1640 00	77.0	V
1 annuum. W. 2 sphæricum. W. en.	long-podded.		India.			Knorr.thes.2.t.C.6.
3 baccatum. W.	Bird Pepper.			1731. 6.9.	S.h.	Sloa.jam.1.t.146.f.2
4 sinense. W.	oval-fruited.			1807	G.h.	Jac. vind. 3. t. 67.
5 grossum. W.	heart-shaped.	*	- India.	1759. 7.	S. 3.	Besl. eyst. aut. 1. t. 11. f. 1.
6 frutescens. W.	shrubby.	-		1656. 6.9.	S.h.	Rumph.amb.5.t.88
7 bicolor. Jac. 8 cerasiforme. W.	dark-fruited. Cherry Pepper.		W.lnd.	1804	· δ. η .	Bot. mag. 1835.
9 pendulum. W. en.	pendulous.					
CESTRUM. W.	CESTRUM.	Solaneæ. J.	*** * 1			S. 141
1 laurifolium. W. 2 macrophyllum. P. S	Laurel-leaved.					Smith spicil. 2. t. 2. Vent. choix. 18.
3 fætidissimum. W.en	. stinking.	·	- E. Ind.		· S. b .	Jac.schæn.3.t.329.
4 nocturnum. W.	night-smelling. Willow-leaved.		Ckili	1732. 11.	S.h.	Dill.elt.t.153.f.185
5 Parqui. W.			Down	1757. 0.7.	er.	Bot. mag. 1770. L'Her. st. nov. 1.
6 auriculatum. W.	ear-leaved.		- Peru.	1774.	5. h.	{L'Her. st. nov. 1. t. 35.
7 vespertinum. W. 8 fastigiatum. B. M.	cluster-flowered. Honeysuckle.	•				Jac.schæn.3.t.328, Bot. mag. 1729.
9 diurnum, W.	day-smelling.			1732. ——	S.h.	Dill.elt. t.154.f.186
•	-					

* D 4 YY		6 1 P. P.	C.D.C	1505	2.4	C 1	
10 venenatum. W. 11 salicifolium. ac.	poisonous. Sallow-leaved.	Solaneæ. B. P.	C. B. S.	1787.		G.h.	Jac. schæn. 3. t. 326.
12 tomentosum. W.	downy.		S. America.			S.h.	oucisencements and 20.
LYCIUM. W.	Box-Thorn.	Solaneie. J.		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
1 afrum. W.	African.		C. B. S.	1712.	6.7.	S.h.	Trew ehret. 4. t.24.
2 rigidum. W.	rigid.	•		1795.	4.5.	G.h.	
3 ruthenicum. W.	Russian.			1804.		н.ь.	{ Murr.comm.goet. 1779. t. 2.
4 barbarum. P. S.	Willow-leaved.			1606	5.0	HL	Schk. hand. 1. t. 46.
5 turbinatum. P. S.	top-shaped.		China	1709.	5.0.	H. h.	Duh.ed.n.119.t.31.
6 europæum. P. S.	European.		S. Europe.	1730.		H. h.	Mich.gen.t.105.f.1.
7 lanceolatum. P. S.	spear-leaved.					H.h.	
8 chinense. P. S.	Chinese.		China.			H.h.	Duh. ed. nov. t. 30.
9 ovatum. P. S.	oval-leaved.		C P C				Lam. ill. t. 112. f. 2.
10 horridum. W. 11 boerhaaviæfolium.W			Darn	1791.			L'Her.st. n. 45.t.23
12 carolinianum. Ph.	Carolina.		Carolina.	1806.			17 1161.50. II. 40.0.20
ARDISIA. W.	ARDISIA.	Myrsineæ, B. P.	Anguillaria.		• -0		
1 acuminata. W.	acuminated.		Guiana.	1803.	7.8.	S.h.	Bot. mag. 1678.
2 solanacea. W.	Nightshade-like.		E. Ind.				1677.
3 crenulata. P. S.	crenulated.		TT Vand				Vent. choix. t. 5.
4 lateriflora. W. 5 littoralis. B. R.	side-flowering.		E Ind	1793.			Bot. rep. 186.
6 elegans. B. R.	elegant.		73. Ind.				49.
7 excelsa. W.	Laurel-leaved.		Madeira.				Gært. sem. 1. t. 77.
JACQUINIA. W.	JACQUINIA.	Sapoteæ. J.					
1 armillaris. W.	obtuse-leaved.		W. Ind.	1768.	• • • •	S. It.	Jac. amer. 53. t. 3).
2 aurantiaca. H. K.	Orange-flowered		Sandwichlsl.	1796.	4.9.	S.h.	Bot. mag. 1639.
3 ruscifolia. W. ACHRAS. W.	prickly. Sapota.	Sapoteæ. B. P.	S. America.	1729.	• • • •	S.n.	Dill.elt.t.129.f.149
1 mammosa. W.	Mammee.		S. America.	1739.		S. b.	Jac.amer.t.182.f.19
2 Sapota. W.	common.			1731.		S.h.	Jac. amer. 57.t.41.
₿ Zapotilla.	Naseberry-tree.					S.h.	Jac. amer. 57.t.41.
CHRYSOPHYL- }	STAR-APPLE.	Sapoteæ. B. P.					
LUM. W.		_	797 T., J	1 7 2 7		0.1	Too om on \$1 + 0# 61
1 Cainito. W. 2 argenteum. W.	broad-leaved.		W. Ind.	1757.	5.0.	Sh.	Jac.amer.51.t.37.f.1
SIDEROXYLON. W.	IRON-WOOD.	Sapoteæ. B. P.	Man times.	1,000		2.12.	00101001111
inerme. W.	smooth.		C. B. S.	1692.	7.	G.h.	Lam.ill.2. t.120.f.1.
SERSALISIA. B. P.	SERSALISIA.	Sapoteæ. B. P. S		ies Wi	lld.		
sericea. B. P.	silky-leaved	G / D D G		1772.		G.h.	
BUMELIA. W. 1 lycioides. Ph.	BUMELIA.	Sapoteæ. B. P. Se				LT T.	Duham och a + ce
2 tenax. W.	Boxthorn-leaved. silvery-leaved.		Carolina.	1765.	7.8.	н. Б.	Duham.arb.2.t.68. Jac. obs. 3. t. 54.
3 salicifolia. W.	Willow-leaved.		S. America.	1758.		S.h.	Cat. car. 2. t. 75.
4 nigra. W.	black.		W. Ind.	1806.			
5 lanuginosa. Ph.	woolly-leaved.		Carolina.		• • • •	H.h.	
6 reclinata. Ph.	reclined.						Vent. choix. 22.
7 serrata. Ph. TECTONA. W.	rerated.	Verbenaceæ. J.	Missouri.	1812.	• • • •	11. n.	
grandis. W.	great.	verbenacea. v.	E. Ind.	1777.		S.b.	Roxb. cor. 1. t. 6.
ELÆODENDRUM.W		Rhamni. J.					
1 Argam. W.	spiny.			1711.	7.	H. h.	Comm.hort.1.t.83.
2 orientale. W.	oriental.		Mauritius.				Jac. ic. 1. t. 48.
3 australe. H. K. RHAMNUS. W.	thick-leaved.	D1: 7	N. S. W.	1796.	6.8.	G.h.	Vent. maim. 117.
1 catharticus. W.	Bucktmorn.	Rhamni. J.	England.		5.6.	н.ь.	Eng. bot. 1629.
2 infectorius. W.	yellow-berried.						Ardui.mem.78.t.14
3 lycioides. W.	Boxthorn-like.		Spain.				Cav. ic. 2. t. 182.
4 oleoides. W.	Olive-leaved.				6.7.	H.h.	
5 crenulatus. W.	Teneriffe.		Teneriffe.	1778.		G.h.	T
6 saxatilis. W. 7 Theezans. W.	rock.		Europe.				Jac. aust. 1. t. 53.
8 tetragonus. W.	Thea. square-branched.		China. C. B. S.	1816.		G.h.	
9 lanceolatus. Ph.	spear-leaved.		N. America.				
10 alpinus. W.	Alpine.						Hall, hist. 1. t. 40.
11 pumilus. W.	dwarf.		Carniola.				Jac. coll. 2. t. 11.
12 Frangula. W.	{berry-bearg}		Britain.		4.5.	Н. ь.	Eng. bot. 250.
13 latifolius. W.	Alder. 5 broad-leaved.		Azores.	1779		•	L'Her. ser. ang. t.8.
	NAVWU MUNCU.	G 2		1778.	/•	J. 17 .	as a a con i sout all g . c. o.

44	PENI	ANDRIA I	MONOGI	NIA	•		
14 glandulosus. W.	Madeira.	Rhamni. J.	Canaries.	1785.	6.7.	G. 5.	Vent. malm. 34.
15 prinoides. W.	Winter-berry-ld.			1778.			L'Her. sert. t. 9.
16 mystacinus. W:	wiry.		Africa.	1775.		S.h.	
17 alnifolius. W.	Alder-leaved.		N. America.	1778.	5.	H.h.	
franguloides. Ph.							
18 hybridus. P. S.	hybrid.		• • • • • • • • • • • • • • • • • • • •		5.6.	H.h.	
19 Alaternus. W. en.	{ broad-leaved }	g and 11,	S. Europe.	1629.	4.6.	H. h.	
20 Clusli, W. en.	Alaternus. s			1.3.		LT T.	
ZIZYPHUS. W.	Zizyphus.	Rhamni. J.				11.7.	
1 lineatus. W.	lined.		China.	1804.		G.b.	Osb. it. t. 7.
2 volubilis. W.	twining.		Carolina.				Jac. ic. 2. t. 336.
3 Paliurus. W.	Christ's-thorn.		S. Europe.				Pall. ross. 2. t. 64,
4 Lotus. W:	Barbary.		Africa.				Desf.ac.s. 1788.t.21
5 Napeca. W.	oblique-leaved.		Ceylon.	1816.		S.h.	Rumph.amb.2.t.37
6 Jujuba. W.	blunt-leaved.		E. Ind.	1759.	4.5.	S.h.	2.t.36.
7 vulgaris. W.	common.	tu	S. Europe.	1640.	8.9.	G. h.	Pall. ross. 2. t. 59.
CELASTRUS. W.	STAFF-TREE	Rhamni. J.	CPS	1700	4.0	C 1.	Moonh is 1 + 10
1 lucidus. W. 2 bullatus. W.	shining. Virginian.		Virginia	1722.	4.9.	H. L.	Meerb. ic. 1. t. 12. Pluk. alm. t.28.f. 5. Schu.handb.1.t.47. L'Her.sert. 6. t. 10.
3 octogonus. W.	angular-leaved.		Pern.	1786.	10.11	G. h.	1 1un. and. 0.20.1.0.
4 scandens. W.	climbing.		N. America.	1736.	5.6.	H.b.	Schu.handb.1.t.47.
5 cassinoides. W.	crenated.		Canaries.	1779.	8.9.	G.h.	L'Her.sert. 6. t. 10.
6 cernuus. W.	drooping.		C. B. S.	1815.		tr. h.	
7 tetragonus. P. S.	four-sided.			1816.		G. h.	
8 buxifolius. W.	Box-leaved.			1752.	5.6.	G.h.	Hout.nat.h. t.21.f.1
9 pyracanthus. W.	Pyracantha-la.			1742.		· G. ի .	Hout.nat.h. t.21.f.1 2 Bot. mag. 1167.
SENACIA. P. S.	SENACIA.	Khamin. J. Cete	astri species n	riia.			
undulata. P. S.	wave-leaved.	Rhamui, J.	Bourbon.	1785.	• • • •	S. h.	
EUONYMUS. W.	Spindle-Tree. Japan:	Miamin. J.	tanan	1804	6.8	G L	Kæmnf. ic. t. 8.
2 europæus. W.	Europeatt.	200	Britain.	1004.	5.7.	H.b.	Eng. bot. 362.
3 verrucesus. W.	warted.		- Austria.	1763.	5.6.	H.b.	Schmidt arb. t. 72.
4 latifolius. W.	broad-leaved.			1730.	6.7.	H. 2 .	t. 74.23
5 atropurpureus. W.	purple.	·	N. America.	1756.		-H.b.	t. 73.
6 americanus. W.	evergreen.		•	1683.		H. h.	t. 75.
7 angustifolius. Ph.	narrow-leaved.		•	1806.		-H.h.	
HOVENIA. Th.	HOVENIA.	Rhamni. J.	. Wast _ 15	1010		i~ r	Lam. ill. t. 131. 230
dulcis. Th.	sweet.	Rhamni. J.	· Japan.	1812.		- G. n .	Lam. III. t. 101. A W.
CEANOTHUS. W.	CEANOTHUS. New Jersey Tea.	Ruamin. J.	W America	1713.	7.10	H.b.	Schmidt arb. 132.
2 intermedius. Ph.	intermediate.		14. Hinterica.	- 1812.	6.7.	Н.Б.	Pluk. alm. t. 28. f.6.
3 sanguineus. Ph.	red-stalked.		- Missouri.		5.7	H. h.	Pluk. alm. t. 28. f. 6.
4 microphyllus. Ph.	small-leaved.		- N. America.	1806	6.7	G.h.	
5 asiaticus. W.	Asiatic.		- Ceylon.	1691	7.8	. S.h.	Cav. ic.5. t.440.f.1.
6 colubrinus. P. S.	J BahamaRed-		- Bahama.				Jac. vind. 3. t. 50.
	\ wood.						
Rhamnus colubrin			Tomaian	1750		t 1.	Brown.jam.t.29.f.2
7 reclinatus. P. S. Rhamnus ellipticu	oval-leaved.		- Jamaica.	1758	0.	3. n.	Drown.jam.c.25.1.2
8 africanus. W.	African.	4: 2	C. B. S.	1712.	3.4.	G.b.	Pluk.phyt.126.f.1.
9 globulosus. H. K.		* * * * * * * * * * * * * * * * * * * *	N. Holland.	1803.	4.5.	G.h.	Pluk.phyt.126.f.1. Lab.nov.holl.1.t.85
POMADERRIS. Lab		Rhamni II.					
1 apetala. H. K.	petalless.		- N. Holland.	1803.	5.6	G. h .	Lab.nov.holl.1.t.87
2 elliptica. H. K.	oval-leaved.			1805.	5.7.	G.h.	Bot. mag. 1510.
3 lanigera. B. M.	woolly.	~		- 1806.	4.6.	G. h.	1823.
PHYLICA. W.	PHYLICA.	Rhamni. J.	C. B. S.			C I	Tat man 004
1 ericoides. W.	Heath-leaved.		·	- 1731	9.4.	G. h	Bot. mag. 224.
2 parviflora. W.	small-flowered.		-	- 1790	A/5	G h	
3 lanceolata. W. 4 capitata. W. en.	headed.	2		1800	5.8.	G. h	2.711
5 pubescens. W.	dewny.			1774.	2.4.	G.b.	Burm.afr. t. 44. f.3.
6 eriophoros, W.	pale-flowered	A True Land	· warmen		11.	G.h.	Pluk.amal.t.445.f.1
7 rosmarinifolia. P. S	. Rosemary-l'eav'd			1815.		. G. b .	
8 axillaris. P. S.	axillary-flowered			- 1812.	5.6.	G. h	
9 plumosa. W.	feathered.			1752.	3.5.	G.h.	Pluk.mant.t.342.f.3
10 villosa. W.	villous.			- 1790.	5.	G.h.	Thomas of 6 40 60
11 stipularis. W.	horned.	C		1786.	5.9.	G. h.	Burm. afr. t. 43. f.2. Comm. rar. 62. t.12.
12 cordata. W. 13 buxifolia. W.	heart-leaved.			1789.	5.0	6. h	Burm.afr.t. 44.f.1.
TO MUNITARIA AL O	Box-leaved:			1109.	0.3	A. 15 .	T 41 HE WAS DO BE 1 2 4 4

		ANDRIA N			45
14 spicata. W.	spiked.	Rhamni. J.	C. B. S.	1774. 11.12.G. h.	Lam. ill. t. 127. f.3.
15 myrtifolia. P. S.	Myrtle-leaved.			1816 G. h.	
16 callosa. W.	callous-leaved.			1774. 3.4. G. h.	
17 paniculata. W.	panicled.			1812. 4.6. G.h.	
18 imbricata. W.	imbricated.			1801. 8.11. G.h.	
19 cylindrica. W. en.	cylindrical.		•	4.8. G. h.	
20 racemosa. W.	cluster-flowered.			1790. 5.9. G.h.	
21 pinifolia. W. BRUNIA. W.	I me-leaveu.			1709. υ. α.η.	
1 nodiflora. W.	imbricated.	Rhamni? J.	CRC	1796 70 G L	Brown cent 22 f 16
2 paleacea. W.	chaffy.		O. D. S.	1791. 6.8. G.h.	Dicymodicianic
8 lanuginosa. W.	woolly.			1774. — G.h.	Pluk.alm. t.318.f.4.
4 verticillata. W.	whorled.			1794 G.h.	Breyn.cent.22.t.16 Pluk.alm. t.318.f.4. Burm.afr. t.100.f.1.
5 deusta. Th.	black-tipped.			1804 G.h.	
6 microphylla. Th.	small-leaved.			G.h.	
7 laxa. Th.	spiked.	······································		1805. — G.h.	
8 alopecuroides. Th.	Fox-tail.	*************************************	***************************************	1816 $G.h.$	
9 abrotanoides. W.	Thyme-leaved.			1787. 5.7. G.h.	Burm.afr.t.100.f.T.
10 superba. W.	superb.	*		1791. — G. h. 1794. — G. h.	
11 fragarioides. W. 12 ciliata. L.	Strawberry-like.	00.1		1812. — G. h.	
STAAVIA. W.	STAAVIA.	Rhamni? J.		1812. — G. n.	
1 radiata. W.	rayed.	Rhammi; 9.	C.B.S.	1787. 5.6. G.h.	Brevn.cen.165.t.82
2 glutinosa. W.	clammy.			1793. 4.5. G.h.	Breyn.cen.165.t.82
PLECTRONIA. W.	PLECTRONIA.	Rhamni? J.		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
corymbosa. P. S.	corymbed.	Rhamni? J.	C. B. S.	1816 G.h.	
ADENANDRA. W.en.		Diosmea, Dios	næ species Lin	17.	
1 uniflora. W. en.	one-flowered.		C. B. S.	1775. 4.7. G.h. 1789. — G.h. 1812. 5.7. G.h. 1789. 7.8. G.h.	Bot. mag. 273.
2 umbellata. W. en.	umbel-flowered.			1789. — G.h.	1271-
3 fragrans. B. M.	red-flowered.			1812. 5.7. G. h.	1519.
4? tetragona. W.	tetragonal.	731		1789. 7.8. G.h.	
BAROSMA. W. en. 1 serratifolia. W. en.	BAROSMA.	Diosmeæ. Dios	næ species Li	nn.	Da4 450
2 latifolia. W.	saw-leaved. broad-leaved.		C. B. S.	1789. 3.6. G. n.	Dot. mag. 450.
3 crenata. W.	crenated.			1774. 1.3. G.h.	вот. тер. ээ.
4 ovata. W.	oval-leaved.			1789. 3.6. G. h. 7.8. G. h. 1774. 1.3. G. h. 1790. 2.9. G. h.	Bot. mag. 1616.
DIOSMA. W. en.	DIOSMA.	Dineman			
1 oppositifolia. W.	opposite-leaved.		C. B. S.	1752. 3.7. G.h.	Comm. rar. 1. t. 1.
2 linearis. W.	linear-leaved.		-13 8	1800 G. h.	
3 alba. Th.	white-flowered.		-	G. h.	Comm. rar. 1. t. 1.
4 hirsuta. W.	hairy-leaved.			1731. — G. h.	Comm. rat. 3. t. 3.
5 rubra. W.	red-calyxed.			1752. 2.5. G.h.	2. t. 2.
ericifolia. B. R. 45				1010 10 C T	777 2 11 7 4
6 pectinata. W. en. 7 ericoides. W.	pectinated.			1812. 4.6. G. h.	Wend.coll.pl.1.t.8. Mill.ic.1.t.124.f.2.
8 cupressina. W.	Heath-leaved. Cypress-leaved.				
9 tenuifolia. W. en.	slender-leaved.			4.6. G.h.	Wend.coll.pl.1.t.1.
10 succulenta. W. en.	succulent-leaved			G. h.	Wend.coll.pl.1.t.1.
AGATHOSMA.W.en.	AGATHOSMA.	Diosmeæ. Diosa	næ species Li	nn.	
1 hispida. W.	rough-leaved.		C.B.S.	1786. 6.8. G.h.	
2 ciliata. W.	ciliated.			1774. 4.5. G.h.	Wend.coll. pl.1.t.2. — pl.1.t.9. — pl.1.t.28 Pluk.alm. t.411.f.3. Vent. malm. 93. { Wend. coll. pl. 1.
3 capitata. W.	pale purple.		· 	1790. 5.6. G.h.	
4 villosa. W.	shaggy.			1786. 6.8. G.h.	Wend.coll.pl.1.t.2.
5 imbricata. W.	imbricated.			1774. 4.6. G.h.	pl.1.t.9.
6 acuminata. W. en. 7 marginata. Th.	acuminate.			1812. — G. h.	Dlub alm + 413 f 8
8 cerefolia. Ven.	marginate. Chervil-scented.			1700 - G. h	Vent malm 02
	onervii scenteu.			1730. —— 0. 17.	(Wend, coll. pl.).
9 pubescens. W. en.	pubescent.		1	1798. 5.8. G.h.	t. 13 et 14.
10 pulchella. W.	blunt-leaved.			1787. 2.9. G.b.	Bot. mag. 1357.
LASIOPETALUM.	LASIOPETALUM.				
Vent.	LASIUPETALUM.	••••••			
1 parviflorum. L. T.	small-flowered.	0	N. Holland	1810. 47. G.L	{ Linn. trans. v. 10. t. 19. f. 2.
			Eviling.	2010. 2.γ. α.γ.	t. 19. f. 2.
2 ferrugineum. B. R.		***************************************		1791. — G.h. 1803. — G.h. 1802. — G.h.	Bot. mag. 1766.
3 purpureum. H. K. 4 arborescens. H. K.	purple.			1803 G. h.	1755.
5 solanaceum. B. M.	Solanum-like			1802. — G.h.	Bot. mag. 1496
s quercifolium. H. K.				1803. — G. h. — G. h.	1485.
				G. n	1 1000

				1	
BURSARIA. Cav.	Bursaria.	Pittosporeæ. Br.		1	
spinosa. Cav. BILLARDIERA. Sm	thorny. APPLE-BERRY.	Pittosporeæ. Br.	- N. S. W.	1793. 8.12. G.h.	Bot. mag. 1767.
1 scandens. W.	climbing.			1790. 6.8. G.h.	
2 mutabilis. H. K.	changeable.			- 1795. 6.9. G.h.	1313.
3 longiflora. B. M.	blue-berried.	Ditter P.	- Van Diem.	1810. — $G. t_2$.	1507.
PITTOSPORUM. W		rittosporeæ. Br.			•
1 coriaceum. W.	thick-leaved.		- Madeira.	1787. 5. G.h.	
2 viridiflorum. B. M.	green-flowered.		- C. B. S.	1806. 5.6. G.h.	
3 Tobira. H. K. 4 undulatum. H. K.	wave-leaved.		- N S W	1804. 3.8. G. h.	
5 revolutum. H. K.	downy-leaved.		- 11.5.11.	1789. 2.6. G.h 1795. 2.4. G.h.	
6 ferrugineum. H. K			- Guinea.	1787. 2.5. S.h.	100.
CYRILLA. L.	CYRILLA.	Ericeæ. J.		2,0,1 2.0. 2.7.	acht.
caroliniana. Ph.	Carolina.		- Carolina.	1765. 6.8. G.h.	Jac. ic. 1. t. 47. 24
BROSSÆA. L.	BROSSÆA.	Ericeæ. J.			
coccinea. L.	scarlet.		- S. America.	S.h.	Plu.gen.7.ic.64.f.2.
ITEA. L.	ITEA.	Saxifrageæ. P. S.			,
virginica. W.	Virginian.		- N. America.	1744. 6.8. H.h.	Trew.ehret.55.t.98
GALAX. W.	GALAX.	• • • • • • • • • • • • • • • • • • • •	Blandfordia	. B. Rep.	2409
aphylla. W.	heart-leaved.	Molios 2 I	- N. America.	1786. 6.7. H.4.	Bot. mag. 754.
CEDRELA. W.	BastardCedar.				(Proun ion 150
odorata. W.	Barbadoes.		W. Ind.	1739 S. h	brown, jam. 158.
CALODENDRUM. W	CALODENDRUM.			•	C
capense. W.	Cape.			1789 G.h.	Hout nat his 4 1.99
MANGIFERA. W.	MANGO-TREE.	Terebintaceæ. J.		1,000 1111 01/21	21040114011101410122
indica. W.	Indian.		E. Ind.	1690. 6.9. S. J2.	Bot. rep. 425.
HIRTELLA. W.	HIRTELLA.	Rosaceæ. J.			•
americana. W.	American.		· W. Ind.	1782 S. h.	Aub. guian. 1. t. 98.
RIBES. W.	CURRANT.	Cacti. J.			
1 rubrum. W.	red.	to 1		4.5. H. h.	Eng. bot. 1289.
β album.	white.			— H. h.	
2 petræum. W.	rock.		England.	5. H.h.	
3 procumbens. W.	trailing.		Dauria.	1804. 5.6. H. h.	Pail. ross. 2. t. 65.
4 prostratum. Ph.	glandulous.		N. America.	1777. 4.5. H.h.	L'Her. stirp. 1. t.2.
5 resinosum. Ph.	clammy. Alpine.		Britain	1860. — H. h	Dot. mag. 1583.
6 alpinum. W. 7 spicatum. Sm.	acid.		England.	— II. n.	Eng. bot. 704.
8 nigrum. W.	black.		Britain.	— Н. Б.	1290.
9 aureum. Ph.	golden.		Missouri.	— H. h.	Bot. reg. 125.
10 floridum. W.	Pensylvanian.		M Amorron	1700 H.	1 1 0 1 + + O 1 1 + F O 1 F
11 laxiflorum. Ph.	loose-flowered.			1812. — H.h.	
12 hirtellum. Ph.	hairy.	***************************************		H.h.	
13 gracile. Ph.	slender.			1812. — H. h. — — H. h. — — H. h. — — H. h. 1781. 5.6. H. h.	
14 triflorum. Ph.	three-flowered.			H. h.	Will.hor.ber.1.t.61
15 Diacantha. W.	two-spined.		Siberia.	1781. 5.6. H.h.	Schmidt arb. t. 97.
16 reclinatum. W.	procumbent.		Germany.	1683. 4.5. H.h.	
17 I TOSSILIATIA, W.	rough Goose-		England.	3.4. H.h.	Eng. bot. 1292.
	{ berry. }				
18 Uva-crispa. W.	Gooseberry.			— H.h.	2057.
19 oxyacanthoides. W.			N. America.	1705. 4.5. H. h. I	Dill.elt.t.139.f.166
20 lacustris. Ph.	swamp.			1812. — H. h.	
21 Cynosbati. W.	prickly-fruited.			1759. 4. H.h. S	Schmidt arb. 98.
HEDERA. W.	Ivy.	Caprifoliæ. J.		•	
Helix. W.	common.		Britain.	10.11. H. J. 1	Eng. bot. 1267.
VITIS. P. S.	VINE.	Vites. J.		de	
1 vinifera. W.	common Grape.		Various.	6.7. H.h.	
2 indica. W.	Indian.		Indies.	1692 S. h. I	Rheed. mal. 7. t. 6.
3 Labrusca. W.	downy-leaved.		N. America.	1656 H. h. J	ac. scheen. 426.
\$ baccis albis.	Bland's Grape.			77.7	405
4 vulpina. W.	Fox-grape.			1806 H. h 5.6. H. h.	425.
5 cordifolia. Ph.	Winter-grape.			56 H L	7 - 427.
6 riparia. Ph. 7 rotundifolia. Ph.	sweet-scented.			5.6. H.h.	Sell age 43
	Bull-grape. Parsley-leaved.			1648. 6.7. H. h. S	Schmidelic 34.t.8.
LEEA. W.		Meliæ. J.			
		,	E. Ind.	1790 S.h. (Cav. diss. 7. t. 218.
2 æquata. W.	shrubby.			1777 S. Jr.	*
•	•			•	0

	T 1711 T	trianterry +	nonou i	11111			- •
	fringed-stalked. Gronovia,	Meliæ. J. Cucurbitaceæ. J.	Bengal.	1676. 8	.10. \$	S.4.	Bot. rep. 355.
scandens. W.	climbing. BALSAM.		Jamaica.	1731.	6.7.	8.4.	Jac. ic. 2. t. 338.
1 Balsamina. W.	garden.		E. Ind.	1596. 7	.10.	s.o.	Blackw. t. 583.
2 coccinea. H. K.	glandular-leaved			1808. 6	3.9. F	1.0.	Bot. mag. 1256.
3 biflora. Ph.	two-flowered.		N. America.	• • • •	I	1.⊙.	Eng. bot. 937.
4 Nolitangere. W. LAGŒCIA. W.	Touch me not.	Umbelliferæ. J.	ingana.		1	1.0.	1311g. bot. 557.
cuminoides. W.	wild.		Levant.	1640.	6.7. F	4.⊙.	Lam. ill. t. 242.
	CLAYTONIA.	Portulaceæ. J.	N. America	1540	0 . 7	T 2/	Pot mor 041
1 virginica. Ph. 2 caroliniana. H. K.	Virginian. spatula-leaved.			1789	F	T. 21.	Par. loud. 71.
3 lanceolata. Ph.	spear-leaved.			1812	I	1.71.	
4 sibirica. W.	Siberian.		Siberia.	1768. 5	5.8. I	$1.(\odot)$.	Act.stock.1746.t.5.
5 alsinoides. Ph.	Chickweed-like. small-flowered.		Nootka Sd.	1794.	3.6. F 5.8. F	H.⊙.	Bot. mag. 1309.
6 perfoliata. W. VIOLA. W.	VIOLET.	Violeæ.					
1 palmata. W.	palmated.		N. America.	1752.	5.6. I	H.4.	Bot. mag. 535.
2 pedata. W.	cut-leaved.		G. 12	1759	I	H. 4.	——————————————————————————————————————
3 pinnata. W.	winged-leaved.						
4 sagittata. W. 5 lanceolata. W.	spear-leaved.		- Tri Timerica	1759.	6.7. I	H.4.	Gmel.sib.4.t.49.f.2.
6 obliqua. W.	oblique-flowered.			1762.	5.6. I	н.4.	
7 cucullata. W.	hollow-leaved.			1772.	5.7. I	H.4.	Bot. mag. 1795.
8 blanda. Ph. 9 primulifolia. Ph.	Princose-leaved.			1783.	4.6. 1	H. 2L.	Willia. Bort. Der. 24.
10 sororia. Ph.	white-rooted.		-	1802	I	н.4.	Gmel.sib.4.t.49.f.2. Bot. mag. 1795. Willd.hort.ber. 24. Willd.hort.ber. 72.
11 hirta. W.	nairy.		- England.		4.5.]	н. 4.	Eng. bot. 894.
12 papilionacea. Ph.	variegated. small-flowered.		- N. America.	1800.	5.6. I	н. 4.	
13 clandestina. Ph. 14 palustris. W.	marsh.		- Britain.		5.6.	H. 4.	Eng. bot. 444.
15 odorata. W.	sweet.				3.5.	н.4.	619.
a purpurea.	purple-flowered.						
β alba. y cærulea.	white-flowered. blue-flowered.						
δ purpureo-plena.	double purple.						
ε albo-plena.	double white.						
ζ cærulco-plena.	double blue.						
n pallido-plena. 16 canina. W.	Neapolitan. dog's.	***	- Britain.		4.6.	H. 21.	Eng. bot. 620.
17 lactea. E. B.	cream-coloured.		- Fnolond		5	T.J N	445
18 montana. W.	mountain.	-	- Alps of Eur.	1683.	5.6.	H.4.	Bot. mag. 1595. All. ped. 2. t. 22, f.6.
19 cenisia: W.	Alpine.		- Mt. Cenis.	1759.	6.7.	н. 4.	All. ped. 2. t. 22, f.6.
20 valderia. W. en. 21 canadensis. W.	fringed-leaved. Canadian.		- A marica	1783		H 3/	
22 striata. W.	streaked.			- 1772.	6.7.	H. 4.	. Por A . Type
23 pubescens. W.	downy.					H.4.	. Total and the
24 mirabilis. W. 25 biflora. W.	broad-leaved. two-flowered.		- Germany.	1732.	6.8.	н. 4.	Flor. dan. 1045.
26 uniflora. W.	Siberian.		- Siberia	1774.	6.7.	H. 4.	Gmel.sib.4.t.48.f.5.
27 Nuttallii. Ph.	Nuttall's.		- Missouri.	1812.	5.6.	H. 21 .	
28 concolor. L. T.	green-flowered.		– N. America. – Carinthia.	1788.	6.7.	H.4.	Linn. trans. 6. t.28.
29 Zoysii. W. 30 altaica. B. Reg.	Tartarian.		- Carmenia. - Siberia.	1805.			Jac. coll.4. t.11.f.1. Bot. reg. 54.
31 arvensis. P. S.	corn.		- Britain.			H.O.	
32 tricolor. P. S. a	Heart's-ease.					H.⊙.	
33 amœna. E. B.	purple.		- France.	1500			Eng. bot.
34 rothomagensis, P.S. 35 sudeticaW. en.	tooth-flowered.		- France.				Bot. mag. 1498.
36 lutea. E. B.			- Britain.			H. 21.	Eng. bot. 721.
37 grandiflora. L.	great-flowered.		 Switzerland 				Hall.helv. 566.t.17
38 calcarata. W. · 39 cornuta. W.	spurred. horned.		- Pyrenees.	- 1752.			Bot. mag. 791.
40 arborescens. W.	shrubby.		- Spain.				Barr. ic. 568.
IONIDIUM. Vent.	Ionidium.	Violeæ. Violæ	species IV.				
polygalæfolium. V.	whorl-leaved.		- S. America.	1797.	4.8.	G. 4	. Vent. malm. 27.
HELICONIA. W. 1 Bihai. W.	Heliconia. Plantain-leaved.	Musaceæ. P. S.	- W. Ind.	1786	4.5.	8.21	. Swart.ob.96.t.5.f.2
2 humilis. W.	dwarf.					4 .	Jac.schæ.1.t.43.49
							,

							6
3 Psittacorum. W.	Parrot-beaked.	Musaceæ. P. S.	W. Ind.	1797.	8.9.	S. 4.	Bot. mag. 50%.
STRELITZIA. H. K.	STRELITZIA.	Musaceæ. P. S.					
1 augusta, H. K.	august.		C. B. S,	1791.	2.5.	S.h.	
2 reginæ. H. K.	Canna-leaved.			1773.	4.5.	S. 2L.	Red. lil. 77. 78. Bot. mag. 119.120.
S ovata. H. K.	ovate-leaved.			1777.	9.4.	5.21	Bot. mag. 119 190
4 farinosa. H. K.	mealy-stalked.			1795.	9 9	S 2/	Doc. mag. 115.120.
5 angustifolia. H. K.	narrow-leaved.			1778	5.6	5.4.	
6 parvifolia. H. K.	rush-leaved.			1770.	J.Q.	5.4.	20.51
o partifoliai 111 141	GLOBE AMA-			1/30.	Q./.	3.4.	when a con
GOMPHRENA. B. P.		Amaranthaceæ. B.				1	, 0
a wlahasa W	RANTH.		T 11				
1 globosa. W.	annual.		india.	1714.	5.10,	5.⊙.	Rheed.mal.10.t.37.
2 perennis. W.	perennial.		S. America.	1732.	7.10.	S. 24.	Dill.elt.24.t.20.f.22
3 arborescens. W.	tree.			1 200		C L	
4 interrupta. W.	trailing.		W. Ind.	1733.	7.8.	S. A.	Jac. ic. 1. t. 51.
PHILOXERUS. B. P.	PHILOXERUS.	Amarantbaceæ. B.	P. Gomphren	æ spec	ies Li	nn.	
1 vermiculatus. B. P.	creeping.		S. America.		7.10.	S. 21 .	Herm, parad, t. 15.
2 brasitiensis. B. P.	upright.	*,,	Brasil.	1790.		S. b.	Herm. parad. t. 15, Jac. ic. 2. t. 346.
ACHYRANTHES. W.		Amaranthaceæ. B		- 40,00		2. 16.	·
1 argentea. W.	upright.		Sicily.	1712	5 10	S L	Bons sis 16 + 0
2 aspera. W.	rough.		India	17.10.	OAI U	S.T.	Bocc. sic. 16. t. 9. Mill. ic.1. t. 11. f. 2, Rumph.amb. 5. t. 83
			India.	1/51.		S. 12 .	Willi. IC.1. t.11. I. 2,
3 muricata. W.	prickly.		E ()	1777.	8.11.	5.4.	Rumph.amb.5. t.83
4 alternifolia. W.	alternate-leaved.		E. ind.	1789.	7.8.	S.O.	Pluk.alm. t.260. f.1
5 porrigens. H. K.	crimson-flowerd.			1802.	4.8.	S.h.	Bot, mag. 830.
6 nivea. W.	white.		Canaries.	1780.	5.7.	G.h.	Pluk.alm. t.260. f.1 Bot, mag. 830.
PUPALIA. Juss.	PUPALIA.	Amaranthaceæ. B	. P. Achyran	this spe	cies I	V.	
1 lappacea. J.	Burry.		E. Ind.	1759.	8.10.	S.h.	Rheed mal. 10.t. 59,
2 prostrata. B. P.	prostrate.			1793.	7.8.	S. 2L.	,
DEERINGIA, B. P.	DEERINGIA.	Amaranthaceæ. B.	P. Celosiæ s	necies	W.		
celosioides. B. P.	Berry-bearing,			1804.		4 2	
CELOSIA. B. P.	Cock's-Comb.	Amaranthaceæ. B		1004.	0.14.	1310.	
	silvery-spiked.				0.0	0.0	35.4.3
1 argentea. W.			China,	1714.	6.9.	S.O.	Mart. dec. 1, t. 7.
2 cristata. W.	common.		Asia,	1570.		S.O.	Lam. ill.t. 168, f.1. Bot. rep.
3 comosa. W.	tufted.		L. Ind.	1802.		S. 3.	
4 coccinea. W.	scarlet.		China.	1597,		S.⊙.	
5 cernua. B. R.	drooping.		E. Ind.	1809.	7.8.	S.O.	Bot. rep.
6 castrensis. W.	branched.	-+		1739.	7.9.	S_{\bullet}	Bar. rar. t. 1195.
- 16 : 111					• •		∫ Pluk. alm. 11. t.
7 Monsoniæ. W.	downy,	## = 101 mg		1778.	-	2.0.	1 201 f 1
8 nodifiora. W.	knotted.			1780		50	Jac. vind. 1. t. 98.
LESTIBUDESIA, B.P.		Amaranthaceæ. B	D Colonia	manius	W	3.0.	oac. vinu. 1. t. 30.
		Amaranthacea. D	.r. Cerosue a	pecies		C 4	61
1 paniculata, B. P.	panicled.		Jamaica.	1733.	6.9.	3.6.	Sioa.jam.1.1.91.1.1.
2 trigyna. B. P.	oval-leaved.		Senegal.	1777.	8.10.	5.6.	Sloa.jam.1.t.91.f.1. Jac. vind. 3. t. 15. Jac. ic. 2. t. 339.
3 virgata. B. P.	wave-leaved.		•••••	1815.		S.h.	Jac. ic. 2. t. 339.
ALTERNANTHE- \		Amaranthaceæ. B.					
RA. B. P.	THERA.			-		,	
1 Achyrantha. B. P.	creeping.		BuenosAyres	.1732.	6.8.	S. 24 .	Dill. elt. 8. t.7. f. 7,
2 polygonoides. B.P.	Persicaria-leaved.		America.	1731.		G. 24.	Herm. par. 17.
3 sessile. B. P.	sesile-flowered.		E. Ind.	1778.	7.10.	S.Z.	Rheed.mal.10.t.11.
ÆRUA. Juss.	ÆRUA.	Amaranthaceæ. B.	P. Illecebri	specie	· W	4.0	
1 lanata. J.	woolly.		F. Ind.	1601	4.8	8 1	Mill ic 1 f 11 f 1:
2 javanica. J.	spear-leaved.		77. Tiju.	1760	4.0	G. P.	Mill. ic.1. t. 11.f.1. Burm.ind.t.65.f.2,
		Amoronthoone	Turan	1/00.		3, 16.	Durm.ind. 1.03.1.24
ILLECEBRUM. Juss.		Amaranthaceæ.			_	** **	T
verticillatum. W.	whorled.						Eng. bot. 895.
PARONYCHIA. G.	PARONYCHIA.	Amaranthaceæ. J					
1 nitida. G.	mountain.		S. Europe.	1640.	5.8.	H.4.	
2 capitata. Juss.	Spanish.		Spain.	1683.	6.8.	G. 4.	Lobel. ic. 420. f. 1.
3 nivea. P.S.	villous.			1812.		G. 24 .	
4 alsinifolia. J.	Chickweed-leavd.						Scop. del. ins. t.13.
ANYCHIA. Mich.	ANYCHIA.	Amaranthaceæ. J.				. •	
dichotoma. Ph.	forked.			1806.	5.8.	H. A.	Ort. dec. t. 15. f. 2,
Queria canadensis.	W.		ALLICITOR	1000	8,04	** :0 •	J
		Amaranthagan T	Polycome	7	11	og D	c
MOLLIA. W.	Mollia.	Amaranthaceæ. J.					
1 diffusa. H. K.	forked.		Canaries.				Willd. hort. ber.11.
2 aristata. H. K.	bearded.			1780.	6.7.	G.h.	
CHENOLEA. W.	CHENOLEA.	Chenopodeæ. B. P					
diffusa. W.	silky.		C.B.S.	1758.	8.9.	G.h.	
GLAUX. W.	BLKSALTWORT.	Salicariæ. J.					
maritima. W.	sea.		Britain.		5,6.	H.4.	Eng. bot. 13.
MENYANTHES. B.P.		Gentianeæ? B. P					
trifoliata, W.	common,		Britain.		7.	H. 2.	Eng. bot. 495.
	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			11.4		- (T'	

VILLARSIA B. P. 1 sympholics V. 2 heunosa V. 2 heunosa V. 3 heunosa V. 3 heunosa V. 3 heunosa V. 4 heunosa V									
2 hearmosa, B. M., running. 4 indica, W. 5 parnassifolia, B. P. talifolia, B. Talifolia, B. P. talifolia, B. Talifolia, B. Talifolia, B. Talifolia, B. P. talifolia, B. T		VILLARSIA. B. P.							
5 parasasifolia. B. P. doranta. Control of ovata. V. oval-leaved. LOGANIA. B. P. 1 faifolia. B. P. 2 forbinuda. B. P. 3 forbinu			fringed.		England.	6.7.	н. 4.	Eng. bot. 217.	
5 parasasifolia. B. P. doranta. Control of ovata. V. oval-leaved. LOGANIA. B. P. 1 faifolia. B. P. 2 forbinuda. B. P. 3 forbinu			smooth-flowered.		N. America.	1812. —	G. 4.	Pot mars 1202	
5 parasasifolia. B. P. doranta. Control of ovata. V. oval-leaved. LOGANIA. B. P. 1 faifolia. B. P. 2 forbinuda. B. P. 3 forbinu			running.		C B S	1700. 58	\$ 21	658.	
6 orata V. 10 GANIA B. P. 1 datfolia, B. P. 2 floribunda, B. P. 3 floribunda, B. P. 3 floribunda, B. P. 3 floribunda, B. P. 4 marliandica, W. 4 cordifolius, W. 4 cordifolius, W. 4 cordifolius, W. 5 floribunda, B. P. 1 floribunda, B. P. 1 floribunda, B. P. 1 floribunda, W. 4 cordifolius, W. 5 floribunda, B. P. 1 floribunda, B. P. 2 floribunda, B. P. 3 floribunda, B. P. 4 floribunda, W. 5 floribunda, B. P. 6 floribunda, W. 5 floribunda, W. 5 floribunda, B. P. 5 f					N. S. W.	1805. 6.10.	G. 21.	1029.	
DOGANIA B. P. Locania Lationia B. P. Euroma B. P. Euroma B. Rep.	ò				C. B. S.				1.7
1 latifolia, B. P. 2 floribunds, B. P. Ewsman albifyare, B. R. 1 Authelmin, W. 2 marliancia, W. 2 laminoidea, W. 2 glaucifolius, Je. 3 exsertus, W. 4 contifolius, W. 4 contifolius, W. 5 libratics, W. 5 libratics, W. 5 libratics, W. 5 libratics, W. 6 contifolius, W			_						
Evanuma atbifagra, B. R. 1 Anthelmia, W. 2 marilandica, W. LISLANTHUS, W. 1 longifolius, U. 2 glaucifolius, Jac. 3 exsertus, W. 4 cordifolius, D. 1 lythnoides, L. T. 2 lythnoides, L. T. 2 lythnoides, L. T. 3 linoides, W. 7 decussata, H. K. 5 angustifolia, H. & 6 frutescen, W. 7 decussata, H. K. 8 angustifolia, H. & 8 angustifolia, H. & 9 angus							G.h.	Lab.nov.holl.1.t.51	
Mathelmia W. 2 marilandica. W. Listantitus. perennial. perennial		2 floribunda. B. P.			N. S. W.	1797. 4.5.	G.h.	Bot. rep. 520.	
1 Anthelmia. W. 2 marilandicia. W. LISLANTHUS. W. 2 glaucifolius. W. 2 glaucifolius. W. 4 cordifolius. W. 4 cordifolius. W. 5 lychnoides. L. T. 5 liminoides. W. 6 baceffera. W. 7 decussata. H. K. 7 decussata. H. K. 7 decussata. H. K. 8 cross-leaved. 8 calbara. P. 1 granilis. Ph. 2 calycosa. Ph. 3 chloroides. Ph. 5 chloroides. Ph. 6 chloroides		Euosma albiflora.	B. R.						
LISLANTHUS, W. LISLANTHUS, Gentianeæ, B. P. Jamaica. 1793. 6.7. S. P. Brown.jam.t.9. f.l. 2 glauciojus. Jac. S. P. Jamaica. 1793. 6.7. S. P. Jac. ic. rar. 1. t. 33. 32.				Gentianeæ. B. P.					000
LISLANTHUS, W. LISLANTHUS, Gentianeæ, B. P. Jamaica. 1793. 6.7. S. P. Brown.jam.t.9. f.l. 2 glauciojus. Jac. S. P. Jamaica. 1793. 6.7. S. P. Jac. ic. rar. 1. t. 33. 32.					W. Ind.	1759. 7.	S.O.	Brown.jam.t.37.f.3	5:20
1 longifolius, W. 2 glaucifolius, Jac. 3 exertus, W. 4 cordifolius, W. CHIRONIA. B. P. CHRONIA. B. P. 1 jasminoides L. T. 1. Chironia spania. 1816			•	Ch. Alaman P. D.	N. America.	1694. 7.8.	H.4.	Bot. mag. 80.	11-1
2 galacifolius, Jac. de laceude de Continoius W. de cordifolius W. de Cordifolius W. de Cordifolius W. la baccifera W. la bacc					Tomoico	1709 67	e L	Brown inn t 0 f I	10.0
Chironides L. T. Jasimiorides L. T. Lychnis-flower 1816					o amaica.	1/93. 0.7.	S 21.	Jac. ic. rar. 1. t. 33.	010
Chironides L. T. Jasimiorides L. T. Lychnis-flower 1816					W. Ind.	1793	S. b.	THE TOTAL TO THE POS	
Chironides L. T. Jasimiorides L. T. Lychnis-flower 1816					Jamaica.	1816	S.b.		
1 jasminoides, L. T. 2 lychnoides, L. T. 3 linoides, W. 4 baccifera, W. 5 angustifolia, H. K. 6 frutescens, W. 5 angustifolia, H. K. 8 ABBATIA, P. L. 1 gracilis, Ph. 2 calycosa, Ph. 3 chloroides, Ph. ERYTHRÆA, P. S. ERYTHRÆA, P. S. ERYTHRÆA, P. S. ERYTHRÆA, P. S. 1 Centaurium, P. S. 2 pulchella, E. B. 4 martima, P. S. 5 littoralis, E. B. 4 martima, P. S. 5 littoralis, E. B. 5 dwarf-branched, Scoppila, Warf-branched, Scoppila, Warf-branched, 2 microphylla, W. 2 calcata, W. 2 microphylla, W. 3 lavigata, P. S. 5 TRYCHNOS, W. 5 Insila, W. 2 lavigata, P. S. 5 TRYCHNOS, W. 5 Insila, W. 2 lavigata, P. S. 5 TRYCHNOS, W. 5 Insila, W. 2 lavigata, P. S. 5 TRYCHNOS, W. 5 Insila, W. 2 lavigata, P. S. 5 TRYCHNOS, W. 5 Insila, W. 2 lavigata, P. S. 5 TRYCHNOS, W. 5 Insila, W. 2 cancecens, W. 6 frutescens, W.			Commence						
Schlordis Ph. Schlordis Ph			Jasmine-leaved.		C. B. S.	1812. 4.7.	G.h.	Bot. reg. 197.	
Schlordis Ph. Schlordis Ph		2 lychnoides. L. T.	Lychnis-flowerd.			1816	G.h.	· ·	
Schlordis Ph. Schlordis Ph		3 linoides. W.	Flax-leaved.		7.	1787. 7.9.	G.h.	Bot. mag. 511.	
Schlordis Ph. Schlordis Ph			berry-bearing.			1759. 6.7.	G.h.	233.	
Schlordis Ph. Schlordis Ph			narrow-leaved.	7.27		1800. 6.8.	G.h.	818.	
Schlordis Ph. Schlordis Ph			shrubby.			1756. 6.9.	G.h.	37.	
Schlordis Ph. Schlordis Ph			cross-leaved.	Cantianam R D	Chinamia and	1789.	- G. n.	707.	
2 calycosa. Ph. 3 chloroides. Ph. ERYTHRÆA. P. S. 1 Centaurium, P. S. 2 pulchella, E. B. 3 littoralis. E. B. 4 martima. P. S. EUSTOMA. P. L. silenifolium, P. L. SCOPOLIA. W. acaleata. W. BUTTNERIA. W. 1 scabra. W. 2 microphylla. W. AYENIA. W. 1 pusilla. W. 2 lævigata. P. S. STRYCHNOS. W. STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. 6 ELSEMIUM. J. 2 potatorum. W. 6 ELSEMIUM. J. 2 canescens. W. 1 nitida. W. 2 canescens. W. 1 nitida. W. 2 canescens. W. 1 nitida. W. 2 canescens. W. 2 canescens. W. 2 canescens. W. 1 nitida. W. 2 canescens. W. 2 canescens. W. 2 canescens. W. 3 pingland. W. 4 ARDUINA. W. 4 popatorum. W. 5 canescens. W. 5 canescens. W. CARISSA. W. 1 Carandas. W. 2 spinarum. W. ARDUINA. W. 4 Spinarum. W. ARDUINA. W. 5 Spinarum. W. ARDUINA. W. 5 Spinarum. W. ARDUINA. W. 4 Spinarum. W. ARDUINA. W. 5 Spinarum. W. ARDUINA. W. 5 Spinarum. W. ARDUINA. W. 6 Spinarum. W. 6 Spinarum. W. 6 Spinarum. Sp. L. 6 Sentian 7.8. H.⊙. 6 Spinarum 7.8. H.⊙. 6 Spinarum 7.8. H.⊙. 6 Spinarum 7.8. H.⊙. 6 Spinarum 7.8. G. J. H.⊙. 6 Spinarum 7.8. H.⊙			SABBATIA.	Dentianea, D. I.	Chironica spe				
Centurium, P. S. Common. Gentianeæ. B. P. Chromae species P.					IV. America.	1819. 68.	H 1	Bot mag. 1600.	
Centurium, P. S. Common. Gentianeæ. B. P. Chromae species P.						1817	H. 3.	Doc mag. 1000.	
Centaurium, P. S. 2 pulchella, E. B. 3 litoralis, E. B. 4 maritima, P. S. Europen Britain.				Gentianeæ. B. P.	Chironiæ spe	ecies W.			
2 pulchella. E. B. 3 littoralis. E. B. 4 warf-branched. Britain					Britain.	7.8.	H.O.	Eng. bot. 417.	
Centance. B. P. Silen-leaved. Scopolia. Scopol			dwarf-branched.		England.	8.9.	H.⊙.	458.	
Centance. B. P. Silen-leaved. Scopolia. Scopol		3 littoralis. E. B.	dwarf-simple.		Britain.	6.7.	$H.\odot.$	2305.	
Centance. B. P. Silen-leaved. Scopolia. Scopol					S. Europe.	1777. 7.8.	G. 4.	Cav.ic.3. t. 296. f.1.	
Scopolia				Gentianeæ. B. P.					
acaleata. W. BUTTNERIA. W. 1 scabra. W. 2 microphylla. W. AYENIA. W. 1 pusilla. W. 2 lavigata. P. S. STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. GELSEMIUM. J. 3 gempervirens. H.K. RAUWOLFIA. W. 1 intida. W. 2 canescens. W. CARISSA. W. 1 Carandas. W. 2 spinarum. W. ARDUINA. W. 1 Abousi. W. 2 spinarum. W. ARDUINA. W. 1 Ahouai. W. 2 spinarum. W. 3 maculata. W. 2 spinarum. W. ARDUINA. W. 1 Ahouai. W. 2 spinarum. W. 3 maculata. W. 2 spinarum. W. 4 ovata. W. 5 TRYCHNOS. 1 Ahouai. W. 2 canescens. W. 4 ovata. W. 5 TRYCHNOS. 1 Namica. 1756. 7.9. S. ½. Mill. ic. 79, t. 118. Apocyneæ. B. P. Bignoniæ species L. N. America. 1752. 6.9. S. ½. Bignoniæ species L. N. America. 1752. 6.9. S. ½. Plum. ic. t.236. f.1. Apocyneæ. B. P. S. America. 1752. 6.9. S. ½. Plum. ic. t.236. f.1. Apocyneæ. B. P. S. America. 1759. 7. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Bignoniæ species L. N. America. 1640. 6,7. H. ½. Cates. car. 1, t. 53. Apocyneæ. B. P. S. America. 1759. S. ½. Bamicil. t. 139. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 53. Apocyneæ. B. P. S. America. 1750. 7.9. S. ½. Roxb. cor. 1, t. 4. Apocyneæ. B. P. S. America. 1750. 7. S. ½. Rox or. 1, t. 5. Apocyneæ. B. P. S. America. 1750. 7. S. ½. Rox or. 1, t. 5. Apocyneæ. B. P. S. America. 1750. 7. S. ½. Rox					I. Providence	1804, 7.	H.O.	Par. lond.	
BUTTNERIA, W. 1 scabra, W. 2 minorophylla, W. AYENIA. W. 2 microphylla, W. AYENIA. W. 2 levigata, P. S. mooth. STRYCHNOS, W. 1 Nux-vomica, W. 2 potatorum, W. Clearing-nut, Clearing-nut, Clearing-nut, 1 nitida, W. 2 minora, W. 2 spinarum, W. 3 spiny. ARDUINA, W. 1 CERBERA, W. 1 CERBERA, W. 1 CERBERA, W. 2 spinarum, W. 3 maculata, W. 4 covata, W. 2 manghas, W. 3 maculata, W. 4 covata, W. 6 Thevetia, W. ALLAMANDA, W. cathartica, W. VINCA, W. 1 herbaceous, 2 minor, W. 3 minor, M. 3 maculata, W. 3 minor,					I onaana P,	1700	S L	I om :11 + 100	
1 scabra. W. 2 microphylla. W, AYENIA. Malyaceæ. J. 1816 S. h. 1.148.f.1 S. America. AYENIA. Malyaceæ. J. S. America. Malyaceæ. J. S. America. S. h. 1.148.f.2. Malyaceæ. J. S. h.					Tr. Ind.	1790	, w. n.	14am - 1110 to 139.	
AYENIA. W. 1 pusilla. W. 2 lawigata. P. S. STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. GELSEMIUM. J. Sempervirens. H.K. RAUWOLFIA. W. 1 nitida. W. 2 canescens. W. 1 Carandas. W. 2 canescens. W. 1 Carandas. W. 2 spinarum. W. ARDUINA. W. ARDUINA. W. bispinosa. W. CERBERA. W. 1 Ahouai. W. 2 Manghas. W. 2 Manghas. W. 3 maculata. W. 2 Manghas. W. 3 maculata. W. 4 ovata. W. 5 Thevetja. W. 1 herbacea. W. en. 2 minor. W. AYENIA. Malvaceæ. J. Jamaica. 1756. 7.9. S. J. Mill. ic. 79, t. 118, Apocyneæ. B. P. Bignoniæ species L. N. America. 1640. 6,7. H. J. N. America. 1752. 6.9. S. J. N. America. 1752. 6.9. S. J. N. America. 1752. 6.9. S. J. Plum. ic. t.236. f.1. 1790. 7. S. J. Apocyneæ. B. P. Lam. ill. t. 118. f.2. Apocyneæ. B. P. Drawil. Apocyneæ. B. P. Samine-flowerd. Apocyneæ. B. P. Brasil. 1739. 6.7. S. J. Bot. mag. 737. Bot. mag. 737. Bot. mag. 737. S. J. Bot. mag. 737. S. J. Bot. mag. 738. Apocyneæ. B. P. Guiana. 1755. 6.7. S. J. Bot. mag. 338. Apocyneæ. B. P. Hungary. 1816. 6.7. H. J. Pl. rar. hung. 1. t. 9. Pl. rar. hung. 1. t. 9. Britain. S. J. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Apocyneæ. B. P. Bignoniæ species L. N. America. 1752. 6.9. S. J. Plum. ic. t.236. f.1. 1739. S. J. Plum. ic. t.236. f.1. N. America. 1750. S. J. Bot. mag. 338. Plum. ic. t.236. f.1. N. Spin. S. J. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Apocyneæ. B. P. S. America. 1752. 6.9. S. J. Plum. ic. t.236. f.1. S. J. Rox M. India. 1739. S. J. Plum. ic. t.236. f.1. S. J. Plum. ic. t.236. f.1. S. J. Rox M. India. 1739. S. J. Rox M. Plum. ic. t.236. f.1. S. J. Rox M. Plum. ic. t.236. f.1. S. J. Rox M. Plum. ic. t.236. f.1. S. J. Rox M. Plum. ic. t.236.			20 C	111111111111111111111111111111111111111	W. Ind.	1793. 7.	S.h.	Cav.diss.5.t.148.f.1	
AYENIA. W. 1 pusilla. W. 2 lawigata. P. S. STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. GELSEMIUM. J. Sempervirens. H.K. RAUWOLFIA. W. 1 nitida. W. 2 canescens. W. 1 Carandas. W. 2 canescens. W. 1 Carandas. W. 2 spinarum. W. ARDUINA. W. ARDUINA. W. bispinosa. W. CERBERA. W. 1 Ahouai. W. 2 Manghas. W. 2 Manghas. W. 3 maculata. W. 2 Manghas. W. 3 maculata. W. 4 ovata. W. 5 Thevetja. W. 1 herbacea. W. en. 2 minor. W. AYENIA. Malvaceæ. J. Jamaica. 1756. 7.9. S. J. Mill. ic. 79, t. 118, Apocyneæ. B. P. Bignoniæ species L. N. America. 1640. 6,7. H. J. N. America. 1752. 6.9. S. J. N. America. 1752. 6.9. S. J. N. America. 1752. 6.9. S. J. Plum. ic. t.236. f.1. 1790. 7. S. J. Apocyneæ. B. P. Lam. ill. t. 118. f.2. Apocyneæ. B. P. Drawil. Apocyneæ. B. P. Samine-flowerd. Apocyneæ. B. P. Brasil. 1739. 6.7. S. J. Bot. mag. 737. Bot. mag. 737. Bot. mag. 737. S. J. Bot. mag. 737. S. J. Bot. mag. 738. Apocyneæ. B. P. Guiana. 1755. 6.7. S. J. Bot. mag. 338. Apocyneæ. B. P. Hungary. 1816. 6.7. H. J. Pl. rar. hung. 1. t. 9. Pl. rar. hung. 1. t. 9. Britain. S. J. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Apocyneæ. B. P. Bignoniæ species L. N. America. 1752. 6.9. S. J. Plum. ic. t.236. f.1. 1739. S. J. Plum. ic. t.236. f.1. N. America. 1750. S. J. Bot. mag. 338. Plum. ic. t.236. f.1. N. Spin. S. J. Roxb. cor. 1, t. 4. Cates. car. 1, t. 5. Apocyneæ. B. P. S. America. 1752. 6.9. S. J. Plum. ic. t.236. f.1. S. J. Rox M. India. 1739. S. J. Plum. ic. t.236. f.1. S. J. Plum. ic. t.236. f.1. S. J. Rox M. India. 1739. S. J. Rox M. Plum. ic. t.236. f.1. S. J. Rox M. Plum. ic. t.236. f.1. S. J. Rox M. Plum. ic. t.236. f.1. S. J. Rox M. Plum. ic. t.236.					S. America.	1816	S. b.	t.148, f.2,	
STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. Clearing-nut. GELSEMIUM. J. Sempervirens. H.K. evergreen. RAUWOLFIA. W. 1 nitida. W. Shining. S. America. 1794 S. h. Cates. car. 1. t. 5.				Malvaceæ. J.					
STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. Clearing-nut. GELSEMIUM. J. Sempervirens. H.K. evergreen. RAUWOLFIA. W. 1 nitida. W. Shining. S. America. 1794 S. h. Cates. car. 1. t. 5.		1 pusilla. W.	small.		Jamaica.	1756. 7.9.	S. 3.	Mill. ic. 79. t. 118.	
STRYCHNOS. W. 1 Nux-vomica. W. 2 potatorum. W. Clearing-nut. GELSEMIUM. J. Sempervirens. H.K. evergreen. RAUWOLFIA. W. 1 nitida. W. Shining. S. America. 1794 S. h. Cates. car. 1. t. 5.		2 lævigata. P. S.	smooth.				. S. h .		
Apocyneæ. B. P. Bignoniæ species L.				Apocyneæ, B. P.					
Apocyneæ. B. P. Bignoniæ species L.		`			E. Ind.	1778	S.h.	Roxb. cor. 1. t. 4.	
Semperviens, H.K. evergreen. RAUWOLFIA. RAUWOLFIA. RAUWOLFIA. RAUWOLFIA. RAUWOLFIA. RAUWOLFIA. Shining. Shining. Sample flowers. Shining. Sample flowers. Shining. Shining. Shining. Shining. Shining. Shining. Shining. Shining.				A D. D.	n: :-	1794	S. h.	1. t. 5.	
RAUWOLFIA. W. shining. 1 nitida. W. shining. 2 canescens. W. CARISSA. W. CARISSA. 1 Carandas. W. Jasmine-flowerd. 2 spinarum. W. ARDUINA. W. bispinosa. W. CERBERA. W. CERBERA. W. Oval-leaved. 2 Manglas. W. spear-leaved. 3 maculata. W. waved-leaved. 4 ovata. W. oval-leaved. 5 Thevetja. W. linear-leaved. ALLAMANDA. W. cathartica. W. Willow-leaved. VINCA. W. I herbaceau. W. en. perior. Willow-leaved. VINCA. W. piney. Apocyneæ. B. P. S. America. Apocyneæ. B. P. S. America. 1752. 6.9. S. ħ. Plum. ic. t.236. f.1. 1739 S. ħ. Rox. cor. 1. t. 77. 1809. 8.12. S. ħ. Lam. ill. t, 118. f.2. Apocyneæ. B. P. Brasil. 1759. 6.7. S. ħ. Bot. mag. 737. India. 1759. 9. S. ħ. Rheed. mal.1. t.39. 1782. 6.7. S. ħ. Bot. rep. 130. N. Spain S. ħ. Cav. ic. 3. t. 270. S. America. N. Spain S. ħ. Jac. amer. 48. t.34. Apocyneæ. B. P. Gujana. 1735 S. ħ. Bot. mag. 338. Apocyneæ. B. P. Hungary. 1816. 6.7. H. ¼. Pl. rar, hung.1. t.9. Britain 3.9. H. ¼. Eng. bot. 917.							TJT T.	Catan ann 1 '4 50'	
1 nitida. W. 2 canescens. W. 10 carescens. W. 1 Carandas. W. 3 spiny. 2 spinarum. W. ARDUINA. W. bispinosa. W. CERBERA. W. 1 Ahouai. W. 2 Manghas. W. 3 maculata. W. 4 ovata. W. 6 Thevetja. W. 1 herbacea. W. Cathartica. W. Willow-leaved. 2 Millow-leaved. 2 Millow-leaved. 2 Millow-leaved. 3 maculata. W. 2 Millow-leaved. 3 Millow-leaved. 3 Millow-leaved. 3 Millow-leaved. 4 Ovata. W. 2 Millow-leaved. 4 Millow-leave					IV. Milleriça.	1040. 0,7.	11. N .	Cates. car. 1. t. 55.	
CARISSA. W. 1 Carandas. W. Jasmine-flowerd. Spiny. Spiny. ARDUINA. W. ARDUINA. W. bispinosa. W. CERBERA. W. 1 Ahouai. W. 2 Manghas. W. spear-leaved. Smaculata. W. waved-leaved. 4 ovata. W. oval-leaved. SThevetja. W. ALLAMANDA. Cathartica. W. Willow-leaved. ALLAMANDA. Cathartica. W. Willow-leaved. VINCA. W. 1 herbaceau. W. 2 minor. W. 1 herbaceau. W. 2 minor. W. 1 herbaceau. W. 2 minor. W. 1 herbaceau. 3 herbaceau. 4 herbaceaus. 5 herbaceaus. 6 herbaceaus. 6 herbaceaus. 6 herbaceaus. 6 herbaceaus. 7 herbaceaus. 8 herbaceaus. 9 h					S. America.	1752, 6.9.	S.L.	Plum ic + 936 . f 1.	
CARISSA. W. 1 Carandas. W. Jasmine-flowerd. Spiny. Spiny. ARDUINA. W. ARDUINA. W. bispinosa. W. CERBERA. W. 1 Ahouai. W. 2 Manghas. W. spear-leaved. Smaculata. W. waved-leaved. 4 ovata. W. oval-leaved. SThevetja. W. ALLAMANDA. Cathartica. W. Willow-leaved. ALLAMANDA. Cathartica. W. Willow-leaved. VINCA. W. 1 herbaceau. W. 2 minor. W. 1 herbaceau. W. 2 minor. W. 1 herbaceau. W. 2 minor. W. 1 herbaceau. 3 herbaceau. 4 herbaceaus. 5 herbaceaus. 6 herbaceaus. 6 herbaceaus. 6 herbaceaus. 6 herbaceaus. 7 herbaceaus. 8 herbaceaus. 9 h			_		Jamaica.	1739	S.b.	t.236. f.2.	
1 Carandas. W. 2 spinarum. W. 3piny.			CARISSA.	Apocyneæ. B. P.					
2 spinarum. W. ARDUINA. W. bispinosa. W. CERBERA. W. CERBERA. W. Oval-leaved. 2 Manglias. W. spear-leaved. 3 maculata. W. waved-leaved. 4 ovata. W. oval-leaved. 5 Thevetja. W. linear-leaved. ALLAMANDA. W. cathartica. W. Willow-leaved. VINCA. W. 1 herbaceaus. 2 minor. W. lesser. 1 1809. 8.12. S. \(\begin{align*}{llllllllllllllllllllllllllllllllllll		1 Carandas. W.	Jasmine-flowerd.		E. Ind.	1790. 7.	S.h.	Rox. cor. 1. t. 77.	
bispinosa. W. two-spined. CERBERA. W. 1 Ahouai. W. oval-leaved. Spear-leaved. Smaculata. W. waved-leaved. S Thevetja. W. linear-leaved. S Thevetja. W. ALLAMANDA. Cathartica. W. Willow-leaved. VINCA. W. PERIWINKLE. Apocyneæ. B. P. 1 herbacea. W. en. 2 minor. W. 1 lesser. C. B. S. 1760. 3.8. G. Iz. Mill. ic. 2. t. 300. Apocyneæ. B. P. 1789. 6.7. S. Iz. Bot. mag. 737. 1789. 9. S. Iz. Rheed. mal. 1. t. 39. 1789. 6.7. S. Iz. Bot. mag. 737. 1789. 9. S. Iz. Rheed. mal. 1. t. 39. 1789. 6.7. S. Iz. Bot. rep. 130. 1789. 6.7. S. Iz. Bot. rep. 130. 1789. 6.7. S. Iz. Bot. mag. 737. 1789. 1789. 6.7. S. Iz. Bot. mag. 737. 1789. 1789. 6.7. S. Iz. Bot. mag. 737. 1789.				1					
Apocyneæ. B. P. Brasil. 1739. 6.7. S. h. Bot. mag. 737.									
1 Ahouai. W. oval-leaved. Brasil. 1789. 6.7. S. h. Bot. mag. 737.					C. B. S.	1760. 3.8.	G. 7.	Mill. ic. 2. t. 300.	
2 Manghas. W. spear-leaved. 3 maculata. W. waved-leaved. 4 ovata. W. linear-leaved. 5 Thevetja. W. ALLAMANDA. W. cathartica. W. Willow-leaved. VINCA. W. 1 herbacea. W. en. 2 minor. W. lesser. India. 1759. 9. S. ħ. Rheed. mal.1. t.39. 1782. 6.7. S. ħ. Bot. rep. 130. N. Spain. S. ħ. Spain. S. ħ. S. ħ. Jac. amer. 48. t.34. Apocyneæ. B. P. Guiana. 1735 S. ħ. Jac. amer. 48. t.34. Apocyneæ. B. P. Hungary. 1816. 6.7. H.24. Pl. rar. hung.1. t.9. Britain. 3.9. H.12. Eng. bot. 917.							a -		
3 maculata. W. waved-leaved. Sourbon. 1782. 6.7. S. ½. Bot. rep. 130.									1 /5
4 ovata. W. oval-leaved. S. I. Cav. ic. 3. t. 270. 5 Thevetia. W. linear-leaved. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. I. J. Cav. ic. 3. t. 270. S. America. 1735 S. II. J. Cav. ic. 3. t. 270. S. America.						1759. 9,	S. h.	Rneed, mai.1.t.39.	
5 Thevetia, W. ALLAMANDA. cathartica, W. VINCA. W. 1 herbacea, W. en. 2 minor, W. linear-leaved. Apocyneæ. B. P. Apocyneæ. B. P. Guiana. Apocyneæ. B. P. Hungary. Britain. S. America. 1735 S. ħ. Jac. amer. 48. t.34. Apocyneæ. B. P. Hungary. Britain. 1785. 6.7. S. ħ. Bot. mag. 338. Linear-leaved. Apocyneæ. B. P. Britain. 3.9. H. ½. Eng. bot. 917.									
ALLAMANDA. W. cathartica. W. Willow-leaved. VINCA. W. PERIWINKLE. Apocyneæ. B. P. Guiana. 1785. 6.7. S. h. Bot. mag. 338. Apocyneæ. B. P. Guiana. 1785. 6.7. S. h. Bot. mag. 338. Apocyneæ. B. P. Hungary. 1816. 6.7. H. 24. Pl. rar. hung. 1.1.9. Britain. 3.9. H. ½. Eng. bot. 917.					S. America				
cathartica. W. Willow-leaved. VINCA. W. PERIWINKLE. Apocyneæ. B. P. herbacea. W. en. lesser. Apocyneæ. B. P. Hungary. 1816. 6.7. H. 24. Pl. rar. hung. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					~ i imerica.	÷,,00	- C	0 mor muor, 40, 6,044	
VINCA. W. 1 herbacea. W. en. 2 minor, W. PERIWINKLE. herbaceous. lesser. Apocyneæ. B. P. Hungary. Britain. 1816. 6.7. H.24. Pl. rar. hung.1.4.9 3.9. H.½. Eng. bot. 917.		•	Accessed to 12 to 1		Guiana.	1785. 6.7.	S. b .	Bot. mag. 338.	
1 herbacea. W. en. herbaceous. ————————————————————————————————————					. 145	,		. Q	
2 minor, W. lesser. Britain 3.9. H. 7. Eng. bot. 917.					Hungary.	1816. 6.7.	H.4.	Pl. rar. hung.1.t.9,	
H		2 minor. W.	lesser.	-	Britain.				
				ŀ	L				

					T- T- T- C			
	3 major. W.	greater.	Apocyneæ. B. P.	England.		3.9.	н.ь.	Eng. bot. 514.
	4 parviflora. W.	small-flowered.		-	1778.		5.0	Murr. comm.gott,
•	-	Madagascar.	, -					
	5 rosea. W. β alba.	white-flowered.	,		1756.	3.10.	S.h.	Bot. mag. 248.
	y ocellata.	red-eyed.						
	NERIUM. B.	OLEANDER.	Apocyneæ. B. P.					
	1 tinctorium. A. R.	dyer's.	arpooyined: D: 1:	E. Ind.	1812.			
	2 Oleander. W.	common.	Control of the second	S. Europe.	1596.	6.10.	G.h.	Lam. ill. t. 174.
	β alba. γ splendens.	white-flowered. double-hybrid.			1014		G L	
	3 odorum. W.	sweet-scented.		E. Ind.	1683.	6.8.	G. h.	Rheed. mal. 9. t. 2. Bot. reg. 74.
	β carnea.	flesh-coloured.						3 14 2052,
	y plena.	double-flowered.		·			S.h.	Bot. reg. 74. 1796
	WRIGHTIA. B.	WRIGHTIA.						
	1 antidysenterica. B.	oval-leaved. spear-leaved.		E. Ind.	1778.	• • • •	S.h.	Rheed. mal.1. t.47. Burm.zeyl.t.12.f.2.
	2 zeylanica. B. ECHITES. B.	Echites.	Apocyneæ. B. P.		• • • •	• • • •	S.h.	Burm.zeyl.t.12.f.2.
	1 biflora. W.	twin-flowered.			1793.	7.	S. b .	Jac. amer.30. t. 21.
	2 suberecta. W.	Savanna-flower.		Jamaica.	1759.	6.8.	S.h.	Jac. amer. 30. t. 21. Bot. mag. 1064. Jac. amer. 33. t. 27. 30. t. 22.
	3 torulosa. W.	climbing.			1778.		S.h.	Jac. amer. 33. t. 27.
	4 umbellata. W.	umbelled.			1733.	7.	S.h.	30. t.22.
	5 difformis. Ph.	deformed.		Carolina.	1800.	-	· (1. 12 .	
	6 bispinosa. W. ICHNOCARPUS. B.	twin-spined. ICHNOCARPUS.	Apocyneæ. B. P.	dranami ama	1795.	7.11.	S.h.	
	frutescens. H. K.	shrubby.	Apocynea. B. 1.			7.8.	S h	Burm.zevl.t.12.f.1.
	PLUMERIA. W.	PLUMERIA.	Apocyneæ, B. P.					•
	1 rubra. W.	red.		Jamaica.	1690.	7.8.	S.h.	Bot. mag. 279. A. 7
	2 acuminata. H. K.	acuminated.		E. Ind.	1790.	6.9.	S.h.	Bot. reg. 114.
	3 alba. W.	white.		Jamaica.	1733.	7.8.	S.h.	Jac. amer.t.174.f.2
	4 obtusa. W.	blunt-leaved. wax-flowered.		W. Ind.		-	S.h.	Cat. car. 1. t. 93.
	5 pudica. Jac.	BASTARD		S. America.	• • • •	7.8.	s.n.	
	CAMERARIA. W.	MANGENEEL	Apocyneæ. B. P.					
	1 latifolia. W.	broad-leaved.		Havannah.	1733.	8.	S.h.	Bot. rep. 261.
	2 lutea. W.	yellow-flowered.		Cayenne.				Aub.guian.1.t.102.
	3 dubia. B. M.	doubtful.		E. Ind.				Bot. mag. 1646.
	4 angustifolia. W. TABERNÆMON-	narrow-leaved.			1752.	9.	S. n.	Plum. ic. t. 72. f. 2.
	TANA. W.	MONTANA.	Apocyneæ. B. P.	•				
	1 citrifolia. W.	Citron-leaved.		Jamaica.	1734.		S.b.	Plum. ic. t.248.f.2.
	2 laurifolia. W.	Laurel-leaved.		W Ind	1769		e I.	Sloan. jam. 2. t. 186. f. 2. 7/6
				W. Ind.	1700.		ю. д.	1. 186. f. 2. 7/6
	3 coronaria. H. K.	Rose-bay like.	Annamus, P. D.					Bot. mag. 1865.
	AMSONIA. Mich. 1 latifolia. Ph.	Amsonia. broad-leaved.	Apocyneæ. B. P.	N America.	1750	5.6	HN	Bot reg 151
	2 salicifolia. Ph.	Willow-leaved.		ZV. IIIIICIICII	1812.		H. 2.	Bot. mag. 1873.
	3 angustifolia. Ph.	hairy-stalked.			1774.		H. 4.	Bot. mag. 1873. Vent. choix. 29.
	ADOOUNTING D	Darlana	DIGYNI	A.	•			
	APOCYNUM. B.	Dog's-BANE.	Apocyneæ. B. P.	N America	1688	7 0	T-I N	Rot mar aga
	2 cannabinum, W.	Hemp-like.			1699.		н. ц.	Mor.hist.3.t.3.f.14.
	1 androsæmifolium.W. 2 cannabinum. W. 3 hypericifolium. W. 4 venetum. W.	Hypericum-leav.			1758.	6.7.	H.4.	Jac. vind. 3. t. 66.
	4 venetum. W.	Venetian.		Adriatic Isl.	1690.		H.4.	Lobel. ic. 372.
	MELODINUS. W.	MELODINUS.	Apocyneæ. B. P.					
	scandens. W.	climbing.			1775.	• • • •	S.h.	Lam. ill. t. 179.
	PERIPLOCA. B.	PERIFLOCA.	Asclepiadeæ. B. P.	Syria.	1597.	7.8.	нь	Lam. ill. t. 177.
	2 lævigata. W.	smooth.		Canaries.				Cav. ic. 3. t. 217.
	HEMIDESMUS. B.	HEMIDESMUS.	Asclepiadeæ. B. P.				.,,	
	indicus. H. K.	Indian.		Ceylon.	1796.		S.h.	Burm.zeyl.t.83.f.1.
	SECAMONE. B.	SECAMONE.	Asclepiadeæ. B. P.	Periplocæ .	species	W.		CAIn mount 100
	1 ægyptiaca. H. K.	Egyptian.	<u> </u>	Egypt.	1752.	7.	G.h.	Alp. ægypt. 133. t. 134.
	2 emetica. B. P.	narrow-leaved.		India.	1816.		S.b.	Willd.phy.1.t.5.f.2.
	MICROLOMA. B.	MICROLOMA.	Asclepiadeæ. B. P.					
	sagittatum. H. K.	arrow-leaved.		C. B. S.			G.h.	Jac. scheen.1. t. 38.
	SARCOSTEMMA. B.	SARCOSTEMMA.	Asclepiadeæ. B. P.		-		C T	41 4 700
	viminale, H, K.	twisting.		E. Ind.	1731.	7.	3. h.	Alp. ægypt. t. 190.

DÆMIA. B.	DÆMIA.	Asclepiadeæ. B. P.	. Cynanchi	species W.		
extensa. H. K.	smooth-leaved.	·		1777. 7.8.	S. h.	Jac. ic. 1. t. 54.
CYNANCHUM. B.	CYNANCHUM.	Aselepiadeæ. B. P.				m 1 / 1/ 100
1 acutum. B.	acute-leaved.		Spain.			Trew ehret.44.t.82
2 monspeliacum. B.	Montpelier.		S. Europe.			Jac. ic. 2. t. 340.
3 obtusifolium. B.	obtuse-leaved.		C. B. S.	1816		20.4
4 pilosum. B.	hairy.					Bot. reg. 111.
5 vincetoxicum. B.	officinal.		Europe.			Flor. dan. 849.
β lutea.	yellow-flowered.					02 30
6 nigrum. B.	black.		S. Europe.			Sh 2300
7 sibiricum. B.	Siberian.		Siberia.			Murr. gott. 2. t. 7.
8 davuricum. B.	Davurian.		Davuria.	1816. —	н.4.	
9 undatum. B. R.	wave-leaved.			1803	S.h.	Bot. rep. c. ic.
10 mucrenatum. B. R.	sharp-pointed.		Trinidad.			c. ic.
11 viridiflorum. B. M.	green-flowered.				S. h.	Bot. mag. 1929.
OXYSTELMA. B	OXYSTELMA.	Asclepiadeæ. B. P.				
esculentum. B.	esculent.				S. 4.	Roxb. cor. 1. t. 11.
GYMNEMA. B.	GYMNEMA.	Asclepiadeæ. B. P.				
sylvestris. B.	netted-leaved.				S.h.	Willd. phy. 1.t. 5.f. 8
CALOTROPIS. B.	CALOTROPIS.	Asclepiadeæ. B. P				_
1 procera. H. K.	bell-flowered.		Persia.			Bot. rep. 271.
2 gigantea. H. K.	curled-flowered.				S.h.	Bot. reg. 58.
XYSMALOBIUM. B.	XYSMALOBIUM.	Asclepiadeæ. B. P	. Asclepiadis			
undulatum. H. K.	waved-leaved.				G.h.	Comm. rar. t. 16.
GOMPHOCARPUS.B						
1 arborescens. H. K.	broad-leaved.		C.B.S.	1714. 12.	G.h.	Jac. scheen.1. t. 50.
2 crispus. H. K.	curled-leaved.			1774. 7.	G.h.	Comm. rar. t. 17.
3 fruticosus. H. K.	Willow-leaved.			1714. 6.9.	G.h.	Bot. mag. 1628.
ASCLEPIAS. B.	SWALLOW-WORT	. Asclepiadeæ. B. F	•			
1 syriaca. W.	Virginian.		N. America.	1629. 7.8.	H.4.	Blackw. t. 521.
2 phytolaccoides. Ph.	Phytolacca-like.			1812. ——	H.4.	
1 syriaca. W. 2 phytolaccoides. Ph. 3 amæna. W.	oval-leaved.			1732. ——	H.4.	Dill.elt. t.27. f. 30.
4 purpurascens. W.	purple.				H.4.	
5 variegata. W.	variegated.			1597. ——	н.4.	Bot. reg. 81. Bot. mag. 1182. Bot. mag. 1181. Bot. reg. 250.
6 curassavica. W.	Curassavian.		S. America.	1692. 6.9.	H.4.	Bot. reg. 81.
7 nivea. W.	Almond-leaved.		N. America.	1730. 7.9.	H.4.	Bot. mag. 1181.
8 parviflora. W.	small-flowered.			1774. 7.10.	G. 4.	
9 incarnata. W.	flesh-coloured.			1710. 7.8.	H.4.	Bot. reg. 250.
10 pulchra. W. en.	hairy.				H.4.	
11 decumbens. W.	decumbent.			1731	H.4.	Pluk.man.t.336.f.3
12 verticillata. W.	whorl-leaved.			1759	H.4.	Pluk.man.t.336.f.3
13 longifolia. Ph.	long-leaved.			- 1816	H.4.	
14 tuberosa. W.	tuberous-rooted.	~		- 1690. 7.9.	H.4.	Bot. reg. 76.
15 Linaria. W.	Flax-leaved.		· Mexico.	1802	G4.	Bot. reg. 76. Cav. ic. 1. t. 57.
GONOLOBUS. B.	Gonolobus.					
1 hirsutus. M.	hairy.		 N. America. 	1806. 6.	H.4.	
2 lævis. M.	smooth.	Thereproduced 2012			H.4.	
3 suberosus. H. K.	Cork-barked.		America.	1732. 7.9.	S.b.	Dill.elt.t.229, f.296
4 discolor. B. M.	Virginian.		N. America.	1809. 7.8.	H.4.	Bot. mag. 1273.
5 crispiflorus. H. K.	curled-flowered.		S. America.	1741	S.h.	Bot. mag. 1273. Plum. ic. t.216. f.1. Bot. reg. 252.
6 diadematus.	red-crowned.		Mexico.	1812. 9.10.	S. 4 .	Bot. reg. 252.
PERGULARIA. B.	PERGULARIA.	Asclepiadeæ, B. F) <u>.</u>			
1 odoratissima. H. K.	large.		E. Ind.	1784. 6.7.	S.h.	Bot. rep. 185.
2 minor. H. K.	small.			1790. 5.8.	S.h.	Bot. rep. 185
MARSDENIA. B.	MARSDENIA.	Asciepiadeæ. B. P	. Cynanem s	species W.		
1 erecta. B.	upright.		Syria.	1597. 7.8.	S.b.	Jac. vind. 1. t. 38.
2 suaveolens. B.	sweet-scented.		N. S. W.	1816	G.h.	Lin.tran.10.t.21.f.1
HOYA. B.	Ночл.	Asclepiadeæ. B. P	. Asclepiadi	sspecies IV.	-	
carnosa. B.	fleshy-leaved.		Asia.		S.b.	Bot. mag. 788.
STAPELIA. B.	STAPELIA.	Asclepiadeæ. B.				
1 ciliata. W.	ciliated.		C. B. S.	1795.10.12.	D.S. b	. Mass. stap. 9. t. 1.
2 revoluta. W.	revolute-flowerd.			1790. 69.	D.S. L	Bot. mag. 794
3 glauca. W. en.	glaucous.			1799, 6.11.	D.S. L	Jac. stan. c. ic
4 lepida. W. en.	pretty.			7.8.	D.S. h	
5 hirsuta. W.	hairy.			1710. 6.8.	D.S. h	. Jac. misc. 1. t. 3.
6 grandiflora. M. S.	great-flowered.			1795. 9.12.	D.S. h	. Jac. misc. 1. t. 3. . Mass. stap. 13 t. 11.
7 spectabilis. H. S.	showy.			1862. 11.1.	D.S. h	. Bot. mag. 585.
grandistora. B. M.				1	3	
8 ambigua. W.	ambiguous.			1795. 6.11.	D.S. h	. Mass. stap.13. t.12.
9 pulvinata. W.	cushioned.			-	D.S. b.	. Bot. mag. 1240.
10 Asterias. W.	Star-fish.			5,11.	D.S. 5	536.
		H 9	2			• • • • • • • • • • • • • • • • • • • •

			
11 sororia. W. en.	sister.	Asclepiadeæ. B. P. C. B. S.	1797. 6.8. D.S. h . Mass. stap. 23. t. 39.
12 patula. W. en.	spreading.		D.S. h. Jae. stap. c. ic. 1806. — D.S. h. Bot. mag. 1890.
13 deflexa. J. S.	deflexed.		1806. — D.S. h. Bot. mag. 1890.
14 gemmiflora. M. S.	gem-flowered.		
15 hircosa. W. en.	stinking.	,	6.8. D.S. h. Jac. stap. c. 1c.
16 Juvencula. W. en.	short-flowered.		1795.10.11 D.S. h. Mass. stap.14.1.15. 6.8. D.S. h. Jac. stap. c. ic. D.S. h. — c. ic.
17 divaricata. W. 18 rufa. W.	straddling. rusty brown.		1793. 6.11.D.S. h. Bot. mag. 1007.
19 acuminata. W.	acuminated.		D.S. h. —————————————————————————————————
20 radiata. H. K.	starry.		7.9. D.S. n 15. t. 17.
21 Jacquini.	Jacquin's.		D.S. h. Bot. mag. 619. 1802. — D.S. h. Jac. stap. c. ic.
radiata. J. S.	1		.1002.
22 reclinata. W.	reclining.		1795. — D.S. h . Mass. stap. 19. t. 28.
23 roriflua. W. en.	dew-bearing.		1802. — D.S. h. Jac. stap. c. ic.
24 elegans. W.	elegant.		DOT D.
25 birtella. W. ed.	small hairy.		D.S. h. Jac. stap. c. ic.
26 cæspitosa. W.	tufted.		1790. 5.8. D.S. h. Mass. stap. 20. t. 29.
27 arida. W.	dry.		1705 0 II C L 01 + 29
28 parviflora. W.	small-flowered.		6.8. D.S. h. —————————————————————————————————
29 serrulata. W. en.	sawed.		1805. — D.S. h. Jac. stap. c. ic.
30 concinna. W.	spruce.		1795. ——— 11.S. b. Mass. stap. 15. f. 18.
31 glanduliflora. W.	gland-flowered.		8.11.D.S. h. —————————————————————————————————
32 glandulifera. H. S.	hairy-glanded.		8.11.D.S. ½.
33 pedunculata. W. 34 aperta. W.	long-peduncledi open-flowered.	- 1	1790. 6.11.19.5. h. Bot. mag. 793.
35 pilifera. W.	A .		1795. 7.8. D.S. \(\text{Mass.stap. 25.1.37.} \)
36 articulata. W.	hairy-tubercled. jointed.		1790. 6.8. D.S. J ₂ . ————————————————————————————————————
37 Gordoni. M. S.	Gordon's.		1774. 7.11.D.S. n. 20.1.30.
38 mammillaris. W.	prickly.		1796 D.S. I ₂ . ————————————————————————————————————
39 pruinosa. W.	frosted.		1795. — D.S. h. Mass. stap. 24. t.41. — D.S. h. — 21. t. 32.
40 ramosa. W.	branched.		— D.S. h. — 21.t. 32.
41 incarnata. W.	flesh-coloured.		1703 48 DS L 99 f 34
42 punctata. W.	purple-dotted.	The state of the s	1705 7 11 D S L 18 t 94
43 geminata. W.	twin-flowered.		5.11. D.S. h. Bot. mag. 1326. D.S. h. Mass. stap. 19. t. 26.
44 decora. W.	neat.		D.S. h. Mass. stap. 19. t. 26.
45 Vetula. W.	{ purple smooth-flowd }		1793. —— D.S. h. —————————————————————————————————
			7,00
46 Simsii. H. S.	Sims's.		1800. — D.S. h. Bot. mag. 1234.
Vetula. B. M.	*		
47 pulchella. W.	peautifui.	J.E.	1795. — D.S. I ₂ . Mass. stap.22. t. 36. — 8.10. D.S. I ₄ . — 11. t. 6. — 7.9. D.S. I ₄ . — 12. t. 9. 1800. 8.10. D.S. I ₄ . Bot. mag. 786.
48 verrucosa. W.	warty-nowered.		5.0 D.S. η. 10. t. 0.
49 irrorata. W.	hoontiful culphur		1200 C 10 D S L Bot mag 786
50 pulchra. H. S. 51 picta. H. K.	painted.		1700 60 1) \$ 6 1169
52 marginata. W. en.	margined.	A STATE OF THE STA	1005 D& L
53 obliqua. W. en.	oblique-flowered		D.S. h.
54 paniculata. W. en.	panicled.		D S L
55 clavigera. J. S.	clubbed.		1705 DS h Jac stan c ic
56 maculosa. J. S.	spotted.		1804 D.S. h . Bot. mag. 1833.
57 bufonia. W. en.	toad.		1806. — D.S. J ₂ . — 1676.
58 variegata. H. S.	variegated		1804. — D.S. ½ . Bot. mag. 1833. 1806. — D.S. ½ . — 1676. 1727. — D.S. ½ . Bradl. succ. 3. t. 22.
59 Curtisii. H. S.	Curtis's:		1690. — D.S. h. Bot. mag. 26.
variegata. B. M.			
60 orbicularis. B. R.	orbicular.		1799. 7.11.D.S. h. Bot. rep. 448.
61 planiflora. W. en.	plain-flowered.		1803 D.S. N. Jac. Stap. C. IC.
62 rugosa. W. en.	wrinkled.		5.8. D.S. h. ——— c. ic.
63 conspurcata. W. en			1795. 6.10.D.S. h. ———— c. ic.
PIARANTHUS. B.	PIARANTHUS.	Asclepiadeæ. B. P. Stapeliæ s	
pullus. H. S.	many-flowered. Huernia.	Academia dem P. P. Stemelin es	1774. 8.9. D.S. h. Bot. mag. 1648.
HUERNIA. B.		Asclepiadeæ. B. P. Stapeliæ s	1793. 7.8. D.S. h . Bot. mag. 1662.
1 reticulata. H. S. 2 campanulata. H. S	netted. hell-shaped.	С. Б. з.	1795. 7.10.D.S. h . ———— 1927.
3 venusta. H. S.	handsome.		1795. 7.10.D.S. h. — 1227. 6.7. D.S. h. Mass. stap. 10. t. 3.
4 lentiginosa. H. S.	freckled.		7.11. D.S. h. Bot. mag. 506.
£ guttata. H. S.	red-spotted.		1795. 8.11. D.S. b. Mass. stap. 10. t. 4.
6 hamilis. H. S.	humble.		D.S. h 10. t. 5.
7 tubata. W. en.	tube-flowered.		1805. — D.S. h. Jac. stap. c. ic.
8 barbata. H. S.	bearded.		1795 D.S. h . Mass. stap. 11. t. 7. 240
CARALLUMA. B.	CARALLUMA.	Asclepiadeæ. B. P. Stapeliæ sp	
i adscendens. H. S.	ascending.	E. Ind.	1804. 7. D.S. h. Roxb. cor. 1. t. 30.

2 umbellata. H. S.	umbelled.	Asclepiadeæ. B. P.		1804.	• • • •	D.S. h	
HERNIARIA. W.		Amaranthaceæ. J.			-	TJ N	Eng. bot. 206.
1 glabra. W. 2 hirsuta. W.	smooth.		Engrand.				1379·
3 fruticosa. W.	shrubby.		Spain				Lob. ic. 85.
4 polygonoides. W.	Knot-grass.	,	S. Europe.				Cav. ic. 2. t. 131.
CHENOPODIUM.W.		Chenopodeæ. B. P.				•	
1 Bonus-Henricus.W			Britain.		5.8.	H.4.	Eng. bot. 1033.
2 urbicum. W.	upright.				8.	H.O.	717.
3 Atriplicis. W.	purple.		China.	1780.	8.9.	$H.\odot.$	Jac. vind. 3. t. 80.
4 rubrum. W.	red.		Britain.	• • • •		H.⊙.	Eng. bot. 1721.
5 guineense. W.	Guinea.		Guinea.	1790.		.н.⊙.	Eng. bot. 1721. Jac. ic. rar. 2. t. 345.
6 murale. W.	nettle-leaved.		Britain.			$\mathbf{H}.\odot.$	Eng. bot. 1722.
7 album, W.	white.		England	• • • •	7.9.	H.O.	1723. 1724.
8 ficifolium. H. K. 9 lıybridum. W.	Fig-leaved. Maple-leaved.		England.	• • • •	8.9.	н.о.	1/24.
10 rhombifolium.W.en	anonlar-leaved		N America	1807	70	H.O.	— 1723. — 1724. — 1919. Zorn. ic. 225. Eng. bot. 2247. Moris, s. 5. t. 35. f. s. Dill. elt. t. 66. f. 77. — t. 66. f. 78. Eng. bot. 1454. — 1481. — 1034.
11 Botrys. W.	cut-leaved.		S. Europe.	1548.	6.9.	H.O.	Zorn. ic. 225.
12 botryoides. E. B.	many-clustered.		Britain.	1010.	6.8.	H.O.	Eng. bot. 2247.
13 ambrosioides. W.	Mexican.		Mexico.	1640.	6.10.	H.O.	Moris, s. 5.t.35.f.S.
14 multifidum. W.	Buenos Ayres.		Buen. Ayres.	1732.		G. 4.	Dill. elt. t. 66. f.77.
15 anthelminticum.W.	American.		America.		7.8.	G.h.	t.66. f.76.
16 glaucum. W.	Oak-leaved.		England.			H	Eng. bot. 1454. ———————————————————————————————————
17 acutifolium. E. B.	acute-leaved.		Britain.			H.O.	1481.
18 Vulvaria. W.	stinking.			• • • •		$H.\odot$.	1034.
19 polyspermum. W.	7717500011			• • • •		н.⊙.	1480.
20 caudatum. W.	oval-leaved.		Guinea.	1806.		H.O.	Jac. ic. 2. t. 344.
21 laterale. W.	oblong-leaved.			1781.	8.9.	S.⊙.	
22 Scoparia. W.	SummerCypress.		Greece.	1629.	6.9.	H	C
23 aristatum. W.	bearded.		Virginia.	1771.		H.O.	Gmel.sib.3. t.15.f.1
24 lanceolatum. W.en. 25 maritimum. W.	Sea Blite.		Pritain	1809.	7.	H.O.	Eng. bot. 633.
26 altissimum. W. en.			Italy	1775	7 0	H.O.	Forsk. ic. t. 9.
Salsola altissima. W			Italy.	1770.	7.0.	11.0.	TOTSIL IC. C. J.
27 salsum. B. P.	Saltwort.		Astracan.	1782.	8.9.	н.о.	Jac. vind. 3. t. 83.
Salsola salsa. IV.				.,			
28 fruticosa. W. en.	shrubby.		England.			H.h.	Eng. bot. 635.
Salsola fruticosa. E			J			•	-
BETA. W.	BEET.	Chenopodeæ. B. F).				
1 vulgaris. W.	common.		S. Europe.				Schkuh.han.1.t.56.
2 patula. W.	spreading.		Madeira.	1778.		G. 3. H. 3.	
3 cicla. W.	white.		Portagal.				
4 trigyna. H. K.	Hungarian.		Hungary.				Pl.rar.hung.1.t.35.
5 maritima. W.	sea.	OI D T	Britain.	• • • •	8.	н. д.	Eng. bot. 285.
SALSOLA. W.	SALTWORT.	Chenopodeæ. B. F			P 0	11.0	For hot Cos
1 Kali. W. 2 rosacea. W.	prickly.		Acia				Eng. bot. 634.
3 Soda. W.	rose-coloured.		C 17				Schkuh.han.1. t.57. Jac. vind. 1. t. 68.
4 sativa. W.	cultivated.		Snain	1783		H 2/	Cav. ic. 3. t. 991.
5 trigyna. W.	slender-leaved.		Special.	1804.		H.O.	Cav. ic 3. t. 291. ———————————————————————————————————
6 hirsuta. W.	hairy.		Danmaul	1791.		H.O.	Fl. dan. 187.
7 laniflora. W.	woolly.		Siberia.	1797.	6.8.	$H.\widetilde{\odot}$.	Pall. it.2. p.736.t.P.
8 prostrata. W.	trailing.		S. Europe.				Jac. aust. 3. t. 294.
9 vermiculata. W.	small-leaved.		Siberia.	1759.	7.8.	H.O.	Cav. ic. 3. t. 287.
10 muricata. W.	Egyptian.		Egypt.	1773.		H.O.	Al.mis.tau.3.t.4.f.2
KOCHIA. Roth.	Косніа.	Chenopodece. B. P	. Salsolæ spe	$ecies \ L.$			
1 hyssopifolia. R.	Hyssop-leaved.						Pall.it.1.p.491.t.H.
2 dentata. Ph.	tooth-leaved.			1803.		н.⊙.	Will.hor.ber.1.t.28
ANABASIS. W.	ANABASIS.	Chenopodeæ. B. P				~ *	
tamariscifolia. W. BOSEA. W.	Tamarisk-leaved			1752.	6.7.	G.h.	Cav. ic. 3. t. 283.
	Golden Rod.	Chenopodeæ. B. P				O T	777-141- h t O + 4 + 0
Yervamora. W. ULMUS. W.	tree. ELM-TREE.		Canaries.	1728.	• • • •	G. h.	Walth.hort.24.t.10
1 campestris. W.	common English	Amentaceæ. J.	Britain		4 =	LJ T.	For hot 1000
2 suberosa. W.	cork-barked.				4.0.	H L	Eng. bot. 1886.
3 glabra. E. B.	smooth.					H.h	2161. 2248.
4 effusa. W.	Wych.					H. b.	1887.
montana. E. B.							
5 americana. Ph.	white.		N. America.	1752.		н. ь.	Mich. arb. t
6 pendula, W. en.	drooping.					H.h.	Mich. arb. t

7 nemoralis. W.	Hornbeam-lead.	Amentaceæ. J.	N. America.	1760. 4.5. H.h.	
8 fulva. Ph.	slippery.			H.h.	Mich. arb. t
9 pumila. W.	dwarf.		Siberia.	1771 H.h.	Pall. ross. 1. t. 48.
10 chinensis. P. S.	China.		China.	\cdots G. h.	
HEUCHERA. W.	HEUCHERA.	Saxifrageæ. J.			
1 americana. W.	viscid.	-	N. America.	1656. 5.7. H.4.	Pluk.alm. t. 58.f. 3.
2 pubescens. Ph.	pubescent.	·		1812 H. 4.	Pluk.alm. t. 58.f. 3.
3 villosa. Ph.	villous.			— н. 4.	
4 caulescens. Ph.	caulescent.			— H.4. — H.4.	
VELEZIA. W.	VELEZIA.	Caryophylleæ. J.			
rigida. W.	rigid.		Spain.	1683. 7. H.⊙.	Barr. rar. t. 1018.
SWERTIA. W.	FELWORT.	Gentianeæ. B. P.			
perennis. W.	marsh.			7.8. H.4.	Eng. bot. 1441.
GENTIANA. W.	GENTIAN.	Gentianeæ. B. P.			
1 lutea. W.	yellow.		Alps of Eur.	1596. 6.7. H.4.	Rene.spec.64. t.63.
2 purpurea. W.	purple.			1768. —— H. 4.	Bot. rep. 117. Jac. aus. 2. t. 136.
3 pannonica. W.	round-petalled.			— Н. 4.	Jac. aus. 2. t. 136.
4 punctata. W.	spotted-flowered			1775. — H.4.	5.t.app.28.
5 septemfida. W.	crested.		Levant.	1804. — H. 4.	5.t.app.28. Bot.mag. 1229. 1078. Pall. ross. 2. t. 96. Jac. aus. 4. t. 372. Bot. mag. 1551.
6 asclepiadea. W.	Swallow-wort-Id.		Austria.	1629. 7.8. H.4.	
7 macrophylla. W.	long-leaved.		Siberia.	1796. — H. 4.	Pall. ross. 2. t. 96.
8 cruciata. W.	Crosswort.		Austria.	1596. 6.7. H.4.	Jac. aus. 4. t. 372.
9 ochroleuca. W.	Pare we				
10 incarnata. B. M.	flesh-coloured.			1812. 10. H.4.	1856.
11 Saponaria. W.	barrel-flowered.			1776. 8.9. H.4.	1039.
12 Catesbæi. H. K.	Catesby's.			1803. 6.7. H.4.	
13 Pneumonanthe. W.			England.	8.9. Н.4.	
14 caucasea. H. K.	Caucasian.		Caucasus.	1804. 7. H.J.	
15 adscendens. W.	porcelain-flowd.				705.&723
16 triflora. Pall.	three-flowered.				Pali. ross. t. 93. f.1.
17 algida. W.	narrow-leaved.				2. t. 95.
18 acaulis. W.	dwarf.		Wales.	3.5. Н.4.	
19 verna. W.	spring.		England.	4.5. H.4.	
20 bavarica. W.	Bavarian.		Germany.		Vill. delph. 2. t. 10.
21 nivalis. W.	small Alpine.		Scotland.	8. H.O.	
22 Amarella. W.	autumnal.		Britain.	— н.⊙.	236.
23 campestris. W.	field.			— н.⊙.	237.
24 ciliata. W.	fringe-flowered.		Germany.	1759. 8.9. H.4.	Bot. mag. 639. Bot. rep. 509. 2031.
25 crinita. Ph.	jagged-flowered.		N. America.	1804. 6.7. H.J.	Bot. rep. 509. 2051.
FALKIA. P. S.	FALKIA.	Convolvulaceæ. B	.P.		
repens. W.	creeping.			1774. 5.8. G.4.	Bot. rep. 257. 222
DICHONDRA. W.	DICHONDRA.	Convolvulaceæ. B.			
1 repens. B. P.	creeping.		N. S. W.		Smith ined. 1. t. 8.
2 sericea. W.	silky.			1793. —— S.4.	•
EVOLVULUS. W.	Evolvulus.	Convolvulaceæ. B.			
1 emarginatus. W.	kidney-leaved.		E. Ind.		Burm. ind. t.30. f.1.
2 nummularius. W.	round-leaved.		Jamaica.		Jac.amer.t.260.f.23
3 alsinoides. W.	Chickweed-leavd.		E. Ind.	. •	Rheed.mal.11.t.64.
4 linifolius. W.	Flax-leaved.		Jamaica.	1782. 8.9. S.O.	Brown.jam.t.10.f.2
HYDROLEA. W.	HYDROLEA.	Convolvulaceæ.J.			
spinosa. W.	thorny.			1791 S.h.	Aub. guian. 1. t. 10. 5
CUSCUTA. W.	Dodder.	Convolvulaceæ. B			77
1 europæa. H. K.	great.		England.	8.9. H.⊙.	
2 Epithymum. H. K.			411	— н. 4.	
3 chinensis. W.	Chinese.		China.	1803. — G.⊙.	
PHYLLIS. W.	BASTARD }	Rubiaceæ. J.			
	HARE'S EAR.				T) 1 4 and fand
Nobla. W.	Canary.		Canaries.	1699. 6.7. G.h.	Dil.elt, t.299.f.386.
CUSSONIA. W.	Cussonia.	Araliæ. J.			(Whenh in non
I thyrsiflora. W.	Thyrse-flowered.		C.B.S.	1795 G. h.	Thunb. in nov. act. ups. 3. t. 12.
2 spicata. W.	spike-flowered.	77 1 11°C 7	*****************	1789 G. h.	3. t. 13.
ERYNGIUM. W.	ERYNGO.	Umbellifereæ. J.	XX7 Ym 3	1514 010 61	Home had 4 00m
1 fœtidum. W.	stinking.		W. Ind.		Herm. lugd. t. 237.
2 aquaticum. W.	marsh.	·	N. America.		Jac. ic. 2. t. 347. 372
3 virginianum. Ph.	Virginian.				Delar. eryng. t. 19.
4 virgatum. Ph.	oval-leaved.				t. 20.
5 planum. W.	flat-leaved.		Europe.		Jac. aust. 4. t. 391.
6 pusillum. W.	dwarf.		Spain.		Delar. eryng. t. 16.
7 tricuspidatum. W.	trifid.	-		1099. 9. H.S.	t. 9.

8 corniculatum. B.M.		Umbellifereæ. J.			.4. Bot. mag. 1427.
9 maritimum. W.	Sea-holly.				.4. Eng. bot. 718.
10 campestre. W.	field.			7.8. H	.4 57.
11 galioides. P. S.	Galium-leaved.		Portugal.	1810. —— H	.4. 57. .4. Moris.s.7.t.35.f.2. .4. 4.37.f.13 .4. Bot. mag. 922. .4. Gouan. ill. 7. t. 3.
12 amethystinum. W.	amethystine.		Styria.	1648. — H	.4. Moris. s.7. t. 35. f.2.
13 cæruleum. P. S. 14 rigidum. P. S.	blue-flowered. stiff.		Caspia.	1816. — H	.4. ————t.37.f.13
15 alpinum. W.	Alpine.		Suitzerland	1507 —— H	21 Bot. mag. 999.
16 Bourgati. W.	cut-leaved.		S. France	1731. 68. H	.4. Gouan. ill. 7. t. 3.
HYDROCOTYLE. W.	PENNYWORT.	Umbellifereæ. J.	or a runice.	1,010 0100 220	74.
1 vulgaris. W.	marsh.		Britain.	5.6. H	.4. Eng. bot. 751.
2 americana. Ph.	American.		N. America.	1790. 5.8. H	.4.
3 umbellata. Ph.	umbelled.			1795. 7.8. H	. 4 .
4 asiatica. W.	thick-leaved.		C. B. S.	1690. — G	.4. Rheed.mal.10.t.36.
5 repanda. Ph.	Pilewort-leaved.		N. America.	1806. 6.7. G	. 4 .
6 villosa. W.	hairy-leaved.	TT 1 11/2 T	C. B. S.	1795. 8. G	.4.
SPANANTHE. Jac.	SPANANTHE.	Umbellifereæ. J.	Hydrocotyles	species W.	
paniculata. P. S.	panicled.	TT 1 11:0 T	Caracas.	1795, 7.8. S	. J. Jac. ic. 2. t. 350.
SANICULA. W.	SANICLE.	Umbellifereæ. J. *	Duite in	c = II	N From hot on
1 europæa. W.	wood.		Canada	1000 H	. 4. Eng. bot. 98. 1.4. 1.4. Jac. ic. 2. t. 348.
2 canadensis. W. 3 marilandica. W.	Canadian. Maryland.		N America	1765 — H	.4.
ASTRANTIA. W.	Masterwort.	Umbellifereæ. J.	N. America.	1705. ——11	.4. vac. ic. 2. c. 046.
1 maxima. B. M.	Hellebore-leavd.		Cancasus	1804 67 H	(.) Bot. mag. 1553.
2 major. W.	great black.		Alps of Eur.	1596. 5.9. H	I.4. Bot. mag. 1553.
3 minor, W.	small.		Switzerland.	1686. 5.6. H	1.21 - 2. t. 77.
4 carniolica. W.	Carpiolian.		Carniola.	1812. — H	I. 4 2. t. 77. I. 4. Jac.aust.6.app.t.10.
BUPLEURUM. W.	HARE'S EAR.	Umbellifereæ. J.	Currioras		11
1 rotundifolium. W.			England.	6.7. Н	.O. Eng, bot. 99.
2 stellatum. W.	starry.		Switzerland.	1775. 5.7. H	1.4. Hal.hel.n.771.t.18.
3 petræum. W.	rock.			1768. — H	. 24. Pluk. phyt. t. 50.f. 5.
4 graminifolium. W.	Grass-leaved.			H	21 Jac. ic. 1. t. 56.
5 angulosum. W.	angular-leaved.			1750 H	` 11
6 pyrenaicum. W.	Pyrenian.		Pyrenees.	1814. — H	.4. Gouan.ill.t.4.f.1.2.
7 longifolium. W.	long-leaved.		Switzerland.	1713. —— H	.4. Gouan.ill.t.4.f.1.2. .4. Camer. hort. t. 38.
	{Scorzonera-}		Baical.	1816. —— H	
	{ leaved. }				
9 falcatum. W.	twisted-stalked.		Germany.		.4. Jac. aust. 2. t. 158.
10 exaltatum. P. S.	tall.		Tauria.	1807. 7. H	
11 odontites. W. 12 semicompositum. W	narrow-leaved.		Spain	1749. 6.8. H	. ①. Jac. vind. 3. t. 91. . ②. Gouan. ill. t. 7. f. 1.
13 ranunculoides. W.	Crowfoot-like.		Dyranees		1.4. Park. theatr. f. 7.
14 tenuissimum. W.	slender.		England		[.⊙. Eng. bot. 478.
15 Gerardi. W.	branching.		S. Eurone.	1804. —— H	
16 junceum. W.	livear leaved				.O. Jac. aus. 3. t. 256.
17 nudum. W.	naked-stalked.				.O. Jac. aus. 3. t. 256.
18 fruticosum. W.			C. B. S.	1722. —— H	I.⊙. Jac. aus. 3. t. 256.
TO HUMOUSUM W.	shrubby.		C. B. S. S. Europe.		í.⊙. Jac. aus. 3. t. 256, í.⊙. ∂. 4.
19 coriaceum. W.	shrubby. thick-leaved.		C. B. S. S. Europe.	1722. —— H 1778. 10. G 1596. 7.8. H	í.⊙. Jac. aus. 3. t. 256, í.⊙. ∂. 4.
	shrubby. thick-leaved. Grass-l ^d shrubby		C. B. S. S. Europe.	1722. —— H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G	(.⊙. Jac. aus. 3. t. 256, (.⊙. 3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.
19 coriaceum. W.	shrubby. thick-leaved. Grass-l ^d shrubby hoary.		C. B. S. S. Europe.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G	(.⊙. Jac. aus. 3. t. 256, (.⊙. 3. 4 I. h k. h. Jac. ic. 2. t. 351. k. h. Cav. ic. 2. t. 106. d. h.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W.	shrubby. thick-leaved. Grass-I ^d shrubby hoary. thorny.		C. B. S. S. Europe.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G	(.⊙. Jac. aus. 3. t. 256, (.⊙. 3. 4. (. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W.	hoary. thorny. various-leaved.		C. B. S. S. Europe.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G	(.⊙. Jac. aus. 3. t. 256, (.⊙. 3. 4. (. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W.	hoary. thorny. various-leaved. SEA-PARSNEP.	Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain, C. B. S.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G	(.⊙. Jac. aus. 3. t. 256, (.⊙. Jac. ic. 2. t. 351, (. t. Jac. ic. 2. t. 351, (. t. Cav. ic. 2. t. 106, (. t. Gouan. ill. 8. t. 2. f. 8, (. t. J. Gouan. ill. 8. t. 2. f. 8, (. t. J.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W.	hoary. thorny. various-leaved. SEA-PARSNEP.	Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain, C. B. S.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G	(.⊙. Jac. aus. 3. t. 256, (.⊙. Jac. ic. 2. t. 351, (.) Jac. ic. 2. t. 351, (.) Jac. ic. 2. t. 106, (.) Jac. ic. 2. t. 106, (.) Jac. ic. 2. t. 351, (.) Jac. ic. 351,
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W.	hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved.	Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain, C. B. S.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G	(.⊙. Jac. aus. 3. t. 256, (.⊙. Jac. ic. 2. t. 351, (. t. Jac. ic. 2. t. 351, (. t. Cav. ic. 2. t. 106, (. t. Gouan. ill. 8. t. 2. f. 8, (. t. J. Gouan. ill. 8. t. 2. f. 8, (. t. J.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA.	Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H	(.). Jac. aus. 3. t. 256, (.). (.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægyptiaca. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian.	Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H	(.⊙. Jac. aus. 3. t. 256, (.⊙. Jac. ic. 2. t. 351, (. b. Jac. ic. 2. t. 351, (. b. Cav. ic. 2. t. 106, (. b. Jac. ic. 2. t. 106, (. c. Jac. ic. 2. t. 106, (. c. Jac. ic. 2. t. 106, (. c. Jac. ic. 2. t. 106, (. d. Jac. ic. 2. t. 2. t. 106, (. d. Jac. ic. 2. t.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægyptiaca. W. 2 cordata. W.	Grass-I shrubby hoary, thorny, various-leaved. SEA-PARSNEP, prickly, fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H	(.). Jac. aus. 3. t. 256, (.). (.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægyptiaca. W. 2 cordata. W. TORDYLIUM. W.	Grass-I shrubby hoary, thorny, various-leaved. SEA-PARSNEP, prickly, fine-leaved. HASSELQUISTIA. Egyptian, heart-leaved. HARTWORT.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1787. — H	(.). Jac. aus. 3. t. 256, (.). (.). 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægvptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1787. — H	(
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W. 1 ægyptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W.	Grass-I shrubby hoary, thorny, various-leaved. SEA-PARSNEP, prickly, fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1787. — H	(
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægvptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt. Syria. England. Levant.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1597. 7. H 1596. — H	() Jac. aus. 3. t. 256, () () Jac. ic. 2. t. 351, () () Jac. ic. 2. t. 351, () () Gouan. ill. 8. t. 2. f. 8 () Gouan. ill. 8. t. 2. f. 8 () L. Horis, s. 9. t. 1. f. 2. () Jac. vind. 1. t. 37, () () Jac. vind. 1. t. 54, () Lo. Jac. vind. 1. t. 54, () () Lo. Jac. vind. 1. t. 54, () Lo. Lo. Camer. hort. 37, t. 11
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 wgyptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W. 4 apulum. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt Syria. England. Levant. Italy.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1787. — H 1597. 7. H 1596. — H 1739. — H	(.⊙. Jac. aus. 3. t. 256, (.⊙. L. ⊙. L. 2. t. 351, (. 0. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægvptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small. great.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt Syria. England. Levant. Italy. England.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1597. 7. H 1596. — H 1739. — H 1739. — H	(.⊙. Jac. aus. 3. t. 256, (.⊙. Jac. ic. 2. t. 351. d. h. Jac. ic. 2. t. 351. d. h. Cav. ic. 2. t. 106. d. h. G. h. Gouan. ill. 8. t. 2. f. \$\frac{1}{2}\$ d. h. Gouan. ill. 8. t. 2. f. \$\frac{1}{2}\$ d. h. Moris. s. 9. t. 1. f. 2. t. Moris. s. 9. t. 1. f. 2. t. 193. d. ⊙. Jac. vind. 1. t. 54. l. ⊙. Jac. vind. 1. t. 54. l. ⊙. Camer. hort. 37. t. 11 l. ⊙. Jac. vind. 1. t. 53. l. ⊙. Eng. bot. 1173.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægyptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W. 4 apulum. W. 5 maximum. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small. great. red-flowered.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt. Syria. England. Levant. Italy. England. Carniola.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1787. — H 1597. 7. H 1596. — H 1739. — H 1739. — H 1739. — H 1731. — H	(.⊙. Jac. aus. 3. t. 256, (.⊙. L. ⊙. L. 2. t. 351, (. 0. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W. 1 ægvptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W. 4 apulum. W. 5 maximum. W. 6 siifolium. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small. great. red-flowered.	Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt. Syria. England. Levant. Italy. England. Carniola.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1787. — H 1597. 7. H 1596. — H 1739. — H 1739. — H 1739. — H 1731. — H	(.⊙. Jac. aus. 3. t. 256, (.⊙. Jac. ic. 2. t. 351, (.), (.), (.), (.), (.), (.), (.), (.)
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægyptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W. 4 apulum. W. 5 maximum. W. 6 siifolium. W. 7 absinthifolium. P.S. CAUCALIS. W. 1 grandiflora. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small. great. red-flowered. Wormwood-lead.	Umbellifereæ. J. Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt. Syria. England. Levant. Italy. England. Carniola. Persia. S. Europe.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1787. — H 1597. 7. H 1739. — H 1739. — H 1739. — H 1816. — H 1816. — H 1648. 7.8. H	() Jac. aus. 3. t. 256, () (a.) (b.) (c.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægvptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W. 4 apulum. W. 5 maximum. W. 6 siifolium. V. 7 absinthifolium. P.S. CAUCALIS. W. 1 grandiflora. W. 2 daucoides. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small. great. red-flowered. Wormwood-lead. Eur-Parsley. great-flowered. small.	Umbellifereæ. J. Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt. Syria. England. Levant. Italy. England. Carniola. Persia. S. Europe. England.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1787. — H 1597. 7. H 1596. — H 1739. — H 1816. — H 1816. — H 1648. 7.8. H 6. H	() Jac. aus. 3. t. 256, () (a. \(\) Jac. ic. 2. t. 351, (a. \(\) L. \(\) Jac. ic. 2. t. 106, (a. \(\) L. \(\) Jac. ic. 2. t. 106, (a. \(\) L. \(\) Jac. ic. 2. t. 106, (a. \(\) L. \(\) Jac. ic. 2. t. 106, (a. \(\) L. \(\) Jac. ic. 2. t. 106, (a. \(\) Jac. ic. 2. t. 13. (a. \(\) Jac. vind. 1. t. 37, (a. \(\) Jac. vind. 1. t. 54, (a. \(\) Camer. hort. 37. t. 11, (a. \(\) Camer. hort. 37. t. 11, (a. \(\) Log. vind. 1. t. 53, (a. \(\) Eng. bot. 1173, (a. \(\) Scop. car. 194. t. 8, (a. \(\) Vent. choix. t. 22, (a. \(\) Jac. aus. 1. t. 54, (a. \(\) Eng. bot. 197.
19 coriaceum. W. 20 fruticescens. W. 21 canescens. P. S. 22 spinosum. W. 23 difforme. W. ECHINOPHORA. W. 1 spinosa. W. 2 tenuifolia. W. HASSELQUISTIA.W 1 ægyptiaca. W. 2 cordata. W. TORDYLIUM. W. 1 syriacum. W. 2 officinale. W. 3 peregrinum. W. 4 apulum. W. 5 maximum. W. 6 siifolium. W. 7 absinthifolium. P.S. CAUCALIS. W. 1 grandiflora. W.	Grass-I shrubby hoary. thorny. various-leaved. SEA-PARSNEP. prickly. fine-leaved. HASSELQUISTIA. Egyptian. heart-leaved. HARTWORT. Syrian. officinal. oriental. small. great. red-flowered. Wormwood-lead. Bur-Parsley. great-flowered.	Umbellifereæ. J. Umbellifereæ. J. Umbellifereæ. J.	C. B. S. S. Europe. Gibraltar. Spain. Barbary. Spain. C. B. S. England. Apulia. Egypt. Syria. England. Levant. Italy. England. Carniola. Persia. S. Europe. England.	1722. — H 1778. 10. G 1596. 7.8. H 1784 G 1752. 8.9. G 1809. — G 1752. — G 7. H 1731. 7.8. H 1768. 7. H 1597. 7. H 1596. — H 1739.	() Jac. aus. 3. t. 256, () (a.) (b.) (c.

4 pumilia. W.	dwarf,	Umbellifereæ. J.	S. Europe.	1640.	7.8. H 🛈	Cav. ic. 2. t. 101.
5 orientalis. W.	oriental.					Moris. s.9. t.14. f.5.
6 pulcherrima. W. en.			Cancosna			Buxb. cent.3. t. 33.
7 platycarpos. W.	broad-seeded.		S Furone			
			Europe.	1700	7.8. 11.0.	Moris,s.9. t.14. f.2.
8 leptophylla. W.	fine-leaved.		Domboos	1709.	n.o.	Schk.handb.1.t.61.
9 humilis. Desf.	long-seeded.		Darbary.	1804.	—н.б.	Jac. hort. 2. t. 195, Eng. bot. 987.
10 Anthriscus. W.	upright.	-	Britain.	• • • •	— H.O.	Eng. bot. 987.
11 infesta. H. K.	spreading.			• • • •	—— H.O.	1314.
arvensis. W.						
12 nodosa. W.	knotted.			• • • •	5.7. H.⊙.	199.
ARTEDIA. W.	ARTEDIA.	Umbelliferez. J.		•		
squamata. W ₂	Fénnel-leaved.		Levant.	1740.	7. H.⊙.	Lam. ill. t. 193.
DAUCUS. W.	CARROT.	Umbellifereæ. J.				
1 Carota. W.	wild.	-	Britain.		6.7. H. J.	Eng. bot. 1174.
a lutea.	yellow garden.					
β aurantia.	long Orange.					,
y præcox.	early horn.					
2 maritimus. P. S.	sea-side.	-	Section of the Party of the Par		H. 2.	Eng. bot. 2560.
3 mauritanicus. W.	fine-leaved.		Spain.	1768.	H. đ.	All.ped.2. t.61. f.1.
4 lucidus. W.	shining.		S. Europe.	1807.	7.8. H. 3.	Moris.3.s.9.t.13.f.4
5 crinitus. P. S.	whorl-leaved.		Barbary			Desf. atl. t. 62.
6 Gingidium. W.	shining-leaved,	1	France	1700	H O	Moris.s.9. t.9. f.10.
7 muricatus. W.			Porbary	1699	H.O.	t.14. f.4.
	prickly-seeded.		Darbary.			
8 hispidus. P. S.	hispid.		**			Desf. atl. t. 63.
9 copticus. P. S.	Egyptian.		Egypt.		—— H.①.	Jac, yind. 2. t. 196.
VISNAGA. G.	Тоотнріск.	Umbellifereæ. J.				
daucoides. G.	Carrot-like.		S. Europe.	1596.	6.8. H.⊙.	Gærtu.de fr.1.t.107
AMMI. W.	BISHOP'S-WEED	Umbellifereæ. J.				
1 majus. W.	great.		S. Europe.	1551.	6.7. H.⊙.	Blackw. t. 447.
2 glaucifolium. P. S.	glaucous-leaved.		France.	1816.	Н.4.	
3 daucifolium. W.	Carrot-leaved.		Pyrenees.	1734.	7.8, H.4.	Scop. carn. t. 10.
BUNIUM. W.	EARTH-NUT.	Umbellifereæ. J.	•			
1 Bulbocastanum. W.	great.		Britain.		5.6. H.4.	Flor. dan. 220.
2 flexuosum. H. K.	common.		England.			Eng. bot. 988.
CONIUM. W.	HEMLOCK.	Umbellifereæ. J.	7.0			- 4
1 maculatum. W.	common.		Britain.		6.7. H. A.	Eng. bot. 1191.
2 rigens. W.	fine-leaved.		C. B. S.		G.b.	23.18. 4.4. 4.4.
3 africanum. W.	Rue-leaved.		C. D. S.			Jac. vind. 2. t. 194.
4 dichotomum. P. S.	dichotomous.		Rarbary			
			Daingly.	1000.	0.7. 11.0.	Desf. atl. 1. t. 66.
SELINUM. W.	MILK-PARSLEY.	Umbellifereæ. J.	77. 14. 1.		- 0 TT 31	Enm hat 000
1 palustre. W.	marsh.		Britain.		7.8. H.4.	Eng. bot. 229,
			Switzerland.	1816.	H. 4.	Jac. aust. 1. t. 71.
3 austriacum. W.	Austrian.		Austria.	1804.	— ţi. 4.	Jac. aust. 1. t. 71.
4 Carvifolia. W.	Caraway-leaved.		******	1774.	— н. 4.	1. t. 16. 1. t. 72. Jac. vind. 1. t. 61.
5 Chabræi. W.	fine-leaved.			1791.	— H. 4.	1. t. 72.
6 Seguieri. W.	Fennel-leaved.		Italy.	1774.	—- Н. 4.	Jac. vind. 1. t. 61.
7 Monnieri. W.	annual.		S. Europe.	1771.	— H.⊙.	1, t. 62.
8 latifoljum. M. B.	broad-leaved.		Caucasus.	1816.	—- Н.4.	
9 decipiens. W.	shrubby.		Madeira.	1785.	6.7. G.h.	Schr.sert.han.3.t.13
ATHAMANTA. W.	SPIGNELL.	Umbellifereæ. J.				
1 Libanotis. W.	mountain.		England.		6.7. H.4.	Eng. bot. 138.
2 Cervaria. W.	broad-leaved.		Europe.	1597.	7.8. H. 1.	Jac. aust. 1. t. 69.
			•			Gmel. sib. 1. t.40. f. 1. 2.
3 sibirica. W.	Siberian.		Siberia.	1771.	—— Н.4.	f. 1. 2.
4 condensata. W.	close-headed.			1779	79. H 2/.	Gouan.ill. 83. t.26,
5 incana. W.	_	be -			7.8. H.4.	20444444
	hoary.					Jac. aust. 1. t. 68.
o Oreoseimum. W.	Trancateg.		Germany.			
7 sicula. W.			Sicily.			Zanon.hist.70.t.48
8 Matthioli. W.	fine-leaved.			1802.	H. 4.	Jac. ic. rar. 1. t. 57.
9 cretensis. W.	Candy-carrot.		Austria.	1596.	—— H. 4.	Jac. aust. 1. t. 62.
10 annua. W.	annual.		Candia.	1731.	— H,⊙.	
PEUCEDANUM. W.	SULPHURWORT.	Umbellifereæ. J.				** 1 /
1 officinale. W.	officinal.		England.	• • • •		Eng. bot. 1767.
2 arenarium. P. S.	sand.		Hungary.	1816.		Pl.rar.hung.1.t.20.
3 italicum. P. S.	Italian.		Italy.		5.7. H.4.	
4 alpestre. W.	Alpine.		France.	1739.	6.7. H.4.	
5 sibiricum. W.	Siberian.		Siberia.			Pl.rar.hung.1.t.60,
6 Silaus. W.	meadow.		England.			Eng. bot. 2142.
7 alsaticum. W.	small-headed.		Austria.			Jac, aust. 1. t. 70.
	golden.	-				8.12.559
. ,						1.0

AD-100-11-11-11-1	0						
CRITHMUM. W.	SAMPHIRE.	Umbellifereæ. J.	m :/ :		~ 0	TT N	Eng hat C10
1 maritimum. W.	sea.		Britain.				Eng. bot. 819.
2 latifolium. W.	wedge-leaved.		Canaries.	1780.	7.	G. 3.	
CACHRYS. W. 1 Libanotis. W.	CACHRYS.	Umbellifereæ. J.	e:.:1	1570	70	FF 21	Schku.hand.1.t.65.
2 Morisoni. W.	smooth-seeded. Morison's.		Sicily.	1710	7.0.	H 21	Marie umb t 3 f 1
3 sicula. W.	hairy-seeded.		Sicily	1640		H 2/	Moris.umb, t. 3. f. 1.
4 panacisfolia. W.	Parsnep-leaved.		Sichy.	1750		H 21	Boc. sic. 1. t. 1.
FERULA. W.		Umbellifereæ. J.		17020		21.4.	poor sice in the in
1 communis. W.	common.		S. Europe.	1597.	6.7.	H.21.	Moris.s.9. t.15. f.8.
2 sibirica. W.	6.1		Siberia.				Pall. it. 2. app. t.N.
3 glauca. W.	glaucous.		Italy.	1596.		H. 24.	- and 111 at a p. p. 112 11
4 tingitana. W.	Tangier.	· · · · · · · · · · · · · · · · · · ·	Barbary.	1680.		H. Z.	Herm. par. t. 165.
5 orientalis. W.	eastern.		Levant.	1759.	7.8.	H. 4.	Tourn. it. 3. t. 239.
6 nodiflora. W.	knotted.		S. Europe.				Jac. aust.5.t.app.5.
7 persica. W.	stinking.	T. 1. 11/6	Persia.	1782.	7.8.	H. 24 .	Bot. rep. 558.
LASERPITIUM. W.	LASERWORT.	Umbelinereæ. J.					
1 latifolium. W.	broad-leaved.		Europe.	1640.	6.7.	H.4.	Jac. aust. 2. t. 146.
2 trilobum. W.	three-lobed.		Levant.			H.4.	
3 aquilegifolium. W.	Columbine-leavd		Austria.				Jac. aust. 2. t. 147.
4 gallicum. W.	French.		S. Europe.	1683.	6.7.	H.4.	Pluk.phyt.t.198.f.6
5 triguetrum. P. S.	winged.			1816.		H.21.	Vent. hor. cels. t.97.
•			tinople.				
6 angustifolium. W.	narrow-leaved.		S. Europe.				Moris s. 9. t. 19.f. 9.
7 prutenicum. W.	Prussian.		Germany.				Jac. aust. 2. t. 153.
8 silaifolium. W.	Sulphurwort-ld.		Italy.				Jac.aust.5.t. app.44
9 peucedanoides. W.	fine-leaved.		A 4				Jac. ic. 2. t. 350.
10 Siler. W.	mountain.		Austria.	1640.	5.7.	H.4.	Jac. aust. 2. t. 145.
	shining.	. 24 7 7 3	Switzerland.	1775.	7.	11.6.	Mann :4 0 4 101
12 ferulaceum. W. 13 piloşum. W. en.	Fennel-leaved. sulphur-colour ^d .	The ball of the state of the st	Levant.	1752.	0.	Γ1. 4. Li 1	Tourn. it. 2. t. 121.
14 hirsutum. W. en.	hairy.		Almo	1709.	0.7.	. II N	
HERACLEUM. W.	Cow-Parsner.	Umbellifereæ. J.	Miha.			-11.4.	
1 Sphondylium. W.	common.	·	Britain		5.6	Ha	Eng. bot. 939.
2 flavescens. W.	yellowish.		Austria.				Jac. aust. 2. t. 173.
3 angustifolium. W.	narrow-leaved.		Britain.				2. t. 174.
4 elegans. W.	rough-leaved.		Austria.			H.4.	2.0.17.10
5 sibiricum. W.	Siberian.		Siberia.				Gmel. sib. 1. t. 50.
6 Panaces. W.	Fig-leaved.						Lobel. ic. 701.
7 austriacum. W.	Austrian.		Austria.	1750	G Pr	LI N	Too onet 1 + 61
8 alpinum. W.	Alpine.		Switzerland.	1739.		H.24.	Barr. ic. 55.
9 pyrenaicum. W. en.	Pyrenean.		Pyrenees.	1798.		H.4.	
10 pumilum. P. S.	dwarf.	I Imballiforas, I	Dauphiny.	1800.	5.7.	H. 24 .	Vill. delp. 2. t. 14.
LIGUSTICUM. W.	LOVAGE.	Cimpenificiem. 9.					
1 Levisticum. W.	common.		Įtaly.				Blackw. t. 275.
2 scoticum. W.	Scotch.		Britain.			H.4.	Eng. bot. 1207.
3 peloponense. W.	Hemlock-leaved.		Switzerland.	1596.	5.7.	H.4.	Jac.aust.5.t.app.13.
4 austriacum. W.	Austrian.		Austria.		6.8.	н. 4.	2. 7. 151.
5 cornubiense. W.	Cornish.		England.	-	7.8.	н.4.	Eng. bot. 683.
6 pyrenaicum. W.	Pyrenean.		Pyrenees.	1804.		H.4.	Gouan.ill.p.14.t.10
7 candicans. W.	pale.		.,,.,	1780.			7 1 1 0 1 10
 peregrinum. W. balearicum. W. 	Parsley-leaved.		Portugal.				Jac. vind. 3. t. 18.
10 longifolium W.	Minorca. long-leaved.		Milliorca.			H.4.	Moning O 4 15 6
ANGELICA. W.	Angelica.	Umbellifereæ. J.	Siberia.	-		H.4.	Moris.s. 9. t. 15. f. 1.
1 Archangelica. W.	garden.	Umbermereæ. 5.	England		60	II A	Flor don + one
2 sylvestris. W.	wild.		Britain.	• • • •	0.8.	H. 31	Flor. dan. t. 206. Eng. bot. 1128.
3 Razoulii. P. S.	decurrent-leavd.			1016		II. 4.	Gouan. ill. 13. t. 6.
4 verticillaris. W.	whorled-flowerd.		Italy.				Jac. vind. 2. t. 130.
5 atropurpurea. W.	dark purple.		Canada.				Corn. canad. t.199.
6 lucida. W.	shining.	-	Cultural				Jac. vind. 3. t. 24.
SIUM. W.		Umbellifereæ. J.				22.0	• • • • • • • • • • • • • • • • • • • •
1 latifolium. W.	broad-leaved.		Britain.		7.8.	H.24.	Eng. bot. 204.
2 angustifolium. W.	narrow-leaved.				-	H. 24.	139.
3 nodiflorum. W.	procumbent.					H. 4.	139.
4 repens. W.	creeping.	part of the second seco			6.	H.24.	1431.
5 Sisarum. W.	Skirret.		China.	1548.	7.8.	H. 24.	Schku.hand.1.t.69.
6 rigidius. W.	Virginian.		Virginia,				Moris. s. 9. t.7.f. 1.
7 Falcaria. W.	decurrent.	-	Europe.	1726.		· H. 4.	Jac. aust. 3. t. 257.
8 siculum. W.	Sicilian.	And the second s	Sicily.	1686.	-	-н.ц.	Jac. vind. 2. t. 133.
		1					

90	Ť ET.	IANDILIA	DIGIN	LA.			
SISON. W.	Honewort.	Umbellifereæ. J.					
1 Amomum. W.	hedge.	e moennereder or	Britain.		7 2	HO	Eng. bot. 954.
2 segetum. W.	corn.		England.		7.0.	H.O	2008
3 inundatum. W.	water.	t	Britain.		5.6.	H O	228. 227.
4 verticillatum. W.	whorled-leaved.				7.8.	H.7/	395.
					7.0.	11.4.	(Pall act not 1770
5 salsum. W.	fine-leaved.		Siberia.	1804.		H.4.	Pall.act. pet.1779. t. 8. f. 1. 3.
BUBON. W.	Bubon.	Umbellifereæ. J.					(
1 macedonicum. W.	Macedonian.		Greece.	1596.	68	G 1	Blackw. t. 382.
2 rigidius. W.	stiff-leaved.		Sicily.				Bocc. mus. 2. t. 76.
3 Galbanum. W.	Lovage-leaved.		C. B. S.				Jac. vind. 3. t. 36.
4 lævigatum. W.	smooth.			1774.			out that of though
5 gummiferum. W.	gum-bearing.						Comm.hort.2.t.58.
CUMINUM. W.	CUMIN.	Umbellifereæ. J.		1,010		0.77	Commingation
Cyminum. W.	officinal.			1594.	6.7.	H.O.	Cav. ic. 4. t. 360.
•	_		-571	2002.	0.,.		04/11/04/17 07/04/1
ŒNANTHE. W.	WATER-DROPWORT.	Umbellifereæ. J.					
1 fistulosa. W.	common.		Britain.		6.8.	H.21.	Eng. bot. 363.
2 crocata. W.	Hemlock.						2313.
3 prolifera. W.	proliferous.		Italy				Jac. vind. 3. t. 62.
4 globulosa. W.	globe-headed.		Portugal.	1710.		H. 4.	Gouan. ill. 18. t. 9.
5 apiifolia. W. en.	Parsley-leaved.			1806.			
6 peucedanifolia.	Sulphurwort.		England.			H. 2/.	Eng. bot. 348.
7 pimpinelloides. W.	Burnet-Saxifrage					H. 7/.	Eng. bot. 348.
8 inebrians. Th.	various-leaved.		C. B. S.			G. 24.	
PHELLANDRIUM.W			0.2.0	10101	0.0.	24. 4	·
aquaticum. W.	common.		Britain.		6.7.	H. 4.	Eng. bot. 684.
CICUTA. W.	COWBANE.	Umbellifereæ. J.	271111111		0.,.	22.0.	23116 * 5511 552
1 virosa. W.	long-leaved.		Britain.		7.	II. 21.	Eng. bot. 479.
2 maculata. W.	spotted.		N. America.	1759.	7.8.	H. 21.	Eng. bot. 479. Pluk. alm.t. 76. f. 1.
ÆTHUSA. P. S.	FOOL'S-PARSLEY	.Umbellifereæ.J.					-
1 Cynapium. W.	common.		Britain.		7.9.	H.O.	Eng. bot. 1192.
2 fatua. W.	fine-leaved.		1711111111	1781.	7 -1/-	H.21.	High con the
MEUM. G.	BAWD-MONEY.	Umbellifereæ. J.	Æthusæ sn	ecies W	,	22024.	
1 Bunius.	Coriander-leave.	C IN OCT IN OTO CO. O.	Pyrenees.	1778.	7.	H. 4.	Jac. vind. 2, t. 198.
2 Mutellina. P. S.	Alpine.		Anstria.	1774.	7.8.	H.21.	Jac. vind. 2. t. 198. Gært.de fruct.1.t.23 Jac. aust. 4. t. 303.
3 athamanticum. J.	common.		Britain.	1//-1-	4.6.	H. 2/ .	Jac. aust. 4. t. 303.
CORIANDRUM. W.	CORIANDER.	Umbellifereæ. J.	23710001110		1101	11.4.	ouce augus 11 as coor
1 sativum. W.	common.		England.		6.	H.O.	Eng. bot. 67.
2 testiculatum. W.	twin-fruited.		S. Europe.				Pluk.alm.t.169.f.2:
MYRRHIS. P. S.	Myrrh.	Umbellifereæ. J.	Scandicis sn			11.0.	T TO HAME DIVINO
odorata. P. S.	sweet-scented.		Britain			I-F 2/	Eng. bot. 697.
SCANDIX. P. S.	CICELY.	Umbellifereæ. J.	Direm.		0.0.	11.4.	Ing. both out.
1 Pecten. W.	Venus's Comb.		Britain.		67.	H.O.	Eng. bot. 1397.
2 australis. W.	radiated.		S. Europe.				Col. ccphr. 1. t. 90%
3 pinnatifida. P. S.	cut-leaved.		Persia.	1805.		H.O.	Vent. cels. 14.
OLIVERIA. V.	OLIVERIA.	Umbellifereæ. J.	2 010144	1000.		11.0	V 0110V 00111 1 1 1
decumbens. V.	Thyme-scented.		Bagdad.	1816.	5.7.	H.O.	Vent. cels. 21.
ANTHRISCUS, P. S.		.Umbellifereæ. J.	Scandicis sn				
1 vulgaris. P. S.	common.		Britain.			н.О.	Eng. bot. 818.
2 nodosa. P. S.	knotted.		Sicily.				Jac. vind. 3. t. 25.
CHÆROPHYL- }							
LUM. P. S.	CHERVIL.	Umbellifereæ. J.					
1 sylvestre. W.	smooth.		Britain.		5.6.	H. 24.	Eng. bot. 752.
2 sativum. P. S.	garden.		England.				1268.
3 procumbens. Pli.	procumbent.		Virginia.	1699.	6.7.	H.O.	Moris.s.9.t.11.f.ult.
4 bulbosum. W.	bulbous-rooted.		Europe.	1726.		H. 3.	Jac. aust. 1. t. 63.
5 temulum. W.	rough.		Britain.		7.8.	H. 2.	Eng. bot. 1521.
6 hirsutum. W.	hairy-leaved.		Switzerland.	1759.	6.7.	H. 21.	Jac. aust. 2. t. 148.
7 aromaticum. W.	aromatic.		Germany.	1726.	6.8.	H. 24.	2. t. 150.
8 canadense. Ph.	three-leaved.			1699	7.8.	H. 1.	Riv. pent. t. 53.
Sison canadense. W				2000			•
9 Claytoni. Ph.	sweet-rooted.			1806.		н.и.	
10 coloratum. W.	yellow.		Illyria.	1000.		H. 71	Moris.s.9. t.10. f.6.
11 aurenm. W.	golden.		Scotland.			H. 1	Eng. bot. 2103.
IMPERATORIA. W.		Umbellifereæ. J.					3
Ostruthium. W.	common.	Chiberinetector	Scotland.		5.7.	H.24.	Eng. bot. 1380.
	(MEADOW-)					-1	9
SESELI. W.	SAXIFRAGE.	Umbellifereæ. J.					
1 pimpinelloides. W.	nodding-flowerd.		S. Europe.	1796.	7.	H.4.	
T. T					-		

PENTANDRIA TRIGYNIA.

2 leucospermum.W.e	n.woolly-headed.	Umbellifereæ. J.	Hungary.	1805. 7	H.4.	Pl. rar. hung. 89.
3 montanum. W.	mountain.		Italy.			Jac. vind. 2.t. 129.
4 glaucum. W.	glaucous.	barrer	France.	1759. 7.8	. H.4.	Jac. aust. 2. t. 144.
5 aristatum. W.	bearded.		Pyrenees.	1739. 6.7	. н. 4.	Tind 1 4 50
6 ammoides. W.	Milfoil-leaved.		· S. Europe.	1759	- H.⊙.	Jac. vind. 1. t. 52.
7 tortuosum. W.	crooked.		N America	1010 65	. H.J.	Bot. mag. 1742.
8 divaricatum. Ph.	shining-leaved.					
9 Hippomara- thrum. W.	various-leaved.		· Austria.	1656. 7	. H.4.	Jac. aust. 2. t. 143.
10 pyrenæum. W.	Pyrenean.		Pyrenees.	1731, 6.7	. H.24.	Gonan. ill. 11. t. 5.
11 gracile. W. en.	slender.		Hungary.			Pl.rar.hung.2.t.117
12 elatum. W.	tall.		Austria.			Gouan. ill. 16. t. 8.
13 gummiferum. Ex.B.	gum-bearing.		Crimca.			Exot. bot. t. 120.
THAPSIA. W.		Umbellifereæ. J.	•			
1 villosa. W.	villous.	,	S. Europe.			Moris. s. 9. t. 18. f. 3.
2 fœtida. W.	stinking.	, 100 - 100	Spain.	1596. 7.8	. н. 4.	
3 Asclepium. W.	oriental.		Levant.			
4 garganica. W.	Garganian.		Barbary.	1683. —	-11.4.	Gouan, ill. 18. t.10.
PASTINACA. W.	PARSNEP.	Umbellifereæ. J.	C F	1551 65	TT 4	Ina rind a + 100
1 lucida. W.	shining-leaved.		S. Europe.			Jac. vind. 2. t. 199. Flor. dan. t. 1206.
2 sativa. W. β arvensis. P. S.	garden. field.	-	England			Eng. bot. 556.
3 Opopanax. W.	rough.		S Europe			Gou. ill.19. t.13.14.
4 dissecta. V.	cut-leaved.		Levant.	1816. —	-H. A.	Vent. cels. t. 78.
SMYRNIUM. W.	ALEXANDERS.	Umbellifereæ. J.	DC (WILL)	10101		0
1 perfoliatum. W.			Italy.	1596. 5.	H.24.	Pl.rar.hung.1.t.23.
2 Olusatrum. W.	common.		Britain.			Eng. bot. 230.
3 apiifolium. W.	Smallage-leaved.		Candia.	1731. 5.7	. H. 24.	
4 cordatum. Ph.	heart-leaved.		N. America.	1759. 6.7	. H.4.	
Thapsia trifoliata.	W.					
5 aureum. W.	golden.			1699. 5.6		
6 integerrinum. W.	entire-leaved.			1759. 6.	H.4.	
ANETHUM. W.	DILL.	Umbellifereæ. J.		*****	TT 4	
1 graveolens. W.	Common.		Spain.	1570. 6.7		
2 segetum. W. 3 Sowa. Roxb.	Portugal. Indian.		F Ind	1796. — 1810. —	- H.O.	
4 Fæniculum. W.	Fennel.	-	England.			Eng. bot. 1208.
CARUM, W.	CARAWAY.	Umbellifereæ. J.	238			
1 Carvi. W.	common.		Britain.	5.6	. н. д.	Eng. bot. 1503.
2 simplex. W.	simple-stalked.		Siberia.	1816	-H.J.	
PIMPINELLA. W.	BURNET					
FIMFINELLA. W.	SAXIFRAGE.	Umbellifereæ. J.				
1 Saxifraga. W.	common.		Britain.			Eng. bot. 407.
2 nigra. W.	black-rooted.		Germany.	1683. —		77 1 / 400
3 magna. W.	great.		England.	• • • • • • • • • • • • • • • • • • • •	- H. 4.	Eng. bot. 408.
4 dissecta. W.	cut-leaved.		France.	10103	-H.4.	Retz. obs. 3. t. 2. Jac. vind. 2. t. 131.
5 peregrina. W.	nodding.		Italy.	1551	- H ()	oac. vilia. 2. t. 151.
6 Anisum. W. 7 bubonoides. P. S.	Anise. Bubon-like.	***************************************	Egypt.	1914	- H 2/	
8 dichotoma. W.	dichotomous.		Spain	1814. — 1798. —	- H.2/.	
9 dioica. W.	dwarf.		England.			Eng. bot. 1209.
10 glauca. W.	glaucous.	Y. L. W. Co I	Hungary.			Pl. rar. hung. t. 72.
APIUM. W.	PARSLEY.	Umbermerea. J.				
1 Petroselinum. W.	garden.		Sardinia.	1548. 6.7	. н. д.	
2 graveolens. W.	Celery.		Britain.	6.8	н.д.	Eng. bot. 1210.
ÆGOPODIUM. W.	GOUT-WEED.	Umbellifereæ. J.				
Podagraria. W.	common.		Britain.	5.7	H.4.	Eng. bot. 940.
3.17		1 1 - 1 1 1 - 2				
3**		TRIGYNIA.				1
DLITTE W	*C	Touchints I				
RHUS. W.	Sumach. Elm-leaved.	Tercbintaceæ. J.	S. Europe.	1506 7	HL	Ludw. etc. t. 122.
1 Coriaria. W. 2 typhinum. W.	Virginian.		N. America	1629. 7.8	H.h.	Park.par. t.609.f.6.
3 javanicum. W.	Java.		Java.	1799. 7.9		2
4 glabrum. W.	smooth.		N. America.	1726. —	-H.h.	Dil.elt.t.243. f.314.
5 elegans. W.	scarlet.					Catesb. car. 3. t. 4.
6 viridiflorum. Ph.	green-flowered.					
	dwarf poisonous.			1806. —		
8 Vernix. W.	Varnish.					Dil.elt.t.292.f.377.
9 succedaneum. W.	red Lac.		China.	1768. 6.	G. h.	Kæmpf.amœ.t.795.

I 2

60	PEN	TANDRIA	TRIGYN	NIA.	
10 semialatum. W. 11 Copallinum. W. 12 Toxicodendron. Ph. α vulgare. β quereifolium. η microcarpon.			N. America.	1688. 8.9. H.h. 1640. 6.7. H.h.	
13 aromaticum. Ph.	sweet.			1759. 5. H.h.	Turp. in Ann. mus. 5. t. 30.
aromaticum & suav. 14 pendulinum. W. en. 15 dentatum. W. 16 cuneifolium. W. 17 incisum. W. 18 tomentosum. W.		and female of the	c. B. S.	Ph G.h. 1798 G.h.	Comm. hort.1.t.g2. Pluk.alm. t.219.f.8.
19 villosum. W. 20 pubescens. W. 21 viminale. W. 22 angustifolium. W. 23 romarinifolium.W. 24 pentaphyllum. W.	hairy. pubescent. Willow-leaved. narrow-leaved.			1800 G. h. 1774 G. h.	Jac.schæn.3. t.344.
25 lævigatum. W. 26 lucidum. W. β mivor. 27 Cotinus. W. VIBURNUM. W.	polished-leaved. shining-leaved. small shining-le. Venice. VIBURNUM.	Caprifoliæ. J.	S. Europe.	1758 G. h. 1697. 7.8. G. h. 	Burm. afr. t.91. f.1. Desf. atl. 1. t. 77. Bürm. afr. t.91. f.2. Comm. hort.1. t.93. Jac. aust. 3. t. 210.
i Tinus. P. S.	5 common }	•	S. Europe.	1596. 12.3. H.h.	Bot. mag. 38.
2 lucidum. P. S.	{ Laurestine. } { shining-lead } { Laurestine. }			— н. ъ.	
3 strictum.	{upright Lau-}		_	— H. h:	
4 rugosum. P. S.	{ large-leaved } Laurestine. }		Canaries.	1796, G.h.	Buy 366:2082
5 prunifolium. W. 6 pyrifolium. Ph. 7 Lentago. W.	Plum-leaved. Pear-leaved. tree.		N. America.	1731. 5.6. H.ħ. — H.ħ. 1761. 7. H.ħ.	Duham. 2. t. 38.
8 nudum. W. 9 dauricum. W. 10 obovatum. Ph. 11 cassinoides. W.	oval-leaved. Siberian. obovate-leaved. thick-leaved:		Dahuria. N. America.	1752. 5.6. H.h. 1785. 6.7. H.h. 1812. 5.6. H.h. 1761. 6.7. H.h.	Mill. ic. 2: t. 274. 228 Pall. ross. 1. t. 38.
12 lævigatum. W.	{ Cassioberry- Bush. }			1724. 7.8. H.h.	Mill. ic. 1. t. 83.
13 nitidum. W. 14 dentatum. Ph. 15 pubescens. Ph.	shining-leaved. tooth-leaved. downy tooth-lea.			1758. 5.6. H.h.	Jac. vind. 1. t. 36.
16 lantanoides. Ph. 17 Lantana. W. 18 molle. Ph. 19 accrifolium. W.	Lantana-like. Wayfaring-tree. soft. Maple-leaved.		- N. America.	H. h. 5.6. H. h. H. h. 1812. 6.7. H. h. 1736. — H. h.	
20 Opulus. W. β rosea. 21 Oxycoccos. Ph.	Guelder Rose. Snowball-tree. Cranberry-like.		· Britain.	5.6. H.h.	Eng. bot. 332.
22 edule. Ph. CASSINE. W. 1 capensis. W.	eatable-fruited. CASSINE. Cape Phillyrea.	Rhamni. J.	- C. B. S.	7. H. h. 1812. — H. h. 1629. 7.8. G. h.	Burm, afr. t. 85.
2 Colpoon. W. 3 Maurocenia. W.	Colpoon-tree.			1791 G.h.	CDW 14 non C
4 lævigata. W. 5 xylccarpa. P. S.	Cherry. Smooth. bony-seeded.			1690. — G.h. 1816 G.h. — S.h.	\ 147. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
SAMBUCUS. W. 1 Ebulus. W. 2 nigra. W. β viridis.	ELDER. dwarf. common. green-fruited.	Caprifoliæ. J.	Britain.	6.7. Н. 4.	Eng. bot. 475.
y teciniata. 3 canadensis. W. 4 pubescens. Ph.	Parsley-leaved. Canadian. pubescent.			1761. 6.8. H.h. 1812 H.h.	Schmidt arb. 142.
5 racemosa W. SPATHELIA. W.	red-berried.	Terebintaceæ. J.	S. Europe.	1596. 5.6. H.h.	
simplex. W.	Sumach-leaved.		Jamaica.	1778 S.h.	Sloan. jam. t. 171.

PENTANDRIA TETRAGYNIA.

	STAPHYLEA. W.	BLADDER-NUT.	Rhamni. J.				
	1 pinnata. W.	five-leaved.		England.			Eng. bot. 1560.
	2 trifolia. W.	three-leaved.		N. America.	1640. 5.6. l	H.h.	Schmidt arb. t. 80.
	TAMARIX. W.	TAMARISK.	Portulaceæ. J.	73	r 10 1	т т	Franch - 4 1010
	1 gallica W. 2 articulata. W.	French. Indian.		England.			Eng. bot. 1318.
	3 germanica. W.	German.		Carmeny			Vahl symb. 2. t. 32. Mill. ic. t. 262. f. 2.
	XYLOPHYLLA. W.en		Euphorbiæ. J.	Germany.	1002. 0.3. 1		171111.10. 0. 202.1.2.
	1 ramiflora. W. en.	oval-leaved.		Siberia.	1785. 7.8.	н.ь.	Pall. it. 3. t.E. f. 2.
	2 obovata. W. en.	obovate-leaved.				H.b.	
	TURNERA. W.	TURNERA.	Portulaceæ. J.				
	1 ulmifolia. W.	Elm-leaved.		Jamaica.	1733. 6.9.	S.h.	Hort. cliff. t. 10.
	2 angustifolia. B. M.				4.9.	S.h.	Bot. mag. 281.
	3 Pumilea. W.	Nettle-leaved.			1796. 7.	S.⊙.	Slo.jam.1.t.127.f.6.
	4 distoides. W.	Betony-leaved.		America.	1774. 6.10.	H	Plum.ic. t.150. f.1.
	5 racemosa. W. TELEPHIUM. W.	clustered.	Dantalana I	• • • • • • • • • • • • • • • • • • • •	1789. 7.8.	s.⊙.	Jac. vind. 3. t. 94.
	Imperati. W.	ORPINE.	Portulaceæ. J.	& Europe	1650 60	ET M	Lam. ill. t. 213.
	CORRIGIOLA. W.	STRAPWORT.	Portulaceæ. J.	S. Lurope.	1030. 0.0.	11.4.	11am. m. t. 215.
	littoralis. W.	sand.	Torturaceæ. 5.	England.	7.8.	HYO.	Eng. bot. 668.
	PHARNACEUM. W.		Caryophylleæ. J.	mommu	**** 7.0*		Ing. 000 000.
	1 Cerviana. W.	umbelled.		Russia.	1771. 6.	н.⊙.	Gmel.sib.3.t.20.f.2
	2 lineare. W.	linear-leaved.		C. B. S.			Bot. rep. 326.
	3 Mollugo. W.	Ladies' Bedstraw		E. Ind.			Burm. ind. t. 5. f. 4.
	4 incanum. W.	hoary.		C. B. S.			Bot. mag. 1883.
١	5 dichotomum. W.	forked.			1783. 7.	G.⊙.	
'	DRYPIS. W.	DRYPIS.	Caryophylleæ. J.			_	0.
	spinosa. W.	prickly.		Italy.	1775. 6.7.	н. д.	Jac. vind. 1. t. 49.
	TO A CITET T A TIT	MALABAR					
	BASELLA. W.		Chenopodeæ. B. P	•			
	t rubra. W.	red.		E Ind	1721 7 0	8 1	Rheed.mal.7.t.24
	2 alba. W.	white.		17. Thu.	1688. 7.11.	S. A.	Pluk alm. t. 63. f.1.
	3 lucida. W	shining.			1802.	S.O.	Pluk. alm. t. 63. f.1.
	4 cordifolia. P. S.	heart-leaved.				s.O.	
	PORTULACARIA.W	PURSLANE- }					
		TREE.	Portulaceæ. J.				
	afra. W.	African.		Africa.	1732	G.h.	Jac. coll. 1. t. 22
			mernn 4 6 v				
		(Cnica an)	TETRAGY	NIA.			
	PARNASSIA. W.	GRASS OF PARNASSUS.	Capparides? J.				
	1 palustris. W.	marsh.		Britain.	7.8.	H. 24.	Eng. bot. 82.
	2 caroliniana. Ph.	Carolina.		N. America.	1802. 5.6.	H. 24.	Bot. mag. 1459.
	3 asarifolia. Ph.	Asarum-leaved.					Vent. malm. t. 39.
			PENTAG	ÝNIÁ.	,		
	ARALIA. W.	ARALIA.	Araliæ. J.				
	1 capitata. W.			W. Ind.	1777. 8.	S.b.	Smith ic. pict. 4.
	2 Sciodaphyllum. W.			Jamaica.	1793. 6.3.	S.h.	Bro.jam.t.19.f.1.2.
	3 spinosa. W.	Angelica-trec.		Virginia.	1688. 9.	H. b.	Comm.hort.1.t.47.
	4 hispida. Ph.	hispid.		N. America.	1799. 6.7.	Н.Ь.	Bot. mag. 1085.
	5 racemosa. Ph.	berry-bearing.			1658. 6.9.	H.4.	Moris. s.1. t.2. f. 9.
	6 nudicaulis. Ph.	naked-stalked.			1731. 6.7.	H.4.	Pluk.alm.t.238.f.5.
	ARMERIA. W. en.	THRIFT.	Plumbagineæ. B.I				
	1 vulgaris. W. en.	common.				н. ц.	F 1-4 000
	2 maritima. W. en.	sea-side.		Britain.			Eng. bot. 226.
	3 alpina. W. en. 4 arenaria. P. S.	flat-stemmed. sand.		Carinthia. France.		н. 4.	
	5 littoralis. W. en.	ciliated.		S. Eurone.			
	6 alliacea. W.	Garlic-leaved.		Spain.			Cav. ic. 2. t. 109.
	7 denticulata. Sch.	toothed.			1816. —		
	8 plantaginea. W. en.			S. Europe.		H.4.	`
	9 scorzoneræfolia. }	large-headed.					
	W. en.			A1			To a min 1 of the second
	10 latifolia. W. en. Statice cephalotes.	broad-leaved.		Algarbia.	1740. 5.7.	r1.4.	Jac. vind. 1. t. 42.
	11 fasciculata. W. en.	bundled.	· ·	Portugal	4.8-	H. b.	Vent. cels. t. 38.
				- 0. em D. M.	**** 3101	· · ·	

PENTANDRIA PENTAGYNIA.

CTATICE W	SEA TAXBUBBB	Dlumbaginam D	o				
STATICE. W. en. 1 graminifolia. W.	Grass-leaved.	Plumbagineæ. B.	Siberio	1700	27	T. 11	
2 Limonium. W.	common.		England.	1/00.		H.4.	Eng. bot. 102.
3 Gmelini. W.	Gmelin's.		Siberia.				Gmel. sib. 2. t. 90
4 scoparia. W.	Broom.					H.4.	
5 latifolia. W.	broad-leaved.					H. 24.	
6 oleæfolia. W.	Olive-leaved.	,	Italy.				Scop. ins. 1. t. 10.
7 auriculæfolia. W.	Auricula-leaved.		Barbary.			F. 4.	
8 emarginata. W. en.	emarginate.		Gibraltar.		5.7.	F. 24.	
9 cordata. W.	blunt-leaved.		S. Europe.	1752.	~	- F.4.	Barr. ic. 805.
10 scabra. W.	rough-branched.		C. B. S.	1788.		- G. 24.	*
11 virgata. W. en.	twiggy.		Spain.			H.4.	
12 reticulata. W. en.	matted.		England.				Eng. bot. 328.
13 caspia. W. en.	Caspian.	***************************************	Caspian Sea.			н. 4.	Gmel.sib.2.t.89.f.2.
14 echioides. W.	rough-leaved.		S. Europe.				Gouan. ill. t. 2. f.4.
15 spathulata. P. S.	spatula-leaved.		Baroary.				Bot. mag. 1617.
16 speciosa; W.	Plantain-leaved.		Russia.	1776.	7.8.	F.4.	656.
17 conspicua. B. M. 18 tatarica. W.	showy. Tartarian.						1629.
19 flexuosa. W.	zigzag.		Siboria				Gmel. sib. 2. t. 92.
20 purpurata. W.	purple.	~	C B S			H.4. G.4.	
			Mediter-	1000.	0.7.	0.4.	
21 minuta. W.	small.	*****		1658.		н.4.	Pluk.alm. t.200.f.3:
22 pectinata. W.	triangular-stalkd		Canaries.	1780.	9.10	G. h.	
23 suffruticosa. W.							Gmcl.s.2.t.88.f.2.3.
24 monopetala. W.	Sicilian shrubby.		Sicily.				Boc. sic. t. 16. 17.
25 ferulacea. W.	Fennel-leaved.		Siberia.				Pluk.alm. t. 28.f.4.
26 sinuata. W.	scollop-leaved.		Levant.				Bot. mag. 71.
27 alata. W. en.	winged.					G. 24 .	. 3
28 mucronata. W.	curled.		Barbary.	1784.		G. 4.	L'Her. stirp. t. 18.
LINUM. W.	FLAX.	Caryophylleæ? J.					-
1 usitatissimum. W.	common.		Britain.		6.7.	$H.\odot.$	Eng. bot. 1357.
2 perenne. W.	perennial.		England.		6.8.	H.4.	40.
3 trigynum. H. K.	three-styled.		E. Ind.				Bot. mag. 1100.
4 hirsutum. W.	hairy.		Austria.				Jac. aust. 1. t. 31.
5 hypericifolium.H.K.			Caucasus.				Bot. mag. 1048.
6 ascyrifolium. H.K.			Portugal.				1087.
7 narbonense. W.	Narbonne.		S. France.	1759.			
8 reflexum. W.	reflex-leaved.		S. Europe.	1777.			7
9 tenuifolium. W.	slender-leaved.		Europe.				Jac. aust. 3. t. 215.
10 angustifolium.H.K.			England.	3.000			Eng. bot. 381.
11 gallicum. W.	annual yellow.		France.				Ger. prov. t.15. f.1.
12 maritimum. W.	sea. Alpine.		Anetria				Jac. vind. 2. t. 154. Jac. aust. 4. t. 321.
13 alpinum. W. 14 austriacum. W.	Austrian.		Austria.				Bot. mag. 1086.
15 virginianum. W.	Virginian.			1807.			Dot. Mag. 1000.
16 rigidum. Ph.	stiff-leaved.		Missouri				4
17 flavum. W.	yellow.		Austria.				Bot. mag. 312.
18 tauricum. W. en.	Taurian.	-	Tauria.				B
19 campanulatum. W.			Europe	1795.		H.24.	
20 strictum. W.	upright.		S. Europe.	1759.			
21 suffruticosum. W.	Spanish.		Spain.				Cav. ic. 2. t. 108.
22 arboreum. W.	tree.		Candia.	1788.	5.8.	G.h.	Bot. mag. 234.
23 africanum. W.	African.		C. B. S.	1771.	6.7.	G.h.	403.
24 nodiflorum. W.	knotted.		Itaiv.	1759.	7.8.	H.4.	Moris. s. 5. t.6. f. 1 %
25 catharticum. W.	purging.		Britain.				Eng. bot. 382.
26 quadrifolium. W.	four-leaved.		C. B. S.	1787.	5.6.	G.h.	Bot. mag. 431.
DROSERA. W.	SUNDEW.	Capparides? J.					
1 rotundifolia. W.	round-leaved.		Britain.				Eng. bot. 867.
2 longifolia. W.	long-leaved.			• • • • •		н.4.	868.
3 anglica. H. K.	great.	· b	England.			н. 4.	869.
4 filiformis. Ph.	thready-leaved.	Dantulacem I	new Jersey.	1811.	ə.G.	11.4.	
GISEKIA. W.	GISEKIA.	Portulaceæ. J.	F Ind	2 700	e-	80	Royh con 0 4100
pharnacioides. W.	trailing.	Semperviveæ. J.	E. Ind.	1783.		3.0%	Roxb. cor. 2. t.183.
LAROCHEA. P. S.	LAROCHEA. sickle-leaved.	Semperviveæ. 5.				G. L	Dec. pl. grass. 103. 2635
2 coccinea. P. S.	scarlet.			1710.	6.8.		Bot. mag. 495.
3 cymosa. H. S.	cymose.			1800.	8.	$G. I_2$.	
4 flava. H. S.	yellow.			1802.	8.9.	G.b.	Pluk.alm. t.314.f.2.
5 odoratissima. H. S.				1793.	6.7.	G.h.	Bot. rep. 26.
							•

						,
	CRASSULA. W.	CRASSULA.	Semperviveæ. J.			
	1 perfoliata.	perfoliate.		C. B. S.	1725. 7.8. G. h. 1774. — G. h. 1711. 8. G. h.	Plant. grass. 13.
	2 ramosa. W.	branching.			1774. — G.h.	73. 4
	3 tetragona. W.	square-leaved.			1711. 8. G.h.	Plant. grass. 19.
	4 mollis. W.	soft.	-	-	1774. — G. h.	mt i li -
	5 acutifolia. P. S.	acute-leaved.		Greece :	1774. — G. h. 1795. 9.11. G. h. 1739. 5.6. G. h.	Plant. grass. t. 2.
	6 arborescens. W.	tree.	***************************************	С. В. S.	1739. 5.6. G.h.	Bot. mag. 384.
	Cotyledon. B. M.	-lillions loomed			1750 45 CT	Di
	7 obliqua. W.	oblique-leaved.	4	×	1759. 4.5. G.h.	Plant. grass. 79.
	8 lactea. W.	white. ciliated.			1774. 9.10. G.h.	Bot. mag. 1771.
	9 ciliata. W.	wave-leaved.			1732. 7.8. G.n.	Plant. grass. 7.
	10 undulata. H. S.	rough-leaved.			1797. 8.11. G. n.	D:11 alt + 00 f 117
	12 biconvexa. H. S.	double-convex.			1700. 0.7. G. n.	Din.e.c. (.99.1.1174
	13 columnaris. W.	columnar.			1700 G. L.	Russ of t 0 f 0
	14 imbricata. W.	imbricated.			1760 67 G.L	Daim. an. t. 3. 1. 2.
	15 perfilata. P. S.	filed.			1785 0 G L	Scondel ins 3 t 6
	16 punctata. W.	dotted.			1759. 48 G h.	Scop.aci, ms. o. t.o.
	17 marginalis. W.	marginated.			1774. 7.8. G.h.	
	18 pellucida. W.	pellucid.			1732. 6.9. G.h.	Dill.elt.t.100.f.119
	19 spathulata. W.	notched-leaved.			1774. 7.9. G.h.	Plant, grass, 49.
	20 cordata. W.	heart-leaved.			5.8. G.h.	121.
	21 cultrata. W.	sharp-leaved.			1732, 7.8, G.h.	Trew.pl. rar. 2. t. 12.
	22 obvallata. W.	Houseleek-leavd			1795. — G. h.	Plant, grass, 61.
	00	grey.			1800. — G. 24.	8
	Globulea canescens.	, H. S.				Plant. grass. 79. Bot. mag. 1771. Plant. grass. 7. Dill.elt.t.99.f.117. Burm. afr.t. 9. f. 2. Scop.del, ins. 3. t. 6. Dill.elt.t.100.f.119 Plant. grass. 49. ————————————————————————————————————
	24 nudicaulis. W.	naked-stemmed,			1732. 5.9. G.4,	Plant. grass. 133. Bot. mag. 1765. Herm.lugdb.t.553. Plant. grass. 67. Plant. grass. 55.
	25 tomentosa. W.	downy.			1790. 4.5. G.h.	
	26 linguæfolia, H. S.	tongue-leaved.			1803. S. G. 4.	
	27 Cotyledon. W.	Cotyledon-leavd,			1800 G. 2.	
	28 orbicularis. W.	starry.			1731. 7.9. G. 4.	
	29 retroflexa. W.	Orange-flowered			1788. 6. G.O.	
	30 lineolata. W.	channelled.			1774. 6.8. G.J.	
	31 centauroides. W.	Centaury-flowd.			5.6. G. J.	Bot. mag, 1765,
	32 dichotoma. W.	forked.			—— 6.7. G.⊙.	Herm.lugdb.t.553₄
	33 glomerata. W.	rough, cluster'd.			—— 8.10. G.⊙,	Plant. grass. 67.
	34 glabra, H. S.	smooth, cluster'd			—— 6.10. G.⊙.	
	35 Alooides. W.	Aloe-like.			6.8. G.J.	
	36 capitella. W.	square-spiked.			1774. 7.8. G. J.	
	37 rubens. W.	annual red.		Italy.	1759. 5.6. H.⊙.	Plant. grass. 55.
	38 verticillaris. W.	whorl-flowered.		S. Europe.	1788. 7. H.⊙.	
	39 expansa. W.	awl-leaved.		· С. В. S.	1774. 6.7. G.⊙.	
	40 sparsa. W.	alternate-leaved.			G.∂.	
	41 diffusa. W.	diffuse.		N. O. 137	G.O.	
	42 moschata. W.	Musky.	(D'11') T	N. S. W.	1794. 5.11. G.O.	
	MAHERNIA. W.	MAHERNIA.	Tiliaceæ? J.	CPS	1750 CO CT	Dat
	1 pinnata. W. 2 diffusa. W.	winged-leaved,	3	С. В. З.	1752. 6.8. G.h.	Bot. mag. 277.
	3 incisa. W.	procumbent.			1774 G. N.	Pot man 252
	4 pulchella, W.	neat.	=		1792. 7.9. G. h.	Cov. Hay t an f a
	5 glabrata. W.	sweet-scented.			1700 45 G.T.	Pot was of
	6 grandiflora. B. Reg.	large-flowered.			1703. 4.3. G. n.	Bot regr 024
	COMMERSONIA. W.	COMMERSONIA.			1/31. 0.0. U.n.	Bot. mag. 277, Jac.schœn. 2. t. 201, Bot. mag. 353, Cav. diss. t. 77, f. 3, Bot. rep. 85, Bet. reg. 224,
	1 platyphylla. B. M.	broad-leaved.				
	2 dasyphylla. B. R.	hairy-leaved.		N. Holland.	1806. 6.7. S.h. 1808. 4.5. G.h.	Bot. rep. 603.
	SIBBALDIA. W.	SIBBALDIA.	Rosaceæ. J.			Don't op: cost
	1 procumbens. P. S.	procumbent.		Britain.	6.8. Н. 4.	Eng. bot. 897.
	2 parviflora. P. S.	small-flowered.		- Cappadocia.	— Н. 4	
×	3 erecta. W.	upright.		Siberia.		Am. ruth. 112.t.15.
	-	• •				
			POLYGYNIA	_		
			TODICITAL		**	
	MYOSURUS. W.	Mouse-Tail.	Ranunculaceæ. J.			
	minimus. W.	small.		Britain.	4.5. H.⊙.	Eng. bot. 435.
	CERATOCEPHA-	{ CERATOCE- }	Ranunculaceæ. J.			
	LUS. P. S.	PHALUS.				
	falcatus. P. S.	sickle-seeded.		S. Europe.	1739. 5. H.⊙.	Jac. aust. t. 49.
	Ranunculus falcatu		n			
	ZANTHORHIZA. W.		Ranunculaceæ. J.			D 4
	apiifolia. W.	Parsley-leaved.		- M. America.	1766. 9.4. H.h.	Bot. mag. 1736.

CLASS VI.

RITTO A TE	PLANTAIN-TREE.	Margage D C			
MUSA. W. 1 paradisiaca. W.	common.		India	1600 10 10 S L	Thomas 4 10 00
2 sapientum. W.	Banana-tree.		W. ind	1790 10.12. S. N	. Trew.ehr.3.t.18.20
3 rosacea. W.	rose-coloured.	-	Manritius.	1805. 95. S.h	Jac.schœn.4.t.445. 70
4 coccinea. W.			China.	1792, 12.3, S.h	Bot. mag. 1559.
URANIA. W.	URANIA.	Musaceæ. P. S.		ss.	. Dyc. mag. 1559.
speciosa. W.	Plantain-leaved.				Jac. scheen.1, t. 93,
BRÔMELIA. W.	PINE-APPLE.	Bromeliæ, J.			
1 Ananas. W.	common.		S. America.	1690, 1.12, S.b	Bot. mag. 1554. Dil.elt.25.t.21.f.22.
2 semiserrata. W. en.	half-sawed-lead.			S.h	
3 lucida. W. en.	shining-leaved.			S.h	Dil.elt.25.t.21.f.22.
4 Pinguin. W.	broad-leaved.		W. Ind.	1690. 3.4. S.h	 Dil.elt.25.t.21.f.22, Jac.am.ed.pict.t.91, Jac.vind.1.t.31.32,
5 Karatas. W.	upright-leaved.			1739 S. h	. Jac.vind.1.t.31.32.
6 nudicaulis. W.	naked-stalked.		Rio Janeiro.	93 S L	Rot reg ons
7 lingulata. W.	tongue-leaved.				
8 bracteata. W.	red-bracted.		Jamaica.	1785. 9.10. S. h 1789. 3. S. h	. Par. lond. 40.
9 humilis. W.	dwarf.		• • • • • • • • •	1789. 3. S.h	. Jac, ic. 1. t. 60.
PITCAIRNIA. W.	PITCAIRNIA.	Diomena. o.			
1 bromeliæfolia. W.	scarlet.	44.5.5000044	Jamaica.	1781. 6. S.h	. Bot. mag. 824.
2 angustifolia. W.	narrow-leaved.		Santa Cruz.	1777. 12.1. S.h	1547.
3 integrifolia. B. M.	entire-leaved.	278.27	W. Ind.	1800. 8. S.h	1462.
4 latifolia. W.	broad-leaved.			1785. 8.9. S.h	856.
5 bracteata. H. K.	large bracted-red.	,		1799. 4.5. S.h	. Redouté lilia.73.74
6 sulphurea. B. R.	yellow-flowered.			1797. 6.8. S.h	. Bot. mag. 1416.
7 furfuracea. W. en.	drooping-leaved.		S. America.	1816. — S. h	Bot. mag. 824. 1547. 1462. 856. Redouté lilia.73.74 Bot. mag. 1416.
TILLANDSIA. W.	T T D D T T T				
1 utriculata. W.	bottle.		S. America.	1793 S.4	•
2 serrata. W.	saw-leaved.	***************************************	Jamaica.	6. S.4	. Plum.ic.63.t.75.f.1
3 lingulata. W.	tongue-leaved.		*** * 1	1776. 6.7. S.h	. Jac. amer. t. 62.
4 flexuosa. W.	flexuose.		W. Ind.	1790 S. 4	t. 63. 17 72
5 nutans. W.	nodding.		Jamaica.	1793. 8. S.4	
6 stricta. B. M.	stiff-leaved.	******	Brazil.	1810. 11. 8.24	. Bot. mag. 1529.
7 recurvata. W.	recurve-leaved.		Jamaica.	1793. 7. S.24 — S.24	. Slo.jam.1.t.121.f.1,
8 xiphioides. B. Reg. TRADESCANTIA.W.	Air-plant.			5.4	. Dot. reg. 105.
		Commelineæ. B. 1		1000 E 10 H 3	Pot mag 105
1 virginica. W.	common.			1629. 5.10. H. 4	
2 rosea. Ph. 2 subaspera. B. M.	rose-flowered. Lyon's.		N. America	1012. — H.4	. Vent. cels. t. 24, . Bot. mag. 1597.
4 crassifolia. W.	thick-leaved.		Mexico	1706 7 10 H 2	. Doi: mag. 1097.
5 erecta. W.	upright.		MEXICO.	1790. 7.19. 11.4	1598.
6 discolor. W.	purple-leaved.		S America.	1783 49 S L	1192.
7 malabarica. W.	Grass-leaved.		E. Ind.		. Rheed.mal. 9. t.63,
geniculata, W.	knotted.		W. Ind.		. Jac, amer. t. 64.
9 cristata. W.	crested.		Cevlon.		. Bot. mag. 1435.
10 Zanonia. W.	Gentian-leaved.		W. Ind.	1759. 7.12. S. 4	
Zanonia bibracteat			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
PONTEDERIA. W.	PONTEDERIA.	Asphadeless ?			
1 cordata. Ph.	heart-leaved.		N. America.	1759. 6.8. H. 2	. Bot. rep. 490.
2 angustifolia. Ph.	narrow-leaved.			1806 H. 2	_
3 dilatata. H. K.	spreading.		E. Ind.	5. S.2	. Bot. rep. 490.
HÆMANTHUS. W.	BLOOD-FLOWER.	Amarylligeæ, B.	۲.		
1 coccineus. W.	salmon-coloured.		C. B. S.	1629. 8.10. G.4	. Bot. mag. 1075, . Bot. reg. 181 Bot. mag. 1618 ———————————————————————————————————
2 coarctatus. W.	compressed.			1795. 2.3. G. 4	. Bot. reg. 181.
2 rotundifolius. B. M.	round-leaved.			1790. 6.10. G.24	. Bot. mag. 1618.
4 puniceus. W.	waved-leaved.			1722. 5.9. G.4	1315.
5 multiflorus. W.	many-flowered.		Sierra Leone.	1/00, 0.4	
6 tigrinus. W.	tiger-spotted.		C. B. S.	1790. 12.2. G. 4	. ————————————————————————————————————
7 quadrivalvis. W.	four-valved.			9.10. G. 4	1523.
& pubescens. W.	pubescent.	+		1774. 6. G.4	. 1000 res 330
B albiflos. W.	white-flowered.			1791. 4.8. G. 4	. Jac. scheen. 1. t. 59.
9 maculatus. J.	spotted-leaved.			1790. — 6.4	•
10 lanceæfolius. W.	spear-leaved.				. Jac. scheen. 1. t. 60.
11 carinatus. W.	keel-leaved.			1759. 8.9. G.4	
13 pumilio. W.	dwarf			1789. — G. 4	
2 63 Per 161					43M . 1 50

	*****	ALLIANDELLE .			00
GALANTHUS. W.	SNOWDROP.	Amaryllideæ. B.			
nivalis. W. LEUCOJUM. W.	common.	A 11' 1 Y		1.3. Н. 4.	Eng. bot. 19.
1 vernum. W.	SNOW-FLAKE.	Amaryllideæ. B.	P.	150C 10 TT 1	Dot was 40
2 æstivum. W.	spring.	9	England	1596. 1.3. H.4.	
3 pulchellum. P. L.	neat.		England.	4.5. H. 4.	
4 autumnale. W.	autumnal.		Portugal	1629. 9. H.4.	
5 trichophyllum. P.S.			Barbary.	1819. 19 H.M.	Red. lil. 150. f. 2.
STRUMARIA. Jac.	STRUMARIA.	Amaryllideæ. B.	Р.	1012. 1.2. 11.4.	1100111111
1 truncata. W.	truncated.		C. B. S.	1795, 4.5, G.2L.	Jac. ic. 2. t. 357.
2 rubella. W.	pale red.	***		1795. 4.5. G. 24. 5.6. G. 24. 4.5. G. 24.	2. t. 358.
3 angustifolia. W.	narrow-leaved.			4.5. G.2.	2. t. 359.
4 linguæfolia. W.	tongue-leaved.			G. h. 1774. 11. G. 4. 4.8. G. 4.	2. t. 356.
5 filifolia. H. K.	fine-leaved.			- 1774. 11. G.4.	2. t. 361.
6 spiralis. H. K.	spiral.			4.8. G.4.	Bot. mag. 1383.
7 crispa. B. M.	curled-flowered.			1790 (†. 2/	1363
8 stellaris. B. M.	starry.		-	· 1794.10.11. G. 4.	Jac. schæn.1. t. 71. Bot. mag. 1620.
9 gemmata. B. M.	gynandrous,			· 1812 8. G.4.	Bot. mag. 1620.
CRINUM. W.	CRINUM.	Amaryllideæ. B. P	•		
1 americanum. W.	American.	***************************************	S. America.	1752. 7.8. S.4. 1789. 6.8. S.4.	Bot. mag. 1034.
2 erubescens. W.	blush-coloured.		W. Ind.	1789. 6.8. S.4.	1232.
3 Commelini. K. R.	Commelin's.		S. America.	1798. — 5.4.	Jac. scheen. 2. t. 202.
4 defixum. K. R.	marsh.				Rheed.mal.11.t.38.
5 amænum. K. R.	delightful.			· S.4.	
6 sumatranum. K.R.	Sumatra.		Sumatra.	S.4.	
7 longifolium. K. R.	long-leaved.		Bengal.	S.4.	70-4 a.m.
8 cruentum. K. R. 9 asiaticum. W.	red-flowered.		E. Ind.	6.8. 8.4.	Bot. reg. 171.
10 amabile. K. R.	Poison-bulb.		Coma.	1732. — 5.4.	Bot. mag. 1073. 1605. Bot. reg. 179.
11 bracteatum. W.	beautiful.		E. Ind.	1810. — 5.4.	Pot non 150
12 canaliculatum.K.R.	bracteated.		mauritius.	5.4.	Bot. 1eg. 179.
13 pedunculatum. B.R.			N S W	1790. 6.8. G. 4.	Bot reg 50
CYRTANTHUS. H.K.		Amaryllideæ. B. P		1730. 0.8. 0.4.	Bot. 1eg. 52.
1 angustifolius. W.	narrow-leaved.	Timai yindea. D. I	CBS	1774. 5.6. G.4.	Bot mag 271
2 collinus. B. Reg.	hill.			1010 50 (13)	Bot row 100
S spiralis. B. Reg.	spiral-leaved.			1790. — G.4. 1774. — G.4. 1816. — G.4.	167.
4 obliquus. W.	oblique-leaved.			1774. — G.21.	Bot. mag. 1133.
5 uniflorus. B. Reg.	one-flowered.	449		1816. — G. 21.	Bot. reg. 168.
BRUNSVIGIA. Ker.	BRUNSVIGIA.	Amaryllideæ. B. P			
1 Incarbing P I	Tanantinata		OBC	2014 00 034	[Lil. à Redouté, t.
1 Josephinæ. R. L.	Josephine's.		C. B. S.	1814. 6.8. G.4.	{ Lil. à Redouté, t. 870.872.
β minor. B. Reg.	smaller.			G. 4.	Bot.reg. 192 & 193,
2 multiflora. H. K.	many-flowered.				
3 marginata, H. K.	red-margined.			1795. 9.10. G.4.	Jac. schœn. 1.t. 65.
4 Radula. H. K.	rasp-leaved.			1790. 4.8. G. 4.	1. t. 68.
5 striata. H. K.	striated.			1795. 9.10. G. 24.	1. t. 70.
6 falcata. B. M.	sickle-leaved.			1774. 5.6. G.4.	Bot. mag. 1443.
Amaryllis falcata.					
7 toxicaria. B. Reg.	Poison-bulb,	-		9.10. G.4.	Bot. mag. 1217.
Hæmanthus toxicar					D
8 ciliaris. B. Reg.	fringed.			1752 G, 4.	Breyn. cent. t. 39.
Hæmanthus ciliaris. AMARYLLIS, W.		A		1	
1 colchiciflora. K. R.	AMARYLLIS.	Amaryllideæ. B. P.		101C 0 10 TI 3	Di san hung 0 4 155
r colememora. K. R.	Cotchicum-now-			-	Pl.rar.hung.2.t.157
2 Clusiana, K, R.	Clusius's.		{ Constan- }	н.4.	Clus. hist. 1. t. 163.
3 lutea. W.	yellow.		S. Europe.	1596. — H. 4.	
4 chloroleuca. K. R.	one-leaved.		•		Ker's rev. pl. 8. f. 2.
5 Pumilio. W.	dwarf.		C. B. S.	1774. 11. G.4.	
6 pudica. K. R.	modest.		O. D. S.		Ker's rev. pl. 8. f. 8.
7 tubispatha. K. R.	tube-sheathed.		S. America.	S.4.	
8 Atamasco. W.	Atamasco Lily.		N. America.		
9 formosissima. W.	Jacobea Lily.		S. America.	1629. 5.6. H. 4. 1658. — G. 4.	47.
10 aulica. K. R.	crowned.		Brazil.	5.8. S.4.	nie o Alek
11 psittacina. B. Reg.	parrot-like.				
12 calyptrata. K. R.	green-flowered.			1816. — S. 4. — S. 4.	164.
13 equestris, W.	Barbadoes Lily.			1710. 7.10. S. 4.	
β major.	larger.			S.4.	
14 reginæ. W.	Mexican Lily.		America.	1725. 5.6. S.4.	
15, advena. B. M.	streaked-flowerd.	the state of the s		1807 S.4.	1125. Phi
		K			

	16	reticulata. W.	netted-veined.	Amaryllideæ. B.P.	Brazil.	1777.	4.5.	S. 4.	Bot. reg. 38.
		β major. K. R.	striped-leaved.			1815.		S.4.	- R 3322 211
	17	crocata. K. R.	saffron-coloured.					S.4.	Bot. reg. 38.
		rutila. K. K.	nery.					D. 4.	20.
			striped-tubed.						226.
		blanda. K. R.	charming.		C. B. S.	1754.	5.6.	G.4.	Bot. mag. 1450.
		Belladonna. W.	Belladonna Lily.		W. Ind.	1712.	7.9.	н. 4.	733.
		β pallida.	pale-flowered.		С. В. S.			G.4.	Red. lil. 470.
		vittata. W.	superb.			1769.	4.5.	G. 4.	Bot. mag. 129.
		1 1							
		coranica. K. R.	sickle-leaved.		OL:				Bot. reg. 139.
		aurea. W.	golden.		China.				Bot. mag. 409
		73 3.6	Fothergill's.				5.9.	G. 4.	725.
		corusca. B. M.	glittering.		T .	1809.	7.8.	G. 4.	1089.
		sarniensis. W.	Guernsey.		Japan.				
	-	venusta. B. M.	Coppy-coloured.		C. B. S.				1090.
		radiata. W.	Snowdrop-leav d		China.				Bot. rep. 95.
		undulata. W.	waved-nowered.		C. D. S.				Bot. mag. 369.
		humilis. W.	small.						726.
		flexuosa. W.	zigzag.			1750	9.10.		Bot. reg. 172.
		longifolia. W.	long-leaved.			1752.	7.		Bot. mag. 661.
		revoluta. W.	revolute.		Carlon	17/4.	g.	6.4.	915.11/6.1
		zeylanica. W.	Ceylon. Yucca-flowered.		Cuinos	1771.	7.8.	5.4.	1171 1253.
		ornata. W.			Guinea.	1740.	5.7.	5.4.	1255.
		gigantea. K. R.	gigantic. broad-leaved.		Sierralieone.				
		latifolia. W. hvacinthina. K. R.	hyacinthine.		Progil				Rheed.mal.11.t.39.
			NARCISSUS.			1815.	0.9.	3.4.	Bot. reg. 163.
		RCISSUS. W.		Amaryllideæ. B.P	C Furana		e	TT 31	Douls non #C
		poeticus. Sal.	Poet's.		S. Europe.	• • • •	э.	11.4.	Park. par. 76.
		recurvus. H. S.	drooping-leaved.		England	• • • •		11.4.	Eng bot off
		patellaris. Sal.	spreading-flowd.		England.	• • • •		п. 4.	Eng. bot. 275.
		poeticus. E. B.	named leaved		C Turono	1570	1 =	T.T. DJ	Pot man 102
		angustifolius. H.K.	two-flowered.		Britain	15/0.	4.5.	п. 4.	For het 076
		biflorus. W. tenuior. H. K.	slender.		Dillam.	1700		H 2/	Rot mag 270
		crenulatus. L. T.	Bazelman minor		Snain	1709.	2.4	H 1	Dot. mag. 073.
		Trewianus. B. M.	Bazelman major		Spani.		J.4.	H 2/	Bot mag 040
	0	Hermione grandiflor	TT O						Dot. Mag. 340.
	0	floribundus. Sal.	Primo Citronier	-				H M	
		fistulosus. H. S.	hollow-stalked.				1	H.4.	
	-	cerinus. H. S.	waxen-cupped.					H 21	
		Tazzetta. W.	Polyanthus.		Snain	1750	3.4	H 21.	Bot. mag. 995
		orientalis. L.	oriental.		Levant.	1700.	0.71	H.7/	948.
		papyraceus. B. M.			23C Vante			H. 2/	947.
		italicus. B. M.	Italian		S. Europe.			H.21.	Bot. mag. 1186. 1299. 15.
		tereticaulis. L. T.	round-stalked.		Snain.			H.2/.	***
		compressus. L. T.	flat-stalked.		Spann.			H.71.	
		bifrons. B. M.	Jonguil-scented.		S. Europe.			H.71.	Bot. mag. 1186.
		primulinus. H. S.	Cowslin-cunned.					H.7.	1299.
		Jonquilla. W.	Jonanil.		Spain.	1596.	4.5.	H. 21.	15.
	-0	B flore pleno.	double.					H. 1.	
	21	viridiflorus. B. M.	green-flowered.		Barbary.	1629.	8.10.	H. 24.	Bot. mag. 1687.
		serotinus. P. S.	late-flowered.					Н.и.	Clus. hist. t. 252.
		calathinus. L.	great Jonquil.		S. Europe.	1629.	4.5.	H. 2.	Bot. mag. 78.
	~-		us. K. H.						8
	24	odorus. L.	sweet-scented.					H.24.	Bot. mag. 934.
		calathinus. B. M.							3
	25	nutans. H. K.	nodding.			1789.	3.5.	H.21.	Bot. mag. 945.
		trilobus. B. M.				-,			· · · · · · · · · · · · · · · · · ·
	96	infundibulus.	funnel-flowered.					H. 24.	Park. par. 92.
		pulchellus. S. P.	neat.		Spain.				Bot. mag. 1262.
		triandrus. B. M.	Rush-leaved.		Portugal.				48.
		capax. Sal.	capacious.						Red. lil. 177.
		montanus. B. Reg.	mountain.	-	Portugal.				Bot. reg. 123.
		galanthifolius. H.S.							Park. par. 73.
,		albicans. H. S.	whiteish.						——————————————————————————————————————
		Bulbocodium. W.	Hoop-petticoat.		Portugal.	1629.		H. 24.	Bot. mag. 88.
		inflatus. L. T.	inflated.					H.4.	•
		lobulatus. M. N.	lobed.					H. 4.	:
		tenuifolius, L. T.	slender-leaved.	-				H.4.	. *;

	37 incomparabi	lis. W.	peerless.	Amaryllideæ. B.P.	Portugal.	1629.	4.5.	н.и.	Bot. mag. 121.	
, è	38 tortuosus. M		twisted-petaled.							
	39 moschatus. I		musk.			1759.	3.4.	H.4.	924. ————————————————————————————————————	
	40 serratus. M.	N.	serrated.		S Europe			H. 2/ .		
	41 spurius. H.		spurious.		England.		4.	H.4.		
	42 Pseudo-Naro		Daffodil.				3.4	H.4.	Eng. bot. 17.	
	43 tubiflorus. S		tube-flowered.				3.4.	H.4.		
	44 bicolor. B. N		two-coloured.		Spain.				Bot. mag. 1187.	
	45 obvallaris. S		Sibthorp's.			• • • •	3.4.	H.4.	1301. f. inf.	
	major q. B.					1.000		TT 3/	£ 1	
	46 major. B. M 47 propinguus.		large.			1629.		H.4.	51. ————————————————————————————————————	
	major β. B.							11.4.	1001.1.sup.	
	48 nobilis. H. S		noble.					H.4.		
	49 Ajax.		great.							
	Ajax Telam	on. H.			••••					
	50 pumilus. S.	P.	low.		Spain.			H. 4.	Pass. hort. 8.	
	51 minor. W.		small.	•		1629.	3.5.	H.4.	Bot. mag. 6.	
	PANCRATIUN		PANCRATIUM.	Amaryllideæ. B. P			4		pm.	
	1 zeylanicum.	W.	one-flowered.		Ceylon.	1752.	6.7.	S. 4.	Par. lond. 86.	120
	2 verecundum	. K. R.	Narcissus-leaved.		E. Ind.	1776.	6.8.	S. 4.	Rheed.mal.11.t.46.	3
	3 maritimum.	K.R.	sea.		S. Europe.				Bot. reg. 161.	
	4 carolinianun		Carolina.		Carolina.	1759.	6.7.	G. 4.	Cat. car. 3. t. 5.	
	5 canariense.		Canary.		Canaries.	1815.		G. 4.	Bot. reg. 174.	
	6 illyricum. K		Illyrian.		S. Europe.	1615.	5.6.	H. 4.	Bot. mag. 718.	
	7 amboinense. 8 Amancaes. I		heart-leaved. Narcissus-flow ^d .		Amboyna.	1759.	67	5.4.	1419.	7
	9 calathinum.		cup-flowered.		Renaile	1004.	0./.	8 1	Bot. reg. 215.	
	10 nutans. K. H		nodding.	,	DI aziis.			S 21.	Bot. mag. 1561.	
	11 undulatum.		wave-leaved.					S. 24.	Bott mag. 1001.	
	12 littorale. K.		fan-leaved.			1758	5.8	8 21	Bot. mag. 1879.	
	13 Dryandri, K		tall.					S. 4.	825.	
	14 angustum. I	K. R.	narrow-leaved.					S.4.	Bot. reg. 221.	
	15 rotatum. K.	R.	large-crowned.		Carolina.	1803.	7.9.	S. 4.	Bot.ma.1082&827.	
	16 mexicanum.	K.R.	Mexican.		Mexico.	1732.	8.	S.4.	Dill.elt. t.222.f.289	
	17 caribæum. I		Caribean.		W. Ind.	1730.	5.8.	S.4.	Bot. mag. 826.	
	18 amœnum. I		handsome.		Guiana.	1790.		· S.4.	1467.	
	19 ovatum. K.		oval-leaved.		W. Ind.	• • • •		S.4.	Bot. reg. 43. Bot. mag. 1453.	
	20 speciosum.					1759.	-	S.4.	Bot. mag. 1453.	
	EUCROSIA. I		Eucrosia.	Amaryllideæ. B. I).				D	1. /
	1 bicolor. B.		two-coloured.	Amounti Jan D. T	Cape Horn.	1816.	4.5.	5.4.	Bot. reg. 207.	-3.
	DORYANTHE excelsa, B. 1			Amaryllideæ. B. I		1000	~ 0	C. T.	Dot mag 1605	
	GETHYLLIS.		gigantic.	Amerelliden R I	N. S. W.			-	Bot. mag. 1685.	
	1 spiralis. W.		spiral-leaved.	Timarymuca. 11.1	C.B.S.	1780	67.	G 21.	Bot mag 1088	
	2 ciliaris. W.		fringed.		C. B. S.	1788.	0.7.	G. 21 .	Jac. scheen, 1.t. 79.	
	3 villosa. W.		hairy.		1	1787.		G. 24.	Bot. mag. 1088. Jac. schæn. 1.t.79.	
	4 lanceolata.	w.	spear-leaved.			1790.	6.	G. 1.		
	BLANDFORD	IA.B.P.	BLANDFORDIA.							
	1 nobilis. B. I	Ρ.	noble.		N. S. W.	1803.	7.8.	G. 4.	Exot. bot. 1. t. 4. Lab.nov.ho.1. t.111	
	2 grandiflora.		large-flowered.			1812.		G. 4.	Lab.nov.ho.1.t.111	
			AFRICAN LILY.	Hemerocallideæ. I	3. P.					
	1 umbellatus.		large-flowered.		C. B. S.				Bot. mag. 500.	
			small-flowered.			• • • •		G.4.	on the one of the	
	HEMEROCAL			Hemerocallideæ.						
			narrow-leaved.		Siberia.				Bot. mag. 873.	
	2 flava. H. K. 3 disticha. B.		yellow.		China				19.	
	4 fulva. W.	171.	fan-like.		Unina.				Kæmp.am.exot.872	
	5 Liliastrum	W en	Savor-Spidermort		Switzerland	1600	5.6	н. 4.	Bot. mag. 64.	
	Anthericum	Lilias	trum I.		Switzerianu.	1029.	9.0.	п. 4.	318.	
	6 Japonica. B		white-flowered.		Jonan	1700	9.0	HN	1433.	
	7 cærulea. H.		blue-flowered.		o apan.					
	ALETRIS. W.		ALETRIS.	Hemerocallideæ.	В. Р.		0.7.	-1.4.	- 0941	
	1 farinosa. W.		Colic-root.			1768.	6.	H.21.	Bot. mag. 1418.	
	2 aurea. Ph.		golden-tipped.						Willd. hort. ber. 8.	
	TRITOMA. B	М	TRITOMA.	Hemerocallideæ.				7.		
	1 Uvaria. H.		great.		C. B. S.	1707.	8.9.	F. 4.	Bot. mag. 758.	
	2 media. H. l		lesser.			1789.	12.6	F. 24.	 744.	
	3 pumila. H.	K.	least.						764.	
			100	K 2						

VELTHEIMIA. H. K		Hemerocallideæ.	В. Р.				
1 viridifolia. W.	green-leaved.		C. B. S.	1768.	11.4.	G. 4.	Bot. mag. 501.
2 glauca. W. POLIANTHES. L.	glaucous. Tuberose.	Hemerocallideæ.	R.D	1781.	1.4.	G. 4.	1091.
tuberosa. W.	common.	Tremerocamuea.		1629.	8.9.	G. 21.	Bot. reg. 63. 90 181
B flore pleno.	double.		237 23.00	2020.		2.4.	2001 108.000 777.7
SANSEVIERA. W.	SANSEVIERA.	Hemerocallideæ.	В. Р.				
1 glauca. H. S.	spreadg-glaucous.				• •/• •	S. 4.	
2 polyphylla. H. S.	upright-glaucous. Guinea.	i		• • • •	• • • •	S.4.	•
3 guineensis. W.	Guinea.		Guinea.	1690.	6.11.	S.4.	Bot. mag. 1180.
4 læte-virens. H. S. 5 spicata. H. S.	light-green. spiked.		T Ind	1700	• • • •	5.4.	Cov. ic 2 + 946.
6 zeylanica. W.	Ceylon.		Cevlon	1731	611	8.21	Cav. ic. 3. t. 246. Bot. reg. 160. Rheed. 11. t. 42.
7 lanuginosa. W.	woolly.		E. Ind.	1,01.		S. 24.	Rheed. 11. t. 42.
8 grandicuspis. H. S.	large-pointed.					S 71 -	
9 pumila. H. S.	dwarf.		· C. B. S.	1796.		S. 21.	
10 carnea. H. K.	fiesh-coloured.		China.	1792.	3.6.	н. 4.	Bot. rep. 361.
sessiliflora. B. M.	m	**	n n				
TULBAGIA. W.	TULBAGIA.	Hemerocallideæ.		11		C 31	That make OOG
1 alliacea. W.	Onion-scented.		- С. В. S.				Bot. mag. 806.
2 cepacea. W. EUCOMIS. W.	Eucomis.	Asphodelea. J.		1795.	4.	G.4.	
1 nana. W.	dwarf.	713phoueica: 0:	C. B. S.	1774.	5.	G. 21.	Bot. mag. 1495.
2 purpureocaulis.H.K	. purple-stalked.	~		1794.	3.4.	G. 24 .	Bot. mag. 1495. Bot. rep. 369. Bot. mag. 840. Dill. elt. t. 92. f. 109.
3 bifolia. W.	two-leaved.	-		1792.	4.5.	G. 4.	Bot. mag. 840.
4 regia. W.	tongue-leaved.			1702.	3.5.	G. 4.	Dill. elt. t. 92. f. 109.
5 undulata. W.	waved-leaved.			1760.		(4.7/	Bot. mag. 1083.
6 punctata. W.	spotted.			1783.	7.	G.4.	913.
7 striata. H. K.	streaked.	Y '1' Y		1790.	6.12.	G. 4 .	1539.
FRITILLARIA. W.	FRITILLARY.	Liliæ. J.	Dorein	1506	9.4	LT 2/	
1 Imperialis. W. α rubra.	red-flamered		reisia.	1390.	3.4.	11.4.	Bot. mag. 194.
β flava.	vellow-flowered.						1215.
2 persica. W.	Persian.	and the second second			4.5.	H. 21.	1537.
β minor.	dwarf Persian.						 962.
3 obliqua. B. M.	oblique-leaved.		· Caucasus.		4.	H.4.	857.
4 pyrenaica. H. K.			• • • • • • • • • •	1605.	5.6.	H.4.	952.
5 nigra. B. M.	Pyrenean.		· Pyrenees.	1596.	5.	H.4.	664.
6 nervosa. W. en.	nerved-leaved.		- Caucasus.	1010	4.5.	H.4.	Bot. mag. 1538.
7 lutea. M. B. 8 latifolia. W.	broad-loaved			1604		H 21	
9 Meleagris. W.	chequered		Britain.	1004.	3.5.	H.21.	Eng. bot. 622.
10 lanceolata. Ph.	spear-leaved.		- Camtschatka	1759.	5.	H.4.	Linn.trans.10.t.11.
-Lilium camschatce				.,			
LILIUM. W.	LILY.	Liliæ. J.					
1 candidum. W.	white.		· Levant.				Bot. mag. 278.
2 japonicum. W.	Japan.		- China.	1804.	7.8.	H.4.	1591.
3 bulbiferum. W.	Orange.		- Italy.	1596.	6.7.	H.4.	36. ————————————————————————————————————
β umbellatum. 4 dauricum. Ker.	Daurian.		Donnie	1754		H 7	1210, in note.
pensylvanicum. B.		,	· Dauria.	1/54.		11.4.	Tarojin notes
5 concolor. H. K.	self-coloured.		- China.	1806.	7.	H.24.	1165.
6 Catesbæi. W.	Catesby's.		- Carolina.	1787.	7.8.	H. 24.	259. 519. 5
7 philadelphicum. W	. Philadelphian.		N. America.	1757.		H.4.	- 519.
8 canadense. W.	Canadian.		·	1629.		н.4.	
β rubra.	red-flowered.		·		-		853.
9 superbum. W.	superb.	-				H.4.	
10 Martagon. W.	Turk's Cap.		- Germany.	1596.	6.7.	H. 4.	893.
11 chalcedonicum. W			- Levant.			H.4.	Red. lil. 145.
12 pyrenaicum. W. en 13 pomponium. W.	ScarletPompone.		- Pyrenees.				Pot. mag. 971.
14 monadelphum. B.M.							1405.
15 tigrinum. H. K.	tiger-spotted.		- China.			H.4.	
16 pumilum. R. L.	dwarf.			1816.	6.	H.4.	Bot. reg. 132.
TULIPA. W.	TULIP.	Liliæ. J.					
1 sylvestris. W.	wild.		- England.	• • • •			Eng. bot. 63.
2 turcica. W. en.	narrow waved-ld.					- H. 4.	
3 oculus solis. R. L.	•		- Italy.	1816.			Bot. reg. 204.
4 Gesneriana. W.	common.		- Levant.				Bot. mag. 1135.
5 suaveolens. W.	V in Toll.	Contract display such as the contract of	- S. Europe.	1003.	Ø.4:	11.4.	- 404.

6 Clusiana. B. M.	Clusius's.	Liliæ. J.	Sicily.	1636.	6.	H. 21.	Bot. mag. 1390.
7 Celsiana. P. S.	Cels's.		Levant.				717.
8 cornuta. R. L.	horned.		Lievant.			LI N	Rot reg 107
S comuta. It. D.	norneu.			1816.	٥.	11.4.	Pall. it. 3. app. 86. t. D. f. 3.
9 biflora. L.	two-flowered.		Russia.	1806.	4.	H.4.	Sec. 4 D. f.
	(0.1.)						} 86. t.D. f.3.
ERYTHRONIUM. W.	∫ Dog's-TOOTH }	Liliæ. J.					
	\ VIOLET. \						
1 Dens canis. W.	common.		Europe.	1596.	3.	H.4.	Bot. mag. 5.
2 americanum. H.K.	yellow-flowered.		N. America.	1665.	4.5.	H.4.	1113.
GLORIOSA. W.	GLORIOSA.	Lilia. J. Methoni	ca. J.				
1 superba. W.	superb.		E. Ind.	1690.	7.8.	S. 24 .	Bot. reg. 77.
2 simplex. L.	blue-flowered.		Senegal.	1756.			•
BULBOCODIUM. W.		Melanthaceæ. B. P					
vernum. W.	spring-flowering.			1600	93.	Ha.	Bot. mag. 153.
UVULARIA. W.	UVULARIA.	Melanthaceæ. B. I	*	10201	2.0.	21.4.	Dot. mag. 100.
	perfoliate.	Melanthaceae. D. 1		1710	E C	TT 31	Fr hat 1 4 40
1 perfoliata. W.	•		N. America.	1/10.	5.0.	r. 4.	Ex. 000. 1. 0.490
2 flava. Ph.	yellow-flowered.	8		• • • •		н. 4.	1. t. 50.
3 lanceolata. W.	spear-leaved.			1710.	6.8.	H.4.	Corn. canad. t. 41. Ex. bot. 1. t. 51.
4 grandiflora. H. K.	large yellow.			1802.	5.6.	н.4.	Ex. bot. 1. t. 51.
5 sessilifolia. W.	sessile-leaved.			1790.	6.	H.4.	1. t. 52.
6 chinensis. B. M.	brown-flowered.		China.	1801.	9.11.	G.4.	Bot. mag. 916.
BRODIÆA. L. T.	BRODLEA.	Hemerocallideæ?		era. P.	L.		
1 grandiflora. L. T.	large-flowered.		Georgia.	1806.	6.	G. 24.	Par. lond. t. 98.
2 congesta. L. T.	close-headed.						Linn.trans.v.10.t.1.
PELIOSANTHES. 7	vioce neuded.				•	0.24.	24
B. R.	Peliosanthes.						
	11		T2 T. 3	1000		0.31	Dat 1500
1 humilis. B. R.	small.			1809.			Bot. mag. 1532.
2 Teta. B. R.	green-flowered.			1807.	4.	5.24.	1302.
APHYLLANTHES \	LILY PINK.	Asphodeleæ. B. P.					
w. }	DILL II.M.						
monspeliensis. W.	Rush-like.		France.	1791.	6.7.	H.4.	Bot. mag. 1132.
SOWERBÆA. L. T.	SOWERBÆA.	Asphodeleæ. B. P.					
juncea. B. P.	Rush-leaved.			1792.	5.7.	G. 21.	Bot. mag. 1104.
ALLIUM. W.	GARLIC.	Asphodeleæ. B. P.		.,	0.,.		
	(great round-)	•					
1 Ampeloprasum. W.	} booded		England.	*	7.8.	H.4.	Eng. bot. 1657.
	(J		Carles alam J	1500	4 -	TT 4	Diaglass 4 401
2 Porrum. W.	Leek.			1502.	4.5.	11.0.	Blackw. t. 421.
3 lineare. W.	linear-leaved.		Siberia.	1752.	6.7.	H.4.	∫ Gmel. sib. 1. t. 1.3.
							14. f. 1.
4 suaveolens. W.	sweet-smelling.		Austria.	1801.		-H.4.	Jac. ic. 2. t. 364.
5 Victorialis. W.	long-rooted.			1739.	5.	H.4.	Bot. mag. 1222.
6 subhirsutum. W.	hairy.		S. Europe.	1596.		-H.24.	 774.
7 obliquum. W.	oblique-leaved.		Siberia.				1408.
8 acutangulum. W.en						- H.4.	
9 magicum. B. M.	Homer's Moly.		Anetria				Bot. mag. 1148.
10 tataricum. W.	Tartarian.						1142.
11 roseum. W.	Rose-coloured.		France.				978.
12 spirale. W. en.	spiral.		Germany.			H. 4.	
13 controversum.W.en				1816.		- H.4.	
14 sativum. W.	cultivated.		Sicily.	1548.		- н. 4.	Moris. s. 4. t. 15. f.9.
15 Scorodoprasum. W.	Rocambole.		Denmark.	1596.		H.4.	
16 arenarium. W.	sand.		Britain.				Eng. bot. 1358.
17 carinatum. W.	mountain.		England.				1658.
18 sphærocephalon. W.			Europe.				Bot. mag. 1764.
19 parviflorum. W.	small-flowered.		S Europe			H.4.	Dot: 1104.
			S. Europe.				
20 carneum. W. en.	flesh-coloured.		0 4 1 1	1815.		-11.4.	S
21 descendens. W.	purple-headed.		Switzerland.				
22 flavum. W.			Austria.				1330.
28 pallens. W.	pale-flowered.		S. Europe.	1779.		-H.4.	1420.
24 paniculatum. W.	panicled.			1780.		- H. 4.	1432. 973.
25 caucasicum. B. M.	Caucasian.		· Caucasus.			-H.4.	
26 vineale. W.	crow.		Britain.				Eng. bot. 1974.
27 oleraceum. W.	purple-striped.		England.				488.
28 nutans. W.	nodding.		Siberia				Bot. mag. 1143.
29 ascalonicum. W.			Palaetina				
	Shallot.		Cormon.				Mor.his.s.4.t.14.f.3
30 senescens. W.	Narcissus-leavd.		Germany.				Bot. mag. 1150.
31 gracile. W.	Carolina.	***************************************	Carolina.	1776.	3.4	H. 4.	1129.
	fragrans. Vent.						
32 angulesum. W.	angular-stalked.		Germany.	1739.	6.7.	H.4.	Bot. mag. 1149.

```
Asphodeleæ. B. P. Hungary.
33 ochroleucum. W.en. pale yellow.
                                                                       1816. 6.7. H. 4. Pl.rar.hun.2, t.186.
                       streaked-leaved.
                                                        - America.
34 striatum. W.
                                                                       1800. 5.6. H. 4. Bot.m. 1035 & 1524
                       Narcissus-flowd.
                                                         France.
35 narcissiflorum. W.
                                                                       .... 7.8. H. 4. Vill. delph. 2. t. 6.
                                                          N. America.
36 canadeuse. W.
                       Canadian.
                                                                       1739. 6.7. H.4.
                                                                       .... 4.5. H. 4. Eng. bot. 122. 1759. 5.6. H. 4. Bot. mag. 869.
37 ursinum. W.
                       Ramson.
                                                        - Britain.
                                                                       . . . .
38 triquetrum. W.
                       triangular-stalkd
                                                          Spain.
                                                                       1803. 6.8. H. 4. Clus. hist.1. p.192.
39 Clusianum. W.
                       Clusius's.
                                                          S. Europe.
                       common Onion.
40 Cepa. W.
                                                                       .... 6.7. H. J.
   B bulbifera.
                       tree Onion.
                                                                                  - H. 4. Bot. mag. 1469.
                                                                       . . . .
                                                       - S. Europe.
                                                                       1604. 6. H. 4. Bot. mag. 499.
41 Moly. W.
                       great-yellow.
42 tricoccum. W.
                                                        - N. America.
                       three-seeded.
                                                                       1770. 7. H.4.
                       Welsh Onion.
                                                                       1629. 4.5. H. 4. Bot. mag. 1230.
43 fistulosum. W.
                                                        - Siberia.
44 Scheenoprasum. W.
                       Chives.
                                                        - Britain.
                                                                       .... 5.6. H.4. Eng. bot. 2438.
45 sibiricum. W.
                       Siberian.
                                                         Siberia.
                                                                       1777. 7.8. H. 4. Bot. mag. 1141.
                                                                       1805. — H.4. Pl. rar. hung. t. 68. 1806. 6. H.4. Bot. mag. 1324.
46 setaceum. P. S.
                       bristly.
                                              ----- Hungary.
                                                                       1806.
47 cernuum. B. M.
                                                       - N. America.
                       drooping.
48 stellatum, B. M.
                       Missouri.
                                                                       1811. — H.4. —
                                                                                               1576.
49 bisulcum. B. M.
                       furrowed.
                                                        - Siberia.
                                                                               7. H. 24.
                                                                       . . . .
50 baicalense. W. en.
                       Baical.
                                                                       1816. 6.7. H. 4.
51 rubens. W. en.
                       red.
                                                        - Germany.
                                                                       1805. -H. 4.
                       dwarf Moly.
                                                                       1774. 1.2. F. 4. Bot. mag. 1203.
52 Chamæ-Moly. W.
                                                    - S. Europe.
                                        Asphodeleæ. B. P.
ALBUCA. W.
                       ALBUCA.
 1 altissima. W.
                       tall.
                                                       - C. B. S.
                                                                       1780. 4.5. G. 24. Jac. ic. 1. t. 63.
                       great.
                                                                     - 1759. — G. 4. Bot. mag. 804. - 1768. 5.6. G. 4. — 720.
 2 major. W.
 3 minor. W.
                       small.
 4 flaccida. Jac.
                       flaccid.
                                                                       1791. - G. 4. Jac. ic. 2. t. 444.
                                                                    - 1794. 6.7. G. 4. Bot. mag. 1656.
                       green-flowered.
 5 viriditlora. W.
 6 coarctata. W.
                       channel-leaved.
                                                                     - 1774. 5.6. G.4.
                                                                                  - G. 4. Bot. rep. 450. 7
 7 fastigiata. W.
                       level-topped.
 8 caudata. W.
                                                                    - 1791. 5.7. G.4. Jac. ic. 2. t. 442.
                       upright-flowered
                                                                   - 1795. - G. 4. Bot. mag. 1481.
 9 setosa. W.
                       bristly.
                                                                    - 1802. 7.8. G.4. ---- 1329.
10 vittata. B. M.
                       ribbon.
                       dingy-flowered.
                                                                                                  - 1046.
11 physodes. B. M.
                                                                     - 1804. 6.7. G.4. —
                                                    12 exuviata. B.M.
                       Adder-skin.
13 Anthericoides.
                       stripe-flowered.
                                                                    — 1788. 8.
                                                                                   G. 4.
   Anthericum albucoides. IV.
                                                                     - 1791. 6.7. G. 4. Jac. schen.1. t. 81.
14 fragrans. W.
                       sweet-scented.
                                                                  ---- 1779. 5.6. G. 4. Jac. ic. 2. t. 445.
15 viscosa. W.
                       clammy-leaved.
16 spiralis. W.
                       spiral-leaved.
                                                                     - 1795. 6. G.4. - 2. t. 439.
XANTHOR-
                       XANTHORRHŒA Aspliodeleæ. B. P.
    RHŒA. B.P.
 1 hastile, B. P.
                       yellow-gum.
                                                       - N. S. W.
                                                                       1803. 4.5. G. 24.
 2 minor. B. P.
                       small.
                                                                       1804. .... G. 24.
 3 bracteata. B. P.
                       long-bracted.
                                                                     - 1810. --- G.24.
                                        Asphodeleæ. B. P. Chlamysporum, P. L.
THYSANOTUS: B.P.
                      THYSANOTUS.
                                                                       1804. 8.9. G. 4. Par. lond. 103 A. 656.
                                                       - N. S. W.
   junceus. B. P.
                       Rush-like.
ERIOSPERMUM. W.
                       ERIOSPERMUM.
                                        Asphodeleæ. B. P.
 1 latifolium. W.
                       broad-leaved.
                                              ---- C. B. S.
                                                                       1800. 6.8. G. 4. Bot. mag. 1382.
                                                                       1795. - G. 24. Jac. ic. 2. t. 421.
 2 lanceæfolium. W.
                       spear-leaved.
 3 parvifolium, W.
                       small-leaved.
                                                                                  - G. 24 . --- 2. t. 422.
                                                                     - 1806. — G. 4. Bot. rep. 521.
                      leaflet-bearing.
 4 folioliferum. B.R.
                                        Asphodelew. B. P. Ornithogali species. IV.
GAGEA. Sàl.
                       GAGEA.
 1 lutea. B. M.
                       bundle-flowered.
                                              Britain.
                                                                       .... 3.4. H. 4. Bot. mag. 1200.
                                                                       .... H. 4. { Pers. in ust. N. An. 5. t. 1. f. 1.
 2 sylvatica. W. en.
                                                     -- Europe.
                       wood.
                                                                              5. H.4. { Hayne in ust. an. 15. t. 1.
 3 spathacea. W.
                       sheathed.
                                                       - Germany.
                                                                       1759.
                                                                                - H. 4. Pers. in ust. ann.
 4 minima. P. S.
                       starry.
                                                        - Sweden.
   stellaris. Sal.
                                                                       1789. 5.6. H. 4. Pall. it. 3. app. t. D. f. 2.
                                                        - Siberia.
 5 circinata. L.
                       netted.
                                                        - Wales.
                                                                               6. H. 4. Eng. bot. 793,
 6 serotina. B. M.
                       mountain.
   Anthericum serotinum. E B.
                       STAR OF BETHLEHEM
ORNITHOGA-
                                        Asphodeleæ. B. P.
     LUM. W.
                                                                       1781. 5.6. H.4. { Nov. com. pet. 18. t. 6. f. 3.
 4 uniflorum. W.
                       one-flowered.
                                                        - Siberia.
                                                                       1796. — F. 4.
1774. — G. 4. Bot. reg. 235.
.... 4.6. H. 4. Eng. bot. 130.
 2 ixioides. H. K.
                                                        - California.
                       Ixia-like.
                                                        - C. B. S.
 3 niveum. W.
                       snowy.
 4 umbellatum. W.

    England,

                       common.
```

	HEAR	MDUIH M	ONOGII	VIII.			1 1
5 pyrenaicum. W.		Asphodeleæ. B. P.					Eng. bot. 499.
6 stachyodes. W.	close-spiked.		S. Europe.				Renealm.spec.t.90.
7 lacteum. W.	milk-white.		C. B. S.				Bot. mag. 1134.
8 revolutum. W.							653. A
9 elatum. B. R. 10 latifolium. W.	tall.		Egypt.				Bot. rep. 528. Bot. mag. 876.
11 scilloides. W.	broad-leaved. squill-like.		CPS	1029.		G 21	Jac. schoen.1.t.888
12 prasinum. B. Reg.	green-flowered.						Bot. reg. 158.
13 comosum. W.	short-spiked.		Austria.				Jac. ic. 2. t. 426.
14 pyramidale. W.	pyramidal.		Spain.	1752.	6.7.	H. 4.	2. t. 425.
15 odoratum. W.	sweet-scented.		C. B. S.	1795.	5.6.	G. 11.	Bot. rep. 260.
16 barbatum. W.	bearded.				5.7	G 21	Jac scheen 1 t 61
17 juncifolium. W.	Rush-leaved.			1704	7.8	F. 21.	Bot. mag. 972.
18 rupestre. W.	rock.			1705	50	(2.2)	
19 arabicum. W.	great-flowered.		Egypt.	1629.	3.4.	F.4.	Bot. mag. 728.
20 thyrsoides. W.	thyrse-flowering.		C. B. S.	1757.	6.7.	G. 4.	Bot. mag. 728. 1164. Bot. mag. 190. Jac. ic. t. 436.
21 aureum. W.	golden.			1790.		G. 4.	Bot. mag. 190.
22 flavissimum. Jac. 23 coarctatum. W.	close-flowered.			1804.		G.4.	Jac. 1c. 1. 436.
24 caudatum. W.	long spiked.			1774	9.8	G 21	Bot. mag. 805
25 unifolium. B. M.	one-leaved.		Gibraltar.	1805.	6.7.	G.21.	953 & 935
26 Squilla. B. M.	officinal Squill.		S. Europe.	1629.	4.5.	F. 24.	918-
Scilla maritima. W							V =
SCILLA. B. M.	SQUILL.	Asphodeleæ. B. P					
1 italica. W.	Italian.		Switzerland.	1605.	4.7.	H.4.	Bot. mag. 663.
2 peruviana. W.	corymbose.		Spain.	1607.	5.	H.4.	
3 lusitanica. W.	Portugal.		Portugal.	1777.		н.4.	Rud. elys. 2. f. 4.
4 Lilio-Hyacinthus W.	Lily-rooted.		S. Europe.	1597.	5.7.	н.4.	Red. lil. 205.
5 amœna. W.	nodding.		Levant.	1596.	3.4.	н.4.	Bot. mag. 341.
6 sibirica. H. K.	Siberian.		C: bouig				Bot. mag. 1325.
7 præcox. W.	early-flowering.			1790.	3.4.	H.4.	10
8 verna. W.	vernal.		Britain.		4.5.	н.4.	Eng. bot. 23.
9 monophylla. Link.	one-leaved.		Portugal.			H.4.	
10 hyacinthoides. W.	Hyacinth.		Madeira.				Bot. mag. 1140.
11 autumnalis. W.	autumnal.		England.				Eng. bot. 78.
12 bifolia. W.	two-leaved.		C:-				24.
13 campanulata. W. 14 non scripta. W.	Spanish. Harebells.		Spain. Britain				Bot.mag.127&1102
B carnea.	flesh-coloured.						Eng. bot. 377. Bot. mag. 1461.
15 brevifolia. B. M.	short-leaved.		C. B. S.				1468.
16 corymbosa. B. M. Massonia corymbo.	Cape. sa. B. M. 991.						Bot. mag. 1478 in note.
17 esculenta. B. M.	Quamash.		N. America.	1811.	5.7.	н.ч.	Bot. mag. 1574.
18 romana. B. M.	Roman.		Italy.	1596.	5.	H. 4.	939.
Bellevalia opercula			, .		•	,	
MASSONIA. W.	Massonia.	Asphodeleæ. B. P					
1 latifolia. W.	broad-leaved.		C. B. S.	1775.	3.4.	G.4.	Bot. mag. 848.
2 muricata. H. K.	prickly-leaved.			1790.	4.5.	G. 4.	
2 pustulata. B. M.	chagreen-leaved.				1.4.	G.4.	642.
scabra. H. K. 4 echinata. W.	manual large				_	0.31	
	rough-leaved. few-flowered.				٥.	G. 4.	
5 pauciflora. H. K. 6 angustifolia. W.	narrow-leaved.			1775	9.4	G. 4.	Rot mag 796
7 undulata. W.				1770.	J.4.	G. 4.	100. mag. 750.
8 ensifolia. B. M.	trumpet-flower'd.			1790.	99.	G.21.	Bot. mag. 554.
ASPHODELUS. W.	ASPHODEL.	Asphodeleæ. B. P.		2700.	0.2.	0.4.	2501.1246.001.
1 luteus. W.	yellow.		Sicily.	1596.	5.6.	н.ч.	Bot. mag. 773.
2 tauricus. W. en.	Taurian.		Tauria.	1812.		H.4.	•
3 ramosus. W.	branched.		S. Europe.	1551.	5.	H.4.	Bot. mag. 799.
4 albus. W.	upright.					. н. 4.	Blackw. t. 233.
5 fistulosus. W.	Onion-leaved.						Bot. mag. 984.
6 altaicus. W.	channel-leaved.	4 1 11 D D			5.6.	H.4.	Act petr.1779.t.10
ANTHERICUM. J. 1 frutescens. P. S.	Anthericum.	Asphodeleæ. B. P	Bulbine. W	.en.	0.0	0.1	Data man 010
2 rostratum. P. S.	shrubby. beaked.		C. B. S.	1702.	3.8.	G. h.	Dot. mag. 815.
3 alooides. P. S.	Aloe-leaved.			1790	10	G.N.	Bot may 1217
4 nutans. P. S.	nodding.			1810	4.0.	G. 4.	Jac. ic. 2. t. 407
5 latifolium. P. S.	broad-leaved.			1012.		G. 24.	Bot. mag. 816. Jac. ic. 2. t. 403. Bot. mag. 1317. Jac. ic. 2. t. 407. 2. t. 408.
						· ·	

```
Asphodeleæ. B. P. C. B. S.
                                                                       1793. 4.6. G. 4. Bot. mag. 1454.
  6 pugioniforme. P. S. dagger-leaved.
 7 asphodeloides. P. S. upright-leaved.
                                                                       1759. 6.8. G. J. Jac. vind. t. 181.
  8 longiscapum. B. M. glaucous-leaved.
                                                                           - 4.8. G. 4. Bot. mag. 1839.
                       annual.
                                                                       1731. 5.6. H.O. --- 1451.
 9 annuum. P. S.
                                                                       1774. — G.4. Jac. ic. 2. t. 409.
1795. 4.5. G.4. Jac. schæn. 1. t. 86.
10 hispidum. P. S.
                       hairy-leaved.
                       sweet-scented.
                                                        - C. B. S.
11 fragrans. W.
12 flexifolium. W.
                       flexuous-leaved.
                                                                            - 5.6. G. 4. Jac. ic. 2. t. 412.
                                                                      - 1774.
13 filiforme. W.
                       thread-leaved.
                                                                              4. G. 4.
14 floribundum. W.
                                                                           - 3.4. G. 24.
                       thick-spiked.
15 revolutum. W.
                       curled-flowered.
                                                                       1731. 9.12. G. 4. Bot. mag. 1044.
16 vespertinum. W.
                       afternoon-flowg.
                                                         - C. B. S.
                                                                       1803. 5.9. G.4. ---- 1040.
                                                                       1794. 6. G.4. Jac. ic. 2. t. 411.
17 graminifolium. W.
                       waved-leaved.
18 triflorum. W.
                       three-flowered.
                                                                       1782. 8.10. G. 4. --- 2. t. 410.
19 canaliculatum. W.
                       channel-leaved.
                                                        - C. B. S.
                                                                       1774. 4.5. G. 24. Bot. mag. 1124. A
ARTHROPODIUM. )
                       ARTHROPODIUM. Asphodeleæ. B. P.
     B. P.
   paniculatum. B. P.
                                                        - N.S. W.
                                                                       1800. 5.9. G. 4. Bot. mag. 1421.
                      panicled.
PHALANGIUM. J.
                                        Asphodelew. B. P. Anthericum. IV. en.
                       PHALANGIUM.
 1 ramosum. B. M.
                       branching.
                                                       - S. Europe.
                                                                       1570. 5.6. H. 4.
                                                                                                   - 1055.
                                                                       1598. 5.6. H. 4. ---- 914.
 2 Liliago. P. S.
                       Grass-leaved.
                                                        - S. Europe.
CHLOROPHYTUM.
                     CHLOROPHYTUM. Asphodelew. B. P.
     В. М.
 1 inornatum, B. M.
                                              SierraLeone. . . . 6.8. S. 2. Bot. mag. 1071.
                      green-flowered.
 2 elatum. B. P.
                                                                       1751. 8.9. G.4. Red. lil. 191.
                       tall.
                                                        - C. B. S.
   Anthoricum elatum. H. K.
CÆSIA. B. P.
                       CESIA.
                                        Asphodeleæ. B. P.
   vittata. B. P.
                       nodding-flowerd.
                                                       - N. S. W.
                                                                       1816. 7.3. G. 4.
NARTHECIUM. B.M NARTHECIUM.
                                        Asphodelem. B. P. Antherici species H. K.
                      Lancashire
 1 ossifragum. E. B.
                                                       - Britain.
                                                                       .... 7.8. H.4. Eng. bot. 535.
                      Asphodel.
 2 americanum. B. M. American.
                                                        - N. America. 1811. - H.4. Bot. mag. 1505.
DIANELLA. B. P.
                       DIANELLA.
                                        Asphodeleæ. B. P.
 1 ensifolia. W.
                                                                                   S.4. Bot. mag. 1404.
                       sword-leaved.
                                                       - E. Ind.
                                                                       1731. 8.
 2 cærulea. B. P.
                       blue.
                                                        - N. S. W.
                                                                       1783. 5.8. G. 24. --- 505.
                                                                       1805. 7.8. G. 4.
 3 divaricata. B. P.
                       divaricated.
EUSTREPHUS. B. P. EUSTREFHUS.
                                        Asphodeleæ. B. P.
   latifolius. B. P.
                       broad-leaved.
                                                        - N. S. W.
                                                                       1800. 6.7. G. 4. Bot. mag. 1245.
ASPARAGUS. W.
                       ASPARAGUS.
                                        Asphodelew. B. P.
                                                                       .... 6.8. H.4. Eng. bot. 389.
 1 officinalis. W.
                                                        - England.
                      common.
 2 sylvaticus. W. en.
                                                                       .... H.4. Pl.rar.hun.3.t.201.
                      wood.
                                                                                - H.4. Buxb. cent. 5. t. 37
 3 verticillaris. M. B.
                      whorl-leaved.

    Caucasus.

                                                                       1752. --
                                                                       1759. ... G. 4.
1792. 5. G. 4. Jac. schen. 1. t. 97.
1795. ... G. 4.
 4 declinatus. W.
                      long-leaved.
                                                         C. B. S.
 5 decumbens. W.
                       decumbent.
 6 scandens. W.
                      climbing.
 7 falcatus. W.
                       sickle-leaved.

    E. Ind.

                                                                       1792. .... S. h. Burm.zeyl.t.13.f.2.
 8 racemosus, W.
                                                                       1808. .... S.h.
                       branching.
                                                                       1759. 8.9. G. h. Pluk.alm.t.375.f.3,

    Africa.

 9 retrofractus. W.
                       Larch-leaved.
10 asiaticus. W.
                      Asiatic.
                                                        - Asia.
                                                                          - .... G.h.
                                                                                          Pluk. alm. t. 15.f. 4.
11 æthiopicus. W.
                                                        - C. B. S.
                                                                       1816. .... G. h.
                      angular-stalked.
                                                                                          Moris. s.1. t. 1. f. 3,
12 albus. W.
                                                                       1540. .... F. h.
                      white.

    Spain.

                                                                       1640. .... F. h. Park. theat. f. 3.
13 acutifolius, W.
                      needle-leaved.
14 flexuosus. W.
                      flexuous.
                                                        - C. B. S.
                                                                       .... 7.8. G.4.
15 aphyllus. W.
                                                        - S. Europe.
                                                                       1640. .... G. h.
                                                                                          Moris. s. 1. t. f. 2.
                      prickly.
16 subulatus. W.
                      awl-leaved.
                                                         C. B. S.
                                                                       1811. .... G. h.
                                                                       1691. 4.5. G. h . Jac.schæn.3.t. 266,
17 capensis. W.
                      Cape.
                                                        - Ceylon.
                                                                       1710. 8. S. h. Rheed.mal.10.t.10.
18 sarmentosus. W.
                      linear-leaved.
DRIMIA. Jac.
                                        Asphodeleæ. B. P.
                      DRIMIA.
                                                                       1791. 8.9. G.4. Bot. mag. 1074.
 1 altissima. B. M.
                      tallest.
                                                         C. B. S.
 2 elata. B. M.
                      tall.
                                                                       1799. 10.11.G.4. —— 822.
 3 ciliaris. B. M.
                      ciliated.
                                                                              9. G.4. -
                                                                       . . . .
                                                                       1793. 5.6. G. 4. Jac. ic. 2. t. 374,
 4 pusilla. W.
                       dwarf.
                                                                      1800. 9.10. G. 4. Bot. mag. 643.
 5 lanceæfolia. B. M.
                      Copperas-leaved
                                                                     - 1774. 8. G.4. -
 6 revoluta.
                      reflex-flowered.
   Hyacinthus revolutus. II. K.
UROPETALON. B. )
                      UROPETALON.
                                       Asphodelew. B. P. Zuccagnia. W. en.
    Reg.
 1 viride. B. Reg.
                      green-flowered.
                                                       - C. B. S.
                                                                       1774. 8. G. 2. Red. lil. 203.
 2 glaucum. B. Reg.
                      glaucous-leaved.
                                                                       1816. 7.8. G.4. Bot. reg. 156.
                                                                          - .... G. 4.
 3 crispum. B. Reg.
                      curled-leaved.
 4 serotinum. B. Reg.
                                                                       1629. 6.8. F.4. Bot. mag. 859.
                                                        - Spain.
                      late-flowering.
```

	11122	ZITADICIZI IV.	LOMOGI	14111.			10
5 fulvum.	tile-red.	Asphodeleæ. B. P.	Mogador.	1808.	6.8.	F.4.	Bot. mag. 1185
Hyacinthus fulvus		4 1 11 D D					
HYACINTHUS. B.M. 1 amethystinus. W.		Asphodeleæ. B. P		1759.	4 5.	H.2/.	Red. lil. 14.
2 orientalis. W.			Levant.			•	Bot. mag. 937
MUSCARI. B. M.	GRAPE HYA-	Asphodeleæ. B. P.					3
1 moschatum. B. M.	t cinth.		- 4			Η. μ.	Bot. mag. 734.
β flavum. B.M.	yellow.			-		H. 1.	1565.
2 comosum. R. L.	purple.		S. Europe.			H.4.	133. Moris.s.4. t.11. f.2.
β monstrosum. 3 botryoides. B. M.	feathered. blue.		Italy			H.4.	Moris.s.4. t.11. f.2. Bot. mag. 157.
4 racemosum. B. M.	starch.			• • • •			122.
LACHENALIA. W.	LACHENALIA,	Asphodeleæ. B. P.		• • • •	••		
1 glaucina. W.	sea-green.		C. B. S.	1795.	3.4.	G. 4.	Jac. ic. 2. t. 391.
2 orchioides. W. 3 pallida. W.	Orchis-like.			1752.	2.4.	G, 4.	Bot. mag. 1269,
4 hyacinthoides. W.	pale-flowered.			1010		C 21	Ina in 0 + 200
5 angustifolia. W.	narrow-leaved.			1793.	4.5.	G. 4.	Bot. mag. 735.
6 contaminata. W.	contaminated.			1774.	2.3.	G. 24.	1401.
7 patula. W.	spreading-flowerd						Jac. ic. 2. t. 384. Jac. schæn. 1. t. 82.
8 fragrans. W. 9 unicolor. B. M.	sweet-scented. self-coloured.			1798.	3.5.	G. 4.	Bot. mag. 1373.
10 lucida. B. M.	glossy-leaved.			1798	3.5.	GN	1372.
11 racemosa. B. M.	starch.			1811.	5.	G. 4.	1517.
12 pustulata. W.	blistered.			1790.	1.4.	G.4.	817.
B. M.	purple-blue.			1798.	4.5.	G.4.	745.
14 nervosa. B. M.	nerved-leaved.						1497.
15 violacea. W.	violet.			1795.	3.4.	G. 4.	Jac. ic. 2. t. 394.
16 bifolia. B. M. 17 rosea. B. R.	cowled-leaved.			1813.	4 5	G. 24 .	Bot. mag. 1611. Bot. rep. t. 296.
17 rosea. B. K. 18 unifolia. W.	rose-coloured.			1795.	3.4.	G. 21.	Bot. mag. 766.
19 sessiliflora. B. R.	sessile-flowered.			1804.	5.6.	G. 4.	Bot. rep. 460.
20 isopetala. W.	equal-flowered.					G.4.	Bot. rep. 460. Jac. ic. 2. t. 401.
21 tricolor. W.	three-coloured.			1774.	4.5.	G.4.	Bot. mag. 82.
22 luteola. Jac.	yellow.			-	,	G, 4.	Jac. ic. 2. t. 395.
23 quadricolor. B. M.	four-coloured.			1789.	3.5.	G.4.	Bot. mag. 588 and 1097. 993.
24 rubida. W.	dotted-flowered.			1803.	9.10.	G.4.	993.
25 pendula. B. M. DRACÆNA. W.	pendulous. DRAGON-TREE.	Asphodeleæ. B. P.		1774.	3.4.	G. 4.	590.
1 Draco. W,	common.	Tisphotelea: D.1		1640.		S.b.	Blackw. t. 358.
2 ensifolia, H. S.	amond leaved			1000		C L	
3 umbraculifera. W.	umbel-flowered.		Mauritius.	1788.	• • • •	S.h.	Jac. schoen. 1. t. 95,
4 cernua. W. 5 ferrea. H. K.			China	1771	9.4	S. h.	Pod 131 01 0 5 6
6 fragrans, H. K.	purple. sweet-scented.		Africa.	1768.	2.5.	S.h.	Red. lil. 91. 2085 Bot. mag. 1081.
7 ovata. B. M.	oval-leaved.		Sierra Leone.	,	8.9.	S.h.	1180.
PHYLLOMA. B. M.	PHYLLOMA.	Asphodeleæ. B. P.					
aloiflorum. B. M.	Aloe-leaved.		Bourbon.	1766.	4.	S.h.	Bot. mag. 1585.
Dracæna marginate ALSTRŒMERIA. W.		Asphodeleæ, B. P.					•
1 Pelegrina. W.		210011011011011		1753.	6.9.	G. 21.	Bot. mag. 139.
2 Ligtu. W.	striped-flowered.			2000	0.0	0 31	105
3 Salsilla. B. M.	eatable-rooted.	4 1 1 1 D D	S. America.	1806.	6.7.	S. 24.	1613.
PHORMIUM. W. tenax. W.	FLAX-LILY. Iris-leaved.	respinoucica. D. I.		,			Cook. it. v. 2. t. 96.
HYPOXIS. W.	Hypoxis.	Asphodeleæ. B. P.		1700.	0.	. 4.	0
1 erecta. W.	upright.			1752.	6.7.	н.4.	Bot. mag. 710,
2 sobolifera, W.	creeping.		C. B. S.				
3 villosa. W. 4 decumbens. W.	villous.		Tomoico	1755		6.4.	Jac. ic. 2. t. 307. Mill.ic.1. t.39. f. 2.
5 obliqua. W.	decumbent. oblique-leaved.		C. B. S.	1795.	6.7.	G.21 .	Bot. rep. 195
6 aquatica. W.	water.			1787.	7	G.4.	2-0opt 100.
7 alba. W.	white.			1806.	6.	G. 4.	Jac. coll. 4.t. 2. f.1. Bot. reg. 159.
8 obtusa. B. Reg.	obtuse,	***************************************		1816.	2.5	G. 4.	Bot. reg. 159.
9 ovata. W. 10 stellata. W.	smooth-leaved.			1805.	4.6.	G. 21	Dot. mag. 1010,
elegans. R. S.	white star-flow.'d.			1104.	*:0:	G. 21.	1223.
	•	τ.,					

11 veratrifolia. W.	plaited-leaved.	Asphodeleæ. B. P.	C.B.S	1788.	6.7.	G. 4.	Jac. ic. 2. t. 367.
12 linearis. B. R.	linear-leaved.			1792.	4.5.	G. 24.	Bot. rep. 171.
13 serrata. W.	saw-leaved.		-				Bot. mag. 709.
14 juncea. W.	rushy.		Carolina.	1787.		F.4.	Smith spic.15. t.16.
CURCULIGO. H. K.	Curculigo.	Asphodeleæ. B. P					
1 plicata. H. K.	plaited-leaved.		C. B. S.				Jac. schæn.1. t. 80.
2 orchioides. W.	narrow-leaved.		E. Ind.	1800.		S. 24 .	Roxb. cor. 1. t. 13.
3 brevifolia. H. K.	short-leaved.			1804.	5.7.	S. 24 .	Bot. mag. 1076.
4 latifolia. H. K.	broad-leaved.		PooloPinang	1804.	5.8.	S.4.	Rumph.amb.6.t.53
5 recurvata. H. K.	recurved-leaved.		Bengal.	1805.		S. 24 .	8 770
CYANELLA. W.	CVANELLA.	Asphodelese J	_				0 1 1
1 capensis. W.	purple-flowered.	Tisphodelete. b.	C. B. S.	1768.	7.8.	G. 4.	Bot. mag. 568.
2 lutea. W.	vellow-flowered.			1788.		G. 24.	1252.
YUCCA. W.	ADAM'S NEEDLE	Lilia, J.				•	
1 gloriosa. W.	superb.		America.	1596.	7.8.	H.b.	Bot. mag. 1260.
2 aloifolia. W.	Aloe-leaved.		S. America.	1696.	8.9.	G.b.	 1700.
3 draconis. W.	drooping-leaved.			1720		. (2 1	Dill.elt.t.324.f.417
4 obliqua. H. S.	oblique-leaved.					S.b.	
5 serrulata. H. S.			Carolina.	1808.		G.b.	
6 recurvifolia. Ph.	recurve-leaved.		Georgia.	1795.	8.	H.b.	Par. lond. 31.
7 filamentosa. W.	thready.		Virginia.	1675.	9.10.	Н.Ь.	Bot. mag. 900.
8 angustifolia. Ph.	narrow-leaved.		Missouri.			H. h.	2236
BUONAPARTEA.F.P	BUONAPARTEA		2.210004174		,		
juncea. Fl. P.	Rush-leaved.		Deru	1800		S. b.	Fl. peruv. 3. t. 2422
Junea. 11.1.	itusii-icavea.		(Alon G	reteria	& H	morthi	" H. S.
ALOE. W.	ALOE.	Hemerocallideæ. 1	3.P. { Aloe &	Aniora	W	en enn)
1 vulgarie H K	yellow-flowered.						
1 vulgaris. H. K.	yenow-nowered.		C P S	1700	7 10	G L	Plant. grass. 27. Bot. mag. 1474. ——————————————————————————————————
2 purpurascens. H.K.	purple.	1	С. В. з.	1709.	0.4	G. L	179
3 soccotrina. H. K.	soccotrine.			1/31.	2.4.	G. n.	- 1206
4 arborescens. H. K.	tree.			7.550	11.5	G.n.	Dlant grace 20 /
5 ferox. H. K.	great hedgenog.	-		1759.	4.5.	G. n.	Cam puol 71 t 00
6 supralævis. H. K.	upright hedgehog			1731.	• • • •	G. n.	Com. præi./1.t.,204
7 flavispina. H. S.	yellow-spined.			1790.	8.	G. h.	T) 4 1000
8 picta. H. K.	great soap.			1727.	8.10	G. h.	Bot. mag. 1323.
0 1001101101	broad-leav ^a soap.			1795.	7.8.	G.h.	1346.
10 saponaria. H. S.	common soap.			1727.		G.h.	1460.
11 serrulata. H. K.	saw-leaved.			1789.		- G. h .	70 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
12 mitræformis. H. S.	common mitre.			1732.	8.	G.h.	Bot. mag. 1270.
13 nobilis. H. S.	great mitre.			1800.		· G. h .	
14 distans. H.S.	small mitre.			1732.		- G. ի .	Bot. mag. 1362.
15 albispina. H. S.	white-spined.			1796.	I	D.S. 4.	- *
16 brevifolia. H.K.	short-leaved.			1731.	b.S.	IT. n.	riant. grass. or.
17 depressa. H. K.	flat-leaved.				8.	(t.h.	Bot. mag. 1332.
18 suberecta. H. S.	lesser hedgehog.			1789.	3.6.	G. 4.	
19 acuminata. H. S.	middle hedgehog.			1795.	3.5.	G. 24 .	Bot. mag. 757.
	(tubercled)						
20 tuberculata. H.S.	hedgehog.						
21 humilis. H. S.	dwarf hedgehog.	3		1731.	3.6.	G. 24.	Plant. grass. 39.
22 incurva. H. S.	incury'a hedgehos	y		1796.		G.4.	Bot. mag. 828.
23 striata. H. K.	streaked.			1795.		G. 24.	
24 lineata. H. K.	lined red-spined.			1789.	1	D.S. 24.	
25 glauca. H. K.	glaucous.			1731.	1.9.	G.b.	Bot. mag. 12782
26 spicata. W.	spike-flowered.			1795.		D.S. b .	. 5
27 africana. H. K.	African.			1731.	7.	G.h.	
	Apple green			1700	90.	G. 21 .	Bot. mag. 1355.
28 virens. H. S.	apple-green.			1780	0.,,.	D.S. L.	2011
29 dichotoma. W.	fan		A frien	1700	67	G h	Bot. mag. 457.
30 plicatilis. W.	ran.		C P C	1720.	2.0	G. L	513.
31 variegata. W.	partriage-breast.		C. B. S.	1720.	0.9.	ne t	979
32 obliqua. H. S.	broad-marbled.			1759.	0.8.1	D.S. n.	765
33 maculata. H. K.					7.8.	v.s. n .	/004
Gasteria pulchra. I						C 21	000
34 nigricans. H. S.	dark-tongue.			1790.	6.7.	G. 24.	838.
35 glabra. H. S.	smooth-keeled.			1796.		- G. 4 ·	D.4 1001
36 carinata. H. S.	rough-keeled.			1731.		G.4.	Dot. mag. 1331.
37 lingua. W.	common-tongue.			• • • •	3.11	G.4.	
Gasteria latifolia.						, .	
38 angulata. H. S.	retuse-tongue.			1791.		G.4.	
39 angustifolia. H. S.	narrow-tongue.			1731.		G.4.	Bot. mag. 1322-
40 longifolia. H. S.	long-Id. tongue.			1796.		G.4.	
,		** .					

		is the second second			
41 obtusifolia.	short-ld. tongue.	Hemerocallidex.B.	P. C. B. S.	1809. 7.8. G.4.	
Gasteria brevifolia	. H. S.				
42 intermedia. H. S.	middle-tongue.			1790. 3.11. G.4. 1731. — G.4. 1790. 8.9. G.h.	T
43 verrucosa. W.	warted.	**********		1731. — G.4.	Bot. mag. 837.
44 spiralis. H. S.	great-spiral.			1790. 8.9. G.h.	
45 spirella. H. S. 46 pentagona. H. S.	small-spiral. five-sided.			1731. 6.7. G.h.	Rot mar 1999
47 imbricata. H. S.	rough-flowered.			G.h.	1455.
spiralis. B. M.	rough-nowered.				1400.
48 foliolosa. H. S.	small-leaved.			1795. 6.8. G.h.	Bot. mag. 1352.
49 tortuosa. H. S.	twisted.			1797. 5.9. G.h.	1337.
50 rigida. Pl. gr.	rigid.			1797. 5.9. G.h. 1795. — G.h. 6. D.S.h.	Plant. grass. 62.
51 aspera. H. S.	rough.			- 6. D.S.h.	•
52 viscosa. H. S.	clammy.			1797. 67. G.b.	Bot. mag. 814.
53 albicans. H. K.	white-edged.				
54 cymbiformis. H. S.			·	1795. 7. D.S. \(\text{\chi}. \) 1795. 5.8. G.\(\pmu\). 1794. \(\begin{array}{c} \text{G}.\(\pmu\). 1795. 8. S.\(\pmu\).	802.
55 reticulata. H. S.	netted.	+		1794. — G.4.	1314.
56 recurva. H. S.	recurve-leaved.			1795. 8. S.4. 1720. 5.7. G.4.	1353.
57 retusa. W. 58 mirabilis. H. S.	smooth cushion.			1720. 5.7. G.4.	1354
59 translucens. H. K.				1795. 5.8. G. 4. ———————————————————————————————————	1417.
60 pumila. H. S.	small cobweb.			1752. 5. G.4.	1361.
61 arachnoides. H. S.	cobweb.			1727. 8. D.S. 24.	 756.
62 radula. H. S.	raspy-pearl.			1805 G. 24.	Jac. schœn. t. 35.
63 attenuata. H. S.	chalky-pearl.			1790. 5.8. G.4.	Bot. mag. 1345.
radula. B. M.					
64 minima. H. S.	least-pearl.			1725. 5.9. G.4.	Bot. mag. 1360.
65 minor. H. S.	lesser-pearl.			5.8. G.24.	
66 margaritifera. H.K				1739. 5.9. G. 4.	Bradl. succ. 3. t.21.
67 Haworthii.	largest-pearl.			1801. 8. G. 2.	
Haworthia maxim AGAVE. H. K.		D 1' 1			
I americana. W.	AGAVE.	Bromeliæ. J.	S America	1640. 8.10. G. h.	Bot ron 129
2 Milleri, H. S.	Miller's.		S. America.	1500 C I	
	MILLICI 2.				
	flaccid.		S. America.	1768 G. h.	
3 flaccida. H.S.	flaccid. Vera Cruz.		- S. America. - Vera Cruz.	1790 D.S. h.	Bot. mag. 1522.
3 flaccida. H. S. 4 lurida. W.	flaccid. Vera Cruz. narrow-leaved.		- S. America. - Vera Cruz.	1790 D.S. h.	Bot. mag. 1522.
3 flaccida. H.S.	Vera Cruz.		S. America. Vera Cruz.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h.	Bot. mag. 1522.
3 flaccida. H.S. 4 lurida. W. 5 angustifolia. H.S.	Vera Cruz.		S. America. Vera Cruz. S. America.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h. 1768 D.S. 4.	Bot. mag. 1522.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S.	Vera Cruz. narrow-leaved. Karatto.		- S. America Vera Cruz S. America N. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ¼. 1731. 8.10.D.S. ¼. 1765. 9. F. ¼.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered.		S. America. Vera Cruz. S. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ¼. 1731. 8.10.D.S. ¼. 1765. 9. F. ¼.	Bot. mag. 1522.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA.	Bromeliæ. J.	S. America. Vera Cruz. S. America. N. America. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ¼. 1731. 8.10.D.S. ¼. 1765. 9. F. ¼. 1810 G. ¼.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3.t. 1,
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic.	Bromeliæ. J.	S. America. Vera Cruz. S. America. N. America. America.	1790 D.S. ħ. 1731. 6.7. D.S. ħ. 1790 G. ħ. 1768 D.S. ‡. 1731. 8.10.D.S. ‡. 1765. 9. F. ‡. 1810 G. ‡.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1,
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCREA. V. 1 gigantea. Vent. 2 tuberosa. H. K.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tuberous.	Bromeliæ. J.	S. America. Vera Cruz. S. America. N. America. America.	1790 D.S. ħ. 1731. 6.7. D.S. ħ. 1790 G. ħ. 1768 D.S. ‡. 1731. 8.10.D.S. ‡. 1765. 9. F. ‡. 1810 G. ‡.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1,
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminifora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba.	Bromeliæ. J.	S. America. Vera Cruz. S. America. N. America. America.	1790 D.S. ħ. 1731. 6.7. D.S. ħ. 1790 G. ħ. 1768 D.S. ‡. 1731. 8.10.D.S. ‡. 1765. 9. F. ‡. 1810 G. ‡.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1,
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCREA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tuberous. Cuba. rigid.	Bromeliæ. J.	S. America. Vera Cruz. S. America. N. America. America. S. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ½. 1765. 9. F. ½. 1810 G. ½. 1690. 9.1. D.S. ½. 1789. 8.9. D.S. ½ D.S. ½.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac. amer. t. 260 f. 25
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tuberous. Cuba. rigid. entire-leaved.	Bromeliæ. J.	S. America. Vera Cruz. S. America. N. America. America. S. America.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac. amer. t. 260 f. 25
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS.	Bromeliæ. J. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. Uvulariæ spec	1790 D.S. h. 1791. 6.7. D.S. h. 1790 G. h. 1768 D.S. 4. 1765. 9. F. 4. 1810 G. 4. 1690. 9.1. D.S. h. 1739. 8.9. D.S. h. 1768 D.S. h. 1768 D.S. h. 1768 D.S. h. 1811 D.S. 4. 1811 D.S. 4.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS.	Bromeliæ. J. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. Uvulariæ spec	1790 D.S. h. 1791. 6.7. D.S. h. 1790 G. h. 1768 D.S. 4. 1765. 9. F. 4. 1810 G. 4. 1690. 9.1. D.S. h. 1739. 8.9. D.S. h. 1768 D.S. h. 1768 D.S. h. 1768 D.S. h. 1811 D.S. 4. 1811 D.S. 4.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCREA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tuberous. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly.	Bromeliæ. J. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. Uvulariæ spec. Hungary. N. America.	1790 D.S. ħ. 1731. 6.7. D.S. ħ. 1790 G. ħ. 1768 D.S. ૠ 1765. 9. F.ૠ 1810 G. ૠ 1690. 9.1. D.S. ħ. 1769. 8.9. D.S. ħ. 1768 D.S. ħ. 1810 D.S. ħ. 1811 D.S. ħ.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tuberous. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly.	Bromeliæ. J. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. Uvulariæ spec. Hungary. N. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ¼. 1765. 9. F. ¼. 1810 G. ¼. 1690. 9.1. D.S. ½. 1739. 8.9. D.S. ½. 1768 D.S. ½. 1768 D.S. ½. 1811 D.S. ½. 1811 D.S. ½. 1815 D.S. ½.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRCEA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tuberous. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. Uvulariæ spec Hungary. N. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ¼. 1765. 9. F. ¼. 1810 G. ¼. 1690. 9.1. D.S. ½. 1739. 8.9. D.S. ½. 1768 D.S. ½. 1768 D.S. ½. 1811 D.S. ½. 1811 D.S. ½. 1815 D.S. ½.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L. 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly. LILY OF THE VALLEY. common.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. Huulariæ spec Hungary. N. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ¼. 1765. 9. F. ¼. 1810 G. ¼. 1690. 9.1. D.S. ½. 1739. 8.9. D.S. ½. 1768 D.S. ½. 1768 D.S. ½. 1811 D.S. ½. 1811 D.S. ½. 1815 D.S. ½.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260 f. 25 Red. lil. 259. Bot. mag. 1489. 1490.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRCEA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tuberous. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY. } common. red-flowered.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. Huulariæ spec Hungary. N. America.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h. 1768 D.S. ½ 1731. 8.10.D.S. ½ 1765. 9. F. ½ 1810 G. ½ 1739. 8.9. D.S. h. 1768 D.S. h. 1768 D.S. h. 1811 D.S. h. 1811 D.S. ½ 1820	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260 f. 25 Red. lil. 259. Bot. mag. 1489. 1490.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRCEA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. y flore pleno.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRŒA. gigantic. tuberous. Cuba. rigid. entire-leaved. STREFTOFUS. heart-leaved. woolly. { LILY OF THE VALLEY. } common. red-flowered. double.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. Uvulariæ spec. Hungary. N. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768. D.S. ½. 1765. 9. F. ½. 1810 G. ½. 1769. 8.9. D.S. ½. 1769. 8.9. D.S. ½. 1768 D.S. ½. 1768 D.S. ½. 1811 D.S. ½. 1811 D.S. ½. 1812. — H. ¼. 1812. — H. ¼.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260 f. 25 Red. lil. 259. Bot. mag. 1489. 1490.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 9 flore pleno. SMILACINA. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY. } common. red-flowered. double. SMILACINA.	Bromeliæ, J. Smilaceæ, B. P. Smilaceæ, B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. Huulariæ spec Hungary. N. America. Britain. Convallariæ sj	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h. 1768 D.S. h. 1765. 9. F. h. 1810 G. h. 17690. 9.1. D.S. h. 1769. 8.9. D.S. h. 1768 D.S. h. 1811 D.S. h. 1811 D.S. h. 1812 H. h.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260 f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L. 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. y flore pleno. SMILACINA. D. 1 umbellata. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. rose-coloured. woolly. { Lily of the VALLEY. common. red-flowered. double. SMILACINA. umbel-flowered.	Bromeliæ, J. Smilaceæ, B. P. Smilaceæ, B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. S. America. Britain. Convallariæ spec. N. America.	1790 D.S. h. 1791. 6.7. D.S. h. 1790 G. h. 1768 D.S. h. 1765. 9. F. h. 1810 G. h. 1769. 9.1. D.S. h. 1769. 10.5. h. 1811. D.S. h. 1811. D.S. h. 1811. D.S. h. 1811. D.S. h. 1812. H. h. 1812. H. h. 1812. J. H. h. 1813. J. H. h. 1814. J. H. h. 1815. J. H. h. 1816. 6.7. H. h. 1817. J. H. h. 1818. J. H. h.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. 5TREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 9 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY. common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. S. America. B. America. Uvulariæ spec Hungary. N. America. Britain. Convallariæ s, N. America.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768 D.S. ½. 1765. 9. F. ½. 1810 G. ½. 1769. 8.9. D.S. ½	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3.t.1, Plant. grass. 126. Jac. amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. ————————————————————————————————————
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRCEA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. y flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. P. 3 bifolia. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. rose-coloured. woolly. { Lily of the VALLEY. common. red-flowered. double. SMILACINA. umbel-flowered.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. America. S. America. S. America. B. America. Uvulariæ spec Hungary. N. America. Britain. Convallariæ sj. N. America. N. Europe.	1790 D.S. ½. 1731. 6.7. D.S. ½. 1790 G. ½. 1768. D.S. ½. 1765. 9. F. ½. 1810 G. ½. 1769. 8.9. D.S. ½. 1769. 8.9. D.S. ½. 1768 D.S. ½. 1768 D.S. ½. 1768 D.S. ½. 1811 D.S. ½. 1812. — H. ½. 1812. — H. ½. 19ecies W. 1778. 5.6. H. ½. 1596. — H. ½.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. 5TREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 9 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRGA. gigantic. tuberous. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. vose-coloured. woolly. { LILY OF THE { VALLEY. } common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. S. America. S. America. S. America. Vuulariæ spec Hungary. N. America. Britain. Convallariæ sj. N. America.	1790 D.S. h. 1790	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 9 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. P. 3 bifolia. D. 4 trifolia. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY. } common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. S. America. S. America. S. America. Vuulariæ spec Hungary. N. America. Britain. Convallariæ sj. N. America.	1790 D.S. h. 1790	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRCEA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 7 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D. 3 bifolia. D. 4 trifolia. D. 5 stellata. D. 6 racemosa. D. POLYGONATUM. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly. { Lilly of the { VALLEY.} common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved. star-flowered. cluster-flowered. cluster-flowered.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. S. America. S. America. S. America. Vuulariæ spec Hungary. N. America. Britain. Convallariæ sj. N. America. N. America.	1790 D.S. h. 1790	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer. t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRŒA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 9 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D. 3 bifolia. D. 4 trifolia. D. 5 stellata. D. 6 racemosa. D. POLYGONATUM. D. 1 verticillatum. D.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCRGA. gigantic. tubercus. Cuba. rigid. entire-leaved. STEPTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY.} common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved. star-flowered. cluster-flowered. cluster-flowered. SOLOMON'S-SEAI whorl-leaved.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. N. America. S. America. S. America. S. America. S. America. Uvulariæ spec. Hungary. N. America. Convallariæ sj. N. America. N. Europe. N. America. Convallariæ sj. Scotland.	1790	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer.t. 260.f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043. 899. Eng. bot. 1035.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCREA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 7 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D. 3 bifolia. D. 5 stellata. D. 6 racemosa. D. POLYGONATUM. D 1 verticillatum. D. 2 canaliculatum. Ph.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STERFTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY. common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved. star-flowered. cluster-flowered. SOLOMON's-SEAI whorl-leaved. channelled.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. N. America. S. America. S. America. S. America. S. America. S. America. Uvulariæ spec Hungary. N. America. Convallariæ s N. America. Convallariæ s Scotland. N. America.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h. 1768 D.S. h. 1765. 9. F. h. 1810 G. h. 1769. 9.1. D.S. h. 1769. 8.9. D.S. h. 1769. 8.9. D.S. h. 1768 D.S. h. 1768 D.S. h. 1768 D.S. h. 1811 D.S. h. 1812 H. h. 1812 H. h. 1812 H. h. 1813. 5.6. H. h. 1814. 6.7. H. h. 1815. 6.7. H. h. 1816. 6.7. H. h. 1816. 6.7. H. h. 1816. 6.7. H. h. 1816. 6.7. H. h. 1817. 5.6. H. h. 1818. 5.6. H. h. 1818. 6.7. H. h. 1818. 6.7. H. h. 1818. 6.7. H. h. 1818. 6.8. H. h.	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer.t. 260.f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043. 899. Eng. bot. 1035.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCREA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L. 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 7 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D. 3 bifolia. D. 4 trifolia. D. 5 stellata. D. 6 racemosa. D. POLYGONATUM. D. 1 verticillatum. D. 2 canaliculatum. Ph. 3 pubescens. Ph.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly. {LILY OF THE} Common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved. star-flowered. cluster-flowered. cluster-flowered. cluster-flowered. cluster-flowered. channelled. pubescent.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. S. America. S. America. S. America. S. America. S. America. Uvulariæ spec Hungary. N. America. Convallariæ s N. America. N. Europe. N. America. Convallariæ s Scotland. N. America.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 6. h. 1768 D.S. 2. 1765. 9. F. 2. 1810	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer.t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043. 899. Eng. bot. 1035. Willd. hort. ber. 45.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCRCEA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L. 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 7 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D. 3 bifolia. D. 4 trifolia. D. 5 stellata. D. 6 racemosa. D. POLYGONATUM. D. 1 verticillatum. D. 2 canaliculatum. Ph. 3 pubescens. Ph.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREPTOPUS. heart-leaved. rose-coloured. woolly. { LILY OF THE { VALLEY.} common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved. star-flowered. cluster-flowered. cluster-flowered. cluster-flowered. channelled. pubescent. angular.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. N. America. S. America. S. America. S. America. S. America. Wullariæ spec. Hungary. N. America. Britain. Convallariæ sj. N. America. N. Europe. N. America. Convallariæ sj. Scotland. N. America.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h. 1768 D.S. h. 1765. 9. F. H. 1810 G. h. 1769. 8.9. D.S. h. 1769. 8.9. D.S. h. 1769. 8.9. D.S. h. 1768 D.S. h. 1768 D.S. h. 1768 D.S. h. 1811 D.S. h. 1811 D.S. h. 1812 H. H. 1812 H. H. 1812. 6.7. H. H. 1812. 6.8. H. 1812. 6.9. H. H. 1812. 6.9 H. 1812. 6.9 H. 1812. 6.9 H. 181	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer.t. 260.f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043. 899. Eng. bot. 1035. Willd. hort. ber. 45. Eng. hot. 280.
3 flaccida. H. S. 4 lurida. W. 5 angustifolia. H. S. 6 Karatto. H. S. 7 vivipara. W. 8 virginica. W. 9 geminiflora. FURCREA. V. 1 gigantea. Vent. 2 tuberosa. H. K. 3 cubensis. H. S. 4 rigida. H. S. 5 australis. H. S. STREPTOPUS. M. 1 amplexifolius. R. L. 2 roseus. Ph. 3 lanuginosus. Ph. CONVALLARIA. Desf. majalis. W. 6 rubra. 7 flore pleno. SMILACINA. D. 1 umbellata. D. 2 borealis. D. 3 bifolia. D. 4 trifolia. D. 5 stellata. D. 6 racemosa. D. POLYGONATUM. D. 1 verticillatum. D. 2 canaliculatum. Ph. 3 pubescens. Ph.	Vera Cruz. narrow-leaved. Karatto. viviparous. Virginian. pair-flowered. FURCREA. gigantic. tubercus. Cuba. rigid. entire-leaved. STREFTOPUS. heart-leaved. rose-coloured. woolly. {LILY OF THE} Common. red-flowered. double. SMILACINA. umbel-flowered. oval-leaved. least. three-leaved. star-flowered. cluster-flowered. cluster-flowered. cluster-flowered. cluster-flowered. channelled. pubescent.	Bromeliæ. J. Smilaceæ. B. P. Smilaceæ. B. P.	S. America. Vera Cruz. S. America. N. America. N. America. S. America. S. America. S. America. S. America. Wullariæ spec. Hungary. N. America. Britain. Convallariæ sj. N. America. N. Europe. N. America. Convallariæ sj. Scotland. N. America.	1790 D.S. h. 1731. 6.7. D.S. h. 1790 G. h. 1768 D.S. h. 1765. 9. F. H. 1810 G. h. 1769. 8.9. D.S. h. 1769. 8.9. D.S. h. 1769. 8.9. D.S. h. 1768 D.S. h. 1768 D.S. h. 1768 D.S. h. 1811 D.S. h. 1811 D.S. h. 1812 H. H. 1812 H. H. 1812. 6.7. H. H. 1812. 6.8. H. 1812. 6.9. H. H. 1812. 6.9 H. 1812. 6.9 H. 1812. 6.9 H. 181	Bot. mag. 1522. Comm. præl. t. 15. Bot. mag. 1157. Jour. of sc. No. 3. t. 1, Plant. grass. 126. Jac.amer.t. 260. f. 25 Red. lil. 259. Bot. mag. 1489. 1490. Eng. bot. 1035. Bot. mag. 1155. 1403. 510. Gmel. sib. 1 t. 6. Bot. mag. 1043. 899. Eng. bot. 1035. Willd. hort. ber. 45.

OBITIONOCOM D M	Creary's Drans	Conflorer P. D.	67-4 T	777		201.1	
OPHIOPOGON. B. M. japonicus. B. M.	SNAKE'S BEARD.	Hæmodoraceæ. B.	Japan	1701	ggea.	Rich.	Dot man 10de
LOPHIOLA. B. M.	Lophiola.	Hæmodoraceæ, B.	P. Conostulis	Ph.	٥.	r.4.	Dot. mag. 1003.
aurea. B. M.	golden-flowered.	Tremodoracea: D	N. America.	1811.	5.7.	H.2/.	Bot. mag. 1596.
LANARIA. W.	LANARIA.	Hæmodoraceæ. B	P. Argolasia	J.	0.,,		arou mag. 1000
plumosa. W.	woolly.					G. 24 .	•
ANIGOZANTHOS.	ANICOZANTHOS	Hæmodoraceæ. B	D				
B. P. ∫							
flavida. B. P.	russet-green-flod.	<u> </u>	N. Holland.	1803.	5.9.	G.h.	Bot. mag. 1151.
LEONTICE. W.	LEONTICE.	Berberides, J.					
1 Chrysogonum. W.	Oak-leaved.	Del Goldes, G.	Levant.	1740.	3.6.	н.4.	Moris. s.3. t.15.f.7.
2 Leontopetalon. W.	Lion's-leaf.			1597.	4.5.	G. 4.	t. 15. f.6.
CAULOPHYLLUM }	CAULOPHYLLUM	Berberides. J.					
Mi. f thalictroides. Ph.	Columbine-leav ^d		NY America	1	-	TT 31	Mich. amer. 1.t.21.
DIPHYLLEIA. Mi.	DIPHYLLEIA.			1755.	э.	н. 4.	Mich. amer. 1.6.21.
cymosa. Mi.	blue-berried.			1910	5.6	T-F. OJ	Bot. mag. 1666.
ACORUS. W.	Acorus.	Aroideæ. B. P.	14. Himerica.	1012.	0.0.	11.4.	1700. 11145. 1000.
1 Calamus. W.	Sweet-flag.		Britain.		6.7.	H: 2.	Eng. bot. 356
2 gramineus. W.	grass-leaved.		China.				Smith spic.15.t.17.
ORONTIUM. W.	ORONTIUM.	Aroideæ. B. P.					•
1 aquaticum. W.	aquatic.		N. America.	1775.	6.	H.4.	Lam. ill. t. 251.
2 japonicum. W.	Japan.		Japan,	1783.	1.4.	H.4.	Bot. mag. 898.
TUPISTRA. B. M.	TUPISTRA.	Aroideæ. B. P.	A Stravoleli	ares			rap.
squalida. B. M.	Amboyna.		Amboyna.	1810.	4.	S. 4.	Bot. mag. 1655.
TACCA. W.	TACCA.	Aroideæ? B. P.				~	
1 pinnatifida. W.	Salep.		E. Ind.	1793.		S. 4.	Lam. ill. t. 232.
2 integrifolia. B. M.	entire-leaved.	· ·		1810.	5.7.	8.4.	Bot. mag. 1488.
CORYPHA. W.	FAN PALM.	Palmæ. B. P.					CDL and mal 0 4
umbraculifera. W.	great.		E. Ind.	1742.		S. h	$\begin{cases} \text{Rheed. mal. 3. t.} \\ 1-12. \end{cases}$
LICUALA. W.	LICUALA.	Palmæ. B. P.					(1-12.
spinosa. W.	spiny.	Talmæ. D. T.	E Ind.	1800.		S.L.	Rumph.amb.1.t.9.
THRINAX. W.	THRINAX.	Palmæ. B. P.	D. Inu.	1002.	••••	J. 17 .	1tumpmanaovite.
parviflora. W.	small.		Jamaica.	1778.		S. b .	
CALAMUS. W.	CALAMUS.	Palmæ. B. P.					
1 albus. P. S.	common.		E. Ind.	1812.		S.h.	Rumph.amb.5.t.52.
2 Zalacca. W.	Java.					S.h.	Gært.fr.2.t.139.f.2.
JUNCUS. B. P.	Rúsн.	Junceæ. B. P.					
1 acutus. W.	great sharp sea.		Britain.				Eng. bot. 1614.
2 maritimus. P. S.					8.	н.4.	
0	common.			• • • •	6.7.	H.4.	835.
4 effusus. W.	soft.			• • • •	5.8.	н.4.	836.
5 glaucus. W.	hard.		England.	• • • •	7.	H.4.	
6 filiformis. W.	least.		Britain.	• • • •			1175.
7 trifidus. W.	three-leaved. Goose-corn.		Britain.	• • • •	e 7	п. 4.	1482. 933.
8 squarrosus. W. 9 gracilis. E. B.	slender.		Scotland		7.9	H. 21	2174.
10 lampocarpus. L. T.			Britain.	• • • •	6.8.	H 2/	21/4
11 acutiflorus. L. T.	sharp-flowered.				7.8.	H.21.	2143. 238. 2144.
12 obtusiflorus. L. T.	blunt-flowered.				8.	H. 4.	2144.
13 uliginosus. H. K.	little bulbous.		England.		6.7.	H.4.	801.
14 supinus. W.	supine.						Flor. dan. t. 1099.
15 bulbosus. W.	bulbous-rooted.		Britain.			H.4.	Eng. bot. 934.
16 bufonius. W.	toad.					H.⊙.	802.
17 triglumis. W.	three-flowered.				7.	н.4.	899.
18 biglumis. W.	two-flowered.		Scotland.	• • • •			898.
19 castaneus. H. K.	black-spiked.				7.	H.4.	900.
LUZULA. B. P.	Luzula.	Junceæ, B. P. Ja		•			77 1 4 700
1 pilosa. W.	hairy.			• • • •			Eng. bot. 736.
2 Forsteri. E. B.	Forster's.		England.	• • • •			1293.
3 maxima. W.	wood.			••••			737.
4 lutea. W.	yellow.		Switzerland.			H.4.	Leers.herb.t.13.f.6:
5 albida. W. 6 nivea. W.	white.			1770.			Scheu.gram.t.7.f.7.
7 campestris. W.	field.		Britain.	1770.			Eng. bot. 672.
8 congesta. P. S.	close-headed.		France.	1805.		H. 4.	
9 spicata. W.	spiked.	,	Scotland.	••••			Eng. bot. 1176.
PRINOS. W.	WINTER BERRY.					·	
1 verticillatus. W.	deciduous.		N. America.	1736.	7.8.	н. ь.	Duham.arb.1.t.23.
v = = = = 31							

HEXANDRIA DIGYNIA.

	11.1.	MINDLIN	DIGINI	41.		• •	
2 ambiguus. Ph.	Carolina.	Rhamni. J.	Carolina.	1812	Н. р.		
3 lævigatus. Ph.	smooth.		N. America.	7.8.	H.h.		
4 lanceolatus. Ph.	scarlet-berried.		Carolina.	1811. 6.7.			
5 glaber. W.	evergreen.		Canada.	1759. 7.8.			
6 lucidus. W.	shining.		• • • • • • • • •	1778. 6.7.	F.h.	•	
BERBERIS. W.	BARBERRY.	Berberides. J.	England	. 4 =	T.T. T.	Eng hat 10	
1 vulgaris. W. β violacea.	common. purple-fruited.		England.	4.5.	Π.η.	Eng. bot. 49.	
2 canadensis. Ph.	Canada.		Canada.	1759. —	- Н. Ь.		
	Cumuu		(Tierra-	2,00.	220,72		
3 ilicifolia. W.	Holly-leaved.		del-	1791. 7.8.	H. h.		
	•		[Fuego]			· 3	
4 cretica. W.	Cretan.		Candia.	1759. 4.5.	H. h.	Alp. exot. 21. t. 20.	
5 sibirica. W.	Siberian.		Siberia.	1790. 6.7.	H. h.	Pall. ross. 2. t. 67.	
6 emarginata. W. en.	{ cmarginate-			4.5.	н. ь.		
NANDINA. W.	NANDINA.						
domestica. W.	garden.		China.	1804. 6.7.	G. b.	Bot. mag. 1109.	
HILLIA. W.	HILLIA.	Rubiaceæ. J.					
1 longiflora. W.	long-flowered.		W. Ind.	1789. 2.3.	S.h.	Bot. mag. 721.	
2 tetrandra. W.	mountain.		Jamaica.	1793. 6.7.	S. h.		
RICHARDIA. L.	RICHARDIA.	Rubiaceæ. J.	37 C		C T	T '11	
scabra. L. CANARINA. W.	rough. Canarina.		Vera Cruz.	• • • • • • • • • • • • • • • • • • • •	S.n.	Lam. ill. t. 254.	
Campanula. W.	Canary.	Campanulaceæ. J.	Canaries.	1696, 1.3.	G. 21 .	Bot. mag. 444.	
FRANKENIA. W.	SEA HEATH.	Caryophylleæ? J		10000 1101	0.4.	2001 mag. 444.	
1 lævis. W.	smooth.		England.	7.8.	H.2/.	Eng. bot. 205.	
2 Nothria. W.	Cape.		C. B. S.	1816, 6.8.	GN	Berg. cap. 171. t. 1. f. 2.	
	•						
3 hirsuta. W.	hairy.		- Siberia.			Mich. gen. t.22. f.2.	
4 pulverulenta. W.	powdery. (WATER		England.	1.	п. 4.	Eng. bot. 2222.	
PEPLIS. W.	PURSLANE.	Salicariæ. J.					
Portula. W.	common.		Britain.	7.9.	$H.\odot.$	Eng. bot. 1211.	
BAMBUSA. W.	BAMBOO CANE.						
1 arundinacea. W.	common.		India.	1730	. S.h.	Roxb. cor. 1. t. 79.	
2 verticillata. W.	whorl-flowered.	O : D D		1802	. S. h.	1. t. 80.	
EHRHARTA. W.	EHRHARTA.	Gramineæ. B. P.	C. B. S.	1790 57	GN	Smith ined. 1. t. 9.	
panicea. W.	Panic-grass.		о. д. з.	1730. 3.7.	0.4.	Smith med. 1. t. 9.	
		DIGYNIA.					
ORYZA. W.	RICE.	Gramineæ. J.					
sativa. W.	common.		Ethiopia.	1596. 7.	s.⊙.		
FALKIA. W.	FALKIA.	Convolvulaceæ. B		41		- 4 5 7	
repens. W.	creeping.	Daluman I	. С. В. S.	1774. 5.8.	G. 4.	Bot. rep. 257.	Ž s
ATRAPHAXIS. W. 1 spinosa. W.	ATRAPHAXIS. prickly.	Polygoneæ. J.	Levant.	1732. 8.	G 21.	L'Her.stirp.1.t.14.	,
2 undulata. W.	waved-leaved.	Commence of the commence of th	C. B. S.			Dill. elt. t.32. f. 36.	
,					1		
		TRIGYNIA	•				
RUMEX. W.	Dock.	Polygoneæ. J.	T. 7		** **		
1 Patientia. W.	Patience. bloody-veined.		· Italy. · England	1573. 6.7.	. H. 4.	Eng hot tree	
2 sanguineus. W. 3 crispus. W.	curled.		- Engranu. - Britain		- II. 4.	Eng. bot. 1533.	
4 Britannicus, W.	Virginian.	-	N. America.		- H. 1	1990	
5 persicarioides. W.	Persicaria-like.			- 1773	- H.O.		
6 ægyptiacus. W.	Egyptian.		- Egypt.	1734	- H.⊙.	Till. pis. t. 37. f. 1.	
7 dentatus. W.	dentated.		TD '4 '	· 1732. 7.8.	. H.⊙.	Dil.elt.t.158.f.191.	
8 maritimus. W.	golden.		- Britain.		-H.4.	Eng. bot. 725.	
9 palustris. H. K. 10 aquaticus. H. K.	yellow marsh. great water.		- England. - Britain.		- H 2	1932. 2104.	
11 divaricatus. W.	spreading.		Italy.			Till. pis. t. 37. f. 2.	
12 acutus. W.	sharp.		- Britain.			Eng. bot. 724.	
13 obtusifolius. W.	broad-leaved.	-		6.8	H.4.	1999.	
14 pulcher. W.	Fiddle.	·		• • • • • • • • • • • • • • • • • • • •	- H.4.	1576.	
15 bucephalophorus W.	· Basil-leaved.		Italy.	1683. 6.	H.O.	Cav. ic. 1. t. 41.f.1.	
16 Lunaria. W.	tree.		Canaries.		_	Pluk.alm.t.252,f.3.	
17 vesicarius. W.	bladder.		· Africa.			Moris. s. 5. t. 28. f. 7.	
18 roseus. W.	rose.		Egypt.	1737			

HEXANDRIA TRIGYNIA.

19 tingitanus. W.	Tangier.	Polygoneæ. J.	Barbary.	1680. 6.8	н. ц.	Zanon. hist. 9. t. 6.
20 scutatus. W.	French Sorrel.	201/80110-1-01	France.	1596. 6.7	. н.ч.	
21 digynus. W.	mountain.		- Britain.	6.7	. н. 4.	Eng. bot. 910.
22 alpinus. W.	Alpine.		France.	1507	TT 31	Zorn. ic. 261.
23 confertus. W. en.	heart-leaved.		• • • • • • • • • •	1796. 7.	н.4.	
24 spinosus. W.	prickly-seeded.		Candia.	1656. 67.	HO	
25 giganteus. H. K.	tall.		Sandwich Isl.	1796. 6.8	G.4.	
26 tuberosus. W.	tuberous -rooted.		Italy.	1752. ——	- H. 4.	
27 Acetosa. W.	common Sorrel.		Britain.	6.7	H.4.	Eng. bot. 127.
28 Acetosella. W.	Sheep's Sorrel.					1674.
29 arifolius. W.	halberd-leaved.		Africa.	1775. 12.4	. G. h.	Jac. vind. 3. t. 93.
FLAGELLARIA. W.		Junceæ? B.P.				
indica. W.	Indian.		India.	1782. 6.7.	S.h.	Red. lil. 257.
SCHEUCHZERIA.W				•		
palustris. W.	marsh.		England.	\dots 5.6.	H.4.	Eng. bot. 1801.
TRIGLOCHIN. W.		Alismaceæ. B. P.				
1 palustre. W.	marsh.		Britain.			Eng. bot. 366.
2 bulbosum. B. M.	bulbous-rooted.	*	C. B. S.	1806. 10.	G.4.	Bot. mag. 1445.
3 maritimum. W.	sea.		Britain.		н.4.	Eng. bot. 255.
TOFIELDIA. H. K.	Tofieldia.	Melanthaceæ. J.				
1 palustris. H. K.	Scotch.		Britain.	7.8	H.4.	Eng. bot. 586.
2 pubens. H. K.	downy.		N. America.	1790. 4.5.	H.4.	Pluk.man.t.342.f.3.
MYRSIPHYLLUM.		Smilaceæ? B. P.				
	\ LUM. \		-			
1 asparagoides. W.en.	broad-leaved.					Herm. lugd. t. 681.
2 angustifolium. W.	narrow-leaved.			1752. 12.3	. G. 4.	Till.pis.17.t.12.f.2.
MELANTHIUM.B.M	MELANTHIUM.	Melanthaceæ. B. I				
1 monopetalum. B.M.	bell-flowered.		C. B. S.	1788. 5.6.	G. 4.	Bot. mag. 1291.
Wurmbea campanu	lata. H. K.					_
2 spicatum. B. M.	spiked.			1788	- G. 4.	Bot. mag. 694.
3 pumilum. B. M.	dwarf.					
4 longiflorum. B. M.	long-flowered.				- G. 4.	
5 junceum. H. K.	Rush-leaved.			1788. 6.11	. G. 24.	Bot. mag. 558.
6 secundum. W.	side-flowering.			1812	- G. 4.	Bot. mag. 558. Lam. ill. t. 269. f.2.
7 capense. W.	spotted-flowered.			1768. 5.6.	G. 24.	
8 uniflorum. H. K.	yellow.			1787. 6.7.	G. 24.	Bot. mag. 767.
9 eucomoides. W.	dwarf.			1794. 3.5.	G. 4.	641.
10 viride. B. M.	branching.			1788.10.11	.G.4.	994.
Ornithoglossum viri	de. H. K.	•			·	
MEDEOLA. W. en.	MEDEOLA.	Smilaceæ. B. P.				
minginias W7	Indian	16	Vincinia	1550 6	TT N	Bot. mag. 1316,
virginica. W.	Cucumber.		Virginia.	1759. 6.	н. 4.	Bot. mag. 1316.
TRILLIUM. W.	TRILLIUM.	Smilaceæ. B. P.			1	-
1 sessile. W.	sessile-leaved.		N. America.	1759. 4.5.	H. 24.	Bot. mag. 40.
2 petiolatum. Ph.	Plantain-leaved.			1811. —	· H. 24 .	o e
3 erythrocarpum. Mi.	painted-flowered.			5.6.	H.21.	
- pictum. Ph. undule	atum. W. Hort.	Rer.				
4 ovatum. Ph.	purple-flowered.			1812	H. 4.	
5 pumilum. Ph.	dwarf.		Carolina.		- G. 24.	•
6 cernuum. W.	drooping-flowerd		N. America.	1758. 4.5.	H.24.	Bot. mag. 954.
7 erectum. W.	stinking.			1759	H. 4.	
8 pendulum. Ph.	pendulous.			1805	H. 4.	W. hort, ber.1, t.35.
9 grandiflorum. Ph.	large-flowered.			1799. 4.6.	H. 24.	Par. lond. 1.
	(MEADOW)				•	
COLCHICUM. W.	SAFFRON.	Melanthaceæ. B. P	•			
1 autumnale. W.	common.		Britain.	9.10.	H. 24.	Eng. bot. 133.
2 arenarium. W. en.	sand.		Hungary.	1816	H.4.	Pl.rar.hung.2.t.179
3 byzantinum. B. M.	broad-leaved.	,	Levant.	1629, 9.10.	H. 24.	Bot. mag. 1122.
4 variegatum. W.	chequer-flowerd.		Greece.			1028.
HELONIAS. B. M.	HELONIAS.	Melanthaceæ. B. P			,	
1 lutea. B. M.	spiked-flowering.		N. America.	1759. 7.8.	H.24.	Bot. mag. 1062.
2 bullata. W.	spear-leaved.			1758. 4.5.	н.и.	747.
3 læta. B. M.	channel-leaved.			1770. 6.	н. и.	803.
4 glaberrima. B. M.	smooth.			1811. 5.6	H. 24.	1680.
5 bracteata. B. M.	large-bracted.				н. и.	1703. Ph. amer. 1. t. 9.
	tough-leaved.	-			н. ч.	Ph. amer. 1. t. 9.
7 asphodeloides. W.	Grass-leaved.			1765. 5.6.	H. 21.	Bot. mag. 748.
s graminea. B. M.	panicled.			1812.	H.21.	1599.
NOLINA. Mi.	*	Melanthaceæ. B. P				- 5000
georgiana. Mi.	Georgian.	Metanthacca: D.1		1812. 7.8	H.71.	Pluk.man.t.342.f.1.
03			2.0.0.		т	

APONOGETON. W. 1 monostachyon. W. 2 distachyon. W. 3 angustifolium. W. SABAL. P. S. Adansoni. B. M.	Aponogeton. simple-spiked. broad-leaved. narrow-leaved. SABAL. Adanson's.	Naiades, J. Palmæ, B. P.	C. B. S.	1788.	5.7. 4.9.	G. 4. G. 4.	Bot. rep. 406. Bot. mag. 1293. ————————————————————————————————————
WENDLANDIA. W. populifolia. W. DAMASONIUM. W. indicum. W. ACTINOCARPUS. B. P.	WENDLANDIA. Poplar-leaved. DAMASONIUM. Indian. ACTINOCARPUS.	POLYGYNIA Menispermæ. J. Hydrochandeæ. I Alismaceæ. B. P.	N. America. 3. P. Ottelia. E. Ind.	P. S. 1800.	7.9.	s.4.	Wen.hor.her.3.t.16 Bot. mag. 1201.
1 minor. B. P. 2 Damasonium. ALISMA. W. 1 Plantago. W.	small. common. WATER PLANTAIN. greater.	Alismaceæ. B. P.	England.	••••	6.8. 6.7.	н.4.	Eng. bot. 1615. • Eng. bot. 837.
2 lanceolata. With. 3 trivialis. Ph. 4 natans. W. 5 ranunculoides, W.	spear-leaved. blunt-leaved. floating. lesser.	***************************************	N. America. Wales. Britain.		7.8.	H.4.	Eng. bot. 775.

CLASS VII.

TRIENTALIS. W.	WINTER-GREEN.	Primulaceæ. B. P.					
1 europæa. W.	oval-leaved.		Britain.	5	5.6.	H.4.	Eng. bot. 15.
2 americana. Ph.	spear-leaved.		N. America.	1816. 7	7.8.	H. 24.	
DISANDRA. W.	DISANDRA.	Pediculares. J.	*				
prostrata. W.	trailing.		Madeira.	1771. 5	5.8.	G. 4.	Bot. mag. 218.
PISONIA. W.	PISONIA.	Nyctagines. B. P.					•
1 aculeata. W.	prickly.		Jamaica.	1739. 8	3.4.	S.h.	Lam. ill. t. 861.
2 nigricans. W.	black.		W. Ind.	1806		S.h.	
3 grandis. B. P.	superb.		N. Holland.	1805		G.h.	
PETIVERIA. W.	PETIVERIA.	Chenopodeæ. B. F	·.	,			
1 alliacea. W.	Garlic-scented.			1~59. 6	3.7.	S.h.	Trew.ehret.33.t.67
2 octandra. W.	dwarf.		W. Ind.	1737		S.h.	Plum.ic.213.t.219.
ÆSCULUS. W.	HORSECHESNUT						
1 Hippocastanum. W.	common.		Asia.	1629. 4	1.5.	H.h.	Schmidt arb.1.t.38.
2 Pavia. W.	red-flowered.		N. América.	1711. 8	5.6.	H.h.	
5 discolor. Ph.	dwarf.		Georgia.	1812.	5.	H.h.	3:0
4 flava. W.	yellow-flowered.		N. America.	1764. 5	6.6.	H. h.	Sch. arb. 1. t. 40.
5 glabra. W. en.	smooth-leaved.			1812		H.h.	
6 pallida. W. en.	pale-flowered.				6.	H.h.	C 4 - 1100
7 parviflora. H. K.	small-flowered.			1786. 7	7.8.	H.h.	9. 12 - 1
JONESIA. W.	JONESIA.						
pinnata. W.	winged-leaved.		E. Ind.	1796		S.h.	Rheed. mal. 5.t. 59.
DRACONTIUM. W.	DRAGON.	Aroideæ. B. P.					يد آم.
1 polyphyllum. W.	purple-stalked.		India.	1759. 3	.6.	S. 4 .	Herm. parad. 93. 4 7
2 spinosum. W.	prickly.		Ceylon,	4	1.5.	S. 24 .	1.5
3 pertusum. W.	perforated.		W. Ind.	1752. 4	.6.	S. 4.	Jac. sch.2. t. 184. 5.
CALLA. W.	CALLA.	Aroideæ. B. P.					
1 æthiopica. W.	Ethiopian.		C. B. S	1731. 1	.5.	G. 24.	Bot. mag. 832.
2 palustris. W.	marsh.	•	N. Europe.	1763. 7	.8.	н.4.	1831.
		DIGYNIA					
LIMEUM. W.	LIMEUM.	Portulaceæ. J.					
africanum. W.	African.		C. B. S.	1774. 6	3.7.	G.4.	
		TETRAGYNIA.					
SAURURUS, W.	LIZARD'S TAIL.						
cernuus. W.	drooping.	Nataucs. o.	Virginia.	1759.	9.	H.4.	Lam. ill. t. 1.

SEPTAS. W.

1 capensis. W.
2 globifera. B. M.

3 umbella. H. S.

OCTANDRIA MONOGYNIA.

	HEPTAGYNIA.					
SEPTAS.	Sempervivæ. J.					
Cape.		C. B. S.	1774.	8.9.	G. 4.	Bot. rep. 90.
globe-flowered.			1809.	3.4.	G. 4.	Bot. mag. 1472.
skreen.	-	-	1800.	7.	G. 4.	Jac. vind. 2. t. 352.

CLASS VIII. OCTANDRIA MONOGYNIA.

TROPÆOLUM. W.	Indian Cress.	Geraniæ! J.					
1 minus. W.	small.		Peru.	1596.	6.10. H	.⊙.	Bot. mag. 98. Bot. mag. 23. Bot. mag. 1351. Bot. rep. 535. Berg.act.hol.32.t.1.
β flore pleno.	aouoie-nowerea.			1.000	(J	. h.	Dat man 00
2 majus. W.	double domaid			1080.	F1	.⊙.	Bot. mag. 23.
β flore pleno. 8 peregrinum. W.	frium flowered.			1755	C	, μ.	Dot man 1951 100
4 pinnatum. B. R.	ninge-nowered.			1//5.	G	.0.	Bot non 505
5 hybridum. W.	hybrid			• • • •	e o G	7	Borg oot hol 20 fel
OSBECKIA. W.	OSBECKIA.	Melastomæ. J.		• • • •	0,0. 0	.0.	Deigiaculonoa.u.i.
zeylanica. W.	Ceylon.	Withastome. 0.					Pluk.alm. t.173,f.4.
RHEXIA. W.	RHEXIA.	Melastomæ. J.	Ccylon.	1/33.	7.0. 5	. 0 .	1 Iun.aim. 6.170,1.4.
1 mariana. W.	Maryland.		N. America.	1759.	6.8. H	. 21	Lam. ill. t. 283.f.1.
2 ciliosa. Ph.	ciliated.		Carolina.	1812.	— F	. 21.	Ph. amer. 1. t. 10.
3 virginica. W.	Virginian.		N America	1759	H	71.	Rot mag 968
4 aquatica. W.	marsh.		S. America.	1793.	s	. h .	Aub.guian.1.t.169.
CENOTHERA. W.	CENOTHERA.	Onagrariæ. J.		-100.		- ,	
1 biennis. W.	common.		N. America.	1629.	6.9. H		Flor. dan. 446.
2 grandiflora. W.	great-flowered.			1778.	6.8. H	. 3.	· ** * * * * * * * * * * * * * * * * *
3 parviflora. W.	small-flowered.			1757.	H	.3.	Meerb. ic. 1. t. 34. Mur,com.got.6. t.1.
4 muricata. W.	prickly-stalked.			1789.	7.8. H	.8.	Mur,com.got.6.t.1.
5 longiflora. W.	long-flowered.		Ruon Aures	1776	7 9. H	J	Bot. mag. 265.
6 mollissima. W.	soft wave-leaved.			1732.	6.10. H	.8.	Sch.handb.1.t,105.
7 odorata. P. S.	sweet-scented.		S. America.	1790,	4.8. H	. 24 .	Sch.handb.1. t,105. Bot. reg. 147.
8 nocturna. W.	night-smelling.		C. B. S.	-	(j	r. 2` .	Jac. 1c. 3. t. 455.
9 villosa. W.	villous.			1791.	7.8. G	f. ð.	
10 sinuata. W.	scollop-leaved.		N. America.	1770.	7. H	.⊙.	Mur.com.got.5.t.9.
11 tetraptera. W.	white-flowered.		Mexico.	1796.	6.8. H	.(•).	Bot. mag. 468.
12 cæspitosa, B. M.	turfy.		N. America.	1811.	6.7. H	. 24.	1593.
13 missourensis. B. M.	Missouri.				H	. 21	1599
14 glauca. Ph.	glaucous.			1812.	5.10. H	. 24 .	1606.
15 Fraseri. Ph. 4	Fraser's.			1811.	—— H	. 24 .	
16 tetragona. Roth.	obtuse-leaved.			• • • •	6.8. H	.4.	
17 fruticosa. W.	shrubby.			1737.	H	. 24 .	Bot. mag. 332.
18 pumila. W.	dwarf.						
19 rosea. W.	rosy-flowered.		Peru.	1783.	5.8. F	. 24 .	347.
20 purpurea. W.	purple-flowered.		N. America.	1794.		.0,	352,
21 albicaulis. Ph.				1811.	H	٠3٠	
GAURA. W.	GAURA.	Onagrariæ. J.					TD -1 000
1 biennis. W.	biennial.						Bot. mag. 389.
2 coccinea. Ph.	scarlet.	-	Louisiana.	1811.		4.	Jac. ic. 3. t. 457,
3 fruticosa. W.	shrubby.	-	S. America.	1810.	m o 10	, n.	Dot mag 200
4 mutabilis. W.	changeable.		Manies				Cav.ic. 4. t.396.f.1.
5 tripetala. Cav. EPILOBIUM. W.	three-petalled.		Mexico.	1804.	0. 11		Cav.10. 4. 6.030.1.14
1 angustifolium. W.	WILLOW HERB. Rose-bay.		Britain		7 8 H	21	Eng. bot. 1947,
2 angustissimum. W.	linear learned		Alme of Eur	1775	7,0. II	21	Bot. mag. 76
3 latifolium. W.	Orache-leaved.		N Europa	1770	H	. 21	Par. lond. 58.
4 hirsutum. W.	Codling & Cream		Britain.	1775.	H	. 21.	Eng. bot. 838.
5 parviflorum. E. B.	small-flowered.				Ĥ	.21.	Eng. bot. 838.
6 villosum. W.	Cano		CBS	1799.	G	. 24 .	, , , ,
7 montanum. W.	broad smooth-1d		Britain.			•	Eng. bot. 1177.
8 roseum. H. K.	nale smooth-led		England.				
9 alsinifolium. H. K.	Chickweed-leavd.		Britain.		H	. 24 .	2000.
10 tetragonum. W.	square-stalked.				H	. 21 .	1948.
11 coloratum. Ph.	Pink-flowered.		N. America.	1805.	H	.4.	

OCTANDRIA MONOGYNIA.

14 malustan III	mound stalled	Our manin I	Duitanin	_	. 1	T 31	The hot 246
12 palustre. W. 13 alpinum. W.	round-stalked. Alpine.	Onagrariæ. J.	Britain.				Eng. bot. 346.
GRISLEA. W.	GRISLEA.	Salicariæ, J. Wo	odfordia. Par.	Lond.			
tomentosa. W.	downy.		E. Ind.	1804. 5	.6.	S.h.	Bot. reg. 30.
ROXBURGHIA. W.	ROXBURGHIA.		Tr. Ind	1000		6 31	Dot more 1500
gloriosa. P. S. BORONIA. Sm.	Gloriosa-leaved. Boronia.		E. Ilia.	1803.	4.	5.4.	Bot. mag. 1500.
1 pinnata. Sm.	Hawthorn-scent		N. S. W.				Bot. mag. 1763.
2 serrulata. Sm.	Rose-scented.		-	1816	(G.ħ.	Smith's tracts, t. 5.
TETRATHECA. W.	TETRATHECA.	• • • • • • • • • • • • • • • • • • • •	BT C YII	1000 -		O T	Con man hall 1 4 0
juncea. W. CORRÆA. W.	rushy. CORRÆA.	Diosmacea	N. S. W.				Sm. nov.holl.1.t.2.
1 alba. H. K.	white-flowered.		N. S. W.	1793. 4	.7.	G.h.	Bot. rep. 18. Bot. reg. 26.
2 speciosa. B. R.	red-flowered.			1806. —	(G.h.	Bot. reg. 26.
3 virens, H. K.	green-flowered.			1800. 11	1.5.	G.h.	3.
MIMUSOPS. W. 1 Elengi. W.	Mimusors. pointed-leaved.	Sapoteæ. B. P.	E Ind	1796		S.L.	Roxb. cor. 1. t. 14.
2 Kauki. W.	obtuse-leaved.		22. Tild.				Rumph.amb.3.t.8.
3 dissecta. B. P.	oval-leaved.		India.	1804			
ORNITROPHE. W.	ORNITROPHE.	Sapindi. J.				0.7	D 1
1 serrata. W. 2 Cominia. W.	saw-leaved,		E. Ind.				Roxb. cor. 1. t. 61. Slo.jam.2.t.208.f.1.
DIMOCARPUS. W.	yellow-berried. Dimocarpus.	Sapindi. J. Eup		1703	•••	S.η.	510.jant.2.t.200.1.14
1 Litchi. W.	Lee-Chee.	T		1786. 5	.6.	S.h.	Lam. ill. t. 306.
2 Longan. H. K.	many-petalled.	7				S.h.	Buchoz. ic. t. 99.
MELICOCCA. W.	HONEY-BERRY.	Sapindi. J.	Jamaica.	1770		C T	Too om on 100 + #0
bijuga. W. BLIGHIA. H. K.	winged-leaved. AKEE-TREE.	Sapindi. J. Akee.	sia. Tus.	1//0,	• •	z. n •	Jac.amer. 108. t. 72.
sapida. H. K.	Ash-leaved.		Africa.	1793		S. L.	Ann. bot. 2. t. 16, 17.
EPHIELIS. W.	EPHIELIS.	Sapindi? J. Mat	aiba. Aub.				
fraxinea. W.	Ash-leaved.		Guiana.	1803	• • •	S. h.	Aub.guian.1.t.128.
KOELREUTERIA. W paniculata. W.	panicled.	Sapindi. J.	China.	1763. 7	.8. 1	H.h.	Laxm.com.pet.t.18.
GUAREA. W.	GUAREA.	Meliæ. J.	C D III G	.,,			zamineoza petra 100
trichilioides. W.	Ash-leaved.		S. America.	1752. 5	.6.	S.h.	Cav. diss. 7. t. 210.
AMYRIS. W.	AMYRIS.	Terebintaceæ. J.	61.11			C 7	0
1 polygama. W.	simple-leaved.		Chili.				Cav. ic. 3. t. 239.
2 sylvatica. W.	wood.		Carthagena,	1793		S.h.	Jac, amer.ed. pict.
XIMENIA. W.	XIMENIA.	Aurantiæ. J.					
americana. W.	American.	0 (1 7 7	W. Ind.	1759	•••	S.h.	Jac.amer.pict.t.107
FUCHSIA. W. 1 coccinea. W.	Fuchsia.	Santalaceæ. B. P.	Chili.	1788. 5	8.	G. L .	Bot. mag. 97.
2 lycioides. W.	Boxthorn-leaved.						1024.
JAMBOLIFERA. W.	JAMBOLIFERA.					•	
pedunculata. W.	peduncled.		E. Ind.	1800	• • •	S.h.	Vahl symb. 3. t. 61.
BÆCKIA. L. T. 1 frutescens. Sm.	BÆCKIA. Chinese.	Myrti. J.	Chino	1006 0	10	G L	Osb. iter. t. 1.
2 virgata. Sm.	twiggy.	Mayren or	N. S. W.				Bot. rep. 598.
3 densifolia. Sm.	close-leaved.					G.h.	
CHLORA. W.	YELLOW-WORT.	Gentianeæ. J.	70.14				7
perfoliata. W. MEMECYLON. W.	perfoliate. MEMECYLON.	Santalaceæ. B. P.	Britain.	6	5.7.	H.⊙.	Eng. bot. 60.
capitellatum. W.	Ceylon.		E. Ind.	1796.	7.	S.b.	Burm.zeyl.76.t.30.
MICHAUXIA. W.	MICHAUXIA.	Campanulaceæ. J			•		
campanuloides. W.			Levant.	1787. 6	3.8.	G.♂.	Bot. mag. 219.
JEFFERSONIA. Ph.	JEFFERSONIA.	Papaveraceæ. J.	M America	1700		TT 3/	Det men 1510
diphylla. Ph. DODONÆA. W.	two-leaved. Dodonæa.	Terebintaceæ? J.		1/92.	o	п. 4 •	Bot. mag. 1513.
1 viscosa. W.	clammy.			1690. 6	3.7.	S.h.	Cav. ic. pl. 4. t. 327.
2 triquetra. W.	three-sided.			1790. 6	3.8.	G.h.	Bot. rep. 230.
3 angustifolia. W.	narrow-leaved.		C.B.S.	1758. 5	5.8.	G.h.	
LAWSONIA. W.	LAWSONIA.	Salicariæ. J.	Egypt	1750		S L	Ranw ic 60 + "
2 spinosa. W.	prickly.		E. Ind.				Rauw. ic. 60. t. 7. Rheed. mal. 1. t. 40.
OXYCOCCUS. P. S.	CRANBERRY.	Ericeæ. J. Vace					
1 palustris. P. S.	common.			8	5.6.	S.h.	Eng. bot. 319.
2 macrocarpus. Ph. 3 crythrocarpus. P. S	large-fruited,		· N. America.	1760		H.h.	Hort. Kew. 2. t. 7.
o enjemocarpus. P. S	" ahugue	4		- 1806		II. R .	•
		•	_				

02	OCIA	11111111	T 1/1	J1100 1 11	111.			
CALLUNA. W. en.	CALLUNA.	Ericeæ. J.	Erica	sp. H. K.				
vulgaris. W. en.	common.			Britain.		6.8.	H. b.	Eng. bot. 1013.
β alba.	white-flowered.							
y flore pleno.	double-flowered.							
ERIĆA. W.	НЕАТН.	Ericeæ. J.						
1 Plukenetiana. H.K.	. Plukenet's.			C. B. S.	1774.	4.7.	G. 12 .	Andr. heaths, vol.1.
2 penicillata. A. H.	pencilled.						G.h.	vol. 2.
3 Banksii. H. K.	Banks's.				1787.	2.7.	G.h.	
4 monadelpha. B. M.	monadelphous.				1789.	5.6.	G. 12 .	Bot. mag. 1370.
5 Petiveriana. H. K.	Petiver's.				1774.	3.7.	G.h.	vol. 2. vol. 1. Bot. mag. 1370. Lam. ill.t. 288. f. 3.
6 follicularis. H. K.	yellow-pencilled.				1794.	2.7.	G.h.	Ana. heaths, vol. 1.
7 melastoma. A. H.	black-anthered.				1795.	4.7.	G.h.	vol. 1.
8 Sebana. H. K.	Seba's.				1774.	3.6.	G. h.	And. heaths, vol. 1.
9 socciflora. H. K.	green-pencilled.				1799.	4.5.	G.h.	vol. 1.
10 furfurosa. H. K.	columnar-thread				1789.	8.12.	G.h.	vol. 1.
11 penicilliflora. H. K.	white-pencilled.				1792.	5.8.	G.b.	Wendl.eric.4.p.5.
10 1 11 17 TT 17	1 11 41 - 1						0.7	c. 1c.
12 leucantnera. H. K.	winte-tipped.				1803.	1.5.	G.h.	
13 melantnera. W.	dark-anthered.					6.	G.h.	
14 cristænora. L. 1.	crested.					2.5.	C.h.	And backba not 1
15 nexuosa. ri. K.	zigzag.				1792.	4.7.	G. n.	And, nearns, vol. 1.
11 penicilliflora. H. K. 12 leucanthera. H. K. 13 melanthera. W. 14 cristæflora. L. T. 15 flexuosa. H. K. 16 villosa. H. K. 17 spumosa. H. K. 18 sexfaria. H. K.	company				1800.	2.0.	G. n.	101.5.
18 sexfaria. H. K.	six-angled.				1780.	0.8.	G. n.	And booths vol 0
19 imbricata. H. K.	imbricated.				17/4.		G. R.	And. heaths, vol. 2.
20 tiaræflora. H. K.	turban-flowered				1900		G.h.	And heaths vol 3
21 velleriflora. H. K.	woolly-flowered.				1774	26	G.h.	And. heaths, vol. 3.
		. /			1//4.	2.0.		(Wend, eric, 16, p.
22 Bruniades. H. K.	Brunia-like.				1790.	4.6.	G.h.	{ Wend. eric. 16. p. 53. c. ic.
23 umbellata. H. K.	umbelled.			Portugal.	1782.	5.7.	G.b.	And. heaths, vol. 2.
24 staminea. H. K.	reflex'd-stamen'd			C. B. S.	1799.	6.9.	G.h.	vol. 3 vol. 2. Smith ined. 3.t. 57.
25 latifolia. H. K.	broad-leaved.				1800.	5.8.	G.h.	
26 nudiflora. H. K.	small-bracted.				1783.	7.8.	G.h.	Smith ined. 3.t. 57.
27 carnea. H. K.	early-flog, dwarf.			Germany.	1763.	1.4.	H.h.	Bot. mag. 11.
28 mediterranea. W.	Mediterranean.			Portugal.	1648.	3.5.	H.h.	471.
29 vagans. W.	early-flog. dwarf. Mediterranean. Cornish.			Cornwall.		7.8.	H.h.	Eng. bot. 3.
β alba.	white-flowering.			_				
30 multiflora. W.	many-flowered.			France.	1731.	6.11.	G.h.	And, heaths, vol. 2.
31 grandiflora. H. K.	great-flowered.			C. B. S.	1775.	5.9.	G.h.	Bot. mag. 189.
32 Ewerana. H. K.	Ewer's.				1793.	7.11.	G.h.	And. heaths, vol. 2.
33 cruenta. H. K.	bloody-nowered.				1774.	9.5.	Ci. lz.	
34 speciosa. H. K.	specious.			~~	1800.	6.9.	C. I.	vol. 2.
35 discolor. H. K.	mutable				1788.	11.0.	G. L.	vol. 1.
36 mutabilis. H. K. 37 mammosa. A. H.	ninnle				1760	7.10	G. h.	vol. 1
38 verticillata. A. H.	rerticillate				1702.	7.10.	G. h	
39 densifolia. W.	dense-leaved.	-			1911.	3.8	G. h.	, , , , , , , , , , , , , , , , , , , ,
40 gelida. H. K.	green-verticillate				1790.	4.7.	G.h.	And, heaths, vol. 2.
41 clavæflora. H. K.	club-flowered.				1799.	8.10	G.b.	vol. 2.
42 spicata. H. K.	spiked.				1789.	1.12.	G.h.	And. heaths, vol. 2. Bot. mag. 189. And. heaths, vol. 2. vol. 1. vol. 2. vol. 1. vol. 3. vol. 1. vol. 1. And. heaths, vol. 2. vol. 2. vol. 2. vol. 2. vol. 1. vol. 1.
43 Patersoni. H. K.	Paterson's.				1791.	3.8.	G.b.	vol. 1.
44 fascicularis. H. K.	cluster-flowered.				1787.	2.6.	G.h.	vol. 1.
45 perspicua. H. K.	clear-flowered.		·		1790.	3.6.	G.b.	Wen.eric.1.p.7.c.ic.
46 versicolor. H. K.	various-colour'd.					11.5.	G.h.	
47 costata. H. K.	ribbed-flowered.	-			1795.	2.6.	G. 15.	vol. 1.
48 Aitoniana. H. K.	Aiton's.				1790.	6.9.	G.h.	Bot. mag. 429.
49 Niveni. H. K.	Niven's.				1799.	2.7.	G.b.	And. heaths, vol. 2.
50 tubiflora. H. K.	tube-flowered.				1775	17	G. L.	
51 lanata. W.	woolly.					2.5.	G.h.	Wen.cric.5.p.5.c.ic.
52 cylindrica. A. H.	cylindric.				1798.	5.6.	G.b.	And, heaths, c. ic.
53 ignescens. H. K.	fiery.				1792.	3.6.	G.h.	vol. 2.
54 splendens. P. S.	splendid.					4.9.	G.b.	Wen.eric.8.p.5 c.ic.
55 simpliciflora. H. K.					1774.	3.7.	G.h.	
56 spuria. H. K.	spurious.				1796.	4.8.	G.h.	——————————————————————————————————————
57 procera. W.	lofty.				1791.	4.6.	G.h.	And booths mal a
58 conspicua. H. K.	conspicuous.				1774.	0.8.	G.h.	And heaths, vol. 2. vol. 1. vol. 2.
59 sordida. H. K. 60 flammea. H. K.	flame-flowered.				1790.	10.5	G.n.	vol. 1.
61 concinna. H. K.	blush.				1772	0 10	G.h.	vol. 2.
62 curviflora. H. K.	curve-flowered.				1774	7.10	G.L	vol. 2.
V. VW. TIMOT WI AA! AA!	THE TO MOTIVACULE				11/7.	,	J. 17 .	102111

				1011001			00
	63 serratifolia. H. K.	saw-leaved.	Ericeæ. J.	C. B. S.	1790. 8.12	G. h .	And. heaths, vol. 1.
	64 transparens. W.	transparent.			1800. 5.	G. h.	And heaths, vol. 3.
	65 pellucida. H. K.	pellucid.			1800. 11.6	G.h.	And heaths, vol. 3.
	66 glandulosa. W.	grandular-naired.			1801. 5.6.	U.h.	
	67 Sparrmanni, H.K. 68 Linnæana, H. K.	. Sparrmann's.			1794. 9.3.	G.h.	And. heaths, vol. 3.
	69 erubescens. H.K.	Linnæus's. reddish.			1790. 1.5.	G.h.	vol. 2.
	70 Leeana. H. K.	Lee's.			1800. 3.7.	G. L.	vol. 3.
	71 onosmæflora H.K.	Onosma-flowered			1780 03	G. L.	vol. 1.
	71 onosmæflora.H.K.72 viridis. H. K.	green-flowered.			1800 5.9.	G.h.	vol. 2.
	73 longifolia. H. K.	long-leaved.			1787. 2.7.	G.h.	Icon. hort. kew. 4.
	74 pinea. H. K.	Pine-tree-leaved.			1790, 8.12.	G.h.	
	75 aurea. H. K.	gold-coloured			1799. 7.9.	G.h.	And. heaths, vol. 2.
	76 purpurea. H. K.	purple-flowered.			1789. 1.12.	G.h.	And. heaths, vol. 2. — vol. 2. — vol. 1. — vcl. 2. — vol. 3.
	77 coccinea. H. K.	scarlet-flowered.			1783	G.h.	vol. 1.
	78 Archeriana. H. K.	Lady Archer's.			1796. 8.11.	G.h.	vcl. 2.
	79 Hibbertiana. H.K.	Hibbert's.			1800. 6.9.	G.h.	vol. 3. Bot. mag. 336.
	80 Massoni. H. K. 81 elata. H. K.	Masson's.			1787. 7.10.	G.h.	Bot. mag. 336.
	82 exsurgens. H. K.	tall.			1790. 7.9.	G. h.	And. heaths, vol. 2.
	83 vestita. H. K.	quiver-formed tremulous			1792. 1.12.	G.n.	
	a alba.	white.			1/89.	G.h.	And. heaths, vol. 1.
	β incarnata.	flesh-coloured				G.h.	
	y purpurea.	purple				G.b.	
	S rosca.	rose-coloured				G. b.	And. heatlis, vol. 1.
	z fulgida.	bright-red				G.h.	
	ζ coccinea.	scarlet				G.h.	vol. 1.
	n lutea.	yellow				G.h.	vol. 3.
	84 radiata. H. K.	radiated			1798. 8.11.	G.h.	vol. 1.
	85 rosea. H. K.	rose-coloured			6.10.	G.h.	
	86 inflata. H. K.	inflated			1800. 5.9.	(+ h	{ Thunb. eric. 67. t. 2. f. 2.
	87 ventricosa. H. K.	Porcelain					Bot. mag. 350.
	88 prægnans. A. H.	swelled			1796, 5.7.	G. b.	And, heaths, c. ic.
	89 blanda. H. K.	charming			1800. 4.9.	G.h.	vol. 3.
. :	90 Monsoniæ. H. K. 91 Halicacaba, H. K. 92 lanuginosa, H. K. 93 tetragona. H. K. 94 jasminiflora. H. K. 95 ampullacea. H. K.	Lady Monson's			1787. ——	G.h.	Bot. mag. 1915.
	91 Halicacaba, H. K.	bladder-flowered			1780. 5.8.	G. Iz .	And. heaths, vol. 2.
	92 lanuginosa. H. K.	large brown-flod			1803. 9.1.	G.h.	vol. 3.
	93 tetragona. H. K.	square-flowered.			1789. 7.9.	G.h.	vol. 3.
	94 Jasimininora, H.K.	Jasmine-flower'd			1794. 6.11.	G. h.	vol. 1.
	96 retorta. H. K.	recurved-leaved			1790. 6.8.	G.h.	Bot. mag. 303.
		rusty.			1787. 5.8.	G. n.	And. heaths, vol. 3.
	98 princeps. H. K.	fine red.			199. 5.7.	G. L.	vol. 2.
		nine-nin -			1798 68	G. h	Rot mag 619
10	99 metulæflora. H.K. 90 cerinthoides. H.K. 91 tumida. B. Reg.	Honeywort-flowd			1774. 5.11.	G.h.	220.
1	01 tumida. B. Reg.	tumid			1812. 5.9.	G.b.	Bot. reg. 65.
	03 fistulæflora. L. T.	white slender-fl1			9.	G.h.	Bot. mag. 1720.
	04 Lawsoni. B. M.	red slender-flod			1802. 4.6.	G.h.	Bot. mag. 1720.
14	Do Hyacinthoides.						And. heaths, vol. 3.
10						-	
		awned three-coloured			1801. 3.8.	G.h.	vol. 3.
* `	aristata minor. A.				1803. 7.	G. n.	vol. 3.
10	08 obbata. H. K.				1706 47	G L	And. heaths, vol. 2.
10							
		Irby's			6.10.	G.b.	———— vol. 3. ———— vol. 3.
11	1 corifolia. H. K.	Coris-leaved			1774. 8.12.	G.h.	Bot. mag. 423.
11	12 glauca. H. K.	glaucous					580.
1		Andromeda- \					
		flowered.	. ^			-	1250.
1]	4 pyrolæflora. L. T.				1790. 5.7.	G.h.	
	5 elegans. H. K.	elegant			1799. 11.3.	G.h.	Bot. mag. 966.
	- 1	three-flowered			1774. 3.6.	G. h.	Wendl.eric.12.p.13
	0 1 11 77	loose-flowered lucid	-		1800. 9.2.	G. L.	And. heaths, vol. 3.
		scaly-cupped			1794	G. L	vol. 2.
19	20 togata. B. M.	large-cupped					Bot. mag. 1626.
	21 lachneæfolja. H.K.	Lachnea-leaved					And heaths, vol. 3:
			2.5	_			

M 2

0 4	OCT.	ANDRIA I	MONOGI	NIA.	
122 nigrita. H. K.	black-tipped.	Ericeæ. J.	C. B. S.	1790. 3.6. G.b.	And. heaths, vol. 1.
122 nigrita. H. K. 123 baccans. H. K. 124 oppositifolia. A.H.	Arbutus-flowerd.			- 1774. 4.6. G. h.	Bot. mag. 358.
124 oppositifolia. A.H.	opposite-leaved.	***************************************		- 1804. 3.5. G.h.	And. heaths.
125 tenuifolia. H. K.	claudou loogod			1 0 4 4 5 C L	C-1 1 4 MO CC
126 canaliculata. H.K.	channelled.		-	· 1799. 8.2. G.h.	And. heaths, vol. 3.
127 patens. A. H.	spreading.		-	- 1800. 3.6. G.h.	
128 Thunbergii. H. K.				- 1794. 5.8. G.h.	Bot. mag. 1214. And. heaths, vol. 1.
129 taxifolia. H. K.	Yew-leaved.			- 1788. 7.11. G.n.	And neaths, vol. 1.
130 petiolata. H. K. 131 capitata. H. K. 132 horizontalis. H.K.	downy-headed.			1//4. 3./. G. n.	vol. 1.
132 horizontalis, H.K.	horizontal-leavd.			- 1800. 7.9. G.h.	vol. 24
133 globosa. H. K.	globular-flowerd.				
134 nitida. H. K.	nitid.			- 1800. 7.10. G.h.	And. heaths, vol. 3.
135 ardens. H. K.	ardent.			4.6. G.h.	Bot. reg. 115.
136 physodes. H. K.	sticky.			- 1788. 3.7. G.h.	Bot. mag. 448.
137 obliqua. H. K.	oblique-leaved.			- 1789. S.10. G.h.	And. heaths, vol. 3. Bot. reg. 115. Bot. mag. 443. And. heaths, vol. 1.
138 resinosa. H. K.	varnished.			- 1803. 5.8. G.h.	Bot. mag. 1139. And. heaths, vol. 2.
139 Lambertiana.H.K.	Lambert s.			- 1800 G.h.	And, heaths, vol. 2.
140 odorata. H. K. 141 flava. H. K.	three-led vellow			- 1804. 4.7. G.h.	vol. 2.
142 Blandfordiana.	tillee-ie . yellow			- 1/95. 9.4. G.n.	VOI. 2. 3. 61
H. K.	Lord Blandford's			- 1803. 3.6. G.h.	vol.3.4/
143 decora. H. K.	graceful.			- 1790, 11.1. G.b.	vol. 3.
144 cinerea. H. K.	fine-leaved.	-	- Britain.	6.9. H.h.	Eng. bot. 1015.
β alba.	white-flowered.			•	3
145 stricta. H. K.	straight-branchd		- S. Europe.	1765. 8.11. H. h.	And. heaths, vol. 2.
146 Tetralix. H. K.	cross-leaved.		- Britain.	6.8. H.h.	Eng. bot. 1014.
β alba.	white-flowered.		_		
147 lutea. H. K.	yellow.		- C. B. S.	1774. 2.5. G.h.	And. heaths, vol. 1. Icon. hort. kew.16.
148 urceolaris. H. K.	pitcher-flowered.			- 1778. 5.7. G.h.	Icon. hort. kew.16.
149 glutino a. H. K. 150 ciliaris. H. K.	ciliated.		D. strong?	- 1787. 7.10. G. h.	Pot mag 494
151 albens. H. K.	pallid.		- Portugal.	1789. 7.9. H. n.	440.
152 flexicaulis. H. K.	crook-stalked.		- C. D. S.	- 1800. 5.1. G.h.	Bot. mag. 484. ——————————————————————————————————
150 factigieta W	Wallranta		-	- 1792, 2.7, G.b.	vol. 1, 200
155 lastigrata. W. 154 primuloides. A. H. 155 daphnæflora. L. T.	Cowslip-flowerd.			- 1802. 4.7. G.h	Bot. mag. 1548.
155 daphnæflora. L. T.	Daphne-flowerd.			- 1791. 4.5. G.h	•
156 comosa. H. K.	tufted.			- 1787. 4.8. G.h.	Icon. hort. kew. 18.
a rubra	red-flowered.				Wendl. eric. 12. p.
					7. c. ic. And. heaths, vol. 2.
β alba.	white-flowered.	***************************************			And. heaths, vol. 2.
157 Muscari. H. K. 158 australis. H. K.	musk.	**************************************		- 1790. 3.7. G.h	Vol. 1
159 depressa. H. K.	Spanish. depressed.		- Spain.	1709. — H. n	vol. 9
160 nana. L. T.	dwarf.		— C. D. S.	- 1799. 5 8. G.h	101.2.
161 propendens. H.K.				- 1800. 7.8. G.b	. And. heaths, vol. 2. 2/4
162 palustris. H. K.	marsh.			- 1799, 5.10, G. h	
163 pyramidalis. H.K.				- 1787. 9.5. G.b.	. Bot. mag. 866.
164 cubica. H. K.	cube-flowered.			- 1790. 4.7. G.b.	. And, heaths, vol. t.
165 echiiflora. H. K.	Echium-flowerd.			- 1798, 2.6, G.h.	- vol. 3.
166 viscaria. H. K. 167 filamentosa. H. K.	clammy-flowera.			- 1774. 3.7. G.h	. Icon. hort. kew. 1.
167 filamentosa. H. K.				– 1800. 1.12. G. h	. Bot. reg. 6.
168 pulchella. H. K. 169 formosa. H. K.	neat. beautiful.			- 1792. 6.9. G.h	Thun.eric.n.24.t.4.
a alba.		reflexa alba. H	Cort	- 1795 G.n	n.oz.t.j.
β rubra.		eflexa rubra. Hor			
				C T	Montin. act. ups.
170 cernua. H. K.	drooping-flower	,	— C. B. S.	1791. 8.12. G. h	Montin. act. ups. 2. t. 9. f. 3.
171 Solandri. H. K.	Solander's.	-		- 1800. 3.9. G.h	. And heaths, vol. 2.
172 acuta. H. K.	pointed-cupped.			- 1799, 5.7, G.b.	,vol. 2.
173 empetroides. H.K.	. close-flowered.			- 1788. 5.8. G.h	vol. 2.
174 pendula. H. K.	pendulous.			- 1791. 7.8. G.h	• { Wend. eric. 10. p. 13. c. ic.
	Cypress.			- 1796. 6.9. G.h	(13. 0. 10.
175 turrigera. L. T. 176 Bergiana. H. K.	Bergius's.			- 1790. 0.9. G. n	. And. heaths, vol. 2.
177 barbata. H. K.	bearded.			1 = 00 C T	Trol O
178 empetrifolia. H.K				- 1774. 4.6. G.h	Bot. mag. 447. And. heaths, vol. 1.
179 margaritacea.H.K				- 1775. 5.9. G.h	. And. heaths, vol. 1.
180 lateralis. H. K.	side-flowered.	-		- 1791. 3.7. G.h	, vól, 1,
					· ·

OCTANDRIA MONOGYNIA.

							(Wendl. eric. 8. p.	
181 retroflexa. H. K.	•	Ericeæ. J.					Wendl. cric. 8. p.	
182 planifolia. H. K.	flat-leaved.			1795	(3. h .	And heaths vol 9	
183 thymifolia. H. K. 184 marifolia. H. K.	Marumleaved.			1773.	5.6.	3. n.	And. heaths, vol. 2, vol. 1.	
185 bicolor. H. K.	two-coloured.			1790. 1	0.3.	G. ħ.		
186 tenuis. W. en.	slender-flowered.		S. Europe.	1050	0.2.	G. h.		
187 arborea. W. β stylosa. P. S.	tree. long-styled.		S. Europe.	1030.	2.0.	υ.η.	*	
188 paniculata. H. K.			C. B. S.	1774.	2.4.	G. ħ.		
189 pubescens. H. K. 190 hirta. H. K.	pale downy. hairy-leaved.		·	1790. 9	2.12.	G.Ђ.	Thun.eric.n.56.t.2.	
191 amœna. H. K.	feathery.	·			3.7.	G. 17.	73. c. ic.	
192 strigosa. H. K. 193 racemifera. H. K.	dwarf downy. compact-flower ^d .			1775.	3.4.	G.h.	And heathe vol 2	
194 imbecilla.	feeble.			1793.	6.7.	G. h.	And. heaths, vol. 2.	
gracilis. L. T.								
195 gracilis. H. K. 196 persoluta. H. K.	gracile. garland.			1794.	2.6. 2.5.	G. ի . G. հ .	Wen.eric.8.p.9.c.ic. Bot. mag. 342.	
197 ramentacea. H. K.	slender-branchd.			1786.	7.12.	G.h.	And. heaths, vol. 1.	
198 mucosa. H. K.	mucous.			1787.	2.8.	G. ħ •	And. heaths, vol. 1.	
199 pilulifera. H. K. 200 hirtiflora. B. M.	ball-bearing. hairy-flowered.			1789. 1790.	4.5. 4.6.	G. ի. G. հ.	Bot. mag. 481.	
201 catervæfolia. L. T.	huddled-leaved.				7.0.	G. h .	2000 111190 1010	
202 tardiflora. L. T.	pubescent.				3.9.	G.h.	Bot. mag. 480.	
203 parviflora. L. T. 204 exigua. L. T.	small-flow downy.					G.h.		
205 florida. H. K.	florid.	-		- 1803.	5.8.	G.h.	Thun.eric. n.64.t.6	
206 mollearis. L. T.	soft-leaved.		· 		4.10.	G.h.	Schneerogt.ic.n.17.	
207 cordata. H. K. 208 hispidula. H. K.	heart-leaved.			- 1799. - 1791.	6.8.	G. h.	And, beaths, vol. 3.	
209 Passerina. H. K.	Sparrow-wort.			1800.	11.5.	G.h.	Petiv. gaz. t. 3. f. 7.	
210 canescens. H. K.	hoary.			1790.	5.8.	G. ኢ .	Thun.eric. n.64.t.6 Schneerogt.ic.n.17. And. heaths, vol. 3. Petiv. gaz. t. 3. f. 7. And. heaths, vol. 2.	
eriocephala. A. H. 211 setacea. H. K. 212 absinthoides. H. K. 213 fragrans. H. K. 214 tenuissima. P. S. 215 campanulata.H. K.	bristly-leaved.			1796.	2.4.	G. b .	And. heaths, vol.1.	
212 absinthoides, H.K.	. Wormwood-like.			1792.	3.6.	G.h.		13.15
213 fragrans, H. K.	fragrant.			- 1803.	9.8.	G.h.	Wen eric 6 n 9 c ic.	210
215 campanulata.H.K.	bell-flowered.			- 1791.	4.8.	G.h.	And. heaths, vol. 1.	
216 scoparia. H. K.	small green-flod.			1770.	4.5.	F.b.	{ Linn. eric. n. 14. c. fig. fl.	
							# *** 'S	
217 racemosa. H. K.	racemed.			- 1795.		(i. h.	3. c. ic.	
218 tenella. H. K. 219 conferta. H. K.	delicate.			- 1791.	8.5.	G.h.	And. heaths, vol. 2.	
220 viridipurpurea, W	. green and purple.	,	- Portugal.	• • • •	5.8.	G. h.	fig. ff.	
221 regerminans. W. 222 phylicoides. W.	cluster-flowered.		- C. B. S.	1791.	16	G. h.		
	Consultations library			1000.	4.0.	C.T.	Pluk. mant. 68. t.	
223 gnaphalodes. Th.	Gnaphanum-nke			- 1812.	2.8.	G. n.	Pluk. mant. 68. t. 346. f. 11.	
224 scariosa. Th. 225 bracteolaris. P. S.	many-flowered.			- 1800.	6.7. 3.7.	G. h.	And, heaths, c. ic.	
226 rubens. W.	red-flowered.			- 1798.	6.9.	G. h		
227 incarnata. Th.	flesh-coloured.			- 1791.	5.8.	G. h.	And heaths, c. ic.	
228 lanceolata. P. S.	spear-leaved.			- 1791.	6.12.	G.h	• { Wendl. eric. 8. p. 13. c. ic.	
229 bracteata. Th.	red-bracted.	-	* *************************************	- 1800.	5.6.	G. ħ	. Wen,eric.4.p.5.c.ic.	
230 calyculata. P. S.	rusty-flowered.			1010	5.8.	G. h	. Wen.eric.4.p.5.c.ic.	
231 cephalotes. W. 232 pectinifolia. L. T.	purple-headed. pectinated.			- 1800.	116	(+ h		
233 incurva. W.	incurved.			- 1802.	3.5.	G. h	And, heaths, c. ic.	
234 pallens. A. H. 235 Broadleyana. A.H	pale-flowered.			- 1801. - 1806	2.5.	G. h	c. ic.	
236 Caffra. A. H.	sweet-scented.			- 1774.	8.2.	G. h	· c. ic.	
237 Savilii. A. H.	Savile's.			- 1800.	6.7.	G. h	c. ic.	
238 axillaris. W. 239 fimbriata. A. H.	axil-flowered. fringed.			- 1798.	5.7.	G. h	. And. heaths, c. ic	
240 emarginata. A. H			-		6.10.	G. h	c. ic.	

OCTANDRIA MONOGYNIA.

241 moschata. A. H.	musk-scentcd.	Ericeæ. J.	C. B. S.	1805.	5.7.	G.h.	And. heaths, c. ic.
242 hispida. A. H.	hispid.			1791.	7.9.	G.h.	
243 magnifica. A. H.	niagnificent. Sainsbury's.			1800.	5. ~ 0	G. h.	c. ic.
244 Sainsburyana.A.H 245 Shannoni. A. H.	Shannon's.			1004.	6	G.n.	c. ic.
246 rugosa. A. H.	wrinkled.			7000.	7 1 1	G. L.	
247 Swainsoniana.							
A. H.	Swainson's.	***************************************		• • • • •	6.7.	G.h.	c. ic.
248 densa. A. H.	dense.			1804		G.b.	c. ic.
249 cinerascens. W.en.					5.9.	G. b	
250 coarctata. W. en.	crowded.			1801 -		GL	
251 divaricata. W. en.	divaricate.			1000	0.5	CIT	
252 fugax. W. en.	fugacious.				3.4.	G.h.	
253 oxycoccifolia. L.T.	Oxycoccus-leavd.			1791.	2.5.	G. h.	•
254 sicæfolia. L. T.	dagger-leaved.		-		2.7.	G.h.	
255 fausta. L. T.	bristly-leaved.			1795.	4.6.	G.h.	
256 tomentosa. L. T.		-					
257 auricularis. L. T.	eared.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		• • • • •	3.7.	G.h.	
258 helianthemi-	plain-leaved.			1796.	6.9.	G. I.	•
folia. L. T.	- 1						
259 glomiflora. L. T. 260 carduifolia. L. T.	round-flowered.		-,	1006	4.9.	G. h.	
261 tubercularis. L. T.	tubercled			1700	o.g.	G. L.	
262 lavandulæfolia.							
L. T.	Lavender-leaved.			1795.	5.8.	G.h.	
263 humifusa. L. T.	low.				6.7.	G.b.	
264 corydalis. L. T.					0.5	G L	
265 azaleæfolia. L. T.	Azalea-leaved.				5.8	Gh.	
266 vesicularis. L. T.	bladdered.			1000		CII	
267 verniciflua. L. T.	viscous-leaved.			1004	0 (1	C 1	
268 lyrigera. L. T.	lyre-bearing.			1790.	2.5.	G.h.	
269 salax. L. T.	broad-stigmaed.			1796.	5.9.	G.h.	
270 cumuliflora. L. T.	heap-flowered.		,	1801. 5	5.9.	G.h.	
271 genistæfolia. L. T.	Genista-leaved.			1	0.5.	G.h.	
272 periplocæfolia. L.T	Periploca-leaved.			8	.12.	G.h.	
273 munda. L. T.	neat-flowered.			• • • • •	5.7.	G. h.	
274 fabrilis. L. T.	tiled-leaved.			1791.	4.8.	G.h.	
275 dianthifolia. L. T.				1796.	3.8.	G. h.	
276 brevifolia. L. T. 277 chlamydiflora. L.T	short-leaved.				5.1.	G.h.	
				,	2.0	CL	
278 selaginifolia. L. T. 279 pannosa. L. T.	cloth-flowered.			••••	2.0.	G.h.	
280 diotæflora. L. T.	Diotis-flowered.			1705 9	2 9	G h	·
281 nutans. W.	nodding-flowerd.			1700 6) G	G. b.	Wen.eric.3.p.5.c.ic.
282 filiformis. L. T.	filiform.				2.5.	G.b.	W CHICKIOID IN
283 turgida. L. T.	turgid.			1800. 3	3.6.	G.h.	
284 vestiflua. L. T.	clothed.					C I	
285 squamæflora, L.T.	scaly-flowered.			5	.11.	G. 5.	
286 cæsia. L. T.	grey.			1705 0		O T.	
287 lasciva. L. T.	imbricate-calyxd.			1800. 1	1.4.	G.h.	
288 stylosa. L. T.	long-styled.			1789		G.h.	
289 diosmæfolia. L. T.				1799. 8	3.6.	G, h.	
290 palliiflora. L. T.	pale-flowered.	1		• • • • • • •	2.8.	G.h.	
291 tegulæfolia. L. T.	tile-flowered.			1			
292 modesta. L. T.	modest.					G.h.	
293 holosericea. L. T.	velvetty.					G. h.	
294 sacciflora. L. T.	sack-flowered.					G. h.	•
295 cyrillæflora. L. T.				1800. 2	.8.	G. n.	
296 velitaris. L.T. 297 cuspidigera. L.T.	javelin-flowered.			2	5	G. h.	
297 cuspidigera. L. T.	cuspidate.					G.h.	
298 stagnans. L. T.	stag's-horn-flod.					G. h.	
300 pulviniformis.L.T.						G. h.	
301 sceptriformis. L.T.				1790. 5			
302 brachialis. L. T.	armed.						,
303 doliiformis. L. T.	tun-bellied.			1798. 5			
304 nolæflora. L. T.	bell-shaped.					G.h.	
305 festa. L. T.	angular-stalked.					G.h.	
306 fallax. L. T.	viscous flowered.					G.h.	
307 parilis. L. T.	matched.			1789. 5	.8.	G.h.	

	00.						•
308 pubigera. L. T.	pubescent-flowd.	Ericeæ, J.	C. B. S.	1792.	1.5.	G.b.	
309 pusilla. L. T.	low.				6.7.	G.b.	
310 tragulifera. L. T.	broad-anthered.	- 1			5.8.	G.b.	
311 curvirostris. L. T.	declined.			1700	7.0	Gh	
			,	1730.	5.11	G L	
312 intervallaris. L. T.				3702	10.0	G. L	
313 turbiniflora. L. T.	•			1793.	10.2.	G.n.	
314 squarrosa. L. T.	squarrose.			••••	3.8.	G.n.	
315 embothriifolia.L.T	Embothrium-le".			• • • •	2.5.	G.h.	
316 capax. L. T.	capacious.			1806.	5.8.	G.h.	
317 pavettæflora, L. T.	Pavetta-flowered					G.h.	
318 nidiflora. L. T.	nest-flowered.				11.5.	G.h.	
319 berbeniæflera. L.T	Borbonia-flowd.				5.9.	G.h.	
320 hyssopifolia. L. T.	Hyssop-leaved.			1800.		G.h.	
MENZIESIA. Sm.	MENZIESIA.	Rhodoraceæ. J.					
1 ferruginea. Ph.	ferrugineous.		N. America.	1811.	5.6.	H.b.	Sm. ic. ined. 1. t. 56.
2 globularis. Ph.	globular-flowerd.		711 17111011011	1806.		H.h.	Sm. ic. ined.1. t. 56. Par. lond. 44.
3 polifolia. H. K.	Irish.		Lucland	1000.	60	HL	Eng. bot. 35.
		Thursday P. D.	Heiana.	• • • •	0.3.	LI L	Ing. Doc. oo.
β nana.	dwarf.		C. Alend	• • • •	0.5	II I	Eng bot 0160
4 cærulea. L. T.	Yew-leaved.	TI I D D	Scottana.	777	0.7.	п. и.	Eng. bot. 2169.
LAGETTA. J.	LAGETTA.	I nymerææ. D. F.	Dupunew sp.	,, .			T '11 1
lintearia. P. S.	lace-bark.		Jamaica.	1793.	12.1.	S. h.	Lam. ill. t. 289.
DAPHNE. W.	DAPHNB.	Thymelææ. B. P.					
1 Mezereum.	Mezereon.	•	England.		2.4.	H.h.	Eng. bot. 1381.
a rubrum.	red-flowered.						
β album.	white-flowered.						
2 Thymelæa. W.	smooth-leaved.		Spain.	1815.		H. b .	Pluk.alm.t.229.f.2.
3 Tarton-raira. W.	silvery-leaved.		Wennee				t.318.f.6.
4 alpina. W.	Alpine.		Italy				Schmidt arb.1.t.19.
5 Laureola. W.	Spurge Laurel.	-	Ruitain				Eng. bot. 119.
	Pontic.		Dinam.				Bot. mag. 1282.
6 pontica. W.			Youris.				Bot. mag. 1202.
7 tinifolia. W.	Bonace-bark.		Jamaica.			S.h.	
8 Gaidium. W.	Flax-leaved.		Spain.			H.h.	-
9 odora. W.	sweet-scented.		China.				Bot. mag. 1587.
10 Cneorum. W.	trailing.	,	Austria.	1752.	4.9.	H.h.	
11 altaica. W.	Altaic.	Thymakea R D	Siberia.	1796.	4.5.	H.h.	1875. ————————————————————————————————————
12 oleoides. B. M.	Olive-leaved,		Crete.	1815.	1.12.	H.h.	1917.
13 collina. W.	hairy.		Italy.	1752.	1.6.	H.h.	 428.
DIRCA. W.		Thymelææ. B. P.	•				
palustris. W.	marsh.		Virginia.	1750.	3.4.	H.h.	Lam. ill. t. 293.
GNIDIA. W.	GNIDIA.	Thymelææ. B. P.	115	1,000	0.1.		2.00.
1 pinifolia. W.	Pine-leaved.	Injincia a. D. T.	CRS	1768	5.6	G L	Bot. reg. 19.
2 imberbis. H. K.			С. Б. э.	1700.	0.0.	G. I.	Dot. 1eg. 13.
	smooth-scaled.		-	179%	6.4.	G. n.	Dot. mag. 1463.
3 simplex. H. K.	Flax-leaved.			1786.	5.6.	G.n.	812.
4 capitata. W.	purple-twigged.			1788.	6.7.	G.n.	
5 oppositifolia. H. K.				1783.	5.7.	G.h.	Bot. reg. 2.
6 sericea. H. K.	silky.	•		1786.		G.h.	Bot. reg. 2. Bot. rep. 225.
STELLERA. W.	STELLERA.	Thymelææ. B. P.					
Passerina. W.	Flax-leaved.		S. Europe.	1759.	7.8.	H. h.	Jac. ic. 1. t. 68.
PASSERINA. W.	SPARROW-WORT.	Thymelææ. B. P.					
1 filiformis. W.	filiform.		C. B. S.	1752.	6.8.	G.h.	Wendl.obs.t.2.f.15.
2 hirsuta. W.	shaggy.		S. Europe.				t.2.f.16.
3 tenuiflora. W. en.	slender-flowered.		C. B. S.			G. h .	
4 capitata. W.	headed.	ACT		1789	6.10	G. h.	Wendl.obs.t.2.f.17.
5 uniflora. W.	one-flowered.						t.2.f.18.
6 grandiflora. W.	great-flowered.						Bot. mag. 292.
				1709.	0.0.	C.T.	Word abot 0 f 10
7 spicata W.	spiked.			1787.	0 -	G.n.	Wendl.obs.t.2.f.19.
8 laxa. W.	loose.	Minne I. D. Y		1804.	6.7.	G.n.	t.2.1.20.
LACHNÆA. W.	LACHN.EA.	Thymelææ. B. P.				4 -	
1 conglomerata. W.	clustered.		C. B. S.	1773.	6.7.	G.h.	m .
2 criocephala. W.	woolly-headed.			1793.		G.h.	Bot. mag. 1295.
3 purpurea. H. K.	purple-flowered.			1800.		-G.h.	1594.
4 glauca. H. K.	glaucous.				5.7.	G.h.	1658.
5 buxifolia. Lam.	green Box-leavd.					G.h.	1657.
	7					•	
		DIGYNIA					
GALENIA. W.	GALENIA.	Chenopodeæ. B. P					
africana. W.	African.	F		1759	6.8.	G. b.	Lam. ill. t. 314.
MŒHRINGIA. W.	MœHRINGIA.	Caryophylleæ. J.		2.02			
muscosa. W.	mossy.	Caryophynearor	S. Europe.	1775	67	H. 2/	Schku. han.1.t.108
			or war open	2,,0	· · · ·		

		TRIGYNIA			1
POLYGONUM. W.	PERSICARIA.	Polygoneæ. B. P.			
1 frutescens. W.	shrubby.		Siberia.	1770. 7.8. H.h.	Bot. reg. 255.
2 crispulum. B. M.	upright.			1800 H. h.	
3 Bistorta. W.	Snake's-weed.		Britain.	5.9. H.4.	Eng. bot. 509.
4 viviparum. W.	Alpine Bistort.			Н.4.	669.
5 lapathifolium. W.	pale-flowered.		England.	6.9. H.⊙.	669.
6 amphibium. W.	amphibious. spear-leaved.		Britain.	6.8. H.4.	436.
8 Hydropiper. W.	Water Pepper.		Britain	1780. 6.9. H. 4.	
9 tinctorium. W.	dyer's.		China	7.9. H.⊙. 1776. 7.8. G.♂.	Eng. bot. 989.
10 virginianum. W.	Virginian.		N. America.	1640. 8.9. H. 2/.	Park.theat.857.f.6.
11 minus. W.	small.		England	— н.⊙.	
12 Persicaria. W.	spotted.		Britain.	7.8. H.O.	
13 incanum. W.	hoary.		(termany,	1804. — H.⊙.	Pet. H. Brit. t.3.f.8.
14 orientale. W.	common.		E. Ind.	1707. 7.10. H.⊙.	Bot. mag. 213.
β album.	white-flowered.		D. 1. 1	1781. —— H.O.	
15 aviculare. W.	Knot-grass.		Britain.	4.10. H.⊙.	
16 arenarium. P. S. 17 elegans. H. K.	sand.		Flungary.	1807. 5.8. H.O.	Pl. rar. hung. t. 67.
18 erectum. W.	elegant. upright.		N America	1796. 4.8. S.4. 1792. 7.8. H.4.	
19 divaricatum. W.	divaricated.		Siberia.	1759. — H. H.	Gmel.sib.3.t.11.f.1.
20 undulatum. W.	wave-leaved.				3. t. 10.
21 acidulum. W. en.	narrow-leaved.			1816. — H.4. 5.8. H.4.	
22 salignum. W. en.	Willow-like.			5.8. H.4.	
23 chinense. W.	Chinese.		Chins.	1795. 7.8. H.O.	Burm.ind.t.30.f.3.
24 sagittatum. W.	arrow-leaved.				
25 arifolium. W.	Arum-leaved.			1816. 5.10. H.⊙.	Pluk.amal.t.398.f.3 Gmel.sib.3.t.13.f.1. Eng. bot. 1044.
26 tataricum. W.	Tartarian.		Siberia.	1759. 7.8. H.⊙.	Gmel.sib.3.t.13.f.1.
27 emarginatum. W.	notch-seeded.		China.	1796. 7.8. H.⊙.	T 1 4 1044
28 Fagopyrum. W.	Buck-Wheat.		England.	— H.O.	Eng. 001. 1044.
29 Convolvulus. W.	{ common climbing. }		Britain.	5.9. H.⊙.	941.
30 dumetorum. W.	t climbing.		S. Europe.	1803. — H.O.	Flor. dan. t. 759.
	(American	. 0 == 1	N. A.	1803. ——H.⊙.	DI 1 1 4 (-
31 scandens. W.	{ climbing. }		N. America.	1749. 7.9. H.4.	Pluk.alm.t.177.f.7.
COCCOLOBA. W.	Seasibe Grape.	Polygoneæ. J.			
1 uvifera. W.	round-leaved.		W. Ind.	1690 S. h.	
2 latifolia. Lam.	broad-leaved.		S. America.	$1812. \ldots S.h.$	Lam. ill. t.316.f.4.
3 pubescens. W.	downy.		W. Ind.	1690 S.h.	Pluk.phyt. 222. f.8.
4 excoriata. W.	oval-leaved.			1733 S.h.	Pium.ic. t. 146. f.1.
5 punctata. W. 6 barbadensis. W.	spear-leaved. Barbadoes.		Barbadoes.	1790 S. h.	Jac. amer.114. t.77.
PAULLINIA. W.	PAULLINIA.	Sapindi. J.	Darbautes.	1730 5.7.	0 40. 005. 1. 0. 0.
1 pinnata. W.	winged-leaved.		W. Ind.	1752 S.b.	Jac.obs, 3. t. 62.f. 12.
2 curassavica. W.	shining-leaved.		S. America.	1739 S.h.	t. 61. f. 8.
3 barbadensis. W.	Barbadoes.		W. Ind.	1786 S. L .	t, 62, f. 9.
4 polyphylla. W.	Supple-Jack.			1739 S. h.	
5 caribæa. Jac.	Caribæan.			S.h.	t. 62. f. 7.
SERIANA. W.	SERIANA.	Sapindi. J.	C A		Inc oho o tot fo
1 sinuata. W.	sinuate-leaved.		S. America.	S.h.	Jac schop 1 + 00
2 caracasana. W.	tooth-leaved.		Caracas.	1010 13. n.	ouce schoolists to Fy.
MUM. W.	HEART-SEED.	Sapindi. J.			
1 Halicacabum. W.	smooth-leaved.		India.	1594. 7. S.O.	Bot. mag. 1049.
2 Corindum. W.	Parsley-leaved.		Brasil.	1750. 7.8. S.O.	
SAPINDUS. W.	SOAP-BERRY.	Sapindi. J.			
1 Saponaria. W.	common.		W. Ind.		Comm. hort. t. 94.
2 marginatus. W. en.			Carolina.	G.h.	*** * * * * * * * * * * * * * * * * * *
3 rigidus. W.	Ash-leaved.		America.	1759. 7.9. G.h.	Pluk.alm.t.217.f.7.
		TETED ACUNITA			
CALANCHOE D C	CALANGHOR	TETRAGYNIA Sempervivæ. J.		Cotyledonis sp. L.	
CALANCHOE. P. S. 1 laciniata. P. S.	CALANCHOE.		E. Ind.	1791. 7.8. D.S. h.	Plant, grass, 100.
2 Verea. P. S.	Vere's.			1793. 7.9. D.S. h.	
Verca crenata. B.			4		
3 acutiflora. H. S.	white-flowered.		E. Ind.?	1806. — D.S. h.	Bot. rep. 560.
BRYOPHYLLUM. ?	BRYOPHYLLUM.	Sempervivæ. J.	Cotuledonis en	. L.	
P. L. }		-			Don land #
calycinum. P. L.	large-cupped.		E. Ind.	1800, 4.7. D.S. h.	rar, luliu, S.

ENNEANDRIA MONOGYNIA, &c.

PARIS. W. quadrifolia. W.	Paris.	Smilaceæ. B. P. Britain.		5.6.	H.21.	Eng. bot. 7.
ADOXA. W. Moschatellina. W.	Moschatel.	Saxifrageæ. J.				
ELATINE. W.	WATER-WORT.	Caryophylleæ. J.	• • • •			Eng. bot. 453.
Hydropiper. W. HALORAGIS. W.	small. Haloragis.	Onagrariæ. J. Cercodia. J.	• • • •	8.	н.⊙.	Eng. bot. 955.
Cercodia. W.	whorl-flowered.	N.Zealand.	1772.	4.9.	G.h.	Jac. ic. 1. t. 69.
FORSKOHLEA. W. 1 tenacissima. W.	Forskohlea. clammy.	Urticeæ. J. Egypt.	1767.	7.8.	н.⊙.	Jac. vind. 1. t. 48.
2 candida. W. 3 angustifolia. W.	rough. narrow-leaved.	C. B. S. Teneriffe.			G. ¥. H.⊙.	Murr.c.got.p.24.t.2

CLASS IX.

ENNEANDRIA MONOGYNIA.

LAURUS. W.	LAUREL. Cinnamon.	Laurinæ. B. P.	· Cevlon.	1763. 6.9. S.h.	Bot. rep. 596.
2 Cassia. W.	S Bastard Cin-		•	1768. 5.9. S.h.	
3 Malabatrum. P. S. 4 Camphora. W. 5 Chloroxylon. W.	tall. Camphire-tree. Cogwood-tree.		Jamaica.	1727. 3.6. G.h.	Rheed. mal. 5.t. 53, Jac. coll. 4.t. 3.f. 2. Brown.jam.t.7.f.1,
6 glauca. W. 7 nobilis. W. β undulata.	glaucous. Sweet Bay. wave-leaved.		- Japan.	1806 G. h. 1561. 4.5. H. h.	•
y salicifolia. 8 indica. W. 9 fœtens. W.	Willow-leaved. Royal Bay. Madeira, or Til.		Madeira.	1760 G. h.	
10 canariensis. W. en. 11 Persea. W.	Alligator Pear.			1815 G. h. 1739 S. h.	Pluk.alm.t.267.f.1.
12 Borbonia. W.	{ broad-leaved } Carolina. }				Cat. car. 1. t. 63.
13 carolinensis. P. S. 14 geniculata. Ph. 15 Disspyrus. Ph. 16 Benzoin. W.	long-la.Carolina. flexuose. twiggy. Benjamin-tree.			1806. — G.h. 1759. — H.h. 1810. — H.h.	Bot. mag. 1471.
17 Sassafras. W. ANAĆARDIUM. W.	Sassafras-tree. Cashew-nut.	Terebintaceæ. J.		1633. 5.6. H.h.	Com. hort. 1. t. 97. Cat. car. 1. t. 55.
occidentale. W. ERIOGONUM. Mi.	common. Eriogonum.	Polygoneæ. J.	- India.	1699 S. h.	Cat. car. 3. t. 9.
1 tomentosum. Ph. 2 sericeum. Ph.	woolly.		· Carolina. · Missouri.	1811. 5.6. H. 4. 7. H. 4.	Mich. amer. t. 24.
· *		TRIGYNIA	A.		
RHEUM. W. 1 Rhaponticum. W. 2 undulatum. W. 3 palmatum. W. 4 compactum. W. 5 tataricum. W. 6 Ribes. W.	RHUBARB. common. waved-leaved. officinal. thick-leaved. Tartarian. warted-leaved.	Polygoneæ. J.	- China. - Bucharia. - Tartary.	1734. — H.4. 1763. 4.5. H.4. 1758. 5.6. H.4. 1793. — H.4.	Mill. ic. 2. t. 218.
7 hybridum. W.	bastard.	\$			Murr. com. gott.t.1.
DVIII 03 4440 444	(Flowering)	HEXAGYNI			
BUTOMUS. W. umbellatus. W.	Rush. umbelled.	Hydrocharideæ.		6.7. Н.4	Eng. bot. 651.

CLASS X.

DECANDRIA MONOGYNIA.

EDWARDSIA. L. T.	EDWARDSIA.	Leguminosæ. J.	Sophoræ sp. V.	V.			
1 grandiflora. L. T.	large-flowered.		N. Zealand.	1772.	5.6.	F.b.	Bot. mag. 167.
2 chrysophylla. L. T.	golden-leaved.	·				F. h	Ac. 738
3 microphylla. L. T.	small-leaved.			1772		F.h.	1442.
SOPHORA. H. K.	Sophora.	Leguminosæ. d.					
1 tomentosa. W.	downy.		India.	1690.		S.h.	Trew. ehret. t. 59. Bot. rep. 585.
2 japonica. W.	Japanese.		Japan.	1753.	8.9.	H.h.	Bot. rep. 585.
3 alopecuroides. W.	Fox-tail.		Levant.	1731.	7.8.	н.4.	Pall. astr. t. 87.
4 flavescens. W.	Siberian.		Siberia.	1785.	5.7.	н.4.	
ORMOSIA. L. T.	Ormosia.	Leguminosæ. J.	Sophoræ sp. h				
dasycarpa. L. T.	smooth-leaved.		· W. Ind.	1793.	6.7.	S.h.	Linn.trans.10.t.26.
ANAGYRIS. W.		Leguminosæ. J.					
1 fœtida. W.	stinking.		- Spain.				Lam. ill. t. 328.
2 latifolia. W. en.	broad-leaved.		· Teneriffe.	1815.		G.h.	
THERMOPSIS. H. K.		Leguminosæ. J.					
lanceolata. H. K.	sharp-leaved.		· Siberia.	1776.	6.7.	н.4.	Bot. mag. 1389.
Podalyria lupinoide							
VIRGILIA. H. K.	VIRGILIA.	Leguminosæ. J.	Podalyriæ sp.	W.		_	
1 lutea. Ph.	yellow-flowered.	•	- N. America.	1812.	6.7.	H.h.	Mich. arb. c. ic. L'Her.st.nov.1.t.75
2 aurea. H. K.	great-flowered.		- Abyssinia.	1777.	.7.	G.h.	L'Her.st.nov.1.t.75
3 intrusa. H. K.	small-flowered.		- C. B. S.	1790.	5.8.	G.h.	4 2017
4 capensis. H. K.	Vetch-leaved.	-		1767.	7.8.	G. h.	Bot. mag. 1590.
CYCLOPIA. H. K.	CYCLOPIA.	Leguminosæ. J.	Ibbetsoma. B.	M.			
genistoides. H. K.	Genista-leaved.				7.8.	G.h.	Bot. mag. 1259.
BAPTISIA. H. K.	BAPTISIA.	Leguminosæ. J.					
1 perfoliata. H. K.	perfoliate.		- Carolina.	1732.	8.	G. 4.	Dill.elt.t.102.f.122
2 villosa. Ph.	villous.		- N. America.	1811.	6.7.	H.4.	
3 australis. H. K.	blue-flowered.		•	1758.		H.4.	Bot. mag. 509.
4 alba. H. K.	white-flowered.			1724.		H.4.	1177.
5 tinctoria. H. K.	dyer's.			1759.	7.8.	H.4.	Bot. mag. 509. 1177. 1099.
PODALYRIA. H. K.	PODALYRIA.	Leguminosæ. J.				,	
1 myrtillifolia. W.	Myrtle-leaved.		- C. B. S.	1795.	4.7.	G.h.	Bot. mag. 1923. Veut. cels. t. 99. Bot. mag. 753. Bot. mag. 1580. Lam. ill. t. 317. f, 4.
2 sericea. H. K.	silky.			1778.	10.1.	G.h.	Bot. mag. 1923.
3 cuncifolia. V.	wedge-leaved.			1804.	5.8.	G.h.	Vent. cels. t. 99.
4 biflora. W.	two-flowered.			1789.	2.6.	G.h.	Bot. mag. 753.
5 calyptrata. H. K.	one-flowered.			1792.	4.7.	G.h.	
6 styracifolia. B. M.	Storax-leaved.				5.7.	G. ħ.	Bot. mag. 1580.
7 buxifolia. W.	Box-leaved.			1790.		· G. ኢ .	Lam. ill. t. 317.f. 4.
8 oleæfolia. P. L.	Olive-leaved.			- 1804.	5.	G. h.	Par. lond. 114.
9 hirsuta. H. K.	hairy.			1774.	7.8.	G.h.	
10 cordata. H. K.	heart-leaved.			1794.	5.7.	G. ħ.	
CHORIZEMA. H. K.	CHORIZEMA.						
1 ilicifolia. H. K.	Holly-leaved.		 N. Holland. 	1803.	3.10	.G.h.	Lab. voy. 1. t. 21. Bot. mag. 1032.
2 nana. H. K.	dwarf.					G.h.	Bot. mag. 1032.
3 rhombea. H. K.	few-flowered.				4.6.	G. h.	
PODOLOBIUM. H.K	. Podolobium.	Leguminosæ. J.					
trilobatum. H. K.	common.		- N. S. W.	1791.	4.7.	G.h.	Bot. mag. 1477.
OXYLOBIUM. H. K.	OXYLOBIUM.	Leguminosæ. J.					0 0 0 0 1 10
1 arborescens. H. K.	tall.		- Van Diem.	1805.	4.6.	G.h.	15.000 35% and 136/a
2 ellipticum. H. K.	oval-leaved.				5.9.	G.h.	Lab.n. holl.1.t.135. Bot. rep. 492.
3 cordifolium. H. K.	heart-leaved.		- N. S. W.	1807.	4.9.	G. h .	Bot. rep. 492.
CALLISTACHYS. V.	CALLISTACHYS.	Leguminosæ. J.					
1 lanceolata. V.	spear-leaved.		 N. Holland. 	1815.	6. S.	G.h.	Bot. reg. 216. Bot. mag. 1925.
2 ovata. B. M.	oval-leaved.					· G. h .	Bot. mag. 1925.
BRACHYSEMA.H.K	. BRACHYSEMA.	Leguminosæ. J.					
latifolium. H. K.	broad-leaved.		- N. Holland.	1803.	4.7.	G.ħ.	Bot. reg. 118. 2008
GOMPHOLOBIUM.	COMPHOLOPHUM	Leguminosa 1					
		· Leguminose. V.					
1 latifolium. H. K.	broad-leaved.		- N. S. W.	1803.	3.9.	G.h.	Par. lond. 6.
2 grandistorum. L. T	. large-flowered.			. ——		G.h.	5 7 . 4. 1 - 18 Do.
3 marginatum. H. K	small-flowered.		- N. Holland.			G.h.	Par. lond. 6. Bot, mag. 1533.
4 polymorphum.H.K	. variable.			1803.	3.8.	G.h.	Bot, mag. 1533.
• • •							

DECANDRIA MONOGYNIA.

5 minus. L. T.	hairy-stalked.	Leguminosæ. J.	N. S. W.	1812. 3.8	3. G.h.	
6 tomentosum. H. K.	tomentose.		N. Holland.	1803. 4.7	. G.h.	Lab.n.holl.1.t.13d.
7 venustum. H. K.	purple-flowered.				- G.h.	
BURTONIA. H. K.	BURTONIA.	Leguminosæ. J.			•	
scabra. H. K.	rough-leaved.		N. Holland.	1803. 5.7	7. G.b.	
		Leguminosæ. J.	14. HOHana.	1000. 0.7	. 0.1/2.	
JACKSONIA. H. K.	JACKSONIA.	Legummosæ. J.	11 O 74	1000 6	0 6 1	
1 scoparia. H. K.	Broom-like.	1	N. S. W.	1803. 6.	8. G.n.	Lab.n.holl.1.t.136.
2 spinosa. H. K.	spinous.		N. Holland.	4.5). G.n.	Lab.n.noii. 1.t. 136.
VIMINARIA. H. K.	Rush-Broom.	Leguminosæ. J.				
denudata. H. K.	leafless.		N. Holland.	1789. 6.	9. G.h.	Bot. mag. 1190.
SPHÆROLOBIUM.	SPHÆROLOBIUM.	Leguminoem J				
н. к.	OI III EROLODIOM.	-				
1 vimineum. H. K.	yellow-flowered.		N. Holland.	1802. 5.8	B. G.h.	Bot. mag. 969.
2 medium. H. K.	red-flowered.			1803. 6.8	B. G.b.	o .
AOTUS. H. K.	Aorus.	Leguminosæ. J.				
villosa. H. K.	villous.		N. Holland.	1790. 4.6	6. G.b.	Bot. mag. 949.
DILLWYNIA. H. K.	DILLWYNIA.	Leguminosæ. J.	Total indi	1,00, 1,	٠٠ ٥٠١٢٠	200 mag. 919.
		Legummosa. v.	NEW	1704 4	7 G L	Frot bot + 06
1 floribunda. H. K.	close-flowered.		N. S. W.	1/94. 4.	7. G.n.	Exot. 00t. t. 26.
2 ericifolia. H. K.	Heath-leaved.			3.,	7. G.n.	T. 25.
3 glaberrima. H. K.	smooth.			1800. 3.	7. G.h.	Bot. mag. 944.
4 parvifolia. B. M.	small-leaved.				— G. h.	
EUTAXIA. H. K.	EUTANIA.	Leguminosæ. J.				
myrtifolia. H. K.	Myrtle-leaved.		N. Holland.	1803. 3.0	6. G.h.	Bot. mag. 1274.
SCLEROTHAM-	<u>•</u>					9
NUS. H. K.	SCLEROTHAMNUS	.Leguminosæ. J.				
microphyllus. H. K	small-leaved.		N Holland	1803. 5.	6. G.b.	
GASTROLOBIUM.			· 11. 110manu.	1000. 0.	0. 0.7.	
H. K.	GASTROLOBIUM.	Leguminosæ. J.				
J			AT YY 11 1			As a 411 2
bilobum. H. K.	two-lobed.		N. Holland.	1803. 3.	5. G.h.	438 00 HIL 100
EUCHILUS. H. K.	Euchilus.	Leguminosæ. J.				0 . 6
obcordatus. H. K.	heart-leaved.		· N. Holland.	1803. 3.	6. G.h.	But rea, -102
PULTENÆA. H. K.	PULTENÆA.	Leguminosæ. J.				af.
1 daphnoides. H. K.	Daphne-leaved.		N. S. W.	1792. 6.	7. G.h.	Bot. mag. 1394. Bot. rep. 574.
2 obcordata. H. K.	heart-leaved.		Van Diem.	1808. 5.	7. G.b.	Bot. rep. 574.
3 scabra. H. K.	rough-leaved.		N. S. W.	1803	- G. h.	
4 rctusa. H. K.	blunt-leaved.		211131111	1789. 4	5. G h	Bot. rep. 574. Bot. mag. 1588. Schrade han 2 1 18
5 stricta. B. M.	upright.			1909 4	6 G L	Bot man 1500
				1500. 4.	o. G.n.	Cabanda bas 24.10
6 linophylla. H. K.	Flax-leaved.			1709. 0.	7. G.n.	Schrad.s.han.3.t.18
7 paleacea. L. T.	chaffy.			4.	7. G.h.	
8 stipularis. H. K.	scaly.		N. S. W.	1792. 4.	7. G.h.	Bot. mag. 435.
9 vestita. H. K.	awned.		N. Holland.	1803. —	— G. ի .	2060 M
10 villosa. H. K.	villous.	Leguminosæ, J.	N. S. W.	1790. 4.	5. G.h.	Bot. mag. 967.
11 flexilis. H. K.	shining-leaved.			1801. 4.	6. G.h.	
DAVIESIA. T. L.	DAVIESIA.	Leguminosæ. J.			•	
1 acicularis. L. T.	needle-leaved.		N. S. W.	1804. 6.	7. G.b.	25.25
2 ulicina. L. T.	Furze-leaved.			1792. 4.	8. G.h.	Bot. rep 304
3 corymbosa. L. T.	glaucous-leaved.			1804 5	e GL	Bot: 1cp. 504.
4 mimosoides. H. K.				1004. 0.	o C.T.	Dat 520
	green-leaved.			1009. 0.	8. G.n.	Bot. rep. 526.
5 latifolia, H. K.	broad-leaved.	7		1805. 5.	3. G.h.	Bot. rep. 304. Bot. rep. 526. Bot. mag. 1757.
MIRBELIA. L. T.	MIRBELIA.	Leguminosæ. J.				
1 reticulata. L. T.	reticulated.		· N. S. W.	1792. 5.	8. G.h.	Bot. mag. 1211.
2 dilatata. H. K.	lobed-leaved.		N. Holland.	1803. —	— G. ħ.	
CERCIS. W.	JUDAS-TREE.	Leguminosæ. J.				
- 1 Siliquastrum. W.	European.		- S. Europe.	1596. 5.	6. H.b.	Bot. mag. 1138.
2 canadensis. W.	American.		- N. America.	1730	- H.h.	
	SMOUNTAIN-			,		k.
BAUHINIA. W.	EBONY.	Leguminosæ. J.				
1 scandens. W.				1500	e t	71 . 1 1 0 / 40
	small-la.climbing		- E. Ind.	1799		Rheed. mal. 8. t. 29.
2 racemosa. W.	great-leaved.			1790	~ ~	· Vahl. symb. 3. t. 62.
3 aculeata. W.	prickly-stalked.		- W. Ind.	1737. 6.		Plum. ic. t. 44. f. 1.
4 divaricata. W.	dwarf.			1742. 6.	9. S.h.	L. Hort. clif. t. 15.
5 aurita. W.	long-eared.		- Jamaica.	1756.		. Mill. ic. 1. t. 61.
6 porrecta. W.	smooth-leaved.		- W. Ind.	1737. 7		. Bot. mag. 1708.
7 parviflora. W.	small-flowered.		- E. Ind.	1808		
8 variegata. W.	variegated.			1690. 6.		. Rheed. mal. 1. t. 32.
9 candida. W.	white-leaved.			1777. 5		
10 purpurea. W.	purple.					
11 tomentosa. W.				1778		. Rheed. mal.1. t. 33.
	tomentose.			1808		I. t. 35.
12 acuminata. W.	acute-leaved.				S. h	
		N	2			

DECANDRIA MONOGYNIA:

HYMENÆA. W.	LOCUST-TREE.	Leguminosæ. J.					-
1 Courbaril. W.	leathery-leaved.		· W. Ind.	1688		S.h.	Lam. ill. t. 330. f. 1.
2 verrucosa. W.	warted-podded.		W. Ind. Madagascar.				t. 330. f. 2.
CYNOMETRA. W.	CYNOMETRA.	Leguminosæ. J.	J				
cauliflora. W.	stem-flowering.		E. Ind.	1804.		S.L.	Lam. ill. t. 331.
CASSIA. W.	CASSIA.	Leguminosæ. J.	23. 2	1004		2.12.	Dam. 111. 0. 001.
	two-leaved.		W Ind	1=01		Ċ 1	C : 5 4 000 5 1
1 diphylla. W.			· w.ina.				Cav.ic. 5. t. 600. f. 1.
2 Absus. W.	four-leaved.		· India.	1777.			Burm. zeyl. t. 97.
3 viminea. W.	twiggy.		· W. Ind.	1786.		S.h.	Sl.jam.2.t.189.f.67.
4 Tagera. W.	long-podded.		- E. Ind.	1803.	7.	S. 3.	
5 Tora. W.	oval-leaved.		E. Ind.	1693.	8.		Dill. elt. t.63.f.73.
6 bicapsularis. W.	six-leaved.		W. Ind.				Plum. ic. t. 76.f. 1.
7 mollissima. W. en.	soft-leaved.		S America	1816.			
	notch-leaved.		Tomai				
8 emarginata. W.			Jamaica.				Sl.hist.2.t.180.f.1.4
9 obtusifolia. H. K.	blunt-leaved.						Dill. elt. t. 62. f. 72.
10 sennoides. W.	Senna-leaved.		· E. Ind.	1808.		S.h.	Jac. ic. 1. t. 70.
11 corymbosa. W.	corymbose.		BuenosAyres	.1796.	7.	G.h.	Bot. mag. 633.
12 sericea. W.	silky-leaved.		Jamaica.	1731.	5.8.	S.O.	Jac. ic. 3. t. 459.
13 occidentalis. W.	occidental.		- W/Ind	1759.		S.b.	Bot, reg. 83.
14 lævigata. W. en.	smooth.			2,000		SI	Bot. reg. 83.
	shining.		317 1-3				
15 patula. W.			· w. ma.	1778.	8.9.	S.h.	71 1 104010
16 arborescens. W.	tree.		· E. Ind.				Rheed.mal.6.t.9.10
17 Senna. H. K.	Senna.		· Egypt.	1640.	7.8.	S.⊙.	
18 orientalis. P. S.	oriental.		· Levant.			H.O.	Tabern. ic. 507.
19 ruscifolia. W.	Ruscus-leaved.		Madaira	1816.	5.7.	G.h.	Jac. ic. 1. t. 71.
20 biflora. W.	two-flowered.		W. Ind.				Bot. mag. 810.
21 chinensis. W.	Chinese.		China				Jac. ic. 1: t. 73.
			Tamania.				
22 multiglandulosa. W			i enerme.				1. t. 72.
23 hirsuta. H. K.	woolly.		America.	1778.			
24 ligustrina. W.	Privet-leaved.		· Bahama Isl.	1726.		S.h.	Bot. reg. 109.
25 stipulacea. W.	large-stipuled.		· Chili.	1786.		S.h.	Feuill. per. 3: t. 42.
26 alata. W.	broad-leaved.	1	W Ind				Jac. obs. 2. t. 45. f. 2.
27 marilandica. W.	Maryland.		AT Amonina	1 = 00	0 10	TT N	Dill alt + 000 f 000
28 frondosa. W.	smooth-shrubby.		. W. Ind	1760	9 4	C T.	Ing in 1 t 74
			77	1709.	J.4.	0. n.	Jac. ic. 1. t. 74. Rheed.mal. 2. t. 52. Pluk.alm. t. 314. f. 4. Bot way 157
29 Sophera. W.	round-podded.		. E. ma.	1658.	7.9.	S.h.	Kneed mai. 2. t. 52.
30 auriculata. W.	eared.			1777.	• • • •	S.h.	Pluk.alm.t.314.1.4.
31 Chamæcrista. W.	dwarf.			1699.	6.9.	S. J.	Bot. mag. 15.7.
32 mimosoides. W.	Mimosa-leaved.		· Ceylon.	1806.		S. 3.	
33 capensis. Th.	Cape.		CBS	1916		GT.	
84 nictitans. W.	Virginian.		N. America.	1800	7.	G. A	Pluk.alm. t.314.f.5.
	procumbent.		14. Imiciica.	1000.	6 7	H O	Comm. pet. t. 11.
35 procumbens. W.				1800.	0.7.	r1.0.	Comm. pet. t. 11.
CATHARTOCAR-	{CATHARTO-}	Leguminosæ. J.	Bacturilobium	i. IV. er	2.		
PUS. P.S.	CARPUS.	•	•				
1 Fistula. P. S.	purging.		· E. Ind.	1731.	6.7.	S.h.	Rheed. mal. 1. t. 22.
2 javanicus. P. S.	Java.			1779.		S.h.	Com. hort. 1. t. 111.
PARKINSONIA. W.	PARKINSONIA.	Leguminosæ. J.					
aculeata. W.	prickly.		W Ind	1730		SI	Jac. amer. t. 80.
	Poinciana.	Leguminosæ. J.			• • • •	D. 17 .	vac. unici. t. co.
POINCIANA. H. K.					70	C T	Dat man 005
1 pulcherrima. H. K.							Bot. mag. 995.
2 elata. H. K.	smooth.			1778.	• • • •	3. h.	•
CÆSALPINIA. H. K.		Leguminosæ. J.					
1 bijuga. W.	broad-leaved.		- Jamaica.	1770.		S. h.	Sl.hist.2.t.181.f.2.3
2 brasiliensis. W.	smooth.			1739.			
3 Sappan. W.	narrow-leaved.		E Ind				Roxb. cor. 1. t. 16.
4 Crista. Sw.	oval-leaved.		- Tamaiga				Plum. gen. t. 68.
5 mimosoides. W.	Mimosa-leaved.		- E. Ind.	1806.		3. n.	Rheed. mal. 6. t. 8.
6 Nuga. H. K.	acute-leaved.			1801.		3. h.	Rumph.amb.5.t.50
GUILANDINA. H. K	NICKER-TREE.	Leguminosæ. J.				*	
Bonduc. H. K.	oval-leaved.		- India.	1640.		S. h.	Lam. ill. t. 336.
HYPERANTHE-)	HORSE-RA-		25			, -	
RA. W.	DISH-TREE.	Leguminosæ. J.	Moringa. P.	S:		,	
	smooth.		- E. Ind.	1750		S. L	Jac. ic. 3. t. 461.
Moringa. W.			The Title	17094		D. 17 .	040.10.0.0.0.10.10
HOFFMANSEG-	{HOFFMAN-}	Leguminosæ. J.					• • •
GIA. Cav.	SEGGIA.						
falcaria. Cav.	sickle-leaved.		- Chili.	1806.	7.8.	S.h.	Cav. ic. t. 392.
ADENANTHERA.W	. ADENANTHERA.	Leguminosæ. J.					
1 Pavonina. W.	yellow-flowered.		- E. Ind.	1759.	5.8.	S.b.	Jac. coll. 4. t. 23.
2 falcata. W.	woolly-leaved.						Rumph.amb.3.t.11
	CADIA.	Leguminosæ. J.	-	-01~*		~,.	:
CADIA. W.			Arabia	1755	7 1	É L	Pic hart pan Q aic
purpurea. W.	purple.		· Arabia.	1/00.	7.1.	5.n.	Pic.hort.pan. 9. c.ic.

	*					
PROSOPIS. Rox.	Prosopis.	Leguminosæ. J.		¥		•
spicigera. L.	eatable-podded.		E. Ind.	1812 S	.h. R	loxb. cor. 1. t. 63.
HÆMATOXY-}	Logwood.	Leguminosæ. J.				
LON. W.			0 1			N. 4
campechianum. W.			S. America.	1724 S	. h. C	Lat. car. 2. t. 66.
COPAIFERA. W.	BALSAM OF CAPEVI.	Leguminosæ. J.				
officinalis. W.	officinal.		S America	1774 S	. b . J	ac amer t 86.
SCHOTIA. W.	SCHOTIA.	Leguminosæ. J.	D. Minerica.	1//4		ac. amer. to oo.
1 speciosa. H. K.	small-leaved.	205	C. B. S.	1759, 7.12. S	.b. B	lot. rep. 348.
2 tamarindifolia.H.K.				1795. 5.9. S	. h . B	ot. mag. 1153.
3 stipulata. H. K.	large-stipuled.			1794. — S	. h .	
GUAIACUM. W.	SLIGNUM- }	Rutaceæ. J.				
	VITÆ-TREE.					
officinale. W.	officinal.		W. Ind.	1694. 7.9. S	5.h. I	am. ill. t. 342.
ZYGOPHYLLUM.W.		Rutaceæ. J.	0.70.0			F .
1 cordifolium. W.	heart-leaved.		C. B. S.	1774. 10. G		'11 4 n.45 C.
2 Fabago. W. 3 fœtidum. W.	common. fœtid.		CRS			am. ill.t. 345.f.1.
4 maculatum. W.	spotted-flower'd.		0. 1. 5.	1790. 6.8. G 1782. 10.11. G		oo. mag. 3/2.
5 album. W.	white.					inn. dec. 1. t. 6.
6 Morgsana. W.	four-leaved.		C.B.S.			Dill.elt.t.116.f.141
7 sessilifolium. W.	sessile-leaved.					t.116.f.142.
FAGONIA. W.	FAGONIA.	Rutaceæ. J.				
1 cretica. W.	Cretan.		Candia.	1739. 6.8. G	.O. E	Bot. mag. 241.
2 arabica. W.	Arabian.		· Arabia.	1759. — G	.3.	~.
TRIBULUS. W.	CALTROPS.	Rutaceæ. J.			_	
1 maximus. W.	great.		Jamaica.	1728. 6.7. S	.⊙. J	ac. ic. 3. t. 462.
2 terrestris. W.	small.		S. Europe.	1596. — H	.⊙. L	am. ill. t. 346. f. 1.
3 cistoides. W.	Cistus-like.	Rutaceæ. J.	S. America.	1752. 7. S	. 4. J	ac.schœn.1.t.103.
DICTAMNUS. W. Fraxinella. P. S.	common.	Rutacea. J.	Germany	1506 57 H	7/ T	ac. aust. 5. t. 428.
a alba.	white-flowered.		dermany.	1030. 0.7. 11	.4. 0	at. aust. 5. t. 428.
β rubra.	red-flowered.					
RUTA. W.	Rue.	Rutaceæ. J.				•
1 graveolens. W.	common.		S. Europe.	1562. 6.9. H	.h. I	am. ill. 345. t. 1.
2 montana. W.	mountain.			1596. 89. H	. 2/T	ac ic 1 + 76
3 chalepensis. P. S.	broad-ld. African.		Africa.	1722. 6.9. G	i.h.	
4 angustifolia. P. S.	narrow-leaved.		-	,G	. l2 . N	Ior.hist.2.t.35.f.s.
5 pinnata. W.	winged-leaved.		Canaries.	1780. 3.8. G	i. h	
6 pubescens. W. en.	pubescent.		Spain.	1816. 5.8. H	.4.	
7 linifolia. W.	Flax-leaved.			1752. 6.9. H	. h. 1	Bot. rep. 565.
CROWEA. L. T.	Crowea. Willow-leaved.	• • • • • • • • • • • • • • • • • • • •		1700 7 10 C	т. т	Oct man oce
codon. W.	Codon.		14. 5. 14.	17.90. 7.12. 0	.n. 1	Bot. mag. 989.
Royeni. W.	prickly.		C. B. S.	1801. 9. G	. 1. F	of, rep. 395
GOMPHIA. W.	BUTTON-FLOWER	Guttiform I		20011 01 0		our repressor
1 nitida. W.	glossy-leaved.		Jamaica.	1803 S	. Ъ.	
2 lævigata. P. S.	obtuse-leaved.	·		S	. h .	, i
QUASSIA. W.	QUASSIA.	Magnoliæ? J.				
1 amara. W.	bitter.		Guiana.	1790. 6.7. S		
2 Simaruba. W.	winged-leaved.		W.Ind.	1787 S	.h. A	lub.gui.2.t.331,2.
LIMONIA. W.	LIMONIA.	Aurantiæ. J.	77 T., J	1 FFF 6		
1 monophylla. W. 2 citrifolia. W. en.	simple-leaved.					Rox. cor. 1. t. 83,
3 trifoliata. W.	three-leaved.		China.	1797 79 8		Pot non 140
4 crenulata. H. K.	crenulate.		E. Ind.	1308 S	. b . B	Bot. rep. 143. Box. cor. 1. t. 86.
5 pentaphylla. W.	five-leaved.			1790. 6.7. S	.h	1. t. 84.
6 arborea. W.	tree.			1796. 5.8. S	.b	1. t. 85.
MURRAYA. W.	MURRAYA.	Aurantiæ. J.				
exotica. W.	Ash-leaved.		India.	1771. 8.9. G	. h . I	am. ill. t. 352.
COOKIA. W.	WAMPEE-TREE.	Aurantiæ. J.		¥)		
punctata. W.	Chinese.		China.	1795 S	.h. J	ac.scheen.1.t.101.
GÆRTNERA. W.	GÆRTNERA.	Malpighiaceæ. J.	n .			3
racemosa. W.	clustered.		E. Ind.	1796. 3.4. S	.h. I	sot. rep. 600.
TRICHILIA. W.	TRICHILIA.	Meliæ. J.	W Ind	1004 02 5		
1 glabra. W. 2 odorata. B. R.	smooth.		W. Ind.			ac.amer.t.175.f.38
EKEBERGIA. W.	sweet-scented. EKEBERGIA.	Meliæ. J.		1801. —— S		ю. тер. 637.
capensis. W.	Como		C. B. S.	1789. 7.8. G	. b . T	am. ill. t. 358.
	cape.			-4.50. (1.5. (· · · · · · · · · · · · · · · · · · ·

DECANDRIA MONOGYNIA.

_							
HEYNEA. Rox.	HEYNEA.	Meliæ. J.				-	
trijuga. B. M.	Walnut-like.		Napaul.	1812.	9.	S. h.	Bot. mag. 1738.
MELIA. W.	BEAD-TREE.	Meliæ. J.			0.	0.76	200111118.17000
1 Azedarach. W.	common.		Syria.	1656.	6.8.	G. b.	Bot. mag. 1066.
2 sempervirens. W.	evergreen.		Jamaica.		-	S.b.	Com. hort. t. 176./1/2
3 Azadirachta. W.	Ash-leaved.		E. Ind.	1759.		S.h.	Com. hort. t. 176.
SWIETENIA. W.	MAHOGANY-					•	,
SWIETENIA. W.	TREE.	Meliæ. J.					
1 Mahagoni. W.	common.		W. Ind.	1734.		S.h.	Cav. dis. 7. t. 209.
2 febrifuga. W.	Febrifuge.		E. Ind.	1796.		S.h.	Rox. cor. 1. t. 17.
MONOTROPA. W.	{YELLOW }						
	BIRD'S-NEST S						
Hypopithys. W.	common.		Britain.	• • • •	6.7.	H.4.	Eng. bot.
DIONÆA. W.	DIONÆA.	• • • • • • • • • • • • • • • • • • • •	~	-			
Muscipula. W.	Venus's Flytrap.		Carolina.	1768.	7.8.	G.4.	Bot. mag. 785.
GARUGA. Rox.	GARUGA.	• • • • • • • • • • • • • • • • • • • •	77 F. 1			0. *	
pinnata. H. K.	winged-leaved.	Oncomer I	E. Ind.	1808.	• • • •	S.h.	Rox. cor. 3. t. 2084
JUSSIEUA. W.	JUSSIEUA.	Onagreæ. J.	Caralina	1010	# 10	C 21	3,20,2122.
1 grandiflora. W. 2 suffruticosa. W.	great-flowered. tall.		India.				Bot. rep. 621.
3 octovalvis. P. S.	spear-leaved.		S America	1000.	7.0	0.4.	вог. тер. 621.
4 erecta. W.	upright.		5. Timerica.	1730	7.3.	S. J.	Plum.ic.t.175.f.2.
5 scabra. W. en.	rough.			1816.		S. 21	1 tum. ic. t. 1 / 0. 1. 2.
GETONIA. Rox.	GETONIA.	Combretaceæ. B.P		1010		0.4.	
floribunda. P. S.	many-flowered.			1815.		S. b.	Roxb. cor. t. 87.
QUISQUALIS. W.	QUISQUALIS.	Combretaceæ. B.P.				~.,.	0.023
1 indica. W.	Indian.		E. Ind.	1815.	5.8.	S.h.	Rumph.amb.5. t.3849
2 pubescens.	pubescent.		<u> </u>				
DAIS. W.	DAIS.	Thymelææ.					
cotinifolia. W.	Cotinus-leaved.		C. B. S.	1776.	6.7.	G.h.	Bot. mag. 147.
MELASTOMA. W.	MELASTOMA.	Melastomeæ. J.				~ -	
1 aspera. W.	rough.		E. Ind.				Burm. zeyl. t. 72.
2 velutina. W.	velvetty-leaved.		W. Ind.				
3 trinervia. W. 4 octandra. W.	three-nerved. octandrous.		Cardon	1793.			
5 tetrandra. W.	tetrandrous.		Yamaica	1815.			
6 hirta. W.	hairy.						Pluk.alm.t.264.f.1./01
7 Acinodendron. W.							Plum. ic. 142. f. 2.
8 cymosa. W.	cyme-flowered.		S. America.	1792.	4.8.	S.b.	Sert. han. t. 8.
9 rubra. W.	red.		Guiana.	1793.	5.6.	S.b.	Aub. gui. 1. t. 161.
10 purpurea. W.	purple.						1.t. 154.
11 grossa. W.	large-leaved.		S. America.			S.h.	1.
12 malabathrica. W.	bristly.		E. Ind.	1793.	6.8.	S.h.	Bot. mag. 529. # 67
13 corymbosa. H. K.	corymb-flower'd.		Sierra Leone.	1792.	3.10.	S.h.	904.
14 ecostata. H. K.	ribless.		Jamaica.	1793.	5.6.	S.h.	
15 Fothergilla.	Fothergill's.		S. America.	1815.	• • • •	S.h.	Aub. gui. 1. t. 175.
16 albicans. P. S.	white-leaved.		Jamaica.		• • • •	S.h.	01 n/z
17 lævigata. W.	smooth.		S. America.	1500	• • • •	S. h . ,	1781 18 1 7 7 V
18 discolor. W.	two-coloured.	Solianria I	w. ma.	1793.	• • • •	5. n.	Aub. gui. 1. t. 175.
ACISANTHERA. J. quadrata. P. S.	ACISANTHERA. four-sided.	Sancaria. 0.	Jamaica.				Brown.jam.t.22.f.1
KALMIA. W.	Kalmia.	Rhodoraceæ. P. S.		1004.	• • • •	5. n.	D10 wii.jaiii.t.22.1.1
1 latifolia. W.	broad-leaved.		N. America.	1734.	5.7.	н.ь.	Bot. mag. 175.
2 angustifolia. W.	narrow-leaved.			1736.		H. h.	331.
β rubra.	red-flowered.						
3 glauca. W.	glaucous.			1767.	4.5.	H.h.	
4 rosmarinifolia. Ph.	Rosemary-leav'd			1812.		H.h.	
5 hirsuta. W.	hairy.			1786.	8.9.	F.h.	Bot. mag. 138.
LEDUM. W.	LEDUM.	Rhodoraceæ. P. S.					
1 palustre. W.	marsh.		Europe.	1762.	4.5.	H.h.	Fl. dan. 1031.
B decumbens.	dwarf.		Hudson's Bay			ri.h.	Jac. ic. 3. t. 464.
2 latifolium. W.	broad-leaved.		N. America.	1763.		H.h.	Jac. 1c. 3. t. 464.
3 buxifolia. W.	Box-leaved.			1/36.			Lam. ill. t. 363. f. 2.
Ammyrsine buxifol RHODORA. W.	RHODORA.	Rhodoraceæ. J.				1	8.de 531.
	Canadian.		N. America.	1767.	4.5.	н.ь.	Bot. mag. 474.
RHODODEN-	S RHODODEN- }						
DRON. W.	{ DRON. }	Rhodoraceæ, J.					
1 ferrugineum. W.	rusty-leaved.		Switzerland.	1752.	5.7.	H.h.	Jac. aust. 3. t. 255.
2 hirsutum. W.	hairy-leaved.			1656.		H.h.	Bot. mag. 1853.

DECANDRIA MONOGYNIA.

	DECA	NDRIA M	JNOGYN	IA.			95
3 dauricum. W.	Daurian.	Rhodoraceæ. J.	Siberia.	1780.	12.3.	G.h.	Bot. mag. 636.
β atrovirens.	dark-leaved.				2.4.	H.h.	Bot. reg. 194. Pall. ross. 1. t. 33. Bot. mag. 488.
4 camtschaticum. W.	Kamtschatka.		Kamtschatka.	1802.		H.h.	Pat mag 409
5 chamæcistus. W. 6 caucasicum. W.	Thyme-leaved. Caucasian.		Cancague	1803.	8	H.h.	1145.
7 chrysanthum. W.	yellow.		Siberia.	1796.	6.7.	н. Б.	Par. lond. 80.
8 punctatum. W.	1 /4 1 1 1		NT 1	1 700	0 0	TT T.	Dot non OC (1)
β major.	large dotted-lea.					H.h.	Bot. reg. 37.
9 maximum. W.	large.			1736.		H.h.	Bot. mag. 951.
10 album. Ph.	white.			1,811.		H.h.	
11 purpureum. Ph. 12 catawbiense. Ph.	Catawha			1809.		Η.Ь.	Bot. mag. 1671.
13 ponticum. W.	common.		Gibraltar.	1763.	5.6.	Н. Ь.	650.
14 subdeciduum.	Thompson's				6.8.	H.h.	Bot. rep. 379.
	hybrid.		••••	••••	0.0.	11.7	Det 105
15 hybridum. B. reg. EPIGÆA. W.	Epigæa.	Rhodoraccæ. J.		• • • •		n.n.	Dot. reg. 195.
repens. W.	creeping.			1736.	7.8.	н.ь.	Bot. reg. 201.
	(WHORTLE-)		211 22	7	• • • •		
VACCINIUM. P. S.	{ BERRY. }	Ericeæ. J.					
1 Myrtillus. W.	Bleaberry.		Britain.	• • • •	4.6.	H.h.	Eng. bot. 456.
2 pallidum. W.	pale.		N. America.	1772.	5.6.	H.h.	D1-1-1 4000 C0
3 stamineum. Ph.	long-stamened.					H.h.	Pluk.alm. t.339.f.3. Bot. rep. 263. Eng. bot. 581.
4 album. Ph. 5 uliginosum. W.	white-flowered. great Bilberry.		Britain		4.5.	H h.	Eng hot 581.
6 diffusum. W.	shining-leaved.		Carolina.	1765.	5.7.	H.b.	2115. 501. 001.
7 angustifolium. W.	narrow-leaved.		N. America.	1776.	4.5.	H.h.	
8 dumosum. W.	bushy.			1774.	5.6.	H.h.	Bot. mag. 1106.
9 fuscatum. W.	clustered-flowd.			1770.	5.6.	H.h.	Bot. rep. 97.
10 frondosum. W.	blunt-leaved.			1761.		H.h.	140.
11 venustum. W.	red-twigged.			1770.		Hh.	Wang.am.t.30.f.69. Bot. mag. 1288. Bot. rep. 125.
12 ramulosum. W. en. 13 ligustrinum. W.	branching. Privet-leaved.			• • • •		н.	
14 resinosum. W.	clammy.			1772.	5.6.	H.b.	Wang.am.t.30.f.69.
β rubescens.	red-flowered.					н. ь.	Bot. mag. 1288.
15 parviflorum. P. S.	small-flowered.			1804.		H.h.	Bot. rep. 125.
16 hirtellum. H. K.	large-bracted.			1782.	6.7.	H.h.	
17 corymbosum. Ph.	corymbose.			1806.	5.	H.h.	Bot. rep. 138
18 amœnum. W.	broad-leaved.			1765,	5.6.	H.h.	Bot. rep. 138.
19 virgatum. W. 20 galezans. Ph.	twiggy. Gale-leaved.			1806.	5.6.	H.h.	181.
21 tenellum. W.	Pensylvanian.			1772.	0.0.	н.ь.	
22 Arctostaphylos. W.			· Madeira.	1777.	6.8.	H.h.	Bot. mag. 974.
23 meridionale. W.	Jamaica.		Jamaica.	1778.	3.6.	G.h.	
24 humile. W. en.	dwarf.		N. America.	• • • •	5,7.	H.h.	
25 myrtifolium. Ph.	Myrtle-leaved.		Carolina.	1812.	0 =	F.h.	D.4 1150
26 crassifolium. Ph. 27 Vitis Idæa. W.	thick-leaved. Cow-berry.		Britain	1/87.	4.6	H.h.	Bot. mag. 1152.
28 nitidum. Ph.	glossy.	Marine	Carolina.	1794.	5.6.	G.h.	Bot. reg. 480.
β decumbens.	decumbent.					- G. b .	Bot. mag. 1550.
29 myrsinites. Ph.	Myrsine-leaved.	· · · · · · · · · · · · · · · · · · ·				- G. h .	
30 buxifolium. Ph.	Box-leaved.		N. America.	1794.		H.h.	Bot. mag. 1152. Eng. bot. 598. Bot. reg. 480. Bot. mag. 1550. Bot. mag. 928.
ANDROMEDA. W.	Andromeda.	Ericeæ. J.	Lapland.				***
1 hypnoides. W. 2 mariana. W.	Moss-like. Maryland.						
a ovalis.	oval-leaved.		. America.	1/30.		н.	Pluk.man.t. 448.f.6 Bot. mag. 1579.
β oblonga.	oblong-leaved.					11.77.	Dot. mag. 1075
3 ferruginea. Ph.	rusty-leaved.			- 1784.		Н. Ъ.	Vent. malm. 80.
4 rigida. Ph.	rigid.	<i></i>		1774.			
5 jamaicensis. W.	Jamaica.		- Jamaica.			S.h.	
6 speciosa. Ph.	large-flowered.		- Carolina.			H.h.	_
a nitida.	smooth-leaved.						Bot. mag. 970.
β pulverulenta. 7 polifolia. W.	mealy-leaved. marsh.					Н. р.	667.
a latifolia.	broad-leaved.		N. America.			н. h.	
β media.	Wild Rosemary.						Eng. bot. 713.
y angustifolia.	narrow-leaved.		· N. America.			H.h.	Pall.ross.2.t.70.f.B.
δ subulata.	awl-leaved.	******************				-H.h.	
8 japonica. W.	Japan.		Japan.	1806.		G.h.	Th. jap. t. 22.
9 paniculata, Ph.	panicled.	Indiana special and a succession	- N. America.	1748	5.6.	H.h.	Pluk.alm.t.236.f.3.

DECANDRIA MONOGYNIA.

		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
10 frondosa. Ph.	bristly-flowered.	Ericeæ. J.	N. America.	1806. 5.6. H.h.	Bot. mag. 905. Cat. car. 2. t. 43.
11 arborea. W.	Sorrel-tree.	Endage of the control	***************************************	1752. 7.9. H.h.	Bot. mag. 905.
12 racemosa. W.	branching.	Children and the state of the s		1736. 7. H.h.	0 1.0 14.5
13 Catesbæi. W.	Catesby's.			1793. 6.7. H.h.	Cat. car. 2. t. 43.
14 axillaris. W.	axil-flowering.	The state of the s		1765. 5.8. H.h.	2200
β longifolia.	thick-leaved.			6.8. Н. h.	Bot mar 1005.
16 acuminata. W.	acute-leaved.			o LT L	En bat 0 4 00
17 floribunda. Ph.	many-flowered.			1812. 5.6. H.b.	Bot. mag. 1566. Pall.ross.2. t.72.f.1.
18 hirta. W. en.	hairy.	-		H.b.	23011 221151 20001
19 calyculata. Ph.	Box-leaved.			1748. 2.4. H.h.	Pall.ross.2. t.72.f.1.
a ventricosa.	globe-flowered.	·····	Russia.	— — H.h.	Bot. mag. 1286.
β latifolia.	broad-leaved.		Newfoundld.	H.h.	
20 angustifolia. Ph.	narrow-leaved.		N. America.	H.h.	
ENKIANTHUS. B.M.		Ericeæ. J.			- A 0 3
quinqueflora. B. M.	Canton.		China.	1812. 10.2. G.h.	Bot. mag. 1649.
GAULTHERIA. W.	GAULTHERIA.	Ericeæ. J.			- 102/
1 procumbens. W.	trailing.		N. America.	1762. 7.9. H.h.	Bot. rep. 116. /965
2 serpyllifolia. Ph.	Thyme-leaved.			1776. 5.7. H. h.	Mich. am. 1. t. 23.
Vaccinium hispidu		us thymifolia Ait.			
ARBUTUS. W.	STRAWBER-	Ericeæ. J.			,
1 Unedo. W.	RY-THEE.		Ireland.	9.12. H.h.	Eng. hot. 2377.
β rubra.	common. red-flowered.		Helanu.		
y ptena.	double-flowered.			la: Heil.	23/9
2 canariensis. B. M.	long-leaved.		Canaries.	1796. 5.6. G. h.	Bot. mag. 1577.
3 Andrachne. W.	oriental.				Bot. reg. 113. 2094
4 alpina. W.	black-berried.			4.5. H.h.	
5 Uva-ursi. W.	Bear-berry.		Britain.	4.6. H.h.	
6 phillyreæfolia. P. S.			Peru.	1812 G. h.	
CLETHRA. W.	CLETHRA.	Ericeæ, J.			
1 alnifolia. Ph.	Alder-leaved.		N. America.	1731.8.10. H.h.	Lam. ill. t. 369.
2 tomentosa. Ph.	woolly-leaved.			H.h.	
3 scabra. Ph.	rough-leaved.		Georgia.	1806. — H. h. 1770. — H. h.	
4 paniculata. W.	panicled.		N. America.	1770. —— H. h.	
5 acuminata. Ph.	acute-leaved.		Carolina.	1806. — H. h.	
6 arborea. W.	tree.		Madeira,	1784. — G.h.	Dot. mag. 1057.
β minor.	dwarf.				
MYLOCARYUM.	BUCKWHEAT-	Ericeæ. J.			
W. en. Jigustrinum. Ph.	TREE. S		Georgia.	5.6. H.h.	Bot. mag. 1625.
PYROLA. W.	WINTER-GREEN.		Georgia	0.0. 11.72.	2001 1111191 111111
1 rotundifolia. W.	round-leaved.		Britain.	6.7. Н. 4.	Eng. bot. 213.
2 media. E. B.	intermediate.		England.	Н. 4.	
3 minor. W.	lesser.		Britain.	н. 4.	158. 517. 2543.
4 secunda. W.	serrated.			Н. 4.	517.
5 rosea. E. B.	rose-coloured,		England.	7.8. H.4.	2543.
6 uniflora. W.	single-flowered.			6.7. H.4.	146.
CHIMAPHILA. Pb.	CHIMAPHILA.	Ericeæ. J. Pyrole	e sp. W.		D
1 maculata. Ph.	spotted-leaved.		N. America.	1752. 6. H.4.	Bot. mag. 897.
2 corymbosa. Ph.	corymb-flowered			H. 4.	778.
Pyrola umbellata.	B, M.				
BUCIDA. W.	{OLIVE-BARK }	Santalaceæ. B. P.			
Buceras. W.	TREE.		Jamaica.	1702 20 S.L.	Lam. ill. t. 356. 407
SAMYDA. W.	Jamaica. Samyda.		Jamaica.	1730. 6.3. 5.7.	
1 nitida. W.	glossy.		W. Ind.	1793 S. h.	Br. jam. t. 23. f. 3.
2 pubescens. W.	pubescent.		77 . 11141	5.8. S.h.	
3 serrulata. W.	Elm-leaved.				Jac. col. 2. t.17. f.1.
4 rosea. H. K.	rose-coloured.				Bot. mag. 550.
	CTAHEITE-	0 4 2 7			
INOCARPUS. W.	CHESTNUT.	Sapoteæ? J.			
edulis. W.	eatable.		SouthSea Isl.	1793 S.h.	Lam. ill. t. 362.
STYRAX. W.	STORAX.	Ebenaceæ. B. P.			
1 officinale. W.	officinal.		Italy.		Bot. rep. 631.
2 grandifolium. W.	great-leaved.			1765. — H. h.	
3 pulverulentum. Ph.			4,	1794. 6.7. H.h.	Con dia C + 100 f 1
4 lævigatum. W.	smooth.			1765. 7.8. A.h.	Cav.dis.6.t.188.f.1.

		DIGYNIA		* ,	
ROYENA. W.	ROYENA.	Ebenaceæ, B. P.			
1 lucida. W.	shining-leaved.		C. B. S.	1690. 5.6. G.h.	Lam.ill. t. 370. f.1. Com. hort. 1. t. 65.
2 villosa. W.	heart-leaved.			1774. 6.7. G.h.	
3 pallens. W.	pale.			1789. — G. h.	
4 glabra. W.	Myrtle-leaved.			1731. 9. G.h.	Com. hort. 1. t. 65.
5 pubescens. W. en.					
6 hirsuta. W. en.	hairy-leaved.			G. h.	Jac. coll. s. t. 13.1.1. Lam.ill. t. 370. f. 2. Vent. malm. t. 17.
7 angustifolia. W.	Willow-leaved.			1789. 6.7. G.h.	
8 ambigua. V.	obovate-leaved.			1815 G.h.	Vent. malm. t. 17.
9 polyandra. W.	oval-leaved.			1774 G. h.	
TRIANTHEMA. W.	TRIANTHEMA.	Portulaceæ. J.		·	
1 monogyna. W.	Purslane-leaved.		Jamaica.	1710. 7.8. S.O.	Plant. grass. 109.
2 decandra. W.	trailing.		India.		Burm. ind. t.31.f.3.
SCLERANTHUS. W.		Portulaceæ. J.			
1 annuus. W.	annual.		Britain.	7.8. H.O.	Eng. bot. 351.
2 perennis. W.	perennial.	<u> </u>	S		352.
CUNONIA. W.	CUNONIA.	Cunoniaceæ. Br.		•	
capensis. W.	Cape.		C. B. S.	1816 G.b.	Burm. afr. t. 96. 42
HYDRANGEA. W.	HYDRANGEA.	Saxifrageae? J.			4
1 arborescens. W.	shrubby.		Virginia.	1736. 7.8. H.h.	Bot. mag. 437.
2 cordata. Ph.	heart-leaved.		Carolina.	1806. — H. h.	200 mag. 1070
3 radiata. W.	white-leaved.			1786. — H. h.	Lam. ill. t. 370, f. 2
nivea. Ph.	White leaved			1,000	Zam. m. c. o, o. n. s
4 quercifolia. W.	Oak-leaved.		Florida .	1803. 6.9. F.h.	Bot. mag. 075
5 hortensis. W.	changeable.		China	1788. 4.9. F.h.	
	(Golden)		Clina.	1700. 4.5. 1.7.	438.
	SAXIFRAGE.	Saxifrageæ. J.			
1 alternifolium. W.	alternate-leaved		Britain	45 H N	Fra hot 54
•			Dittain.	4.5. H.4. — H.4.	Eng. 001. 54.
2 oppositifolium. W.	opposite-leaved.	Carifornam T		п. 4.	490.
SAXIFRAGA. W.	SAXIFRAGE.	Saxifrageæ. J.	01	1#05 of TT 1	D.4 100
1 crassifolia. W.	thick-leaved.		Siberia.	1765. 3.5. H.4. 1779. — H.4.	130t. mag. 196.
2 cordifolia. M. n.	heart-leaved.		A1 6 Ti	1779. — H. 4.	T1 1
3 Cotyledon. W.	pyramidal.		Alps of Eur.	1596. 5.7. H.4.	Fl. dan. 241.
4 ligulata. M. n.	strap-leaved.			Н. 4.	
5 recta. P. S.	straight-leaved.			— Н. 4.	Pluk.phyt.t.221.f.1 Jac. aust. 5. t. 438.
6 Aizoon. P. S.	large-margined.			1731. — H. 4.	Jac. aust. 5. t. 438.
7 intacta. W. en.	small-margined.		Tyrol.	— н. 4.	Hort. ber. 2. t. 75. Bot. mag. 351. Dil.elt.t.253. f.328.
8 mutata. W.	Saffron -coloured		Switzerland.	1779. 6.7. F. 4.	Bot. mag. 351.
9 pensylvanica. W.	Pensylvanian.		N. America.	1732. 5.6. H.4.	Dil.elt.t.253. f.328.
10 semipubescens.H.S.	semi-pubescent.				
11 hieracifolia. W.	Hawkweed-led.		Hungary.	1789. — H. 4. 1812. — H. 4.	Pl.rar.hung.1.t.18.
12 erosa. Ph.	jagged-leaved.			1812. — F1. 4.	
13 punctata. W.	dotted-flowered.		Siberia.	1699. — H. 4.	Mor. his. 3. t.9.f.17.
14 serrata. H. S.	sawed-leaved.		Ireland.	5. H.4.	
15 polita. H. S.	polished.		Scotland.	— Н. 4.	
16 umbrosa. W.	Loudon Pride.		Britain.	4.6. H.4.	
37 hirsuta. W.	hirsute.		Ireland.	5.6. Н.4.	2322.
18 sphæroidea. H. S.	sphæroid.			1800. — H. 4.	
19 crenata. H. S.	crenated.		•	1796. — H.4. — H.4.	
20 dentata. H. S.	toothed.		C 41 3	— н. 4.	,
21 Geum. W.	kidney-leaved.		Ireland.	6.7. Н. 4.	Eng. bot. 1561.
22 cuneifolia. W.	wedge-leaved.		Switzerland	1768. 5.6. H.4.	Pl.rar.hung.1.t.44.
23 leucanthemifolia.Pl	Stock-leaved.		AT Amanian	1812. 6. H.4.	
24 sarmentosa. W.	Chinese.		China.	1771, 6.7, F.M.	Bot. mag. 92.
25 virginiensis. Ph.	Virginian.		N. America.	1790. 5.7. F.4.	1664.
26 congesta.	close-flowered.			1812 F. 24.	
nivalis. Ph. excl. s					
27 nivalis. W.	clustered Alpine.		Britain.	6.7. F.4.	Eng. bot. 440.
28 stellaris. W.	starry.	-		F. 21.	167.
29 bryoides. W.	thread-moss-like		Switzerland	1752. — F.2/	Jac. mis. 2. t. 5. f.1.
30 cæsia. W.	gray.	-			Jac. aust. 4. t. 374.
31 androsacea. W.	Androsace-leave.		Austria		4. t. 389.
32 oppositifolia. W.	opposite-leaved		Britain		Eng. bot. 9.
33 aspera. W.	rough.		Switzerland	1750 0 F 3	Jac. aust. 5. t. 31.
34 Hirculus, W.	yellow marsh.		England.		Eng. bot. 1009.
	(smaller				Mig. 000 1009
35 Aizoides. M. n.	mountain.		- Britain.	7.8. F.4	
36 autumnalis. M. n.	larger mountain.				Eng. bot. 39.
37 rotundifolia. W.			- Austria,		
or recultations, 11.	round-leaved.		~ Austilas	1596. 5.6. H.4.	100. mag. 424.

•-	*						
38 granulata. W. β plena.	grain-rooted. double-flowered.	Saxifrageæ. J.	Britain.	••••	5.	н.4.	Eng. bot. 500.
39 cernua. W.	drooning	·	Scotland.		7.	F.4.	661.
40 rivularis. W.	Alpine brook.		T amount	1770			2275 _q
41 hederacea. W. 42 pentadactyla. W.en.	Ivy-leaved.		Pyrenees			F.⊙.	Lapey. Fl. t. 40.
43 geranioides. W.	Crane's-bill-lead.		1 Trenecsi				
44 pedatifida. L. T.	pedatifid.		Scotland.		5.6.	H.1.	Eng. bot. 2278.
45 ceratophylla. H. K.	shining-calyxed.		Spain.	1804.		F.4.	Bot. mag. 1651.
46 lanceolata. H. S.	spear-leaved.					- н. 4.	Bot. mag. 1651.
47 quinquedens. H. S. 48 ajugifolia. W.	five-toothed. Bugle-leaved.		Pyrenees.	1770.	6.7.	H. 21.	Lapey. Fl. t. 31.
49 platypetala. L. T.	broad-petalled.		Scotland.				Eng. bot. 2276.
50 sibirica. W.	Siberian.		Siberia.			H.4.	
51 tridactylites. W.	Rue-leaved.		Britain.		4.5.	H.⊙.	Eng. bot. 501.
52 petræa. W. 53 adscendens. W.	rock.		Norway.	1752.		·H.4.	Fl. dan. 68.
54 Sternbergii. W. en.	ascending.		Germany.			H.4.	Jac., ic. 1. t. 81.
55 hirta. E. B.	hairy.		Scotland.				Eng. bot. 2291.
56 Haworthii.	Haworth's hairy.		Britain.			H.4.	
hirta. M. n.							
57 hybrida. M. n.	hybrid.		317-1-0	• • • •		- Н. 4.	Eng. ot. 455.
59 viscosa. M. n.	palmate.		Viales.	1700	5.6	H.4.	Eng. ot. 435.
60 trifida. M. n.	trifid.		Britain.				
61 tridens. H. S.	three-toothed.		Scotland.			H.4.	
62 septifida. H. S.	septifid.		Wales	• • • •		н.4.	
63 elongella. L. T.	long-stalked.						Eng. bot. 2277.
64 carnosa. spatulata. M. n. not	fleshy-leaved.					. н. 4.	
65 lævis. M. n.	smooth.		Britain.			н.ц.	
66 hypnoides. W.	mossy.				40	TT 31	Eng. bot. 454.
67 angustifolia. M. n.	narrow-leaved.		Wales.		5.6.	H.4.	•
68 densa. M. n.	close.		Britain.			. н. и.	
69 canescens. H. S. 70 moschata. W.	canescent. musky.		Downess	• • • •		H.4.	Lapey. Fl. t. 37, 38
71 odorata.	sweet-scented.		Scotland.			H.4.	Lapey. Fr. 6.07, 500,
elongella. M. n.							
72 pygmæa. M. n.	pigmy.					. н. ч.	Eng. bot. 2214,
moschata, E. B.	. ~ .						۸۰.
73 cæspitosa. W.	tufted.		Wales.	1700		H.4.	794. Lapey. Fl. t. 19.
74 grænlandica. H. K. 75 muscoides. W.	Moss-like.		Pyrenees.	1/32.	5.6.	H. 7	Lapey. Fl. t. 19.
TIARELLA. W.	TIARELLA.	Saxifrageæ. J.	-		0.0.	12.2	, 2, 3, 1,
1 cordifolia. Ph.	heart-leaved.		N. America.	1731.	4.5.	H.4.	Bot. mag. 1589.
2 Menziesii. Ph.	leafy-stemmed.			1812.		н.4.	Bot. mag. 1589.
3 biternata. Ph.	biternate.	Soulfrage I	Carolina.		5.6.	F. 4.	
MITELLA. W. 1 diphylla. W.	MITELLA.	Saxifrageæ. J.	N. America	1791	15	T-T 2/	Bot reg 166
2 cordifolia. Ph.	heart-leaved.			1812.	1.01	H. 2.	Bot. reg. 166. Lam. ill. t. 373. f. 8.
3 nuda. W.	kidney-leaved.		-	1758.	6.8.	н. и.	t. 373. f. 2.
GYPSOPHILA. W.	GYPSOPHILA.	Caryophylleæ. J.					
1 repens. W.	creeping.		Siberia.	1774.	7.9.	H.4.	Bot. mag. 1448.
2 prostrata. W. 3 paniculata. W.	trailing.			1759.	67	H.4.	Jac. aust. 5. t. ap. 1.
4 viscosa. W.	clanimy.		Levant.				Mur. com. g. t. 3.
5 serotina. W. en.	late-flowering.		Magdeburg.	1816.		\cdot H. \odot .	
6 altissima. W.	upright.		Siberia.	1759.	7.8.	н.4.	Gmel. sib. 4. t. 60.
7 arenaria. W.	sand.		Hungary.				Pl. rar. hung. t. 41.
8 Struthium. W. 9 dubia. W. en.	fleshy-leaved. doubtful.		Spain.			H.4.	Bar. ic. t. 119.
10 fastigiata. W.	one-rowed.		Germany.				Gmel.sib.4.t.61.f.1.
11 perfoliata. W.	perfoliate.		Spain.	1732.	7.8.	H.4.	Dill. elt. t. 276.
\$ tomentosa.	woolly.					H.4.	Bar. ic. t. 1002.
12 muralis. W.	wall.		Germany.	1739.	6.10.	H.4.	Lam. ill. t. 375. f.1.
13 rigida. W.	rigid.		France.			H.4.	Ex hot a + an
14 saxifraga. W. SAPONARIA. W.	small. Soapwort.	Caryophylleæ. J.	Germany.	1774.	7.8.	11.4.	Ex. bot. 2. t. 90.
1 officinalis. W.	common.		England.		7.10.	H.4.	Eng. bot. 1060.
B ptena.	double-flowering.		7 ; (·	. 11

DECANDRIA TRIGYNIA.

	DE	CANDRIA	TRIGIN	IA.	99
2 vaecaria. W.	perfoliate.	Caryophylleæ. J.	Germany.	1596. 7.8. H.O.	B m. 2200
8 porrigens. W.	hairy.		Levent	1680. — H.O.	Jac. vind. 2. t. 109.
4 ocymoides, W.	Basil-leaved.		V	1500 F # TT 3/	Dot mag 154
5 orientalis. W.	small annual.		Levant.	1732. 6.8. H.4.	Dill.elt.t.167.f.204
6 lutea. W.	yellow.	, 	Switzerland.	1804. — H.4.	Smith. spic. t. 5.
DIANTHUS. W.	PINK.	Caryophylleæ. J.		1732. 6.8. H.4. 1804. — H.4.	
1 barbatus. W.	Sweet-William,		Germany.	1573. 6.7. H.4.	Bot. mag. 207.
2 carthusianorum. W.			~~	7.8. H. 4.	
3 collinus. H. K. 4 atrorubens. W.	hill,		Hungary.	1800. 7.9. H.4.	
5 latifolius. W. en.	dark-red. broad-leaved.		Italy.	1802. — H. 4.	Jac. ic. 3. t. 467.
6 asper. W. en.	rough-stalked.			— Н.4.	
7 ferrugineus. W.	rusty.		Italy.	1756. — H. J.	Mill.ic. 1. t. 81.f. 1.
8 Armeria. W.	Deptford.	*************************************	England.	— н.⊙.	
9 japonicus. W.	Japanese.		China.	1804. 6.10. F. 4.	
10 prolifer. W.	proliferous.		England.	7.8. H.O.	
11 suffruticosus. W.en.	shrubby.		Siberia.	1804. 6.7. H.h.	1.
12 sylvaticus. W. en.	wood.		Ratisbon.	1815. 6.9. H.4.	3
13 diminutus. W.	small-flowered.		S. Europe.	1771. 7. H.⊙.	
14 Caryophyllus. W.	Clove.		England.	6.8. H.4.	
β flore pleno.	Carnation.	**************************************		— H.4.	Bot. mag. 39.
y fruticosus.	tree Carnation, wheat-ear.			— н. ү.	Det man 1600
15 carolinianus. Ph.	Carolina.		NI Amorios	1811. 6.9. F.4.	Bot. mag. 1622.
16 fruticosus. W.	fleshy-leaved.		Greece.	1815. — G.h.	Tourn it 1 t 0
17 pomeridianus. W.	afternoon.		Lavont	1804. 6.7. H.4.	
18 leptopetalus. W, en,			Cancasus.	1814. 7. H.4.	
19 campestris. M. B.	field.		Tauria.	1815. 7.8. H, 4.	
20 procumbens. P. S.	procumbent.		Levant.	6.7. Н.4.	
21 virgineus. W.	virgin.		S. Europe.	1732. — H.4.	Bot. mag. 1740.
22 deltoides. W.	maiden.		Britain.	6.10. Н. 4.	
23 glaucus. P. S.	glaucous-leaved.		0.70.0		Dill.elt.t.298.f.348.
24 albens, W. 25 crenatus.	Cape.		C. B. S.	1787. 8. G.4.	70.4
26 chinensis. W.	long-cupped.		China	1817. 8. G.4.	Bot. reg. 256.
27 guttatus. W. en.	rough-leaved.		Cancague	1713. 7.9. H.J. 1816. — H.4.	Bot. mag. 28.
28 rigidus. M. B,	rigid.		Caenian Sea	1802. 6.10. H, h,	
29 monspeliacus. W.	Montpelier.		Montpelier.	1764. 7.8. H.4.	
30 caucasicus. H. K.	Caucasian.		Caucasus.	1803. 6.9. H.4.	Bot. mag. 795.
31 discolor. H. K,	two-coloured,			— — н. 4.	1162.
32 petræus. H. K.	rock.		Hungary.	1804. 7.8. H.4.	1204.
33 hortensis. W. en,	garden.			1805. — H.4.	
34 fragrans. P. L.	fragrant.		Austria.	1804. 6. H.4.	Par. lond. 112. 2063
35 plumarius. W.	feathered.		Europe.	1629. 6.8. H.4.	
36 serotinus. W. en.	late-flowering.		Hungary.		Pl.rar.hung.2.t.172
37 finibriatus. W. en. 38 superbus. W.	fringed.		Iperia.	1815. 6.8. H.h.	T) 4 00=
39 pungens. W.	superb. pungent.		Europe.	1596. 7.9. H.4.	Bot. mag. 297.
40 orientalis. H. K.	Georgian.		Ruccia	1781. 8.10. H. 4. 1802. 6.7. H. h.	Pot mor 1000
41 cæsius. W.	mountain.		Britain	— H.4.	
42 alpinus. W,	Alpine.		Austria.	1759. — H. 4.	Bot. mag. 1905
	•				2001 21001 >
		TRIGYNIA.			
CUCUBALUS. H. K.		Caryophylleæ. J.			
baccifer. H. K.	berry-bearing.		England.	6,7. Н, 4.	Eng. bot. 1577.
SILENE. H. K.	CATCHFLY.			t Cucubali sp. W.	
1 inflata. H. K.	bladder.		Britain.	5.9. H.4.	
2 fabaria. H. K. 3 pilosa. W. en.	thick-leaved.		Sicily.		Boc. mus. 133.t.92.
4 viscosa. H. K.	pilose.		Hungary.	1816. — H. J.	T !4 0 001
5 stellata. H. K.	clammy. four-leaved,		Levant. N. America.		Tourn. it. 2. p. 361.
6 ægyptiaca. H. K.	Egyptian.		Egypt.	1696. 6.8. H.↓. 1800. 7.8. H.⊙.	Dot. шад. 1107.
7 italica. H. K.	Italian.		Italy.	1759. 5.6. H.J.	Jac. obs. 4, t. 70
8 multiflora. H. K.	many-flowered.		Hungary.		Pl.rar.hung.1.t.56.
9 tatarica. H. K.	Hyssop-leaved.			1769. — H. 4.	,
10 sibirica. H. K.	Siberian.		Siheria		Hall. goett. 1. p. 150. ic.
12 eatholica. H. K.	panicled.	2			Jac. vind. 1.t. 59.
13 mollissima. H. K.	velvet.			1739. — H.4.	
14 Outes, M. A.	Spanish.		England.	7.8. H.4.	Eng. bot. 85.
		0	Ä		

DECANDRIA TRIGYNIA.

	33.0				•.
15 parviflora. H. K.	small-flowered,	Caryophylleæ. J.		1796. 7.8. H.4.	
16 reflexa. H. K.	reflexed.		S. Europe.	1726. — H. 4.	Magn.mons.171.ic.
17 anglica. W.	English.		Britain.	6.7. H.O.	Eng. bot. 1178.
18 lusitanica. W.	Portugal.		Portugal.	1739. — H.O.	Eng. bot. 1178. Dill.elt.t.311.f.401 Eng. bot. 86. Dill.elt.t.310.f.400
19 geministora. W. en.			I or tagair	1016 40	DIII.C10.0011111101
				1810, — 11.0.	W
20 quinquevulnera. W.			England.	6.8. H.O.	Eng. bot. 86.
21 nyctantha. W. en,	various-leaved.			1815. —— H.⊙.	Dill.elt.t.310.f.400
22 nocturna. W.	spiked,		S. Europe.	1683. — H.O.	Dill.elt.t.310.f.400
23 ciliata. W.	ciliated.		Crete	1804. —— H O.	
24 gallica. W.	French.		T7		
			r rance.		Dill.elt.t.310.f.399
25 cerastoides. W.	Cerastium-leav ^d .		S. Europe.		t.309.f.397
26 linifolia. W. en.	Flax-leaved.			1817. —— H.⊙.	
27 jeniseensis. W. en.	two-coloured,		Siberia.	6.7. H.4.	
28 mutabilis. W.	changeable.		S. Europe.	1688. —— H.O.	
29 chlorantha. W.	pale-flowered.		Commonu		Dill.elt.t.316.f.408
		¢	Germany.		
30 supina. M. B.	trailing.		Caucasus.	1804. — H.4.	
31 maritima. W.	sea.	-	Britain.	8.9. H.4.	Eng. bot. 957.
32 nutans. W.	Nottingham.			, 6.7, H.4.	465.
33 amœna. W.	Tartarian.		Tartary	1779. 7. H.4.	
	Dover.		England		Too wind a + 04
34 paradoxa. W.			England.		Jac. vind. 3. t. 84.
35 tenuis. W. en.	slender.		Baical.	1816. —— H.4.	
36 fruticosa. W.	shrubby.	***************************************	Sicily.	1629. 6.7. F.h.	Com. hort. t. 33.
37 bupleuroides. W.	spear-leaved.		Donois	1801. —— H. J.	Tourn. it. t. 154.
38 longiflora. W.	long-flowered.		Hungary		Pl. rar. hung. 1. t. 8.
			Ciboni-		
39 saxatilis. H. K.	stone.		Siberia,	1800. 6.7. H.4.	Dot. mag. 689.
40 livida. W. en.	livid.		Carniola.	1816. —— H, 4.	
41 infracta. W, en.	smooth.		Hungary.	H. 4.	Pl.rar.hung.3.t.213
42 gigantea. W.	gigantic.		Africa.	1738 G. Z.	Walt. hort 32. t. 11.
43 crassifolia. W.	thick-leaved.		CBS	1774. 7.8. G. J.	
44 viridiflora. W.			C. D. S.		
	green-flowered,		Spain.	1739. 6.7. H. J.	
45 reticulata. P. S.	netted,		Barbary.	1804. 7.8. H.O.	Desf. atl. 1. t. 99.
46 conoidea. W.	conoid.		S. Europe.	1683. 6.7. H.⊙.	Mor. s. 5. t. 36. f. 6.
47 conica. W.	corn.		England	—— H,⊙.	Eng. bot. 922.
48 bellidifolia. W.	Daisy-leaved.				Jac. vind. 3. t. 81.
49 dichotoma. W.	dichotomous.		Llungon		Pl. rar. hung. t. 29.
			Trungary.	1/91. ——11.0.	11.1al. hung. t. 23.
50 disticha. W. en.	two-ranked.	· · · · · · · · · · · · · · · · · · ·		1817. — H.⊙. 1796. 7.8. H.⊙. 1713. 6.7. H.⊙.	
51 vespertina. W.	evening.		Barbary,	1796. 7.8. H.⊙.	Bot. mag. 677.
52 Behen. W.	bladder.		Crete.	1713. 6.7. H.O.	Dill.elt.t.397.f.409
53 stricta. W.	upright.				
54 pendula. W.	pendulous.		Sigiler	1731. 5.7. H.⊙. 7. H.⊙. 1775. 5.9. G.♂.	Rot mag 114
			Sichy.	7,31. 3.7. 11.0.	Eng bot 201
55 noctiflora, W.	night-flowering.		England,	7. H.O.	Eng. 00t. 291.
56 ornata. W.	dark-coloured.		C. B. S.	1775. 5.9. G. J.	Bot. mag. 382.
57 undulata. W.	wave-leaved.			8. G. A.	
58 pensylvanica. Ph.	Pensylvanian.		N. America.	1806. 6.7. H. 4.	Bot. reg. 247.
59 virginica. Ph.	Virginian.			1700 FO LI 3	Divis olm + 000 f 1
				1700. 0.0. 11.4.	Dot man 1504
60 regia. B. M.	splendid.			1811. — H. 4.	Dot. mag. 1/24.
61 antirrhina. W,	Snap-dragon.			1732. 6.7. H.⊙.	Dif.ett.t.313.1.403.
62 rubella. W.	small red.		Portugal.	5.6. H.⊙.	t.314.f.406.
63 sedoides. W.	Sedum-like.		Crete.	1804. 7. H.O.	Bot. mag. 1724. Dil.elt.t.313.f.403. ——t.314.f.406. Jac. col. s. t.14. f.1.
64 apetala. W.	. 11			1801, 6.7, H.O.	
	hidden dames 1		CRC	1301. 0.7. 11.0.	Inc col e t o fo
65 clandestina. W.	muden-nowered.	***************************************	C. D. S.	п.б.	Jac. col. s. t. 3. f. 3. Dil.elt.t.315.f.407.
66 inaperta. W.	unopen-flowered		Madeira.		
67 portensis. W.	Oporto.		· Portugal.	1759. 7.8. H.⊙.	
68 fimbriata. H. K.	fringed-flowered		Cancasus.	1803. 5.8. H.4.	Bot. mag. 908.
				·	(D) 14 4 014 6
69 cretica. W.	Cretan.		· Candia.	1732. —H.⊙.	104 5
				_	404, 5.
70 Muscipula. W.	Spanish.			1596. 7.8. H.⊙.	* .
71 polyphylla. W.	many-leaved.		· Germany.	6.7. H.4.	Clus. hist. 1. t. 290.
72 Armeria. W.	Lobel's.		- England.		Eng. bot. 1398.
73 orchidea. W.		,			Jac. vind. 3. t. 32.
74 ægyptiaca. W.	Egyptian.		- Egypt.	1800. 7.8. G. J.	
75 chloræfolia. W.	Armenian.		- Armenia.	1796. 8.9. H.4.	
76 flavescens. W. en.	yellowish.		- Hungary.	1804. 6.7. H. 4.	Pl.rar.hung.2.t.175
77 pusilla. W. en.	dwarf.				3.t.212
78 alpestris, W.	Austrian.		- Austria.		Jac. aus. 1. t. 96.
				— H.J.	
79 rupestris. W.	rock.				
80 Saxifraga, W.	Saxifrage.		- France.	1640. 6.8. H.4.	Pl.rar.hung.2.t.163
81 sericea. W.	silky.		- S. Europe.	1801. — H.⊙.	All. ped. t. 79. f. 3.
82 vallesia. W.	woolly-leaved.		- Switzerland.	1765 H. 4.	All. ped. t. 79. f. 3. Boc. mus. t. 54.
83 acaulis. W.	stemless.		Britain.	H.4.	Eng. bot. 1081.
~ 3 Manager 11 1					

DECANDRIA TRIGYNIA.

ANIMA A 1 224							
STELLARIA. W.	STITCH-WORT.	Caryophylleæ. J.	Duitein		4.0	EF 3/	Fnor hot 00
1 nemorum. W. 2 latifolia. P. S.	wood.		Britain.	1016			Eng. bot. 92.
3 dichotoma. W.	broad-leaved. forked.		Siboria			H.4.	Sm. ined. t. 14.
4 Holostea. W.	greater.		Britain				Eng. bot. 511.
5 graminea. W.	lesser.		Direction.				803.
6 glauca. H. K.							
7 media. E. B.	Chickweed.						537.
Alsine media. W.							
8 uliginosa. H. K.	bog.				6.7.	н.⊙.	1074.
9 cerastoides. W.	Alpine.		Scotland.				911.
10 multicaulis. W.	many-stalked.		Carinthia.				Jac. col. 1. t. 19.
11 Arenaria. W.	sand.		Spain.			H.⊙.	T 1 4 4000
12 scapigera. W. ARENARIA. W.	naked-stalked. Sandwort.	Commelation	Scotland.	• • • •	6.7.	н. 4.	Eng. bot. 1269.
1 peploides. W.	Sea Chickweed.	Caryophylleæ. J.	Reitain		5 7	HN	Eng. bot. 189.
2 tetraquetra. W.	square.		Pyrenees				All. ped. 2. t.89. f.1.
3 trinervis. W.	Plantain-leaved.		Britain.				Eng. bot. 1483.
4 ciliata. W.	fringed.		Ireland.				
5 balearica. W.	Majorca.		Majorca.				L. H. stirp. 1. t.15.
6 multicaulis. W.	many-stalked.		Europe.	1794.	7.8.	H.4.	Jac. col. 1. t.17. f.1.
7 serpyllifolia. W.	Thyme-leaved.		Britain.		6.7.	H	Eng. bot. 923.
8 procumbens. W.	procumbent.		Egypt.				Vahl. sym. 2. t. 33.
9 montana. W.	mountain.		France.				Bot. mag. 1118.
10 triflora. W.	three-flowered.		S. Europe.				Cav. ic.3. t.249. f.2.
11 saxatilis. W.	rock.		Germany.				Gmel.sib.4.t.63.f.2.
12 verna. W.	vernal.		Britain.				Eng. bot. 512.
13 stricta. Ph. 14 austriaca. W.	upright.		N. America.			H.4.	Too one 9 4 050
15 grandiflora. W.	Austrian. great-flowered.		Austra.	1793.			Jac. aus. 3. t. 270. All. ped. 10. f. 1.
16 cherlerioides. P. S.	Cherleria-leaved		France			H.4.	Aii. peu. 10. i. 1.
17 juniperina. W.	Juniper-leaved.		Armenia.				Sm. ined. 1. t. 35.
18 laricifolia, W.	Larch-leaved.		Britain.				Jac. aust. 3. t. 272.
19 striata. W.	striated.		Switzerland	1683.	6.8.	H. 24.	All. ped. 2. t.26. f.4.
20 fastigiata. H. K.	level-topped.		Scotland.		6.	н.⊙.	Eng. bot. 1744.
21 tenuifolia. W.	fine-leaved.		England.		6.7.	H.⊙.	219.
22 rostrata. W. en.	beaked.		Hungary.	1816.		н.4.	Vahl. sym. 1. t. 12.
23 filifolia. W.	thread-leaved.		Arabia.	• • • •		н. 4.	Vahl. sym. 1. t. 12.
24 graminifolia. W. en.			Siberia.	1815.		-н. 4.	
25 fasciculata. W.	dense-flowered.		Austria.			H.O.	Jac. ans. 2. t. 182.
26 pendula. W. en.	pendulous.		Hungary.				Pl. rar.hung.2.t.87.
27 segetalis. Vai. Alsine segetalis. II	corn.		r rance.	1805.	0.10.	п.б.	Vail. par. t. 3. f. 3.
28 mucronata.	bristly.		S. Europe.	1777.	6	H 1	Hall. hist. 1. t. 17.
Alsine mucronata.			s. narope.	*****	٠.	11.0.	114111 111500 1. 0, 1/6
29 media. W.	downy.	-	France.	1795.	7.	н.⊙.	
30 pubescens. H. S.	pubescent.		England.			- H.⊙.	
31 marina. E. B.	marine.		Britain.				Eng. bot. 958.
32 canadensis. Ph.	Canada.		N. America.	1812.		∙н.⊙.	
33 rubra. E. B.	purple.		Britain.		6.8.	$H.\odot$.	Eng. bot. 852.
CHERLERIA. W.	CHERLERIA.	Caryophylleæ. J.	a				
sedoides. W.	dwarf.	n. 1 n. 0	Scotland.	• • • •	7.8.	н.4.	Eng. bot. 1212.
BRUNNICHIA. W. cirrhosa. W.	BRUNNICHIA.	Polygoneæ. P. S.	Canalina	1505		CI	C-+ 1 4 45 60
GARIDELLA. W.	Carolina.	Ranunculaceæ. J.		1/87.	• • • •	G.n.	Gært. s. 1. t. 45. f.2
Nigellastrum. W.	Nigella-leaved.	ranunculacea. v.	France.	1736	6.7	HO	Bot. mag. 1266.
	BARBADOES 2		1 miles	1700.	0.7.	11.0.	Dot. mag. 12001
MALPIGHIA. W.	CHERRY.	Malpighiaceæ. J.					
1 glabra. W.	smooth-leaved.		W. Ind.	1757.	3.7.	S.h.	Bot. mag. 813.
2 punicifolia. W.	Pomegranate-1d.			1690.		S. h.	Plum.ic.t. 166. f. 2.
3 polystachia. H. K.	many-spiked.			1806.	3.5.	S.h.	Bot. rep. 604.
4 media. H. K.	intermediate.			1790.		S.h.	•
5 glandulifera. H. K.				1806.		S.h.	Jac. ic. 3. t. 469. Cav.dis.8. t.239.f.2. t.239.f.1.
6 glandulosa. W.	biglandular.			1804.	• • • •	S.h.	Cav.dis.8. t.239.f.2.
7 nitida. W. 8 fucata. B. reg.	glossy-leaved.			1733.	3.8.	S.h.	L.239.f.1.
9 urens. W.	painted.			1814.	-	. S. h.	Bot. rec. 180
10 angustifolia. W.	stinging. narrow-leaved.	*	W Ind	1737.	7.10	S.h.	94. Cav.dis.8.t.236.f.1.
11 canescens. W.	downy-leaved.		77 · 111U ·	1749	7.0.	S. h.	Car.uis.o. t.230.1.1.
12 crassifolia. W.	thick-leaved.			1793.	8.	S. h	Aub. gui. 1. t. 182.
				-,000		~.,4 •	

DECANDRIA PENTAGYNIA.

102	DECA	ANDRIA F	ENTAGY		
13 lucida. W.	wedge-leaved.	Malpighiacea. J.	W. Ind	1759. 5.8. S.h.	0469
14 coriacea. W.	leathery-leaved.		Jamaica	1814 S.L	Slo.his. 2. £.163.f.1.
15 volubilis. H. K.	twining.		W. Ind.	1793. 8.9. S. h.	Bot mar 200
16 aquifolium. W.	Holly-leaved.		S. America.	1759. — S.h.	Cav.dis.8.t.236.f.2.
17 coccifera. W.	Kermes' Oak-ld.		W. Ind.	1733 S. h.	Jac. ic. 3. t. 470.
BANISTERIA. W.	BANISTERIA.	Malpighiaceæ. J.		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	vac. 1c. 0. t. 470.
1 ciliata. W.	ciliated.		Brazil.	1796 S. b.	Cav. dis. 9. t. 254.
2 purpurea. W.	purple.		W. Ind.	1759 S. h.	t.246.f.1.
3 chrysophylla. W.	Star-apple-leavd.		Brazil.	1793 S.h.	Jac.schen.1.t.105.
4 laurifolia. W.	Bay-leaved.		Janiaica.	1733. 7.8. S.h.	2037
5 nitida. W.	glossy.		S. America.	1759 S. h. 1793 S. h. 1793. 7.8. S. h. 1809. S. h. 1810. S. h.	Cav. diss. t. 244.
6 sericea. P. S.	silky.		Brazil.	1810 S.h.	9. t. 258.
7 fulgens. W.	smining-truited.	•	W. Ind.	1759 S.h.	
8 heterophylla. W.	various-leaved.		S. America.	1812 S.h.	Cav. diss. t. 253.
9 brachiata. W.	cross-branched.		W. Ind.	1759 S.h. 1812 S.h. 1759 S.h.	
	1	PENTAGYNIA.			
AVERRHOA. W.	AVERRHOA.	Terebintaceae? J			Cav. dis. 7. t. 219.
1 Bilimbi. W.	Bilimbi-tree.		E. Ind,	1791. 5.7. S.h.	Cav. dis. 7. t. 219.
2 Carambola. W.	Carambola-tree.			1793 S. h.	7. t. 220°
SPONDIAS. W.	Hog PLUM.	Terebintaceæ. J.	387 T. 1		01 11 0 4 010
1 Mombin. W.	flat-stemmed.		w. 1na./	1817 S.h.	Sloan. his. 2. t.219.
2 Myrobalanus. W.	yellow.	3	C	1739 S, h.	Merian. surin. t. 13. Lam, ill. t. 384.
3 dulcis. W. COTYLEDON. W.	Otaheite Apple.	Sammanuine I	Society Isles.	1793, S. h.	Lani, ul. t. 384.
1 orbiculata. H. S.	NAVEL-WORT.	Sempervivæ. J.	CRS	1789. 7.8. G.h.	
2 ovata. H. S.	ovate-leaved.		С. Б. а,	7 10 G L	Rot mar 201
3 oblonga. H. S.	oblong-leaved.			1600 7.0 G. h.	Dot, mag. 321.
4 ramosissima. H. S.				7.10. G. h. 1690. 7.9. G. h. 1768 G. h.	
5 fascicularis. W.	cluster-leaved.				
6 hemisphærica. W.	thick-leaved.			1731. 6.7. G.h.	Plant, grass, 87.
7 spuria. W.	narrow-leaved.			1731. 6.7. G.h. 	Com. rar. t. 23.
8 cæspitosa. H. S.	tongue-leaved.		California.	1796. 6.8. G.4.	
linguaformis. H. I			*		
9 serrata. W.	notch-leaved.		Siberia.	1732. 6.7. H. 4.	Dill. elt. t.95. f.112.
10 hispanica. W.	Spanish.		Spain.	1796 H. J.	
11 Malocophyllum, W.	annual.		Davenia	1815. — H.⊙.	Pall.it.3. ap. t.G.f.1.
12 Umbilicus. W.	Pennywort.		Britain.	— H. 4.	Eng. bot. 325.
13 lutea. W.	yellow.		England.	— н. 4.	- 1522.
SEDUM. W.	STONE-CROP.	Samperviero I			
1 verticillatum. W.	whorl-leaved.		S. Europe.	7.9. H.4. 1794. — H.4. 1794. — H.4. — H.4. — H.4. 1810. — H.4.	Amœn.ac.2.t.4.f.14
2 maximum. H. S.	great purple.		Spain.	1794. — H. 4.	
3 albicans. H. S.	great white.		Europe.	1794. — H. 4.	
4 triphyllum. H. S.	three-led purple.		Portugal.	— — Н. 4.	m 1
5 Telephium. E. B.	common Orpine.		Britain.	— Н. 4.	Eng. bot. 1319.
6 Telephioides. Ph.	Knodiola-leaved.		N. America.	1810. — H. 4.	Det mer 110
7 Anacampseros, W. 8 divaricatum, W.	evergreen.	•	Modeine	1596. 7.8. H.4.	
9 Aizoon. W.	spreading. yellow.	•	Siberia	1777. 6.7. G.h. 1757. 7.9. H.4.	Plant grass, 101.
10 spurium. W. en.	fringed.		Cancasus.	1816: — H 2	Bux.cent.5. t.61.f.2
Angrammeeras cilia	ric H S				2017 163
11 oppositifolium, B.M	opposite-leaved.			— н. и.	Bot. mag. 1807.
11 oppositifolium. B.M 12 hybridum. W.	Germander-lead.		Siberia.	1766. 5.7. H. 4.	Mur. c. got. 6. t. 5.
13 populifolium. W.	Poplar-leaved.			1780. 7.8. H.b.	Bot. mag. 211.
14 ternatum. Ph.	Purslane-leaved.		N. America.	1789. — H. 1.	Bot. reg. 142. /4)77
15 stellatum. W.	starry.		S. Europe.	1640. 6.7. H.O.	Cam. hort. 7. ic. 2.
16 spathulatum. W. en.	spathulate.		Hungary		Pl.rar.hung.2.t.104
17 Čepæa. W.	panicled.		France.	1640. 7.8. H.O.	-
18 spinosum. W. en.	spiny.		Siberia.	1790. 8. F.4.	Gmel. sib. t.67. f.2.
Crassula spinosa. I		m cuspidatum. H.	S.		
19 dasyphyllum. W.	thick-leaved.		England.		Eng. bot. 656.
20 reflexum. E. B.	reflex-leaved.		Britain.	— Н.4.	695.
21 glaucum. E. B.	glaucous.		England.		2477.
22 collinum. W. en.	hill.			1815. 6.8. H.4.	
23 virescens. W. en.	greenish-flowerd.		• • • • • • • • • •	— Н.4.	n
24 septangulare. H. S.	seven-rowed.			1795. 6.7. H.4.	
25 virens. W.	green.		Portugal.	1774. — H. 4.	Eu = 1 -4 -50
26 rupestre. W.	rock.		England.		Eng. bot. 170.
27 Forsterianum. H.K.	r orster 3.		11 2103.	,==. 4.	1802.

		שונע	MIDILIA I	DAIME	1 14177	100
	28 altissimum. P. S. ochroleucum. L. T.	tall.	Sempervivæ. J.	S. Europe.	1769. 7.8. H.	4. Jac. vind. 1. t. 81.
	29 quadrifidum. W.	four-cleft.			1000 T II	4. Pall. it. 3. a. t.P. f.1.
	30 hispanicum. W.	Spanish.		N. Asia.		•
	31 album. W.	white,		Spain,		4. Jac. aus. 5. t. a. 47.
	32 acre. W.	biting.		ringiand.		4. Eng. bot. 1578.
	33 sexangulare. W.	insipid.		Dritain.		4. ————————————————————————————————————
	34 anglicum. W.	English,		England,	6.7. H.7	4. ————————————————————————————————————
	35 annuum. W.	annual.		N Europe	1739. 8. H.	
	36 villosum. W.					
	37 monregalense. P. S.	hairy.	•	ornam.		 Eng. bot. 394. Balbis. Mfs. t. 6.
	38 atratum. W.	dark-annual.		S. Europe.		. Jac. aust. 1. t. 8.
	39 nudum. W.	naked-branched.		Madaire		
	PENTHORUM, W.	PENTHORUM.	Sempervivæ? J.	Mauena.	1777. 7.8. G.	· ·
	sedoides. W.	American.	Semperviva: 0.	Vincinia	1769 78 H	4. Lam. ill. t. 390.
	GRIELUM. W.	GRIELUM.		A namin.	1700. 7.0. 11.	+. Dam. III. t. 550.
	tenuifolium. Wa	slender-leaved.		CBS	1790 45 G	4. Lam. ill. t. 388.
	OXALIS, W.	WOOD-SORREL.	Geraniæ? J.	С. Б. Б.	1/50. 4.0. 0	+ · Dam. III. L. 300.
	1 monophylla. W.	simple-leaved.		CRS	1774 10 11. G.	4. Jac. ox. t. 79. f. 3.
	2 rostrata, W.	beaked.		O. D. S.	1795. — G. 1	1. ——— t. 99
	8 asinina. W.	ass's-eared.			1799 11.19 G.	1. — t. 22. 4. — t. 24. 4. — t. 26.
	4 lanceæfolia. W.	spear-leaved.			1795 10 11 G.3	t 96
	5 leporina. W.	hare's-eared.			1705 10 11 (+)	1 + 05
	6 crispa. W.	curled.			1793. — G. 3	1 t. 23
	7 fabæfolia. W.	Bean-leaved.			1794. — G. 1	t. 23. t. 23. t. 27.
	8 laburnifolia. W.	Laburnum-lead.			1793. 9.10. G.	1 t. 28.
	9 sanguinea. W.	bloody-leaved.			1795. 10.12.G.	1 1. 29.
	10 ambigua. W.	ambiguous.			1790, 9.12, G.	L t. 43.
	11 undulata. W.	wave-leaved.			1795, 10.11 G. 2	1 t. 44.
	12 fuscata. W.	brown-spotted.			5.6. G.7	t. 45.
	13 tricolor. W.	three-coloured.			1794. 10.12. G. 7	1 t. 47.
	14 yariabilis. W.	variable.			1205 - G 1	1
	15 grandiflora. W.	great-flowered.			1790. — G. 2	1. ——— t. 54.
	16 sulphurea. W.	sulphur-colourd.			1705 10 11 G 1	1 + 62
	17 flaccida. W.	flaccid.			1812. — G.7	1. — t. 51.
	18 purpurea. W.	purple.			G.2	1 t. 56.
	19 speciosa. W.	specious.			1690. 9.11. G. 2	L
	20 Acetosella. W.	common.		Britain.	4.5. H.2	. Eng. bot. 762.
	21 marginata. W.	green-margined.		ODE		
	22 pulchella. W.	beautiful.			1705 10 11 G 1	+ 60
	23 obtusa. W.	blunt-leaved.			1812 G. 7	i. — t. 79. f. 1.
	24 lanata. W.	woolly-leaved.			1791 G. 2	1 t. 77. f. 2.
	25 tenella. W.	slender.			1793. 4.5. G.1	t. 69. t. 79. f. 1. t. 77. f. 2. t. 19.
1	26 compressa. W.	compressed.			1794. 12.1. G.2	t. 78. f. 3.
	27 sericea. W.	silky.			4.5. G.2	t. 78. f. 3. t. 77. f. 1. t. 80. f. 2. 2. t. 6. f. 1.
	28 violacea. W.	violet-coloured.		N. America.	1772. 5.6. H.2	1 t. 80. f. 2. 2
	29 caprina. W.	Goat's-foot,		C. B. S.	1757. 3.6. G.2	4. — t. 76. f. 1.
	30 cernua. W.	drooping.			L.U. U. Z	
	31 dentata. W.	toothed.			1793.11.12.G.2	t. 7.
		livid.			10.11.G.2	t. 8.
	33 ciliaris. W.	ciliate-leaved.			10.11.G.2 G.2	t. 30.
	34 arcuata. W.	gland-covered.			1795. — G. 2	t. 31.
	35 linearis. W.	linear-leaved.			9.11. G.2	t. 32.
		wedge-shaped,			1793. 4.5. G.2	t. 41. L. — t. 76. f. s.
		smooth.			1795. 5.6. G.2	t. 76. f. s.
	38 bifida. W.	cloven-leaved.			1701 0 10 (7.3	4 70 f 4
		bilobed-leaved.			1815. — G. 2	L. Jac.schæn.2. t.205.
		floating.			1795, 9.12, G.2	L. Jac. ox. t. 76. f. 2.
	11 convexula. W.	convex-leaved.			1789, 11.1, G.2	t. 55.
	12 versicolor. W.	striped-flowered.			1774. 1.3. G.2	Bot. mag. 155.
	13 elongata. W.	elongated.			1791, 9.10, G.2	. Jac. ox. t. 37.
		reclining.			1795, 9.11, G.1	t. 34.
		many-leaved.			1791. 9.1. G.2	. —— t. 39.
		fine-leaved.			1790, 10,11, G. 2	t. 38.
		long-styled.			1793. — G. 2	t. 9.
		hairy-stalked.			1787. — G. 2	t. 13.
		tube-flowered.			1790. — G. 2	t. 10.
		side-flowering.			G. 2	t. 12
		many-flowered.			1789. 2.3. G.2	t. 15.
	s rubella. W.	branching-red.			1791. 9.11. G.2	t, 16.

202		IIIIIIIII I			
53 rosacea. W.	rose-coloured.	Geraniæ? J.	C. B. S.	1793. 9.11. G. 4.	Jac. ox. t. 17.
54 repens. W.	creeping-stalk'd.			3.4. G.4. 1795. 11.12.G.4. 1739. 4.6. G.4.	t. 78. f. 1.
55 reptatrix. W.	creeping-rooted.			1795. 11.12.G. 2L.	t. 20.
56 incarnata. W.	flesh-coloured.			1739. 4.6. G.24.	t. 71.
57 stricta. W.	upright.		N. America.	1658. 6.10. H. 4.	t. 4.
58 Dillenii. W.	annual.		America.	1798. 5.8. H.O.	Dill. elt. t. 221.
59 corniculata. W.	procumbent.		Britain.	1739. 4.6. G. 4. 1658. 6.10. H. 4. 1798. 5.8. H.⊙. 5.10. H. 4. 5.9. G. 4. G. 6. 4.	Eng. bot. 1726.
60 perennans. M. n.	perennial.		N. S. W.	5.9. G. 4.	
61 rubens. M. n.	red-flowered.			G.⊙.	3
62 pentaphylla. B. M.	five-leaved.				
63 tomentosa. W.	downy-leaved.			1791. 4.5. G. 4. 1791. G. 4. 10.11. G. 4. 1790. 9.11. G. 4.	Jac. ox. t. 81.
64 lupinifolia. W.	Lupine-leaved.			10.11. G. 4.	t. 72.
65 pectinata. W.	pectinated.			1790. 9.11. G. 4.	t. 75.
66 flabellifolia. W.	fan-leaved.			1789. — G.4.	t. 74.
67 flava. W.	narrow-leaved.			1789. — G.4. 1775. 3.4. G.4.	Bot. reg. 117.
AGROSTEMMA. W.	Rose-Campion.	Caryophylleæ. J.			
1 Githago. W.	Corn-cockle.		Britain.	6.7. H.⊙.	Eng. bot. 741.
2 nicæensis. W.			Italy.	1794. — H.O.	
3 coronaria. W.	common.			1596. 6.9. H.4.	Bot. mag. 24.
β alba.	white-flowered.				
y plena.	double-flowered.			- TT	n
4 Flos-jovis.	umbelled.		Germany.	1726. 7. H.4.	
5 Cœli-rosa.	smooth-leaved.		Levant.	1713. 7.8. H.4.	295.
LYCHNIS. W.	Lychnis,	Caryophylleæ. J.	n	4500 0 - 77 M	D 4 255
	scarlet.		Russia.	1596. 6.7. H.4.	Bot. mag. 257.
β alba.	white-flowered.				
γ plena. 2 Floscuculi. W.	double-flowered.	-	Dritain	CO II N	English to
3 coronata. W.	Ragged Robin.		China	6.9. H.4.	
4 quadridentata. W.	Chinese. four-toothed.		Unita.	1774. 6.9. G. 4.	
5 viscaria. W.	viscid.		Rritain		Jac. aust. 2. t. 120.
6 alpina. W.	Alpine.		Scotland	H.4.	
7 læta. W.	small.		Portneyl.	1778. 7. H.O.	2204.
8 diurna. With.	red-flowered.		Rritain	6.7. H.4.	Free hot 1570
sylvestris. IV. en.			Diream.	0.7. 11.4.	111g. bot. 1979.
				H.21.	1580.
9 vespertina. With.	white-flowered.			— Н. 24.	1580.
9 vespertina. With. dioica. W. en. dioi	white-flowered. ca alba. E. B.			— Н. 4.	1580.
9 vespertina. With.	white-flowered. ca alba. E. B. Mouse-ear	Caryophylleæ. J.		— н. ұ.	1580.
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWUED	Caryophylleæ. J.			
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W.	white-flowered. ca alba. E. B. { Mouse-ear } Chickweed } perfoliate.	Caryophylleæ. J.		1725. 6.7. H.⊙.	Dill.elt.t.217.f.284
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W.	white-flowered. ca alba. E. B. { MOUSE-EAR { CHICKWEED } perfoliate. common.		Greece. Britain.	1725. 6.7. H.⊙. 4.6. H.⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved.	Caryophylleæ. J.	Greece. Britain.	1725. 6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. H.↓.	Dill.elt.t.217.f.284 Eng. bot. 789.
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading.	Caryophylleæ. J.	Greece. Britain.	1725. 6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. H.↓.	Dill.elt.t.217.f.284 Eng. bot. 789.
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered.	Caryophylleæ. J.	Greece. Britain.	1725. 6.7. H.⊙. 4.6. H.⊙. 4.9. H. 4. H. 4. 1816. 4.5. H. 4.	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland	1725. 6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. H.↓.	Dill.elt.t.217.f.284 Eng. bot. 789.
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland	1725. 6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. H.↓. 1816. 4.5. H.↓. 3.4. H.⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain.	1725. 6.7. H. ① 4.6. H. ② 4.9. H. 4 H. 4. 1816. 4.5. H. 4 3.4. H. ② 5.6. H. ⊙.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain.	1725. 6.7. H. ① 4.6. H. ② 4.9. H. ¼ H. ¼ 3.4. H. ② 5.6. H. ②. 1804. 7. H. ③.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain.	1725. 6.7. H. ① 4.6. H. ② 4.9. H. ¼ H. ¼. 1816. 4.5. H. ¼ 3.4. H. ② 5.6. H. ③. 1804. 7. H. ③ 5.8. H. ¼. 1725. 6.7. H. ④.	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W.	white-flowered. ca alha. E. B. { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia.	1725. 6.7. H. ① 4.6. H. ② 4.9. H. ¼ H. ¼ 1816. 4.5. H. ¼ 5.6. H. ③. 1804. 7. H. ③ 5.8. H. ¼	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Eurone.	1725. 6.7. H. ① 4.6. H. ② 4.9. H. ¼ H. ¼ 1816. 4.5. H. ¾ 5.6. H. ③ 5.8. H. ¾. 1725. 6.7. H. ③ H. ¼ 1816. H. ¼ 1759. 5.7. H. ¼	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W.	white-flowered. ca alba. E. B. { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria.	1725. 6.7. H. ① 4.6. H. ② 4.9. H. ¼ H. ¼ 1816. 4.5. H. ¾ 5.6. H. ③ 5.8. H. ¾. 1725. 6.7. H. ③ H. ¼ 1816. H. ¼ 1759. 5.7. H. ¼	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffrutiose.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe.	1725. 6.7. H. © 4.6. H. © 4.9. H. ½ H. ½. 1816. 4.5. H. ½ 5.6. H. ©. 1304. 7. H. © 5.8. H. ½. 1725. 6.7. H. © H. ½. 1759. 5.7. H. ½. 1798. H. ½.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. Austria. Sturope. Siberia.	1725. 6.7. H. © 4.6. H. © 4.9. H. ½ H. ½. 1816. 4.5. H. ½ 5.6. H. ©. 1304. 7. H. © 5.8. H. ½. 1725. 6.7. H. © H. ½. 1759. 5.7. H. ½. 1793. H. ½. 1792. 6.7. H. ©.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.	1725. 6.7. H. © 4.6. H. © 4.9. H. ½ H. ½ 3.4. H. © 5.6. H. ©. 1304. 7. H. © 5.8. H. ½. 1725. 6.7. H. © H. ½. 1799. H. ½. 1799. H. ½. 1799. G.7. H. ½. 1791. G.7. H. ½. 1792. 6.7. H. ½.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W.	white-flowered. ca alba. E. B. { MOUSE-EAR } { CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. Austria. Sturope. Siberia.	1725. 6.7. H. © 4.6. H. © 4.9. H. ½ H. ½ 3.4. H. © 5.6. H. ©. 1304. 7. H. © 5.8. H. ½. 1725. 6.7. H. © H. ½. 1799. H. ½. 1799. H. ½. 1799. G.7. H. ½. 1791. G.7. H. ½. 1792. 6.7. H. ½.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica.	white-flowered. ca alha. E. B. { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain.	1725. 6.7. H.⊙ 4.6. H.⊙ 4.9. H.↓ H.↓. 1816. 4.5. H.↓ 5.6. H.⊙ 5.6. H.⊙ 5.8. H.↓. 1725. 6.7. H.⊙ H.↓. 1759. 5.7. H.↓. 1793. H.↓. 1792. 6.7. H.⊙. 1815. 5.9. H.↓. 1.↓.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain.	1725. 6.7. H.⊙ 4.6. H. ⊙ 4.9. H. ¼ H. ¼. 1816. 4.5. H. ૐ 5.6. H.⊙. 1304. 7. H.⊙ 5.8. H. ¾. 1725. 6.7. H.⊙. 1816. H. ¼. 1759. 5.7. H. ¼. 1793. H. ¾. 1792. 6.7. H.⊙. 1815. 5.9. H. ¾. 1796. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W. 20 latifolium. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain.	1725. 6.7. H. © 4.6. H. © 4.9. H. ½ H. ½ 3.4. H. © 5.6. H. ©. 1804. 7. H. © 5.8. H. ½. 1725. 6.7. H. © H. ½. 1759. 5.7. H. ½. 1793. H. ½. 1792. 6.7. H. ©. 1815. 5.9. H. ½. 1766. 6.7. H. ½ 7. H. ½.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicanle. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W. 20 latifolium. W. 21 tomentosum. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Spain. Spain. Britain. S. Europe.	1725. 6.7. H. © 4.6. H. © 4.9. H. ¼ H. ¼ 3.4. H. © 5.6. H. © 5.8. H. ¼. 1725. 6.7. H. © H. ¼. 1793. H. ¼. 1799. 6.7. H. ©. 1792. 6.7. H. ©. 1792. 6.7. H. ©. 1793. H. ¼. 1794. H. ¼. 1795. 5.9. H. ¼. 1796. H. ¼. 1792. 6.7. H. ©. 1792. 6.7. H. ©. 1793. H. ¼. 1794. H. ¼. 1795. 5.9. H. ¼. 1796. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W.	white-flowered. ca alba. E. B. { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Spain. Spain. Britain. S. Europe.	1725. 6.7. H. © 4.6. H. © 4.9. H. ¼ H. ¼ 3.4. H. © 5.6. H. © 5.8. H. ¼. 1725. 6.7. H. © H. ¼. 1793. H. ¼. 1799. 6.7. H. ©. 1792. 6.7. H. ©. 1792. 6.7. H. ©. 1793. H. ¼. 1794. H. ¼. 1795. 5.9. H. ¼. 1796. H. ¼. 1792. 6.7. H. ©. 1792. 6.7. H. ©. 1793. H. ¼. 1794. H. ¼. 1795. 5.9. H. ¼. 1796. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. SPERGULA. W.	white-flowered. ca alha. E. B. { MOUSE-EAR } CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Seurope. Hungary.	1725. 6.7. H. © 4.6. H. © 4.9. H. ½ H. ½. 1816. 4.5. H. Ø 5.6. H. ©. 1804. 7. H. © 5.8. H. ½ 1725. 6.7. H. © H. ½ 1816. H. ½ 1759. 5.7. H. ½ 1793. H. ½ 1792. 6.7. H. ©. 1815. 5.9. H. ½ 1792. 6.7. H. ©. 1816. H. ½ 1792. 6.7. H. Ø. 1816. H. ½ 1793. H. ½ 1796. H. ½ 1796. H. ½ 1796. H. ½ 1797. H. ½ 1798. H. ½ 1798. H. ½ 1799. H. ½	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 3PERGULA. W. 1 arvensis. W.	white-flowered. ca allaa. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY. rough-seeded.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Seurope. Hungary.	1725. 6.7. H.⊙ 4.6. H.⊙ 4.9. H.↓ H.↓. 1816. 4.5. H.⊙ 5.6. H.⊙. 1804. 7. H.⊙ 5.8. H.↓. 1725. 6.7. H.⊙ H.↓. 1816. H.↓. 1759. 5.7. H.↓. 1798. H.↓. 1799. H.↓.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 3PERGULA. W. 1 arvensis. W. 2 pentandra. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. Spurrey. rough-seeded. smooth-seeded.	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Seurope. Hungary.	1725. 6.7. H.⊙ 4.6. H.⊙ 4.9. H.↓ H.↓. 1816. 4.5. H.⊙ 5.6. H.⊙. 1804. 7. H.⊙ 5.8. H.↓. 1725. 6.7. H.⊙ H.↓. 1816. H.↓. 1759. 5.7. H.↓. 1798. H.↓. 1799. H.↓.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 3PERGULA. W. 1 arvensis. W.	white-flowered. ca alha. E. B. { MOUSE-EAR } CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY. rough-seeded. smooth-seeded. knotted.	Caryophylleæ. J. Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Spain. Britain. S. Europe. Hungary. Britain. England. Britain.	1725. 6.7. H. ©	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 3PERGULA. W. 1 arvensis. W. 2 pentandra. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY. rough-seeded. smooth-seeded. knotted. smooth awl-	Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Spain. Britain. S. Europe. Hungary. Britain. England. Britain.	1725. 6.7. H. ©	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicanle. B. M. 18 aquaticum. W. 20 latifolium. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. SPERGULA. W. 1 arvensis. W. 2 pentandra. W. 3 nodosa. W. 4 saginoides. W.	white-flowered. ca alha. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY. rough-seeded. smooth-seeded. knotted. { smooth awl- shaped.	Caryophylleæ. J. Caryophylleæ. J. Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Scotland. Britain. Scotland.	1725. 6.7. H. ①	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
9 vespertina. With. dioica. W. en. dioica. W. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 25 perfolla. W. 1 arvensis. W. 2 pentandra. W. 3 nodosa. W.	white-flowered. ca alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY. rough-seeded. smooth-seeded. knotted. smooth awl-	Caryophylleæ. J. Caryophylleæ. J.	Greece. Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain. Spain. Britain. Spain. Britain. Spain. Britain. Scotland. Britain. Scotland.	1725. 6.7. H. ①	Dill.elt.t.217.f.284 Eng. bot. 789. ———————————————————————————————————

DECAGYNIA.

PHYTOLACCA. W.	PHYTOLACCA.	Chenopodeæ. B. P.				
1 octandra. W.	white-flowered.	N	Mexico. 1	1732. 7.11	. S. 4.	Dill.elt.t.239.f.308
2 abyssinica. W.						Hoff. c. goet. t. 2.
3 dodecandra. W. en.	recurved-leaved.			5.6.	S. 4.	
5 icosandra. W.	red.		E. Ind. 1	758. 7.11	S.4.	Mill. ic. t. 207.
6 dioica. W.	tree.	S	. America. 1	768	S.h.	L'Her.st.nov.t.70.

CLASS XI.

DODECANDRIA MONOGYNIA.

ASARUM. W.	ASARABACCA.	Aristolochiæ. J.				
1 curopæum. W.	common.		England.	5.	H.4.	Eng. bot. 1083.
2 canadense. W.	Canadian.		Canada.	1713. 4.7.	H.4.	Lam. ill. t.394.f.2.
3 virginicum. W.	sweet-scented.		Virginia.	1759. 4.5.	H.4.	Pluk.alm.t.78.f.2.
BOCCONIA. W.	BOCCONIA.	Papaveraceæ. J.				
1 frutescens. W.	Tree Celandine.		W. Ind.	1739. 1.4.	S. h.	Lam. ill. t. 394.
2 cordata. W.	heart-leaved.		China.	1795. 5.8.	H.4.	Bot. mag. 1905.
BASSIA. W.	Bassia.	Sapoteæ. J.				_
1 longifolia. W.	long-leaved.		E. Ind.			Lam. ill. t. 398.
2 latifolia. W.	broad-leaved.			1799	S.h.	Rox. cor. 1. t. 19.
BLAKEA. W.	BLAKEA.	Melastomeæ. J.				
trinervia. W.	three-ribbed.		Jamaica.	1789. 6.7.	S. L.	Bot. mag. 451.
BEJARIA. Ph.	BEJARIA.	Rhodoraceæ. J.			Ī	9
racemosa. Ph.	sweet-scented.		Florida.	1810. 6.7.	G.h.	Vent. cels. t. 51,
GARCINIA. W.	MANGOSTEEN.	Guttiferæ. J.				
Mangostana. W.	common.		Java.	1789	S. b.	Lam. ill. t. 405.
HALESIA. W.	SNOWDROP-TREE	E.Ebenaceæ. B. P.				
1 tetraptera. W.	four-winged.		Carolina.	1756. 4.5.	Н. Ь.	Bot. mag. 910.
2 diptera. W.	two-winged.		N. America.	1758	Н. Б.	Cav. dis. 6. t. 187,
DECUMARIA. W.	DECUMARIA.	Myrti. J.				
1 barbara. Ph.	smaller.		Carolina.	1785. 7.8.	H.b.	
2 sarmentosa. Ph.	larger.					Act. par. 1. t. 13.
ARISTOTELIA. W.	ARISTOTELIA.					
Macqui. W.	shining-leaved.		Chili.	1773. 4.5.	H. b.	Lam. ill. t. 399.
CANELLA. W.	CANELLA.	Meliæ. J.				
alba. W.	Laurel-leaved.		W. Ind.	1735	S.b.	Linn. trans. 1. t. 8.
CRATÆVA. W.	GARLICK-PEAR.	Capparides, J.				
1 gynandra. W.	thin-leaved.	11	Jamaica.	1789	S.b.	Pluk.alm. t.147.f.6.
2 Tapia. W.	smooth.		India.	1752	S.b.	Com. hort. 1. t. 67.
3 fragrans. H. K.	sweet-scented.		SierraLeone.	1795. 6.7.	S.h.	Bot. mag. 596.
TRIUMFETTA, W.	TRIUMFETTA.	Tiliaceæ. J.				8
1 Lappula. W.	prickly-seeded.		Jamaica.	1739. 7.8.	S.b.	Plum. ic. t. 255.
2 Bartramia. W.	Currant-leaved.		E. Ind.	6.7.		Rump.am.6.t.25.f.2
3 semitriloba. W.	Mallow-leaved.		W. Ind.	1773. 7.		Jac. vind. 3. t. 76.
4 grandiflora. W.	large-flowered.			1810		•
5 annua. W.	annual.		E. Ind.	1760. 8.9.		Mill. ic. 2. t. 298.
PEGANUM. W.	PEGANUM.	Rutaceæ, J.				
1 Harmala. W.	Syrian-Rue.		Spain.	1570. 7.8.	H. 24.	Lam. ill. 401.
2 dauricum. P. S.	Milkwort-leav'd.		Siberia.			Gmel. sib. 4. t. 68,
HUDSONIA. W.	Hudsonia.	Ericeæ? J.			•	
ericoides. W.	Heath-leaved.		N. America.	1805. 5.7.	F. b.	Hort. ber. 15.
NITRARIA. W.	NITRARIA.	Ficoideæ. J.				
Schoberi. W.	thick-leaved.		Siberia.	1778. 5.8.	н.ь.	Bot. rep. 529.
PORTULACA. W.	PURSLANE.	Portulaceæ. J.		2,,0,0,0,0,0		2000 1000 0220
1 sativa. H. S.	garden.	Tortunice. 5.	S. America.	1652, 8.9.	H.O.	
B aurea.	golden.			- 30-1 0.01		
2 oleracea, H.S.	small.		Europe.	1562, 6.7.	H.O.	Plant. grass. 123.
3 parvifolia. H. S.	small-leaved.		Jamaica.	1799. 8.	S.O.	P. inos. 170.
4 pilosa. W.	hairy.		W. Ind.	1690. 6.		Herm. par. t. 215.
5 quadrifida. W.	creeping.	N-1	E. Ind.			Jac. col. 2. t. 17.f.4.
6 meridiana, W.	moonday.			1791. 5.6.		

100					
TALINUM. H. S.	TALINUM.	Portulaceæ. J.			
1 triangulare. W.	triangular.		W. Ind.	1739. 89. Sh.	Jac. obs. 1. t. 23. Jac. vind. 3. t. 52. Jac. vind. 1. t. 151. Bot. mag. 1543.
2 crassifolium. W.	thick-leaved.		** * ******	1800 S. h	Jac wind 3 t 59.
	spreading-flowd.	1	S America	1776 9 10 8 7	Isa vind 1 t 151.
3 patens. W.	yeilow-flowered.		Co. Timerica.	1900 - 6 7	Pat mar 1542
4 reflexum. H. S. ANACAMPSEROS.L.	A MAGAMBERDOS	Dortuleseen I D	uliumia II C	Takini on W	Dot. mag. 1343.
1 rotundifolia.	round-leaved.	Fortulaceæ. J. A	C D &		Diant grace 9
			C. D. S.	1732. 7.9. G.h.	Plant. grass. 5.
Talinum Anacamps	eros. W			1000 (1)	D-4 19/2
2 arachnoides. B. M.	cobweb.			1790. — G. h.	Bot. mag. 1368.
3 rubens. H. S.	red-leaved.	***************************************		1790. — G.h. 1796. — G.h. 1795. 8.9. G.h.	D 4
4 filamentosa. B. M.	thready.			1796. — G. 4.	Bot. mag. 1367.
5 lanceolata. H. S.	spear-leaved.	2 11 1 7		1796. — G. 4.	
LYTHRUM. W.	LYTHRUM.	Salicariæ. J.			
1 Salicaria. W.	common.		Britain.	7.8. H.4.	Eng. bot. 1061.
2 verticillatum. W.	whorl-flowered.	·	N. America.	1759. 7.9. H.4.	
3 virgatum. W.	fine-branched.		Anstria.	1776. 6.9. H.4.	•
4 triflorum. W.	three-flowered.		America.	1802. 8. H.4.	
5 alatum. Ph.	winged-stalked.		N. America.	1812. 5.11. G. 4.	Bot. mag. 1812.
6 lineare. W.	white-flowered.			7.8. H.4. 8. H.⊙.	
7 hyssopifolium. W.	Hyssop-leaved.		England.	8. H.⊙.	Eng. bot. 292.
CUPHEA. Jac.	CUPHEA.	Salicariæ. J.			
1 viscosissima. W.	clammy.		America.	1776. 7.8. G. J.	Jac. vind. 2. t. 177.
2 procumbens. Cav.	procumbent:	•	Mexico.	1816. 7.9. G.⊙.	Bot. reg. 182. 20. 102
3 Îanceolata. H. K.	smooth-styled.			1796 S. J.	
4 decandra: H. K.	decandrous.		Jamaica.	1789. 6.10. S.h.	
KLEINHOFIA. W.	KLEINHOFIA.	Malvaceæ. J.		•	
Hospita. W.	heart-leaved.		E. Ind.	1800 S. b .	Cav. dis. 5. t. 146.
F		**			,
		DIGYNIA			
CALLICOMA. B. R.	CALLICOMA.	Cunoniacea. Br.	•		4.0
serratifolia. B. R.	saw-leaved.	- Cuitounaceur Div	NS.W.	1793. 5 8. G. h.	Bot. rep. 566. 191
HELIOCARPUS. W.		Tiliaceæ. J.	11. 51 17.	17500 0.51 0.70	Bott tept toot
americanus. W.	American.	Timecar or	Vera Cruz	1733 S. h.	Lam ill. t. 4094
AGRIMONIA. W.	AGRIMONY.	Rosaceæ. J.	vera eraz.	1700 13.77.	234111111111111111111111111111111111111
	common.		Pritain	6.7. Н. 4.	Eng hot 1335.
1 Eupatoria. W.			Italii.	1640 5 H 2	Mig. 50t. 1000
2 odorata. W.	sweet-scented.		Tuny.	1640. 7. H.4.	
8 repens. W.	creeping.		Levant.	1737. 7.9. H.4.	
4 parviflora. W.	small-flowered.			1766. 7. H. 24.	
5 striata. Ph.	white-flowered.			1812. 6.8. H. 4.	0.1
6 Agrimonoides. W.	three-leaved.		Italy.	1739. — H. 4.	Col. ecphr. 1.t.144.
		and to start		•	Α.
	_	TRIGYNL	1.		•
RESEDA. W.	RESEDA.	Capparides? J.	~	. *** 0	T - 1-4 000
1 Luteola. W.	Dyer's-weed.		Britain.	6.7. H.⊙.	Eng. bot. 320.
2 canescens. W.	hoary.		Spain.	1597. 5.7. H.4.	Clus. hist. 1. t. 295.
S glauca. W.	glaucous.		S. Europe.		Pluk.alm.t.107.f.2.
4 dipetala. W.	Flax-leaved.		C. B. S.	1774. 8. G.J.	
5 scoparia. W. en.	Broom-like.		Teneriffe.	1815. 8.9. G.h.	
6 sesamoides. W.	spear-leaved.		France.	1787. 7.8. H.⊙.	All.ped.2.t.88.f.3.
7 fruticulosa. W.	shrubby.		Spain.	1794. 9. G.h.	Jac. ic. 3. t. 474.
8 alba. W.	upright white.		S. Europe.	1596. 5.10. H. J.	Lob. ic. 222.
9 undata. W.	wave-leaved.		Spain.	1739. 6.8. H.4.	Bar. rar. t. 587.
10 bipinnata. W. en.	bipinnate-leaved.			1816 G. h.	
11 stricta. P. S.	rock.			H. 4.	
savatilis. W. en.				•	
12 ramosissima. W. en	. branching.			H. 4.	
13 lutea. W.	Base-rocket.		Britain.		Eng. bot. 321n
14 Phyteuma. W.	trifid.		S. Europe.		Jac. aust. 2. t. 132.
15 mediterranea. W.	Mediterranean.		Palestine.	1791. — H.O.	
16 odorata. W.	Mignonette.		Egypt.	1752. 6.10. H.⊙.	
B frutescens.	tree Mignonette.		-91kg.	G.h.	
EUPHORBIA. W.	Spurge.	Euphorbiæ. J.		G. 17 .	
1 uncinata. H. K.	twin-spined.		C. B. S	1795.69 DS L	Plant. grass. 151.
2 trigona. H. S.	unright triangult		E Ind	1768. 7.8. D.S. h.	
3 antiquorum. H.S.	spreads triangul.		E. Ind.	1600 DC L	Rheed.mal. 2. t. 42.
4 lactea. H. S.	marbled.				
				1804. — D.S. h.	
5 canariensis. W.	Canary.		Canaries.	1697. 3.4. D.S. h.	
6 heptagona. W.	seven-angled.		C. B. S.	1731.7.11.D.S. h.	Brad. suc. 2. t. 13,
7 enneagona. W.	nine-angled.		-	1790.7.10.D.S. h.	Com prod + 0.
& mammillaris. W.	warty-angled.	/	***************************************	1759. 7.8. D.S. h.	com. præt. t. se

DODECANDRIA TRIGYNIA.

•	9	cereiformis. W.	naked.	Euphorbiæ. J.	C. B. S.	1731. 6.7. D.S. h.	Burm. afr. t. 9. f. 3.
		officinarum. W.	officinal.		Africa.	1597 D.S. h.	
	11	polygona. H. S.	many-angled.		C. B. S.	1790. 7.9. D.S. h.	
	12	neriifolia. W.	Oleander-leaved.		India.	1690. 6.7. D.S. h.	
	13	Hystrix. W.	Porcupine.		C. B. S.		Jac.scheen.2.t.207.
	14	varians. H. S.			E. Ind.	1800D.S. h.	~
		grandifolia, H. S.	great-leaved.		SierraLeone.	1798 D.S. h.	** ** ** *
)		cucumerina. W.	Cucumber-like.			DS.h.	
	17	meloformis. W.	Melon-like.			1774. 5.9. D.S. h.	Bot. rep. 617.
	18	Caput-medusæ. W.	GreatMedu-		Africa.	1731. 8. G.h.	Com. præl. t. 7.
	19	tessellata. H. S.				1788 G. h.	
		fructuspina. H. S.	Small M. Head.				Plant. grass. 150.
		procumbens. H. S.	Leget M Head			1768 G.h.	Plant. grass. 150. Burm. afr. t.10. f. 1.
		patula. H. S.	spreading.			G.b.	
		anacantha. W.	scaly.			1727. 9.10. G. h.	Plant. grass. 144.252
	24	clava. W.	club.		,	1774. 3.8. G. h.	Jac. ic. 1. t. 85. Jac. schæn. 1. t. 106.
	2 5	bupleurifolia. W.	cone-shaped.			1791. 6.7. D.S. h.	Jac.schæn.1.t.106.
		mauritanica. W.	Barbary.	4	Africa.	1739. 6.8. G.L.	Dill. elt.t.289.f.373
	27	Lamarckii.	Lamarck's.			1808 G. h.	
		mauritanica. Lam.					
		hamata. H. S.	hooked.	-	C. B. S.		Burm. afr. t. 6. f. 3.
		Ornithopus. W. en.			FD	1816. 6.8. G.h.	Jac. frag. t. 120.
		aphylla. W. en.	leafless.		Teneriffe.	1815. — G.h.	
		balsamifera. W.	Balsam.		India.	1779 G.h.	Dheed mal 0 444
		Tirncalli. W.	Indian Tree.		Tanaviffa		Rheed. mal. 2. t.44,
		atropurpurea.W.en. piscatoria. W.	smooth spear-ld.		Cuporine	1815 G.h.	
		bracteata. H. S.	bracteated.		Canaries.	1809 S. h.	Jac-schen.2.t.276.
		pendula. H. S.	pendulous.			1808 D.S.h.	vac.scncn.2. 6.270.
		<u> </u>	Myrtle-leaved.		S. America.	1699. 6.7. D.S. h.	Herm, par. 934.
		padifolia. H. S.	Laurel-leaved			D S L	Dil.elt.t.298.f.372.
		cordellata. H. S.	small heart-lead.			1795 D.S. h. 1690. 4.9. S.h. 1768 H. h.	
		heterophylla. W.	various-leaved.		W. Ind.	1690. 4.9. S.h.	Plum. ic. t.251. f.3
		dendroides. W.	tree-like.		Italy.	1768 H.h.	
	42	cyathophora. W.	coloured.		S. America.	1806. 7.8. S.h.	Jac. ic. 3. t. 480 R 76
	43	repanda. H. S.	waved.		E. Ind.	1808. 8. S. J.	\$
	44	biglandulosa. H.S.	twin-glanded.		Is. Bourbon.	9. S.h.	
		nudiflora. Jac.	naked-flowered.		, . ,	1800. 8. S.h.	Jac. ic. 3. t. 470.
		cotinifolia. W.	Cotinus-leaved.		S. America.	1690. 7.8. S.h.	Com. hort. 1. t. 15. Bot. mag. 883.
		petiolaris. H. K.	long-stalked.		W. Ind.	1800. 5.6.D.S. h.	Bot. mag. 883.
		mellifera. W.	honey-bearing.		Madeira.	1784. 4.5. G.h. 1794 S.h. 1811. 9. H	1305.
		linarifolia. W.	Toad-flax-leaved		T	1794 S. h.	Jac. ic. 1. t. 86.
		variegata. B. M.	pye-balled.		Louisiana.	1811. 9. H.⊙.	Bot. mag. 1747.
		prunifolia. H. K.	Plum-leaved.		C Amountag	1799. 6.7. G. 8. 1733. 6.8. S. O.	Jac.schæn.3. 1.277.
		ocymoidea. W.	Basil-leaved.		N. America.	1806. 6.7. H.O.	
		dentata. Ph. hypericifolia. W.	Hypericum-lead.		America	1797 60 H.O.	Com real + 10
		Humboldtii. W. en.			S Amarica	1727. 6.9. H.⊙. 1809. 7.10. S.4.	com. prat. t. 10,
		prostrata. W.	trailing red.		XX7 Ind	1550 - 60	
		rosea. W.	rosy.		E. Ind.	1808. 8. S.O.	
		maculata. W.	spotted.		S. America.	1660. 7. H.⊙.	Jac. vind. 2. t. 186.
		picta. W.	painted.			1789. 5.7. S.4.	Jac. ic. 3. t. 477.
		pilulifera. W.	globular.		F Ind		3. t. 478.
	€1	hyssopifolia. W.	Hyssop-leaved.		W. Ind.	1787. 8.9. S.O.	
	62	thymifolia. W.	Thyme-leaved.		India.	1699. 7.8. S.O.	Pluk.alm.t.113.f.2.
	63	Chamæsyce. W.	scollop-leaved.			1752 H.O.	Moris.s.10.t.2.f.19.
		Peplis. W.	purple.			 H.⊙.	Eng. bot. 2002.
		polygonifolia. W.	Knot-grass-lead.		N. America.		Jac. col. s. t. 13. f. 3.
		Ipecacuanhæ. Ph.	Ipecacuanha.			1812. — H.4.	
		Peplus. W.	petty.			7.8. H.⊙.	
		falcata. W.	sickle-leaved.				Jac. aust. 2. t. 121.
		exigua. W.	dwarf.				Eng. bot. 1336.
		minima. H. S.	least.			1800. 7.9. H.⊙.	
		micrantha. W.	small-flowered.		Persia.	1803. — H.⊙.	D
		tuberosa. W. Lathyris. W.	tuberous.		Ethiopia.	1800. 10.12. G. J ₂ .	
		valenting. P. S.	Caper. Spanish.		England.	5.10. H.J.	Eng. bot. 2255.
		diffusa. W.	ditiuse.			1804. 7.8. H.O.	Jan in 1 4 00
		Apios. W.	Pear-rooted,		Candia.	1798. — H.⊙. 1596. 6.7. H.↓.	0 10. 1. 6. 88.
	, ,			P 2	- w w-M1	20000 0010 22.240	

DODECANDRIA DODECAGYNIA.

4							
77 læta. W.	Mezereon-leaved.	Euphorbiæ. J.		1758.	6.7.	G.h.	Jac. ic. 1. t. 87.
78 genistoides. W.	Genista-like.		C. B. S.	1808.			
79 spinosa. W. 80 nummulariæfolia	prickly.			1710.	5.9.	F.h.	Herm. lugd. t. 601.
W. en.	Moneywort-1d.			1800.	7.	G.h.	
81 epithymoides. W.	broad-leaved.		Austria.	1805.	5.6.	H.4.	Bot. rep. 616. 2253
82 dulcis. W.	sweet.		· S. Europe.	1759.		H. 4.	Jac. aus. 3. t. 213.
83 carnielica. W.	Carniolian.						Scop. carn. t. 21.
84 Pithyusa, W.	Juniper-leaved.		S. Europe.				Bocc. sic. t. 5.
85 portlandica. 86 Paralias. W.	Portland.		- Britain. England				Eng. bot. 441.
β suffruticosa.	shrubby sea.					T3 T	
87 rigida. H. S.	wierid			1795.	7.8.	H.b.	Too schoon 1 t 107
88 juncea. W.	rushy.		· Madeira.	1//3.		U . 44 .	gaciscincin, i. i. i. i. i.
89 aleppica. W.	Aleppo.		Crete.	1739.		F.4.	Alp. exot. t. 64. Jac. aus. 5. t. 450.
90 segetalis. W.	corn. double-umbelled		S. Europe.	1699.		H.⊙.	Jac. aus. 5. t. 450.
91 biumbellata. P. S. 92 angustifolia. H. S.	narrow-leaved.		barbary.	1780.		H.4.	Poir.it.ed.germ.t.1.
93 multicorymbosa.							
H. S.	many-flowered.		• • • • • • • • • • • • • • • • • • • •	1805.	7.	H.4.	
94 provincialis. W.			S. Europe.	1800.	8.11.	н.⊙.	
95 juncoides. H. S.	Rush-like.				7.	§.⊙.	
96 helioscopia. W.	Wartwort.		- Britain.				Eng. bot. 883.
97 serrata. W. 98 cretica. H. S.	Cretan hoary.		Levent	1768.		•	Jac. ic. 3. t. 483.
99 punicea. W.	scarlet-flowered.		- Jamaica.				Bot. reg. 190.
100 verrucosa. W.	warted		France				Moris.s.10. t.3. f.3.
101 corollata. W.	great-flowered.		N. America.	1803.	7.9.	H.4.	Pluk.man. t.446.f.3
102 spathulæfolia.H.S.			•	1800.			
103 corallioides. W.	Coral-stalked.		- S. Europe.	1752.	6.9.	н.4.	
104 androsæmifolia. }	Tutsan-leaved.		- Hungary.	1804.	7.9.	H.4.	
105 pilosa. W.	hairy.		- Siberia.	1758.	5.8.	Η. μ.	Gmel. sib. 2. t. 93.
106 orientalis. W.	oriental.		- Levant.	1739.			
107 platyphyllos. W.	annual warty.		- England.				Jac. aust. t. 376.
108 stricta. E.B.	upright warty.						Eng. bot. 333.
109 literata. W.	blotch-leaved.		Daitain				Jac. ic. 3. t. 482.
110 Esula. W. 111 sylvatica. W.	leafy-branched. wood.		- S Europe			F.h.	Eng. bot. 1399.
112 Gerardiana. W.	Gerard's.		- Germany.				Jac. aust. t. 436.
113 Cyparissias. W.	Cypress.		- England.				Eng. bot. 840.
114 virgata. W. en.	twiggy.		- Hungary.	1807.	7.	H.4.	Pl. rar. hung. t.162.
115 myrsinites. W.	glaucous.		- S. Europe.			H.4.	
116 imbricata. P. S.	imbricated.		- Portugal.			F.h.	T :- 0 4 405
117 nicæensis. W. 118 palustris. W.	sharp-leaved. marsh.		- Sweden				Jac. ic. 3. t. 485. Fl. dan. 866.
119 emarginata. W.	freckled.		- Italy.			H. 4.	ri. dan. coo.
120 hiberna. W.	Irish.		- Britain.				Eng. bot. 1337.
121 salicifolla. W.	Willow-leaved.		- Hungary.	1804.		- H. 4.	Pl. rar. hung. t. 55.
122 amygdaloides. W.			- England.				Eng. bot. 256.
123 Characias. W. VISNEA. W.	upright red.	Ebenaceæ. J. A	Joannana I			- F. h.	442.
Mocanera. W.	VISNEA. Canary.	Ebenaceæ. 5. A		1815.		G. h.	
moemera. W.	Canary.		Culturiesi	1010.			
		TETRAGYNIA	1.				
CALLIGONUM. W.		Polygoneæ. J.					
Pallasia. W.	Caspian.		- Caspian Sea	. 1780.	8.	H.h.	Pall. ros. 2. t. 77. 78.
		PENTAGYNIA	A				
GLINUS. W.	GLINUS.	Ficoideæ. J.					
lotoides. W.	hairy.		- S. Europe.	1788.	7.	G.O.	Boc. sic. 21. t. 11.
		DODECAGYNL	A.				
SEMPERVIVUM. W.		Sempervivæ. J.	Tamont	1040	100	C I	Dot non 00
1 arboreum. W.	tree. striped-leaved.		- Levant.	1040.	12.3	. G.n.	Bot. reg. 99.
β variegata. 2 canariense. W.	Canary.		- Canaries.	1699.	6.7.	G.b.	Plant. grass. 141.
3 glutinosum. W.	clammy.		- Madeira.				Bot. reg. 2
4 glandulosum. W.	glandulous-leavd				3.5.	G.h.	
5 ciliatum. W. en.	white-flowered.	·	- Teneriffe.	1815.	• • • •	G.h.	1378

ICOSANDRIA MONOGYNIA.

6 tortuosum. W.	gouty.	Sempervivæ. J.	Canaries.	1779. 7.8. G.h.	
7 villosum. W.	villous.		Madeira.	1777. 6.7. H.⊙.	
8 stellatum. L. T.	starry.		M. Baldo.	1790. 7.8. G.⊙.	
9 tectorum. W.	common.		Britain.	6.9. H.4.	Eng. bot. 1320.
10 africanum. H. S.	African.		C. B. S.	1768 G.4.	
11 dodrantale. W. en.	smooth-leaved annual.	· ——————		1815. 7.8. G.⊙.	
12 hirtum. P. S.	hairy.		Italy.	1804. 6.7. H.4.	
13 soboliferum. B. M.	Hen & Chicken.		Germany.	— Н. 4.	
14 globiferum. W.	globiferous.				507. 21 li
15 montanum. W.	mountain.		Switzerland.	1752. — H.4.	
16 arachnoideum. W.	cobweb.		Italy.	1699. — H. 4.	
17 monanthos. W.	one-flowered.		Canaries.	1777. 7.9. G.4.	93.

CLASS XII.

ICOSANDRIA MONOGYNIA.

CACTUS. W.	CACTUS.	Cacti. J.			
1 Melocactus. H. S.	Turk's Cap.		W. Ind.	1688. 7.8.D.S. h.	Plant. grass. 112.
2 depressus. H. S.	depressed.		S. America.	1789 D.S. h.	
3 gibbosus. H. S.	gibbous.			1808. 7.8.D.S. h.	
4 nobilis. W.	crook-spined.		Mexico.	1796 D.S. h.	
5 intortus. H. S.	twisted.		Antigua.	1768 D.S. h.	
6 mammillaris. W.	small red-spined.			1688. 7.8. D.S. h.	Plant. grass. 111.
7 proliferus. H. S.	white-spined.			—— —— D.S. h.	
8 discolor. H. S.	two-coloured.			1800 D.S. h.	
9 stellatus. W. en.	starry.		S. America.	1815 D.S. h.	
10 viviparus. Ph.	viviparous.		Louisiana.	1811 D.S. h.	
11 cylindricus. W.	cylindric.		Peru.	1799 D.S. h.	
12 serpentinus. W. en.	serpentine.			\dots D.S. h	
13 heptagonus. W.	seven-angled.		W. Ind.	1728. 7. D.S.h.	
14 hexagonus. W.	six-angled.		Surinam.	1690. 7.8. D.S. h	Bot. rep. 513.
15 tetragonus. W.	four-angled.		S. America.	1710. 7. D.S. h.	
16 speciosus. W. en.	purple-flowered.			1816. — D.S. h	
17 speciosissimus.	beautiful.		-	————D.S. I ₂ .	. يُذِكُ أَسَّ الإولاد
18 pentagonus. W.	five-angled.			1769.——D.S. h	
19 prismaticus. W. en.	prismatic.			1816 D.S. h	
20 repandus. W.	wavy-angled.		W. Ind.	1728. 8. D.S.h.	Trew.ehret.3. t.14.
21 fulvispinosus. H.S.	tawny-spined.		· S. America.	1795 D.S. h	
22 griseus. H. S.	grey-spined.			1809.9.10.D.S. h	
23 lanuginosus. W.	woolly.		· W. Ind.		Herm. par. t. 115.
24 peruvianus. W.	Peruvian.		· Peru.	1728. 8. D.S.h.	Plant. grass. 58.
25 multangularis. W. en.	many-angled.	-	· S. America.	1816 D.S. h	•
26 Royeni. W.	nine-angled.			1728 D.S. h	
27 grandiflorus. W.	night-flowering.		Jamaica.	1700. 6.8. D.S. h.	
28 flagelliformis. W.	creeping.		Peru.	1690. 3.6. G.h.	
29 triangularis. W.	great triangular.		· W. Ind.	1690. 7.8. D.S. h	1884.
30 quadrangularis. H.S	quadrangular.		- S America	1809 D.S. h	Plum.am.t.199.f.1.
31 trigonus. H. S.	small triangular			D.S.h	t.200.f.2.
32 triqueter. H. S.	least triangular.			1794 D.S. h	
33 brasiliensis. W. en.			· Brazil.	1816. 7.8. D.S. h	
34 monacanthos.W.en.			- S. America.	D.S. h	
35 Opuntia. W.	Indian Fig.		· S. Europe.	1596. 7.8. G.h.	Knor. thes.1. t.F. a.
36 stricta. M. n.	oval upright.		• • • • • • • • • • •	1796.——D.S. h	. Plant. grass. c. ic.
stricta, IV. en. is a		cies.			
37 maxima. H. S.	8		 S. America. 	1768 D.S. L	•
38 Ficus-indica. W.	white-spined.			1731. 7.8. D.S. h	
39 elatior. H. S.	{ great black- } spined.	`	•	D.S. h	Dill.elt. t.294.f.379
40 Tuna. H. S.	yellow-spined.	,		D.S. b	. Plant. grass. 138.
41 Dillenii. B. reg.	Dillenius's.		-	D.S. h	. Bot. reg. 255.
42 nigricans. H. S.	{ lesser black- } spined.			- 1795. 8. D.S. h	
43 humilis. H. S.	humble.			D.S.ħ	
44 polyanthos. H. S.	many-flowered.		- S. America.	1811, 7.8, D.S. b	Plant. grass. c. ic.
	,			7, 100	D. M. O. 100

110	1005	ANDRIA P	MONOGY	NIA.	
45 cochinillifer. W.	Cochineal Fig.	Cacti. J.	S. America.	1688. 7.9. D.S. h.	Bot. rep. 533.
46 triacanthos. W. en.	three-spined.			D.S. b.	200.00
47 lanceolatus. M. n.	spear-shaped.	···		D.S. h. 1796. 7. D.S. h. 1817 D.S. h.	
48 ferox. W. en.	ferocious.			1817 D.S. b.	
49 spinosissimus. W.	cluster-spined.		Jamaica.	1732. 7. D.S. b.	
50 pusillus. M. n.	Small Indian Fig.		S. Americas	1805. 6. D.S. h.	
51 curassavicus. W.	Pin-pillow.		Curassao.	1690, 6.7, D.S. b.	Knor.thes. 2. t.O.2.
52 foliosus. W. en.	glaucous.		S. America.	1017 D.S.L.	
53 alatus. W. en.	winged.		Jamaica.	D.S. h.	364.20
54 Phyllanthus. W.	Spleenwort.		S. America.	1710. 6. D.S.h.	Plant. grass. 145. 76
	(Barbadoes)				(Dill. elt. t. 227.
55 Pereskia. W.	Gooseberry.			1696. 10.11. S. h.	{Dill. elt. t. 227. f. 294.
56 longispinus. H. S.	long-spined.		S. America.	1808 S.B.	
57 portulacifolius. W.	Purslane-leaved.			1806 S. h.	Plum. ic. 6. f. 1.
RHIPSALIS. Gært.	RHIPSALIS.	Cacti. J. Cacti s	p. 11.	•	
1 Cassutha G.	naked.		W. Ind.	1758. 9. D.S. h.	Gært.sem.1.t.28.£1
Cactus pendulus. H	<i>v</i> .				
2 parasiticus. H. S.	parasitic.		S. America.	1800 D.S. h.	Plant. grass. 59.
3 fasciculatus. W. en.	bundled.			1817 D.S. h.	
BARTONIA. Ph.	BARTONIA.	Loaseæ. J. in Ann	. mus.		
1 ornata. Ph.	naked-seeded.		Missouri.	1811. 7.9. G.J.	Bot. mag. 1487.
2 nuda. Ph.	winged-seeded.			G. J.	
PHILADELPHUS.W.	SYRINGA.	Myrti. J.			
1 coronarius. W.	common.		S. Europe.	1596. 5.6. H.h.	Bot. mag. 391.
β nanus.	dwarf.				
2 inodorus. W.	scentless.		Carolina.	1738. 6.7. H.h.	Bot. mag. 1473.
- 110 701	large-flowered.			TOTAL TY T	3 6 4 7
LEPTOSPERMUM.W	LEPTOSPERMUM.	Myrti. J.		a Po	
2 grandiflorus. Ph. LEPTOSPERMUM.W 1 scoparium. W. 2 flavescens. H. K. 3 attenuatum. W.	NewZealand Tea		N. Zealand.	1772. 6.7. G.h.	Bot. rep. 622.
2 flavescens. H. K.	yellowish.		N. S. W.	1787. 5.7. G. h.	Sch.s.hann.24.t.14.
3 attenuatum. W.	fine-branched.			1795 G. h.	
4 lanigerum. H. K.	hoary.			1774. 6.7. G.h,	•
5 pubescens. W.	pubescent.			1787. 5.7. G. h. 1795. — G. h. 1774. 6.7. G. h. — G. h. 1803. — G. h.	
6 grandifolium. L. T.	large-leaved.			1803. — G, h .	Bot. mag. 1810.
7 parvifolium. W.	small-leaved.			1789 G.h.	Cav. ic. 4. t. 330. Gært. sem. 1. t. 35. Vent. malm. 89. Cav. ic. 4. t. 331.f.2.
8 stellatum. P. S.	short-leaved.	***************************************		1790. — G.h.	Cav. ic. 4. t. 330.
9 arachaoideum. W.	cobweb.			1795. 5.7. G.h.	Gært. sem. 1. t. 35.
10 juniperinum. W.	Juniper-leaved.	·		1790. 6.7. G.h.	Vent. malm. 89.
11 baccatum. W.	berry-fruited.			G, h .	Cav.ic.4. t. 331.f.2.
12 imbricatum. L. T.	imbricated.			1800. — G.h.	
13 triloculare. V.	trilocular.			1816. — G.h. 1791. — G.h.	Vent. malm. 88.
14 ambiguum. W.	hook-leaved.			1791. — G. h.	Exot. bot. 1. t. 59.
FABRICIA. W.	FABRICIA.	Myrti. J.			
1 myrtifolia. W.	epposite-leaved.		N. Holland.	G.h.	SGært. sem. 1. 6.
					355. f. 4.
2 lævigata. W.	smooth-leaved.		N. S. W.	1788. 5.6. G.h.	Bot. mag. 1304.
METROSIDEROS.W.	_	Myrti. J.			2 1 1 1 2 1 10 1
1 hispida. W.	rough.		N. S. W.	1789. 5.8. G.h.	Exot. bot. 1. t. 42.
2 floribunda. W.	many-flowered.			1788. 7.8. G.h.	C
3 costata. W.	ribbed.			1816 G.h.	Gær.sem.1.t.34.f.2.
4 glomulifera. W.			(1. T) (2	1805. 5.6. G.h.	
5 angustifolia. W.	narrow-leaved.		C. B. S.	1787 G.h.	0 4 4 000
6 marginata. P. S.	margined.		N. S. W.	1816 G.h.	Cav. ic. 4. t. 332. Sert. han. 19. t. 11.
7 linearis. W.	linear-leaved.			1788. 6.7. G.h.	Sert. nan. 19. t. 11.
8 pinifolia. W. en.	Pine-leaved.				Wend. col. 1, t. 16, Gær. sem.1.t.34.f.4
9 viminalis. W.	long-leaved.			1800. 3.6. G.h.	Det meg 1001
10 saligna. W.	Willow-leaved.			1788. 5.6. G.h.	
11 lanceolata. W.	spear-leaved.		2-	11.6. G.h.	260.
12 speciosa. B. M.	splendid.	N T		1803. 3.6. G.h.	1/01,
PSIDIUM. W.	GUAVA.	Myrti. J.	377 T., 1	2000 0 = 0 7	Dumnh amh 1 4 4
1 pyriferum. W.	white.				Rumph.amb.1.t.47.
2 pomiferum. W.	red.	***************************************	/**	1092 S.h.	Rheed mal. 3. t. 35.
3 aromaticum. W.	aromatic.			1779 S. h.	Aub. gui. 1. t. 191. Bot. mag. 1779.
4 cordatum. B. M.	spice.			1811. 5.7. S.h.	Dot. mag. 1779.
5 montanum. W.	mountain.	Manuti I		1779 S.h.	
EUGENIA. W.	EUGENIA.	Myrti. J.			
1 malaccensis. W.	{MalayApple-}		E. Ind.	1768. 5.8. S.h.	Bot. rep. 458.
	tree.			2.7. S.h.	
2 Jambos. W.	narrow-leaved.			2.7. S. h.	
3 baruensis. W.	many-flowered.		S. America.	s.n.	0 100 101 01 01 2000

4 axillaris. W. axillary. Myrti. J. Jamaica. 1793. 9. S. ħ. 5 fragrans. W. sweet-scented. ————————————————————————————————————	l. t. 197.
5 fragrans. W. 6 Mini. W. 7 elliptica. W. 8 ligustrina. W. 9 uniflora. W. 10 zeylanica. W. 11 balsamica. W. 12 latifolia. W. 12 latifolia. W. CARYOPHYLLUS. P. S. aromaticus. P. S. MYRTUS. W. 6 Mini. W. 1790. 4.5. S. ħ. Bot. mag. 1803 S. ħ. Aub. gui. 190. 5.9. G. ħ. 1803 S. ħ. Bot. mag. 1804 1798. 6.7. S. ħ. Bot. mag. 1805 1798. 6.7. S. ħ. Bot. mag. 1906 1798. 6.7. S. ħ. Bot. mag. 1907 S. ħ. Bot. mag. 1908 1798. 6.7. S. ħ. Bot. mag. 1909 1798	l. t. 197.
7 elliptica. W. 8 ligustrina. W. 9 uniflora. W. 10 zeylanica. W. 11 balsamica. W. en. 12 latifolia. W. CARYOPHYLLUS. P. S. aromaticus. P. S. MYRTUS. W. 10 round-fruited. Privet-leaved. One-flowered. One-flowered. Sh. Brazil. 1759. 1.3. S. h. Bot. mag. 1759. 1.3. S. h. Bot. rep. 6 Guiana. 1793 S. h. Jac. frag. t Myrti. J. Myrti. J. Myrti. J. Myrti. J. Myrti. Myrti.	
8 ligustrina. W. 9 uniflora. W. one-flowered. — — — — — — — — — — — — — — — — — — —	1872.
9 uniflora. W. one-flowered. — Brazil. 1759. 1.3. S. h. Bot. mag. Ceylon. 1798. 6.7. S. h. Bot. rep. 6 11 balsamica. W. en. 12 latifolia. W. broad-leaved. — S. h. Jac. frag. t. 1793 S. h. Aub. gui. 1 1793 S. h. Rumph.am	
10 zeylanica. W. Ceylon. ————————————————————————————————————	
11 balsamica. W. en. balsamic. broad-leaved. Guiana. 1793 S. h. Jac. frag. t CARYOPHYLLUS. P. S. aromaticus. P. S. aromatic. MYRTIS W. MYRTIS. W.	
12 latifolia. W. broad-leaved. Guiana. 1793 S. h. Aub. gui. 1 CARYOPHYLLUS. P. S. aromaticus. P. S. aromatic. MYRTUS W. MYRTUE. Myrti Myrti	19.
CARYOPHYLLUS. CLOVE-TREE. Myrti. J. aromaticus. P. S. aromatic. Myrti. J. Myrti. M	45.1.2.
P. S. S. CLOVE-TREE. Myrti. 3. aromaticus. P. S. aromatic. Myrti. Myrti	. t. 199.
MYRTHS W Myrt. Murti	
MYRTHS W Myrt. Murti	b.2.t.1.2
1 communic W common C Furone 1507 70 G L Dub ask a	
1 communis. W. common. S. Europe. 1597. 7.8. G. h. Duh. arb. e.	
a romana, broad-leaved, Mill. ic. t.	184. f. 1.
, printerior	
q italica. { Italian, or }	
bactica. Orange-leaved. ————————————————————————————————————	+ 114
e lusitanica. Portugal. — Clus. hist.	
(broad-leaved)	1. 0. 1.
\(\text{belgica.} \)	
n mucronata. Rusemaru-leaved.	
2 tomentosa. W. woolly-leaved. ———— China. 1776. 6.7. G. h. Bot. mag.	250.
3 biflora. W. two-flowered. Jamaica. 1759. 4.5. S. h. Brown.jam	ı.t.25.f. 3
4 lucida. W. shining. ————————————————————————————————————	
5 dumosa. W. bushy. W. Ind. — 6.7. S.h.	
6 disticha. W. globe-berried. — Jamaica. — 4.7. S. h. Bot. mag. 7 Gregii. W. Greg's. — Dominica. 1776 S. h. Gært.sem.	
8 virgultosa. W. twiggy. Jamaica. 1787. 7.8. S. h. Plum. ic. t. 9 acris. W. Wild Clove-tree. 1759. 5.7. S. h. Pluk, alm. t	
10 coriacea. W. Sumach-leaved. — Hispaniola. — S.h. Plum. ic. t.	
t0 coriacea. W. Sumach-leaved. — Hispaniola. — S. h. Plum. ic. t. 11 Pinenta. W. Allspice-Tree. — W. Ind. 1723. 5.7. S. h. Bot. mag.	
CALVPTRAN-) (CALVPTRAN-)	
THES. W. () THES. (Myth. 3.	
1 Zuzygium. W. oval-leaved. — W. Ind. 1778. 5.7. S.h. Brown.jan	
2 Jambolana W. Jambolana-tree. E. Ind. 1796 S. ½. Rumph.an 3 Chytraculia. W. forked. Jamaica. 1778. 3.5. S. ½. Brown.jam	
3 Chytraculia. W. forked. Jamaica. 1778. 8.5. S. h. Brown.jam	i.t.37.f.2
EUCALYPTUS. W. EUCALYPTUS. Myrti. J. 1 robusta. L. T. Brown Gum-tree. N. S. W. 1794. 8.9. G. h. Sm. nov. h	.1 4 10
1 robusta, L. T. Brown Gum-tree, N. S. W. 1794. 8.9. G. h. Sm. nov. h 2 rostrata, Cav. beaked 1804 G. h. Cav. ic. 4.	01. t. 13,
2 rostrata. Cav. beaked. 1804 G. h. Cav. ic. 4. 3 pilularis. L. T. narrow-leaved G. h.	1. 342.
4 tereticornis. L. T. long-horned.	
5 resinifera. L. T. Red Gum-tree. — — — — — — — — — — — — — — — — — —	.00.
6 marginata, L. T. thick-edged, ————— N. Holland. 1794. —— G. h.	
7 agriculate I T handed C I	
Saligna L. T. Willow-like. N. S. W.	
9 globulus. Lab. globose. — G. h. Lab.nov.h.	ol.1.t.13.
10 botryoides. L. T. glaucous-leaved. N. Holland. 1803. 4.7. G. h. Cav. ic. 4.	t. 341.
11 hæmastoma. L. T. acute-leaved.	
11 namastoma, L. 1. acute-leaved. 12 piperita, L. T. Peppermint-tree 13 obliqua, W. oblique-leaved. 14 corymbosa, W. corymbus-flow ^d . 15 naniculata, L. T. paniculata.	15
14 corymbosa. W. corymbus-flow ^d . ————————————————————————————————————	10. t 340
15 paniculata. L. T. panicled. ————————————————————————————————————	040.
16 cornuta. H. K. horned. N. Holland. 1803 G. h. Lab. voy.	1. t. 20.
PUNICA. W. POMEGRANATE. Myrti. J.	
1 nana. W. dwarf. W. Ind. 1723. 7.9. G. h. Bot. mag.	634.
2 Granatum. W. common. S. Europe. 1548. 6.9. H. 7.	
β albn. white-flowered. — H. h. Bot. rep. 9	
y plena. double-flowered. — H. h. Trew.ehre	t.t.71.f.g
AMYGDALUS. W. ALMOND. Rosaceæ. J.	
Persica. W. Common Peach. ————————————————————————————————————	
y plena. double-flowered.	
2 communis. W. Sweet Almond. ————————————————————————————————————	
3 amara. Bitter Almond. — H. b. Blackw. t.	195.
4 nana, W. common dwarf Russia 1683. H.h. Bot mag.	161.
5 incana. W. woolly. ———————————————————————————————————	1. t. 7.
Ti. 7. Fall. 1088.	,
6 orientalis. W. silvery-leaved. Levant. 1756. — G. h.	1 2 2 6 4
6 orientalis. W. silvery-leaved. Levant. 1756. — G. ½. 7 pumila. W. double-dwarf. Africa? 1683. 5.6. H. ½. Plak.phyt Prunts sinensis. P.S.	t. 11. 1.4.

ICOSANDRIA DI-PENTAGYNIA.

PRUNUS. W.	PLUM & CHERRY.	Rosaceæ. J.		*
1 Padus. W.	Bird Cherry.		- Britain.	4.5. H. h. Eng. bot. 1983.
2 rubra. W.	Cornish Bird.		·	H. h. Willd. arb. t. 4. f. 2.
3 virginiana. Ph.	Virginian.		- Virginia.	1724. 5.6. H.h. — t. 5. f. 1.
4 serotina. W.	American Bird.		N. America.	1629. — H. h . — t. 5. f. 2.
5 occidentalis. W.	West Indian.		Jamaica.	1784. 12.1. S.h.
6 lusitanica. W.	Portugal Laurel.		Portugal.	1648. 6. H.h. Mill. ic. t. 196. f. 1.
7 caroliniana. W.	Evergreen Bird.		· Carolina.	1759. 5. H.h.
8 Laurocerasus. W.	common Laurel.		· Levant.	1629. 4.5. H.h. Duham.arb.1.t.133
9 Mahaleb. W.	perfumed.		Austria.	1714. — H. h. Jac. aust. 3. t. 227.
10 pumila. W.	dwarf.		N. America.	1756. 5. H.h. Mill. ic. t. 89. f. 2.
11 hyemalis. P. S.	mountain.			1805. — H. J ₂ .
12 Chamæcerasus. W.	bastard Cherry.		Austria.	1597. — H. b. Jac. ic. 1. t. 90.
13 Cerasus. W.	common Cherry.		England.	4.5. H.b. Eng. bot. 706.
14 avium. W.	pubescent-leav'd.			H.b. Blackw. t. 425.
15 pensylvanica. W.	Pensylvanian.		N. America.	1773. 5. H. h. Willd. arb. t.3. f. 3.
16 nigra. W.	black.			4.5. H.b. Bot. mag. 1117.
17 japonica. P. S.	Japan.		Japan.	1810. 3.5. G. h. Bot. reg. 27.
18 domestica. W.	common Plum.		England.	4. G.h. Eng. bot. 1783.
19 insititia. W.	Bullace-tree.		Britain.	H.h 841.
20 cerasifera. W.	Myrobalan.		N. America.	1629. 4.5. H.h.
21 depressa. Ph.	depressed			1905 5 TI L
22 Chicasa. Ph.	Chicasaw			1806 45 H h
23 maritima. Ph.	concasan.			1806. 4.5. H. h. 1800. 5. H. h. 1800. — H. h. 1800. — H. h 3.4. H. h. Eng. bot. 842, 1802. 4.5. F. h. Bot. reg. 136.
24 Susquehanna. Ph.	glenoone leaved			1000. 3. 11. 7.
	glaucous-leaveu.		Daitoin	2.4 H.I. Fra het 040
25 spinosa. W.	Divol Lored		Cta	3.4. H.h. Eng. bot. 842.
26 prostrata. W.	Approximately Ap	р т р.	Crete.	1802. 4.5. F. h. Bot. reg. 136.
ARMENIACA. P. S.	APRICOT.	Rosaceæ. J. Pri		THE OF THE T. T. A.
1 vulgaris. P. S.	common.		Levant.	1548. 2.3. H.h. Lam. ill. t. 431.
2 sibirica. P. S.	Siberian.		Siberia.	1788. 4. H.h. Pall. ross. 1. t. 8.
CHRYSOBALA- }	Cocoa-Plum.	Rosaceæ. J.		
NUS. W.				
1 Icaco. W.	West Indian.		W. Ind.	1752 S. h. Jac. amer. t. 94.
2 oblongifolius. Ph.	American.		Georgia.	1812 G.h. Bartr. iter. c. ic.
		ne nemen	CYTATEA	
THE TOTAL PROPERTY AND AND	777	DI-PENTA	IGYNIA.	
WALDSTEINIA. W.		Rosaceæ. J.		77 44 77 1
geoides. W.	Avens-like.		Hungary.	1804. 6.7. H.4. Pl.rar.hung.1.t.77.
MESPILUS. Sm.	Mespilus.	Rosacew. J. Cra	tægi et Mespi	ili sp. L. 411,2595
	Scarlet-fruited \		N. America.	1683. 4.5. H.h. Pluk.alm.t.46.f.4.
	Hawthorn.			
2 cordata. W. en.	Maple-leaved.			1738. 5. H.h. Mill. ic. t. 179.
3 pyrifolia. W. en.	Pear-leaved.			1765 6 H la Monnoh h weig f Q
4 elliptica. W. en.	oval-leaved.			5. H.h.
5 glandulosa. W. en.	bollow-leaved.			5. H.h 1750. 5.6. H.h. Pall. ross. 1. t. 11.
6 flava. W. en.	yellow Pear- berried.			1724. 5. H. h. Mænch. weis. t. 4.
U nava. W. en.	berried.			1/24. 5. 11.7/ . Manen. web. c. 45
7 parvifolia. W. en.	Googaharry loave			1704. 5.6. H.h.
8 lævis. Th.	shining-leaved.		China.	1812. G.h. J. M. 2105 1804. 4.7. G.h. J. M. 2105 1796. 7.8. G.h. Barry
9 glabra. H. K.	smooth-leaved.			1804. 4.7. G.h. Jahr. 2003
10 arbutifolia. H. K.	Arbutus-leaved.		California.	1796. 7.8. G.h. Daring 200
11 punctata. W.	spotted-fruited.		N. America.	1746. 5. H.h. Jac. vind. 1. t. 28.
12 Crus-galli. W.	Cockspur-thorn.			1691. 5.6. H. h. Trew pl. rar. 2.t. 17.
β pyracanthifolia.	Pyracanthus-ld.			•
y salicifolia.	Willow-leaved.			,
13 indica. W.	Indian.		China.	1806. 5.6. G.h. Bot. mag. 1726. 46
14 Pyracantha. W.	Evergreen-thorn.		S. Europe.	1629. 5. H. h. Schmidt. arb. t. 90.
15 spathulata. Ph.	spatula-leaved.		N. America.	1806. 5.6. H. h.
16 apiifolia. Ph.	Parsley-leaved.			1812. — H. h.
17 Oxyacantha. E. B.	comm.Hawthorn.		Britain.	H.h. Eng. bot. c. ic.
			Dillums	And The Property of the Proper
β rosea.	red-flowered.			
y major.	great-fruited.			
S præcox.	Glastonbury.			
e plena.	double-flowered.			
ζ aurea.	yellow-berried.		C. Pare	THE TOO MAKE A DOC 63
18 monogyna. W.	one-styled.		S. Europe.	1816. — H. h. Jac.aust.3.t.202.f.1
19 Azarolus. W.	Azarole.	P		1640. — H. h. Bot. rep. 579.
20 tanacetifolia. B. R.	•		Greece.	1789. 5.6. H.h. Ex. bot. 2. t. 85.
21 odoratissima. B. R.				
			Crimea.	H.h. Bot. rep. 590.
22 germanica. W.				5.7. H.h. Eng. bot. 1523.

ICOSANDRIA DI-PENTAGYNIA.

23 grandiflora. H. K.	large-flowered.	Rosaceæ. J.		1800.	5.6. H.h.	Ex. bot. 1. t. 18. Schmidt. arb. t. 87. t. 89.
24 Chamæ-Mespilus.V		·	- Pyrenees.	1683.	——H.h.	Schmidt. arb. t. 87.
25 Cotoneaster. W.	dwarf.		- Europe.	1656.	4.5. H.h.	t. 89.
26 tomentosa. W.	Quince-leaved.			1759.	H. h.	P at at
27 japonica. W.	Loquat.					Vent. malm. 19.
PYRUS. Sm.	Pyrus.	Rosaceæ. J. P	jrus et Sorbus.	W.	- 0 -	A 5'11 1
1 arbutifolia. Ph.	red-berried.		- N. America.	1700.	5.6. H.h.	Mill. ic. 100. Schmidt. arb. t. 86.
2 melanocarpa. Ph.	black-fruited.				H.h.	Schmidt, arb. t. 86.
3 Botryapium. W.	snowy.			1746.	4.5. H.h.	t. 84.
Mespilus canadens				1000	TT T	
4 ovalis. W.	oval-leaved.		C F		H.h.	8-1-134 - 1 4 or 1 60 d
5 Amelanchier. W.	Alpine.		- S. Europe.			Schmidt. arb. t. 85. 2430
6 edulis. W. en. 7 sanguinea. Ph.	eatable.		- France.	1819.	11.17.	
	red-branched.		- N. America.			For het 1504
8 communis. W. 9 Pollveria. W.	common Pear. woolly-leaved.		- England.	1700	4. H.h.	Eng. bot. 1784.
10 salicifolia. W.	Willow-leaved.		- Germany.			Dall wass 1 + 0
11 nivalis. W.	white-leaved.		- Austria			Pall. ross. 1. t. 9.
12 Malus. W.	Apple-tree.		Dritain			Jac. aust. 2. t. 107. Eng. bot. 179.
13 spectabilis. W.	Chinese Apple.		- China			Bot. mag. 267.
14 prunifolia. W.	Siberian Crab.		- China.			Mill. ic. 2. t. 269.
15 baccata. W.	small-fruited.		- Biberia.			Pall. ros. 1. t. 10.
	Sweet-scented		-,			
16 coronaria. W.	Crab.		- Virginia.	1724.	5. H.ħ.	13 M. 200 11 + 681
17 angustifolia. W.	narrow-leaved.		N America	1750	H h	Wang.am.t.21.f.47.
18 Aria. W.	White Beam-tree.		- Britain			Eng. bot. 1858.
19 intermedia. W.	Swedish		Swaden			Fl. dan. 301.
20 torminalis. W.	Wild Service.		- England.			298.
21 hybrida. W. en.	hybrid.		- Ingland.		— Н. h.	230. _x
22 pinnatifida. E. B.	Bastard Service.		- England.			Eng. bot. 2831.
Sorbus hybrida. IV			11119111111		0.0. 22.,2.	21.5. 201. 2001.
23 domestica. E. B.	True Service.				H. h.	350.
24 aucuparia. E. B.	Mountain Ash.		- Britain.		— Н.Б.	337.
25 americana. Ph.	purple-berried.		Canada	1782.	— H. h.	5071
	small-fruited.		N. America.			
26 microcarpa. Ph.	small-fruited.		- N. America.		Н. h.	
26 microcarpa. Ph. CYDONIA. J.	QUINCE.	Rosaceæ. J. Py	- N. America. ri sp. Linn.	• • • •	Н. h.	Jac. aust. 4. t. 342.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en.	QUINCE.	Rosaceæ. J. Py	- N. America. ri sp. Linn.	1573.	— H.h. 5.6. H.h.	Jac. aust. 4. t. 342.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S.	QUINCE.	Rosaceæ. J. Py	- N. America. ri sp. Linn.	1573. 1815.		
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa.	QUINCE. common. solitary-flowered cluster-flowered.	Rosaceæ. J. Py	- N. America. ri sp. Linn.	1573. 1815.		Jac. aust. 4. t. 342. Bot. mag. 622.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S.	QUINCE. common. solitary-flowered cluster-flowered.	Rosaceæ. J. Py	- N. America. ri sp. Linn.	1573. 1815.		
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of Th	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siheria.	1573. 1815. 1796.	5.6. H.h. F.h. 1.12. F.h.	Bot. mag. 622.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siberia Ruitain	1573. 1815. 1796.		Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th. SPIRÆA. smooth-leaved. Willow-leaved. white-flowered.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siberia Britain N. America.	1573. 1815. 1796.		Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th. SPIRÆA. smooth-leaved. Willow-leaved. white-flowered.	Rosaceæ. J. Py	N. America. ri sp. Linn Austria Japan Siberia Britain N. America.	1573. 1815. 1796.		Bot. mag. 622. Schmidt.arb.1.t.49.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of Th. Spir.ea. smooth-leaved. Willow-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siberia Britain N. America.	1573. 1815. 1796.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of Th. SFIRÆA. smooth-leaved. Willow-leaved. White-flowered. Hornbeam-leaved. Aloine.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siberia Britain N. America.	1578. 1815. 1796. 1774. 1736. 1806.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. Smooth-leaved. willow-leaved. white-flowered. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved.	Rosacew. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America.	1578. 1815. 1796. 1774. 1736.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th. SPIRÆA. smooth-leaved. Willow-leaved. White-flowered. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Germander-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Liun, - Austria Japan Siberia Britain N. America Siberia Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 7. H.h. 4.5. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th. SPIRÆA. smooth-leaved. Willow-leaved. White-flowered. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Germander-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siberia Britain N. America Siberia N. America Siberia Carniola.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædvifolia. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. Willow-leaved. white-flowered. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Germander-leaved. Birch-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America Carniola N. America.	1573. 1315. 1796. 1774. 1736. 1806. 1640. 1789. 1790.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. white-flowered. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Germander-leav ^d . Birch-leaved. Havthorn-leav ^d .	Rosacew. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 8.9. H.h. 7. H.h. 6.7. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tonientosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. white-flowered. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Germander-leav ^d . Birch-leaved. Havthorn-leav ^d .	Rosacew. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America Siberia Carniola N. America Siberia W. America Siberia W. America.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790. 1812. 1739.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 1.14. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h. 4.5. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. white-flowered. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Germander-leav ^d . Birch-leaved. Havthorn-leav ^d .	Rosacew. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America Siberia Carniola N. America Siberia W. America Siberia W. America.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790. 1812. 1739.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 4.5. H.h. 6.7. H.h. 6.7. H.h. 4.5. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of The Spire. Smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Elm-leaved. Birch-leaved. Hawthorn-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved.	Rosacew. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America Siberia Carniola N. America Siberia W. America Siberia W. America.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790. 1812. 1739. 1816. 1801.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th. SPIRÆA. smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Germander-leav ^d . Elm-leaved. Hawthorn-leav ^d . oblong-leaved. three-lobed. Meadow-Rue-l ^d . obovate-leaved.	Rosacew. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America Siberia Carniola N. America Siberia W. America Siberia W. America.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790. 1812. 1739. 1816. 1801.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h. 6.7. H.h. 5. H.h. 5. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. en.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of The Spire. Smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Elm-leaved. Birch-leaved. Hawthorn-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia N. America Siberia Carniola N. America Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790. 1812. 1739. 1816. 1801.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 16 sorbifolia. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. A smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Germander-leaved. Birch-leaved. Birch-leaved. three-lobed. Meadow-Rue-lobed. Meadow-Rue-leaved. Guelder-Rose-1e. Service-tree-1e.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1812. 1739. 1816. 1801. 1790. 1816. 1690.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h. 4.5. H.h. 5.6. H.h. 5.6. H.h. 5.6. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 sorbifolia. W. 6 nana.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. Smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Elm-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Guelder-Rose-leaved. Guelder-Rose-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1790. 1816. 1801. 1790. 1816. 1816. 1816.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 8.9. H.h. 8.9. H.h. 8.9. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lavigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. Willow-leaved. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Elm-leaved. Birch-leaved. Hawthorn-leav ^d . oblong-leaved. three-lobed. Meadow-Rue-l ^d . obovate-leaved. Gelder-Rose-l ^d . Service-tree-l ^d . dwarf. Goat's-beard.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1816. 1693.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 7. H.h. 8. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h.	Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid.arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. Pall. ros. 1. t. 58. Pall. ros. 1. t. 26.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire and the	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1816. 1693.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 7. H.h. 8. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung. 3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. 1. t. 58. Pall. ros. 1. t. 25.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. 2 salicifolia. W. en. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. Willow-leaved. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Elm-leaved. Birch-leaved. Hawthorn-leav ^d . oblong-leaved. three-lobed. Meadow-Rue-l ^d . obovate-leaved. Gelder-Rose-l ^d . Service-tree-l ^d . dwarf. Goat's-beard.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1816. 1816. 1759. 1817. 1633.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 4.5. H.h. 6.7. H.h. 4.5. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 1.1. H.h. 6.7. H.h. 1.1. H.h. 6.7. H.h. 8. H.h. 1.1. H.h. 6.7. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid.arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. 1. t. 58. Pall. ros. 1. t. 25. 1. t. 26. Eng. bot. 284.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædvifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. β nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. A smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. Hornbeam-leaved. Germander-leaved. Germander-leaved. Birch-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Guelder-Rose-le. Service-tree-ledwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1816. 1816. 1759. 1817. 1633.	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 7. H.h. 8. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid.arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. 1. t. 58. Pall. ros. 1. t. 25. 1. t. 26. Eng. bot. 284.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. en. 2 salicifolia. W. en. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spir. A. smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Germander-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Guelder-Rose-leaved. Guelder-Rose-leaved. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary Siberia Hungary N. America Siberia Hungary Britain.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1799. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1818. 1759.	H.h. 5.6. H.h. 1.12. F.h. 1.12. F.h. 4.6. H.h. 4.6. H.h. H.h. 8.9. H.h. 7. H.h. 4.5. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 1.1. H.h. 6.7. H.h. 1.1. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. ———————————————————————————————————
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 19 Ulmaria. W. β plena.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. Willow-leaved. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Elm-leaved. Birch-leaved. Hawthorn-leav ^d . oblong-leaved. three-lobed. Meadow-Rue-l ^d . obvate-leaved. Guelder-Rose-l ^d . dwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated.	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1819. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1633.	H.h. 5.6. H.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 7. H.h. 8.9. H.h. 8.9. H.h. 9.9.	Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid.arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. Pall. ros. 1. t. 26. Eng. bot. 284. 960. Jac. vind. 1. t. 88.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. 2 salicifolia. W. en. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. As smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. Hornbeam-leaved. Hornbeam-leaved. Elm-leaved. Birch-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Guelder-Rose-leaved. Guelder-Rose-leaved. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. Ameadow-sweet. double-flowered. palmated. three-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary Siberia Hungary N. America Siberia Hungary Britain.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1819. 1816. 1690. 1759. 1817. 1633. 	H.h. 5.6. H.h. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. H.h. 8.9. H.h. 4.5. H.h. 6.7. H.h. 4.5. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 4.5. H.h. 1.1. H.h. 1.1. H.h. 1.1. H.h. 4.5. H.h. 4.6.7. H.h. 4.7. H.h. 4.8. H.h. 4.8. H.h. 4.9. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. ———————————————————————————————————
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædvifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. β nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 22 stipulacea. Ph.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. A smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. Hornbeam-leaved. Hypericum-leaved. Elm-leaved. Birch-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Coulder-Rose-leaved. Gerder-Rose-leaved. Hornbeam-leaved. Hobovate-leaved. Guelder-Rose-leaved. Coulder-Rose-leaved. Houble-flowered. Meadow-sweet. double-flowered. Meadow-sweet. double-flowered. palmated. large-stipuled.	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1819. 1816. 1690. 1759. 1817. 1633. 	H.h. 5.6. H.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 7. H.h. 8.9. H.h. 8.9. H.h. 9.9.	Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid.arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. Pall. ros. 1. t. 26. Eng. bot. 284. 960. Jac. vind. 1. t. 88.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lavigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 sorbifolia. W. 6 plena. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 22 stipulacea. Ph. SESUVIUM. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. As smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. Hornbeam-leaved. Hornbeam-leaved. Germander-leaved. Birch-leaved. Hawthorn-leaved. Hawthorn-leaved. Hawthorn-leaved. Meadow-Rue-leaved. Guelder-Rose-leaved. Guelder-Rose-leaved. Oropwort. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated. three-leaved. large-stipuled. Sesuvium.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America Siberia Hungary N. America Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1633. 	H.h. 5.6. H.h. 1.12. F.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 7. H.h. 6.7. H.h. 6.7. H.h. 5.6. H.h. 5.6. H.h. 6.7. H.h. 5.6. H.h. 7. H.h. 1.1.	Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. 1. t. 58. Pall. ros. 1. t. 25. 960. Jac. vind. 1. t. 88. Bot. mag. 489.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. en. β alba. 3 carpinifolia. W. en. 4 tonentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 10 obetulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 16 sorbifolia. W. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 22 stipulacea. Ph. SESUVIUM. W. 1 Portulacastrum. W.	QUINCE. common. solitary-flowered. cluster-flowered. ot. mag. not of Th SPIRÆA. smooth-leaved. Willow-leaved. Hornbeam-leav ^d . tomentose. Alpine. Hypericum-leav ^d . Germander-leav ^d . Elm-leaved. Hawthorn-leav ^d . oblong-leaved. Hawthorn-leav ^d . oblong-leaved. Guelder-Rose-l ^d . Service-tree-l ^d . dwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated. three-leaved. large-stipuled. SESUVIUM. Purslane-leaved.	Rosaceæ. J. Py	- N. America. ri sp. Liun Austria Japan Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America Siberia Hungary Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1765. 1713. 1805.	H.h. 5.6. H.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 6.7. H.h. 1.12. F.h. 6.7. H.h. 6.8. H.h. 6.9. H.h. 6.9 H.	Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. 1. t. 58. Pall. ros. 1. t. 26. Eng. bot. 284. 960. Jac. vind. 1. t. 88. Bot. mag. 489. Lam. ill. t. 434.f.1.
26 microcarpa. Ph. CYDONIA. J. 1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lavigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 sorbifolia. W. 6 plena. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 21 trifoliata. W. 22 stipulacea. Ph. SESUVIUM. W.	QUINCE. common. solitary-flowered cluster-flowered. ot. mag. not of The Spire. As smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leaved. Hornbeam-leaved. Hornbeam-leaved. Germander-leaved. Birch-leaved. Hawthorn-leaved. Hawthorn-leaved. Hawthorn-leaved. Meadow-Rue-leaved. Guelder-Rose-leaved. Guelder-Rose-leaved. Oropwort. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated. three-leaved. large-stipuled. Sesuvium.	Rosaceæ. J. Py	- N. America. ri sp. Linn Austria Japan. - Siberia Britain N. America Siberia Carniola N. America Siberia Hungary Siberia Hungary N. America Siberia Hungary N. America Siberia.	1573. 1815. 1796. 1774. 1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1765. 1713. 1805.	H.h. 5.6. H.h. 1.12. F.h. 4.6. H.h. 6.8. H.h. H.h. 8.9. H.h. 6.7. H.h. 1.12. F.h. 6.7. H.h. 6.8. H.h. 6.9. H.h. 6.9 H.	Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2. Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17. 1. t. 18. Schmidt.arb.1.t.52. 1. t. 58. Pall. ros. 1. t. 25. 960. Jac. vind. 1. t. 88. Bot. mag. 489.

ICOSANDRIA DI-PENTAGYNIA.

3 revolutifolium.W.en. 4 longifolium.W. en.		Ficoideæ. J.	S. America.	7.8. S.4. 1816. — S.O.	Bot. mag. 1701.
	creeping.		- E. Ind.		Rum.am.5. t.72.f.1.
TETRAGONIA. W.	TETRAGONIA.	Ficoideæ. J.		٠.٠٠	
	horned.		- N. Zealand.	1772. 8.9. G. J.	Plant. grass. 113.236
2 crystallina. W.	Diamond.		- Peru.	1788. 6. G.O.	34.
3 fruticosa. W.	shrubby.	•	- C. B. S.		Mill.ic. 2. t. 263. f. 2.
4 decumbens. W.	trailing.			1758. — G.h.	Plant. grass. 23.
5 Tetrapteris. H. S.	winged-seeded.		-	- 1795. — G.h.	
6 spicata. W.	spiked. herbaceous.				Com hout 2 4 102
7 herbacea. W. 8 echinata. W.	Hedge-hog.			- 1752. 6.7. G.4. - 1774. 5.8. G.3.	
MESEMBRYAN-)				1774. 0.0. 0.0.	1 mus 2 mas. 110.
THEMUM.	FIG-MARYGOLD.	Ficoideæ. J.			
1 minutum. H. S.	minute.		- C. B. S.	1795. 9.11. G. 4.	Bot. mag. 1376.
2 minimum. H. S.	small.	·		- 1776. 9.12. G. 4.	
3 obcordellum. H. S.				- 10.2. G. 4.	Bot. mag. 1647.
4 obconellum. H. S.	conical.			- 1794. — G.4.	
5 truncatellum. H. S.				- 1795. — G.4.	
6 fibuliforme. H. S.	cloth-button.			11. G.4.	
7 nuciforme. H. S. 8 testiculare. H. S.	Nut-shaped. short white-lead.			- 1790 G.4.	Dat mer 1579
9 fissum. H. S.	clcft-leaved.			- 1774. 11. G.4. - 1776 G.4.	Dot. mag. 13/3.
10 obtusum. H. S.	obtuse cloven.			- 1792. 3.4. G.4.	
11 pisiforme. H. S.	Pea-shaped.			- 1796 G.4.	
12 moniliforme. H. S.				- 1791. 3.4. G. 1.	
13 acutum. H, S.	great awl-leaved.			- 1793. 11.4. G.4.	l _e
14 bellidistorum. H. S.	Daisy-flowered.			- 1717. 6.8. G.4.	Dill. elt. 224. 1.223.
15 subulatum. H. S.				- 1768 G. U.	Plant, grass, 41.
16 calamiforme. H. S.				- 1717. 7.9. G.4.	5.
17 obsubulatum. H. S.				- 1796 G.h.	
18 teretiusculum, H.S.		•		- 1794 G.4.	
19 cylindricum. H. S.	cylindrical.			- 1792. 9.2. G.4.	
20 teretifolium. H. S. 21 digitatum. H. S.	round-quilled. finger-leaved.			- 1794 G. 4 . - 1775 G. 4 .	
22 robustum. H. S.	robust.			- 1795 G. 4.	
23 compactum. H. S.	compact.			- 1780. 11. G.h.	
24 quadrifidum. H. S.				- 1795 G. h.	
25 bifidum. H. S.	bifid.			G. 2j.	
26 bibracteatum. H. S.				- 1803. 4.11. G.h.	
27 rostratum. H. S.	heron-beaked.			- 1732. 4. G.4.	Dill.elt.t.186.f.229
28 ramulosum. H. S.	{ small heron-}			- 1791. 3.11. G.h.	
	beaked.				
29 denticulatum. H. S. 30 tigrinum. H. S.	tiger-chap.			- 1793. 4. G.4. - 1790. 9.11. G.4.	
31 felinum. H. S.	cat-chap.			- 1730. 8.11. G.4.	
32 niurinum. H. S.	mouse-chap.			- 1790. 9. G.4.	O .
33 caninum. H. S.	dog-chap.			- 1717. 8.10. G.h.	
34 vulpinum. H. S.	fox-chap.			- 1795 G. h.	
35 hybridum. H. S.	bastard.			G.4.	
36 albidum. H. S.	white.			- 1714. 7.8. G.4.	
37 canum. H. S.	hoary.			- 1795 G.4.	
38 dolabriforme. H. S.				- 1705. 5.11. G.h.	
39 scalpratum. H. S. 40 latum. H. S.	great tongue.			· ·	Dill.elt.t.183.f.224
41 adscendens. H. S.	blunt tongue.	9			
42 depressum. H. S.	depressed tongue	?. 		- 1805. — G.4. - 1795. 9.11. G.4, - 1804 G.4.	Bot. mag. 1866.
43 rufescens. H. S.	rufescenttongue			- 1804 G. 14	
44 linguæforme. H. S.	common tongue			- 1732, 11.3, G. H.	
45 longum, H. S.	long tongue.			- 1725. 8.10. G. 4	Plant. grass. 71.
46 angustum. H. S.	slender tongue.			– 1790. 3.10. G.4.	,
47 præpingue. H. S.	soft tongue.			- 1709 810 G M	
48 taurinum. H. S.	Bull's horn.			- 1795. 9.11. G. h.	
49 cruciatum. H. S.	cross-leaved.	**************************************		- 1792. 5.11. G. h	
50 difforme. H. S.	deformed.				Dill.elt.t.194.f.242
51 semicylindricum. H. S.	semi-cylindric.			3.11. G.h.	t.194.f.241
52 heterophyllum. H.S	. various-leaved.			- 1795 G.4	₩
53 gibbosum. H. S.	gibbous.			- 1780. 1.4. G.4	*
54 luteo-viride. H. S.				- 1795. 1. G.h.	

So perviride H. S. 6 plusecans H. S. 6 pubscans H. S. 6 pubsca		ICOSAI	ADIUA DI-	LENIA	1 7 14 7 7 7 .		~~~
56 pubsecens. H. S. downy	55 perviride. H. S.	dark green.	Ficoideæ. J.	C. B. S.	1792. 1.5.	G.4.	
Se capitatum, H. S. Short dagger-le ² , 1717, 7-29, G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 2, t. 14- G. h. Brad. stor. 4, t. 40- G. h.							
199 pignoinforme, H. S. long dagger-1e ² 1714 1732 9. G. F. Plant grass, 72.	57 elongatum. H. S.	dwarf tuberons.			1793. 5.	G.h.	
1789	58 capitatum. H. S.	short dagger-led.			1717. 7.9.	G.h.	Brad. suc. 2. t. 14.
1789	59 pugioniforme. H. S.	long dagger-led.			1714	G.h.	Plant. grass. 72.
1789	60 loreum. H. S.	leathery-stalked.			1732. 9.	G. h.	Dill.ett. 1.200.1.255
1800 11.5, G.P. Brad suc. 4, 1.40.	61 diversitolium. H. S.	short horned-le".	- Maria Maria		1726. 3.10.	G. 4.	1.198.1.252
64 conniculatum, H. S. long-horned. 65 tricolorum, H. S. 66 cainaciforme, H. S. 67 cainaciforme, H. S. 68 cainaciforme, H. S. 68 cainaciforme, H. S. 69 calue, H. S. 69 calue, H. S. 69 calue, H. S. 70 subalatum, H. S. 71 dimidiatum, H. S. 72 glaucescens, H. S. 73 virscens, H. S. 74 cannot be subalatum, H. S. 75 samentosum, H. S. 76 subalatum, H. S. 76 subreade, H. S. 77 serrulatum, H. S. 78 survicated, H. S. 79 spectabile, H. S. 70 subalatum, H. S. 81 subtrale, H. S. 82 crassifolium, H. S. 83 clavelatum, H. S. 84 crassifolium, H. S. 85 crystallinum, H. S. 85 crystallinum, H. S. 81 subrale, H. S. 85 crystallinum, H. S. 85 crystallinum, H. S. 86 ponentidam, H. S. 87 servelatum, H. S. 88 clavelatum, H. S. 89 connection, H. S. 80 crystallinum, H. S. 80 clavelatum, H. S. 80 clavelatum, H. S. 81 subrale, H. S. 82 crystallinum, H. S. 83 clavelatum, H. S. 84 reptans, H. S. 85 crystallinum, H. S. 85 crystallinum, H. S. 86 ponentidam, H. S. 87 speralum, H. S. 88 clavelatum, H. S. 89 connection, H. S. 89 ponentidam, H. S. 80 ponentidam, H. S. 81 ponentidam, H. S. 82 ponentidam, H. S. 83 crystallinum, H. S. 84 ponentidam, H. S. 85 ponentidam, H. S. 86 ponentidam, H. S. 86 ponentidam, H. S. 87 ponentidam, H. S. 88 ponentidam, H. S. 89 ponentidam, H. S. 80 ponentidam, H. S. 81 ponentidam, H. S. 81 ponentidam, H. S. 82 ponentidam, H. S. 83 ponentidam, H. S. 84 ponentidam, H. S. 85 ponentidam, H. S. 86 ponentidam, H. S. 86 ponentidam, H. S. 87 ponentidam, H. S. 88 ponentidam, H. S. 89 ponentidam, H. S. 80 ponentidam, H. S. 80 ponentidam,					1789. 4.	G. 4.	Brod suc 4 + 40
63 tricolorum, H. S. 67 lewiyatum, H. S. 67 lewiyatum, H. S. 69 edule, H. S. 69 edule, H. S. 69 edule, H. S. 69 edule, H. S. 71 dimidiatum, H. S. 72 glancescens, H. S. 72 glancescens, H. S. 73 virescens, H. S. 74 equilaterale, H. S. 74 equilaterale, H. S. 75 sarmentosum, H. S. 76 filamentosum, H. S. 76 filamentosum, H. S. 77 serrulatum, H. S. 78 rubricaule, H. S. 78 rubricaule, H. S. 79 speciabile, H. S. 70 conspicuum, H. S. 72 glancescens, H. S. 73 virescens, H. S. 74 equilaterale, H. S. 75 rubricaule, H. S. 76 filamentosum, H. S. 76 filamentosum, H. S. 76 filamentosum, H. S. 76 rubricaule, H. S. 76 rubricaule, H. S. 76 rubricaule, H. S. 76 rubricaule, H. S. 76 subricaule, H. S. 76 subricaule, H. S. 76 subricaule, H. S. 76 subricaule, H. S. 76 replant, H. S. 76 replant, H. S. 76 replant, H. S. 76 conspicuum, H. S. 76 conspicuum, H. S. 76 subricaule, H. S. 7					1799 95	G.21	Plant, grass, 108.
67 lavigatum. H. S. polished. 1802. 6. G. h. 6. 6. 6. 6. 6. 6. 6.					1794. 10.	G. 24.	Joseph . (1/1/2)
67 lavigatum. H. S. polished. 1802. 6. G. h. 6. 6. 6. 6. 6. 6. 6.					1714. 8.9.	G.b.	Bot, rep. 508.
68 rubro-cinctum.H.S. red-bordered. 1811					1809. 6.	G. b.	
To subalatum, H. S. Variescent. Varies		•			1811	G.h.	
To subalatum, H. S. Variescent. Varies					1690. 7.8.	G.h.	Dill.elt.t.212.f.272
1811	70 subalatum. H. S.	wing-stalked.			1802	G.h.	
Tellor's Fig. Tellor's Fig	71 dimidiatum H S						
73 virescens. H. S. virescent. 74 aquilaterale H. S. 75 sarmentosum. H. S. sarmentose. 76 slamentosum. H. S. sarmentose. 77 serrulatum. H. S. 78 serrulatum. H. S. 78 serrulatum. H. S. 79 spectabile, H. S. 80 conspicuum. H. S. 81 carsifolium. H. S. 82 crassifolium. H. S. 84 reptans. H. S. 85 crystallium. H. S. 85 crystallium. H. S. 86 pinnatifolium. H. S. 86 pinnatifolium. H. S. 87 glabrum. H. S. 88 Helianthoides. H. S. 89 pomeridamum. H. S. 89 pomeridamum. H. S. 89 pomeridamum. H. S. 80 pilosum. H. S. 80 pilosum. H. S. 80 conspicuum. H. S. 80 conspicuum. H. S. 80 conspicuum. H. S. 80 conspicuum. H. S. 81 circlatum. H. S. 81 circlatum. H. S. 82 crassifolium. H. S. 83 crystallium. H. S. 84 reptans. H. S. 85 crystallium. H. S. 86 pinnatifolium. H. S. 86 pinnatifolium. H. S. 87 pomeridamum. H. S. 88 Helianthoides. H. S. 89 pomeridamum. H. S. 89 pomeridamum. H. S. 80 pilosum. H. S. 81 pilosum. H. S. 81 pilosum. H. S. 82 crassifolium. H. S. 83 crystallium. H. S. 84 reptans. H. S. 85 pilosum. H. S. 86 pinnatifolium. H. S. 86 pinnatifolium. H. S. 86 pinnatifolium. H. S. 87 cordifolium. H. S. 88 Helianthoides. H. S. 89 anatonicum. H. S. 80 pilosum. H. S. 81 pilosum. H. S. 81 pilosum. H. S. 82 crassinomerid. Pilosum. H. S. 83 pilosum. H. S. 84 reptans. H. S. 85 pilosum. H. S. 86 pinnatifolium. H. S. 86							
75 sarmentosum, H. S. thready, C. B. S. 1793, 3.4, G. F. Dill.elt.t.212.f.278 f filamentosum, H. S. thready, C. B. S. 1795, 11.112, G. F. 77 serrulatum, H. S. saw-leaved, T. S. S. G. F. 79 spectabile, H. S. S. New Zealand, S. New Zealand, S. C. B. S. 1787, 5.8, G. F. 1806, 210, G. F. 1802, 12.2, G. F. 1802, G. F. 1802, 12.2, G. F. 1802, 12.2, G. F. 1802, 12.2, G. F. 180				N. Holland.	1804. 7.	G.h.	
75 sarmentosum, H. S. thready, C. B. S. 1793, 3.4, G. F. Dill.elt.t.212.f.278 f filamentosum, H. S. thready, C. B. S. 1795, 11.112, G. F. 77 serrulatum, H. S. saw-leaved, T. S. S. G. F. 79 spectabile, H. S. S. New Zealand, S. New Zealand, S. C. B. S. 1787, 5.8, G. F. 1806, 210, G. F. 1802, 12.2, G. F. 1802, G. F. 1802, 12.2, G. F. 1802, 12.2, G. F. 1802, 12.2, G. F. 180					6.	G.h.	
76 filamentosum, H. S. thready, 75 serulatum, H. S. 77 serulatum, H. S. 77 serulatum, H. S. 79 spectabile, H. S. 79 spectabile, H. S. 8 showy, 1787. 5.8. G. ft. 1802. 19.2. G. ft. 1802		•			1791. —	G.h.	
Scarasifolium, H. S.		sarmentose.		C. P. C	1805. 4.	G. h.	Dill alt t 010 f 020
Scarasifolium, H. S.		enw loored		C. D. S.	1732. 3.4.	G. h.	Din.cit. t.212.1.278
Scarasifolium, H. S.		red etalled			1000 100	G L	
Scarasifolium, H. S.		showy			1787. 5.8.	G.h.	Bot. mag. 396.
Scarasifolium, H. S.		dark showy			1806. 9.10.	G.b.	130tt 11115.050.
82 crassifolium, H. S. 83 clavellatum, H. S. 84 reptans, H. S. 84 reptans, H. S. 85 crystallinum, H. S. 85 crystallinum, H. S. 86 pinnatifolium, H. S. 87 glabrum, H. S. 87 glabrum, H. S. 88 Helianthoides, H. S. 89 pomeridianum, H. S. 89 pomeridianum, H. S. 80 pinosum, H. S. 91 limpidum, H. S. 92 lanceolatum, H. S. 92 lanceolatum, H. S. 93 exsistiforum, H. S. 94 kitonis, H. S. 95 Tripolium, H. S. 95 cryotallinum, H. S. 96 plinumiforum, H. S. 97 cordifolium, H. S. 98 cordifolium, H. S. 99 anatomicum, H. S. 90 plinumiforum, H. S. 91 limpidum, H. S. 92 lanceolatum, H. S. 93 pomeridianum, H. S. 94 lationis, H. S. 95 Tripolium, H. S. 95 Tripolium, H. S. 96 lumifusum, H. S. 97 cordifolium, H. S. 98 capansum, H. S. 100 varians, H. S. 100 varians, H. S. 100 varians, H. S. 100 varians, H. S. 101 tortuosum, H. S. 102 pallens, H. S. 103 nodiflorum, H. S. 104 pallenum, H. S. 105 cadacum, H. S. 105 cadacum, H. S. 106 tuberosum, H. S. 107 viridiforum, H. S. 108 grossum, H. S. 109 viridiflorum, H. S. 100 varians, H. S. 101 tortuosum, H. S. 102 pallens, H. S. 103 pallenum, H. S. 104 patlalum, H. S. 105 cadacum, H. S. 106 tuberosum, H. S. 107 viridiflorum, H. S. 108 grossum, H. S. 109 viridiflorum, H. S. 100 trans, H. S. 101 tortuosum, H. S. 102 the cordiflorum, H. S. 103 pallenum, H. S. 104 pallenum, H. S. 105 cadacum, H. S. 106 tuberosum, H. S. 107 viridiflorum, H. S. 108 grossum, H. S. 109 viridiflorum, H. S. 100 trans, H. S. 100 trans, H. S. 101 tortuosum, H. S. 102 the cordiflorum, H. S. 103 pallenum, H. S. 104 the cordiflorum, H. S. 105 the cordiflorum, H. S. 106 tuberosum, H. S. 107 viridiflorum, H. S. 108 grossum, H. S. 109 viridiflorum, H. S. 110 pallenum, H. S. 110 pallenum, H. S. 110 pallenum, H. S. 111 canaliculatum, H. S. 112 pallenum, H. S. 113 pieneum, H. S. 114 geniculiflorum, H. S. 115 pianceum, H. S. 116 ciliatum, H. S. 117 the cilianum, H. S. 118 reflexud, H. S. 119 piant, grass, 15. 110 piant, grass,		New Zealand.			1773. 7.8.	G.b.	
83 clavellatum. H. S. 4 reptans. H. S. 4 reptans. H. S. 5 reptans. H. S. 10-leaved. 1744. 7.8. G. G. 1745. 7.8. G. G. 1745. 7.8. G. G. 1746. 7.8. G. G. 1747. 7.8. G. G. 1747. 7.8. G. G. 1747. 7.8. G. G. 1748. 1749. 180				CDC	1808 50	C L	Dill.elt. t.201.f.257
St crystallium. H. S. Greeping. Greece. Greec. Greece. Greec.						e :	
88 Heinanthoides, H.S. Sun-flower, 89 pomeridianum, H.S. great yellow-fl ⁴ . 90 pilosum, H. S. hairy yellow. 91 limpidum, H. S. spear-leaved. 92 lanceolatum, H. S. spear-leaved. 93 sessiliforum, H. S. spear-leaved. 94 Aitonis, H. S. Sun-flowered. 95 Tripolium, H. S. sessile-flowered. 96 Inunifusum, H. S. spear-leaved. 97 cordifolium, H. S. heart-leaved. 98 expansum, H. S. heart-leaved. 99 anatomicum, H. S. skeleton-leaved. 90 anatomicum, H. S. varying. 100 varians, H. S. varying. 101 tortuosum, H. S. hoteflowered. 102 pallens, H. S. hoteflowered. 103 nodiflorum, H. S. knot-flowered. 104 apetalum, H. S. dwarf spreading. 105 caducum, H. S. dwarf spreading. 106 tuberosum, H. S. tuberous-rooted. 107 spinnliferum, H. S. spear-leaved. 108 grossum, H. S. gouty. 109 viridiflorum, H. S. spear-leaved. 110 nitidum, H. S. of tuberous-rooted. 110 nitidum, H. S. of tuberous-rooted. 111 canaliculatum. H. S. tuberous-rooted. 112 yillosum, H. S. villous. 113 brackhatum, H. S. of tuberous-rooted. 114 geniculiflorum, H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11774. 7. 8. G. of tuberous-rooted. 11705. 7.8. G. t. plant. grass. 78. 116 ciliatum, H. S. tuberous-rooted. 11705. 7. 8. G. t. plant. grass. 78. 11794. 7. 9. G. t. plant. grass. 78. 119 yillosum, H. S. villous. 110 nitidum, H. S. villous. 110 nitidum, H. S. villous. 111 canaliculatum. H. S. three-forked. 112 yillosum, H. S. three-forked. 113 pincarhon, H. S. three-forked. 114 geniculiflorum. H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11794. 7. 9. G. t. plant. grass. 17. 118 pincarhon, H. S. three-forked. 119 micrarhon, H. S. three-forked. 119 micrarhon, H. S. spear-leaved. 1290 fexuosum, H. S. three-forked. 1190 fexuosum, H. S. three-forked. 1290 fexuosum, H	84 reptans. H. S.	creeping.		C. B. S.	1774. 7.8.	G.h.	
88 Heinanthoides, H.S. Sun-flower, 89 pomeridianum, H.S. great yellow-fl ⁴ . 90 pilosum, H. S. hairy yellow. 91 limpidum, H. S. spear-leaved. 92 lanceolatum, H. S. spear-leaved. 93 sessiliforum, H. S. spear-leaved. 94 Aitonis, H. S. Sun-flowered. 95 Tripolium, H. S. sessile-flowered. 96 Inunifusum, H. S. spear-leaved. 97 cordifolium, H. S. heart-leaved. 98 expansum, H. S. heart-leaved. 99 anatomicum, H. S. skeleton-leaved. 90 anatomicum, H. S. varying. 100 varians, H. S. varying. 101 tortuosum, H. S. hoteflowered. 102 pallens, H. S. hoteflowered. 103 nodiflorum, H. S. knot-flowered. 104 apetalum, H. S. dwarf spreading. 105 caducum, H. S. dwarf spreading. 106 tuberosum, H. S. tuberous-rooted. 107 spinnliferum, H. S. spear-leaved. 108 grossum, H. S. gouty. 109 viridiflorum, H. S. spear-leaved. 110 nitidum, H. S. of tuberous-rooted. 110 nitidum, H. S. of tuberous-rooted. 111 canaliculatum. H. S. tuberous-rooted. 112 yillosum, H. S. villous. 113 brackhatum, H. S. of tuberous-rooted. 114 geniculiflorum, H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11774. 7. 8. G. of tuberous-rooted. 11705. 7.8. G. t. plant. grass. 78. 116 ciliatum, H. S. tuberous-rooted. 11705. 7. 8. G. t. plant. grass. 78. 11794. 7. 9. G. t. plant. grass. 78. 119 yillosum, H. S. villous. 110 nitidum, H. S. villous. 110 nitidum, H. S. villous. 111 canaliculatum. H. S. three-forked. 112 yillosum, H. S. three-forked. 113 pincarhon, H. S. three-forked. 114 geniculiflorum. H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11794. 7. 9. G. t. plant. grass. 17. 118 pincarhon, H. S. three-forked. 119 micrarhon, H. S. three-forked. 119 micrarhon, H. S. spear-leaved. 1290 fexuosum, H. S. three-forked. 1190 fexuosum, H. S. three-forked. 1290 fexuosum, H	85 crystallinum. H. S.			Greece.	1727. 5.8.	G.O.	Plant. grass. 128.
88 Heinanthoides, H.S. Sun-flower, 89 pomeridianum, H.S. great yellow-fl ⁴ . 90 pilosum, H. S. hairy yellow. 91 limpidum, H. S. spear-leaved. 92 lanceolatum, H. S. spear-leaved. 93 sessiliforum, H. S. spear-leaved. 94 Aitonis, H. S. Sun-flowered. 95 Tripolium, H. S. sessile-flowered. 96 Inunifusum, H. S. spear-leaved. 97 cordifolium, H. S. heart-leaved. 98 expansum, H. S. heart-leaved. 99 anatomicum, H. S. skeleton-leaved. 90 anatomicum, H. S. varying. 100 varians, H. S. varying. 101 tortuosum, H. S. hoteflowered. 102 pallens, H. S. hoteflowered. 103 nodiflorum, H. S. knot-flowered. 104 apetalum, H. S. dwarf spreading. 105 caducum, H. S. dwarf spreading. 106 tuberosum, H. S. tuberous-rooted. 107 spinnliferum, H. S. spear-leaved. 108 grossum, H. S. gouty. 109 viridiflorum, H. S. spear-leaved. 110 nitidum, H. S. of tuberous-rooted. 110 nitidum, H. S. of tuberous-rooted. 111 canaliculatum. H. S. tuberous-rooted. 112 yillosum, H. S. villous. 113 brackhatum, H. S. of tuberous-rooted. 114 geniculiflorum, H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11774. 7. 8. G. of tuberous-rooted. 11705. 7.8. G. t. plant. grass. 78. 116 ciliatum, H. S. tuberous-rooted. 11705. 7. 8. G. t. plant. grass. 78. 11794. 7. 9. G. t. plant. grass. 78. 119 yillosum, H. S. villous. 110 nitidum, H. S. villous. 110 nitidum, H. S. villous. 111 canaliculatum. H. S. three-forked. 112 yillosum, H. S. three-forked. 113 pincarhon, H. S. three-forked. 114 geniculiflorum. H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11794. 7. 9. G. t. plant. grass. 17. 118 pincarhon, H. S. three-forked. 119 micrarhon, H. S. three-forked. 119 micrarhon, H. S. spear-leaved. 1290 fexuosum, H. S. three-forked. 1190 fexuosum, H. S. three-forked. 1290 fexuosum, H	86 pinnatifidum. H. S.	jagged-leaved.		C. B. S.	1774. 5.10.	$G.\odot.$	Bot. mag. 67.
88 Heinanthoides, H.S. Sun-flower, 89 pomeridianum, H.S. great yellow-fl ⁴ . 90 pilosum, H. S. hairy yellow. 91 limpidum, H. S. spear-leaved. 92 lanceolatum, H. S. spear-leaved. 93 sessiliforum, H. S. spear-leaved. 94 Aitonis, H. S. Sun-flowered. 95 Tripolium, H. S. sessile-flowered. 96 Inunifusum, H. S. spear-leaved. 97 cordifolium, H. S. heart-leaved. 98 expansum, H. S. heart-leaved. 99 anatomicum, H. S. skeleton-leaved. 90 anatomicum, H. S. varying. 100 varians, H. S. varying. 101 tortuosum, H. S. hoteflowered. 102 pallens, H. S. hoteflowered. 103 nodiflorum, H. S. knot-flowered. 104 apetalum, H. S. dwarf spreading. 105 caducum, H. S. dwarf spreading. 106 tuberosum, H. S. tuberous-rooted. 107 spinnliferum, H. S. spear-leaved. 108 grossum, H. S. gouty. 109 viridiflorum, H. S. spear-leaved. 110 nitidum, H. S. of tuberous-rooted. 110 nitidum, H. S. of tuberous-rooted. 111 canaliculatum. H. S. tuberous-rooted. 112 yillosum, H. S. villous. 113 brackhatum, H. S. of tuberous-rooted. 114 geniculiflorum, H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11774. 7. 8. G. of tuberous-rooted. 11705. 7.8. G. t. plant. grass. 78. 116 ciliatum, H. S. tuberous-rooted. 11705. 7. 8. G. t. plant. grass. 78. 11794. 7. 9. G. t. plant. grass. 78. 119 yillosum, H. S. villous. 110 nitidum, H. S. villous. 110 nitidum, H. S. villous. 111 canaliculatum. H. S. three-forked. 112 yillosum, H. S. three-forked. 113 pincarhon, H. S. three-forked. 114 geniculiflorum. H. S. three-forked. 115 juncenum, H. S. three-forked. 116 ciliatum, H. S. three-forked. 11794. 7. 9. G. t. plant. grass. 17. 118 pincarhon, H. S. three-forked. 119 micrarhon, H. S. three-forked. 119 micrarhon, H. S. spear-leaved. 1290 fexuosum, H. S. three-forked. 1190 fexuosum, H. S. three-forked. 1290 fexuosum, H					1787. 7.8.	$G.\odot$.	Bot. rep. 57.
190 pitosum. H. S. 1800. 6.8, G.G. 1800. 6.8, G.G. 1801. 1800. 6.8, G.G. 1801. 1801. 6.8, G.G. 1802. 6.8, G.G. 1802. 6.8, G.G. 1803. 6.9, G.G. 1803. 6.					1774. 8.10.	$G.\odot$.	Plant. grass. 135.
190 pitosum. H. S. 1800. 6.8, G.G. 1800. 6.8, G.G. 1801. 1800. 6.8, G.G. 1801. 1801. 6.8, G.G. 1802. 6.8, G.G. 1802. 6.8, G.G. 1803. 6.9, G.G. 1803. 6.					7.8.	G.⊙.	Bot. mag. 540.
92 lanceolatum. H. S. 93 sessilifforum. H. S. 94 Aitonis. H. S. 95 Tripolium. H. S. 95 Inunifusum. H. S. 96 humifusum. H. S. 97 cordifolium. H. S. 98 expansum. H. S. 99 anatomicum. H. S. 99 anatomicum. H. S. 100 varians. H. S. 101 tortuosum. H. S. 102 pallens. H. S. 103 nodiflorum. H. S. 104 apetalum. H. S. 105 caducum. H. S. 106 tuberosum. H. S. 107 spinnliferum. H. S. 108 grossum. H. S. 109 viridiflorum. H. S. 100 viridiflorum. H. S. 101 tuberous-rooted. 102 tuberous-rooted. 103 richlerum. H. S. 104 apetalum. H. S. 105 grossum. H. S. 106 tuberosum. H. S. 107 spinnliferum. H. S. 108 grossum. H. S. 109 viridiflorum. H. S. 109 viridiflorum. H. S. 109 viridiflorum. H. S. 100 grossum. H. S. 101 tuberous-rooted. 102 tuberous-rooted. 103 notiflorum. H. S. 104 petalum. H. S. 105 grossum. H. S. 106 tuberosum. H. S. 107 spinnliferum. H. S. 108 grossum. H. S. 109 viridiflorum. H. S. 110 sitidum. H. S. 111 canaliculatum. H. S. 112 tilbusum. H. S. 113 brachiatum. H. S. 114 geniculiflorum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 incranthon. H. S. 119 incranthon. H. S. 110 nitidum. H. S. 111 reflexum. H. S. 112 tilbusum. H. S. 113 prachiatum. H. S. 114 seflexum. H. S. 115 junceum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 incranthon. H. S. 110 nitidum. H. S. 111 seflexum. H. S. 112 tilbusum. H. S. 113 prachiatum. H. S. 114 seflexum. H. S. 115 junceum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 nitranthon. H. S. 119 nitranthon. H. S. 110 nitidum. H. S. 111 canaliculatum. H. S. 111 canaliculatum. H. S. 112 tilbusum. H. S. 113 prachiatum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 nitranthon. H. S. 110 nitidum. H. S. 110 nitidum. H. S. 111 ciliatum. H. S. 111 ciliatum. H. S. 111 ciliatum. H. S. 112 tiliatum. H. S. 113 prachiatum. H. S. 114 septiculificum. A. 115 junceum. H. S. 116 cil			CONTRACTOR DESCRIPTION OF THE PARTY OF THE P		1800. 6.8.	(Ť. (•).	
93 sessiliforum, H. S. 94 Altonis, H. S. 95 Tripolium, H. S. 95 Tripolium, H. S. 96 humifusum, H. S. 97 cordifolium, H. S. 98 expansum, H. S. 99 anatomicum, H. S. 100 varians, H. S. 101 tortuosum, H. S. 102 pallens, H. S. 103 nodiflorum, H. S. 104 apetalum, H. S. 105 caducum, H. S. 105 caducum, H. S. 106 tuberosum, H. S. 107 spinuliferum, H. S. 108 grossum, H. S. 109 partificum, H. S. 109 partificum, H. S. 100 tuberosum, H. S. 101 tuberosum, H. S. 102 pallens, H. S. 103 nodiflorum, H. S. 104 patalum, H. S. 105 caducum, H. S. 105 caducum, H. S. 106 tuberosum, H. S. 107 spinuliferum, H. S. 108 grossum, H. S. 109 viridiflorum, H. S. 109 viridiflorum, H. S. 110 nitidum, H. S. 111 canaliculatum, H. S. 112 villosum, H. S. 113 brachiatum, H. S. 114 geniculiflorum, H. S. 115 junceum, H. S. 116 füliatum, H. S. 117 fastigiatum, H. S. 118 reflexum, H. K. 119 micranthon, H. S. 118 reflexum, H. K. 119 micranthon, H. S. 110 nitidum, H. S. 111 reflexum, H. S. 112 villosum, H. S. 113 pinceum, H. S. 114 geniculiflorum, H. S. 115 junceum, H. S. 115 junceum, H. S. 116 reflexum, H. S. 117 fastigiatum, H. S. 118 reflexum, H. K. 119 micranthon, H. S. 119 pinceum, H. S. 110 nitidum, H. S. 111 reflexum, H. S. 112 villosum, H. S. 113 pinceum, H. S. 114 geniculiflorum, H. S. 115 junceum, H. S. 115 junceum, H. S. 116 ciliatum, H. S. 117 fastigiatum, H. S. 118 reflexum, H. K. 119 micranthon, H. S. 119 micranthon, H. S. 110 reflexed, 11794. 7.8. G. Å. 119 micranthon, H. S. 110 reflexed, 11794. 7.8. G. Å. 119 micranthon, H. S. 110 reflexed, 11794. 7.8. G. Å. 119 micranthon, H. S. 110 reflexed, 11795. 7.8. G. Å. 119 pincranthon, H. S. 110 reflexed, 11795. 7.8. G. Å. 11706. G. R. 11795. 7.8. 11706. G. R. 11795. 7.8. 11706. G. R. 11706. G. R. 11795. 7.8. 11706. G. R. 11707. Plant. grass, 102. 11708. Plant. grass, 102. 11709. Plant. grass, 102. 11709. Plant. grass,					1774. 7.	G.⊙.	Jac. 1c. 3. t. 488.
94 Aitonis, H. S. 95 Tripolium, H. S. 96 Immifusum, H. S. 97 cordifolium, H. S. 98 expansum, H. S. 99 anatomicum, H. S. 99 anatomicum, H. S. 100 varians, H. S. 101 tortuosum, H. S. 102 pallens, H. S. 103 nodiflorum, H. S. 104 apetalum, H. S. 105 caducum, H. S. 106 subcrosum, H. S. 107 spinuliferum, H. S. 108 grossum, H. S. 109 grossum, H. S. 101 tortuosum, H. S. 105 caducum, H. S. 106 tuberosum, H. S. 107 spinuliferum, H. S. 108 grossum, H. S. 109 gridiflorum, H. S. 109 paridiflorum, H. S. 110 nitidum, H. S. 111 canaliculatum, H. S. 112 spinucum, H. S. 113 brachiatum, H. S. 114 geniculiflorum, H. S. 115 junceum, H. S. 116 ciliatum, H. S. 117 fastigiatum, H. S. 118 reflexum, H. K. 119 micranthon, H. S. 110 nitiranthon, H. S. 110 nitiranthon, H. S. 111 spinceum, H. S. 112 splendens, H. S. 113 splendens, H. S. 114 splendens, H. S. 115 splendens, H. S. 115 splendens, H. S. 116 splendens, H. S. 117 fastigiatum, H. S. 118 reflexum, H. S. 119 splendens, H. S. 119 splendens, H. S. 110 splendens, H. S. 111 splendens, H. S. 112 splendens, H. S. 113 splendens, H. S. 114 splendens, H. S. 115 splendens, H. S. 115 splendens, H. S. 116 splendens, H. S. 117 fastigiatum, H. S. 118 splendens, H. S. 119 splendens, H. S. 119 splendens, H. S. 110 splendens, H. S. 111 splendens, H. S. 112 splendens, H. S. 112 splendens, H. S. 113 splendens, H. S. 114 splendens, H. S. 115 splendens, H. S. 115 splendens, H. S. 116 splendens, H. S. 117 fastigiatum, H. S. 119 splendens, H. S. 119 splendens, H. S. 110 splendens, H. S. 111 splendens, H. S. 112 splendens, H. S. 112 splendens, H. S. 113 splendens, H. S. 114 splendens, H. S. 115 splendens, H. S. 115 splendens, H. S. 116 splendens, H. S. 117 splendens, H. S. 117 splendens, H. S. 118 splendens, H. S. 119 splendens, H. S. 119 splendens, H. S. 110 splendens, H. S. 110 splendens, H. S. 111 splendens, H. S. 111 splendens, H. S. 111 splendens, H. S. 112 splendens, H. S. 111 splendens, H. S. 112 splendens, H. S. 112 splendens, H. S. 112 splendens, H. S. 118 splendens, H. S. 119 splendens, H. S. 110							
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		Aiton's			17/4. 7.	G. A.	Inc wind 2 4 7
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		Aster-leaved			1700	G 1	Dill elt. t. 170 f 920
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		narrow-lead icv			1774. 7 8.	G. h.	17111.010. 0.1 / 5.1.220
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		heart-leaved.	-		5.9.	G.h.	Plant, grass, 102.
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		Houseleek-lead.			1705. 7.8.	G.b.	94.
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		skeleton-leaved.			1803	G.h.	
102 pallens. H. S. palc-flowered. 1774. 7.8. G. h. Plant. grass. 47.		varying.			1706. 7.10.	G.h.	Pet. gaz. t.78. f.10.
107 spinuliferum. H.S. spinulescent. 108 grossum. H. S. gouty. 109 viridiflorum. H. S. green-flowered. 110 nitidum. H. S. nitid. 111 canaliculatum. 112 villosum. H. S. villous. 113 brachiatum. H. S. three-forked. 114 geniculiflorum. 115 junceum. H. S. Rush-leaved. 115 junceum. H. S. ciliated. 116 ciliatum. H. S. ciliated. 11794. — G. ħ. 11714. 8.10. G. ħ. 11790. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11795. 7. G. ħ. 11714. 6.8. G. ħ. 11714. 6.8. G. ħ. 11715. 118 reflexum. H. S. ciliated. 11714 G. ħ. 119 micranthon. H. S. small-blossomed. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. shining. 1716. 6.8. G. ħ. Plant. grass. 35.	101 tortuosum. H. S.	twisted-leaved.			1705. 6.10.	G.h.	Dill.elt.t.181.f.222
107 spinuliferum. H.S. spinulescent. 108 grossum. H. S. gouty. 109 viridiflorum. H. S. green-flowered. 110 nitidum. H. S. nitid. 111 canaliculatum. 112 villosum. H. S. villous. 113 brachiatum. H. S. three-forked. 114 geniculiflorum. 115 junceum. H. S. Rush-leaved. 115 junceum. H. S. ciliated. 116 ciliatum. H. S. ciliated. 11794. — G. ħ. 11714. 8.10. G. ħ. 11790. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11795. 7. G. ħ. 11714. 6.8. G. ħ. 11714. 6.8. G. ħ. 11715. 118 reflexum. H. S. ciliated. 11714 G. ħ. 119 micranthon. H. S. small-blossomed. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. shining. 1716. 6.8. G. ħ. Plant. grass. 35.	102 pallens. H. S.	pale-flowered.			1774. 7.8.	G.h.	Plant. grass. 47.
107 spinuliferum. H.S. spinulescent. 108 grossum. H. S. gouty. 109 viridiflorum. H. S. green-flowered. 110 nitidum. H. S. nitid. 111 canaliculatum. 112 villosum. H. S. villous. 113 brachiatum. H. S. three-forked. 114 geniculiflorum. 115 junceum. H. S. Rush-leaved. 115 junceum. H. S. ciliated. 116 ciliatum. H. S. ciliated. 11794. — G. ħ. 11714. 8.10. G. ħ. 11790. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11795. 7. G. ħ. 11714. 6.8. G. ħ. 11714. 6.8. G. ħ. 11715. 118 reflexum. H. S. ciliated. 11714 G. ħ. 119 micranthon. H. S. small-blossomed. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. shining. 1716. 6.8. G. ħ. Plant. grass. 35.			-	Egypt.	1739. 8.10.	G.⊙.	
107 spinuliferum. H.S. spinulescent. 108 grossum. H. S. gouty. 109 viridiflorum. H. S. green-flowered. 110 nitidum. H. S. nitid. 111 canaliculatum. 112 villosum. H. S. villous. 113 brachiatum. H. S. three-forked. 114 geniculiflorum. 115 junceum. H. S. Rush-leaved. 115 junceum. H. S. ciliated. 116 ciliatum. H. S. ciliated. 11794. — G. ħ. 11714. 8.10. G. ħ. 11790. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11795. 7. G. ħ. 11714. 6.8. G. ħ. 11714. 6.8. G. ħ. 11715. 118 reflexum. H. S. ciliated. 11714 G. ħ. 119 micranthon. H. S. small-blossomed. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. shining. 1716. 6.8. G. ħ. Plant. grass. 35.				C. B. S.	1774. 7.8.	G.⊙.	Jac. vind. 3. t. 6.
107 spinuliferum. H.S. spinulescent. 108 grossum. H. S. gouty. 109 viridiflorum. H. S. green-flowered. 110 nitidum. H. S. nitid. 111 canaliculatum. 112 villosum. H. S. villous. 113 brachiatum. H. S. three-forked. 114 geniculiflorum. 115 junceum. H. S. Rush-leaved. 115 junceum. H. S. ciliated. 116 ciliatum. H. S. ciliated. 11794. — G. ħ. 11714. 8.10. G. ħ. 11790. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11794. 7.10. G. ħ. 11795. 7. G. ħ. 11714. 6.8. G. ħ. 11714. 6.8. G. ħ. 11715. 118 reflexum. H. S. ciliated. 11714 G. ħ. 119 micranthon. H. S. small-blossomed. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. shining. 1716. 6.8. G. ħ. Plant. grass. 35.		deciduous.	-			G.O.	701
109 viridiflorum, H. S. green-flowered.					1714. 6.10.	G.h.	Plant. grass. 78.
109 viridiflorum, H. S. green-flowered.		•	The state of the s		1794	G.h.	
110 nitidum. H. S. 111 canaliculatum. H. S. H. S. 112 villosum. H. S. 113 brachiatum. H. S. 114 geniculiforum. H. S. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 nitranthon. H. S. small-blossomed. 110 nitidum. H. S. 1110 nitidum. H. S. 1110 nitidum. H. S. 11110 nitidum. H. S. 1112 villosum. H. S. 112 villosum. H. S. 113 brachiatum. H. S. 114 geniculiforum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 nitranthon. H. S. 119 nitranthon. H. S. 119 splendens. H. S. 110 splendens. H. S. 111 splendens. H. S. 112 splendens. H. S. 113 splendens. H. S. 114 splendens. H. S. 115 splendens. H. S. 115 splendens. H. S. 117 splendens. H. S. 118 splendens. H. S. 119 splendens. H. S. 119 splendens. H. S. 119 splendens. H. S. 110 splendens. H. S. 110 splendens. H. S. 110 splendens. H. S. 110 splendens. H. S. 111 splendens. H. S. 112 splendens. H. S.			·		1774. 8.10.	G. h.	D-4 000
111 canaliculatum. H. S. 112 villosum. H. S. 113 brachiatum. H. S. 114 geniculiflorum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. K. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. 121 splendens. H. S. 122 splendens. H. S. 132 shaning. 134. 7.10. G. ħ. 1759. 7. G. ħ. 1774. 6.8. G. ħ. 1800. 8.10. G. ħ. 1774 G. ħ. 1792. 8.9. G. ħ. 1804 G. ħ. 1795. 7.8. G. ħ. 1795. 7.8. G. ħ. 1795. 7.8. G. ħ.					7.11.	G. h.	Bot. mag. 326.
H. S. Channel-leaved. 1794. 7.10. G. h.		mua.			1790. 7.10.	G. n.	
112 villosum. H. S. villous. 1759. 7. G. h. 113 brachiatum. H. S. three-forked. 1774. 6.8. G. h. 114 geniculiflorum. H. S. joint-flowering. 1727. 7.9. G. h. Plant. grass. 17. 115 junceum. H. S. Rush-leaved. 1800. 8.10. G. h. 116 ciliatum. H. S. ciliated. 1774 G. h. 117 fastigiatum. H. S. level-topped. 1794. 7.9. G. h. 118 reflexum. H. K. reflexed. 1792. 8.9. G. h. 119 micranthon. H. S. smill-blossomed. 1804 G. h. 120 flexuosum. H. S. zigzag. 1795. 7.8. G. h. 121 splendens. H. S. shining. 1716. 6.8. G. h. Plant. grass. 35.	•	channel-leaved.			1794. 7.10.	G. h .	•
113 brachiatum. H. S. 114 geniculiforum. H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. S. 119 micranthon. H. S. small-blossomed. 120 fexuosum. H. S. 121 splendens. H. S. 13 brachiatum. H. S. 14 geniculiforum. Jivate John John John John John John John John		villone			1759 7	G L	
114 geniculiflorum. H. S. joint-flowering. — 1727. 7.9. G. h. Plant. grass. 17. 115 junceum. H. S. Rush-leaved. — 1800. 8.10. G. h. 116 ciliatum. H. S. ciliated. — 1774 G. h. 117 fastigiatum. H. S. level-topped. — 1794. 7.9. G. h. 118 reflexum. H. K. reflexed. — 1792. 8.9. G. h. 119 micranthon. H. S. small-blossomed. — 1804 G. h. 120 flexuosum. H. S. zigzag. — 1795. 7.8. G. h. 121 splendens. H. S. shining. — 1716. 6.8. G. h. Plant. grass. 35.							
H. S. 115 junceum. H. S. 116 ciliatum. H. S. 117 fastigiatum. H. S. 118 reflexum. H. K. 119 micranthon. H. S. small-blossomed. 120 flexuosum. H. S. 121 splendens. H. S. 121 splendens. H. S. 121 splendens. H. S. 122 splendens. H. S. 123 splendens. H. S. 124 splendens. H. S. 125 splendens. H. S. 126 splendens. H. S. 127 splendens. H. S. 128 splendens. H. S. 129 splendens. H. S. 120 splendens. H. S. 120 splendens. H. S. 121 splendens. H. S. 121 splendens. H. S. 121 splendens. H. S. 121 splendens. H. S.						•	
115 junceum. H. S., Rush-leaved.		joint-flowering.			1727. 7.9.	G.h.	Plant. grass. 17.
116 ciliatum. H. S. ciliated.		Rush-leaved.			1800. 8.10	. G. b .	
117 fastigiatum. H. S. level-topped. 118 reflexum. H. K. reflexed. 119 micranthon. H. S. small-blossomed. 121 splendens. H. S. shining. 121 splendens. H. S. shining. 122 splendens. H. S. shining.			,				
118 reflexum. H. K. reflexed. ————————————————————————————————————							
119 micranthon. H. S. small-blossomed 1804 G. \(\hat{h}\). 120 flexuosum. H. S. zigzag 1795. 7.8. G. \(\hat{h}\). 121 splendens. H. S. shining 1716. 6.8. G. \(\hat{h}\). Plant. grass. 35.	118 reflexum. H. K.	reflexed.	-				
121 splendens. H. S. shining.				*,			
	121 splendens. H. S.	shining.	-		1716. 6.8.	G.h.	Plant. grass. 35.

	, 2000111	1510111 251	1 111 111				
122 veruculatum. H.S.		Ficoidea. J.	C. B. S.	1731.	5.6.	G.h.	Plant. grass. 36.
123 purpureo-cro-	{purple and }			1780	8 10	G L	51.
ceum. H. S.	saffron.			1700.	0.10.	J. 17.	
124 noctiflorum. H. S.	night-flowering.			1714.	6.8.	G.h.	Plant. grass. 10.
125 stramineum. H. S. 126 horizontale. H. S.	horizontal land			1732.		G.h.	
127 molle. H. S.	soft-leaved.			1795.	10	G.h.	
128 strictum. H. S.	erect.			1705		C L	
129 cymbiforme. H. S.	boat-leaved.			1703		GL	
130 graniforme. H. S.	grain-leaved.			1707	0 10	CL	Brad. suc. 2. t. 20.
131 aureum. H. S.	golden-flowered.	*****	***************************************	1750.	3.10.	G.h.	Bot. mag. 262. Plant. grass. 146.
132 glaucum. H. S.	glaucous-leaved.			1696.	6.7.	G.b.	Plant. grass. 146.
133 aurantium. H. S.	Orange-flowered.			1793.	6.8.	G.h.	8
134 coccineum. H. S.	scarlet-flowered.			1696.	5.9.	G.h.	Bot. mag. 59.
135 bicolorum. H. S.	two-coloured.			1732.		G.h.	Bot. mag. 59. Dill.elt.t.202.f.258 Brad. suc. 1. f. 7. Plant. grass. 82. Dill.elt.t.197.f.251
136 inæquale. H. S.	unequal-cupped.			1716.		G.h.	Brad. suc. 1. f. 7.
137 variabile. H. S.	variable.			1796.	6.8.	G.h.	
138 tenuifolium. H. S. 139 scabrum. H. S.	sienuer-leaved.			1700.	6.9.	G.h.	Plant. grass. 82.
140 versicolor. H. S.	changeable-flod.			1731.	7.	G. h.	Dill.elt. t.197.f.251
141 emarginatum.H.S.	notch-flowered			1700	C 0	C T	Dill alt + 107 f 050
142 retroflexum. H. S.	white-barked.			1704	5.10	G. L.	Din.etc. t.197.1.200
143 deflexum, H. S.	deflexed.			1774	7 10	GL	
144 polyanthon. H. S.	copious-flowered.			1803.	8.	G. L.	
145 speciosum. H. S.	specious.			1793.	5.10.	G. h.	
146 micans. H. S.	glittering.			1704.	5 8.	Gh	Bot. mag. 448.
147 maculatum. H. S.	spotted-stalked.		-	1792.		G.h.	
148 pulverulentum.	dusty-leaved.						
H.S.	•			-		G.h.	
149 brevifolium. H. S.				1777.	7.10.	G.h.	
150 subglobosum.H.S.	globular.			1795		Gh	
151 hispidum. H. S.	hispid.			1704.	5.10.	G.h.	Plant. grass. 66. Dill.elt, t. 214.f. 280
152 floribundum H.S. 153 hirtellum, H.S.	dwarf bristler					G.h.	Dill.elt, t.214.f.280
154 striatum. H. S.	dwarf bristly.			1792.	5.11.	G.h.	D:11 -14 + 015 6001
155 echinatum. H. S.	hedgehog.			1727.	7.10.	G. T.	Dill.elt. t.215.f.281 Plant. grass. 24.
156 barbatum. H. S.	trailing bearded.			1705.	6.8	G. h	7 fairt. grass. 24.
157 stelligerum. H. S.	lesser bearded.			1793.	5.10.	G. h.	Bot. mag. 70.
158 hirsutum. H. S.	small bearded.			1716.	9.10.	G.b.	Plant, grass, 29.
159 densum. H. S.	dwarf bearded.			1732.	5.8.	G.h.	Bot. mag. 1220.
160 geminatum. H. S. 161 forficatum. H. S. 162 perfoliatum. H. S.	twin-shooted.			1792.		G. 12 .	•
161 forficatum. H. S.	scissar-leaved.			1758.	9.10.	G. h.	Jac. vind. 1. t. 26.
162 perfoliatum. H. S.	great perfoliate.			1714.	6.8.	G.h.	Dill.elt.t.192.f.240
163 uncinatum. H. S.	lesser nertoliate			1705	0	G.h.	Plant. grass. 54.
164 viride. H. S.	green perioliate.		-	1792.	7.	G. h.	
165 tenellum. H. S. 166 rigidum. H. S.				1500	8.,	G.h.	
167 parviflorum. H. S.	rigid.		-	1793.		G. h.	
168 vaginatum. H. S.				1000.	7.0	G. R.	
169 curtum. H. S.			4	150%.	7.0.	G.h.	
170 imbricatum. H. S.	imbricated.			1799.	7.	G. b.	
171 multiflorum. H. S.	many-flowered.				7.9.	G. h.	Pluk.phyt.t.117.f.1
172 foliosum. H. S.	leafy.			1802.	9.	G.h.	
173 tumidulum. H. S.	tumid.				3.	G.h.	
174 umbellatum. H. S.	umbel-flowered.			1727.	6.9.	G.b.	Dill.elt.t.203.f.266
175 bracteatum. H. S.				1774.	7.10.	G.h.	
176 radiatum. H. S.	rayed.			1720	Q 11.	CL	Dill.elt.t.197.f.249
177 patulum. H.S.	spreading.			1811.	• • • •	G.h.	
178 compressum. H.S.				1792.	7.9.	G.h.	
179 anceps. H. S.	two-edged.						
180 stellatum. H. S. 181 virgatum. H. S.	starry. twiggy.		-	1794.	8.11.	G.h.	
182 curvifolium. H. S.	crooked-leaved			1793.	2.4.	G.h.	
183 spiniforme. H. S.	Thorn-leaved.			1709	0.10	G. L.	
184 aduncum. H. S.	hook-leaved.			1795.	2.3	G. L	
185 filicaule. H. S.	thread-stalked.			1800.	9.	G.h.	
186 maximum. H. S.	moon-leaved.			1787.	3.8.	G.h.	9
187 lacerum. H. S.				1700.	6.	G. h .	
188 serratum. H. S.	saw-keeled.		-	1707.	6.7.	G.b.	Dill.elt.t.192.f.238
189 heteropetalum.H.S	various-petaled.	-	***************************************	1794.	5.8.	G.h.	

	1008	ANDINA, 1	OLIGI	1/11/7			11	•
190 mutabile. H. S.	changeable.	Ficoideæ. J.	C. B. S.	1792.	7.9.	G. h.	Plant. grass. 60.	
191 marginatum, H.S.				1793		G.h.		
192 inclaudens. H. S.	open-flowered.	-		1805.	6.9.	G.h.,	Bot. rep. 388.	c
193 caulescens. H. S.	smooth delta-l ^d .			1731.	5.7.	G. Iz.	{ Dill. elt. t. 195. 243, 4.	1.
194 deltoides, H. S.	great delta-leavd.				5.	G.b.	Plant. grass. 53.	
195 muricatum. H. S.	small delta-leavd.					G L	Dill.elt.t.195.f.24	6
196 microphyllum.H.S.	small-leaved.			1705		G. L.		
197 mucronatum. H.S.				1794.	• • • •	G.h.	,	
198 pulchellum. H. S.	neat.						CD:11 -14 4 010	e
199 falcatum. H.S.	sickle-leaved.			1727.	6.8.	G.h.	Dill. elt. t. 213. 275, 6.	1.
200 glomeratum. H. S.	clustered.			1732		G. L.	t.213.f.27	4
201 falciforme. H. S.	sickle-shaped.			1005	A 0	CT		
202 decumbens. H. S.	decumbent.			1759.	5.10.	G.h.		
203 incurvum. H. S.	incurved.	***************************************	-	1802.	6.	G. h.		
204 confertum. H. S.	crowded-leaved.			1805.	9.10.	G.h.	(Dill alt + 200	£
205 stipulaceum. H. S. 206 Haworthii. H. S.	upright-shrubby.			1723.	5.6.	G.h.	267, 8.	**
206 Haworthii. H. S.	Haworth's.			1793.	6.1.	G.h.		
207 læve. H. S.	white-wooded.			1774	70	(- 1-		
208 spinosum. H. S.	thorny.			1714.	6.9.	G.h.	Dill.elt.t.208. f.26	ិត
209 dilatatum. H. S.	dilated.	73: '1 T		1795.	7.	G.h.		
AlZOON. W.	AIZOON.	Ficoideæ. J.	Congrige	1791	~ u	GO	Bot. rep. 201.	
2 glinoides. W.	hairy,		C. B. S.	1774.			Dot. 10p. 2011	
3 hispanicum. W.	Spanish.		Spain.				Plant. grass. 30.	
4 lanceolatum. W.	spear-leaved.		C. B. S.	1752.				
DOCA W	7)	POLYGY	NIA.					
ROSA. W. 1 berberifolia. W.	Rose.	Rosaceæ. J.	Domain	1700		10 T.	Day land 101	
2 lutea. W.	single yellow.		Germany.	1596	6.7.	H.b.	Par. lond. 101. Bot. mag. 363.	
3 bicolor. B. M.	red and yellow.						1077.	
4 sulphurea. W.	double yellow.		Levant.				Bot. reg. 46.	
5 Banksiæ. H. K.	Lady Banks's.		China.	1807.	6.7.	G.b.	Bot. mag. 1954.	36
6 blanda. W.	Hudson's Bay.		Newfoundld.	1773.	5.8.	H.h.	MissLawr.ros. t.2	7-
7 cinnamomea. W.	Cinnamon.		England.				Eng. bot. 2388.	
β plena.	double.		T*4141			TT T	MissLawr.ros. t.3	4.
8 Kamchatica. H. S. 9 arvensis. W.	Kamtschatka. white dog.		Rritain	1802.	6.7	H.h.	Fng hot 188	1/22
10 spinosissima. W.	Scotch.		Ditam.			Н. Ь.	187.	
B - striped-flower	ered Scotch.					H. h.	MissLawr.ros.t.1	5.
β — striped-flowe γ — red Scotch. δ — double Scotc						H.h.	t. 62.	
δ - double Scote	h.			• • • •		H.h.	t. 63.	
tall Scotch.						H. b.	t. 19.	
ζ — marbled See				• • • • •		11. h.	t. 78.	
	{ Burnet-Saxi- } frage-leaved. }		S. Europe.		5.6.	H.h.		
12 altaica. W. en.	Pallas's.		Siberia.			Н. Ь.	Pall. ross. 2. t. 75	
13 hispida. B. M.	hispid-stemmed.			1780.		H.h.	Bot. mag. 1570.	
14 involuta. E. B.	Dr. Walker's.		Hebrides		67	II L	Eng. bot. 2068.	
15 lutescens. Ph.	window.		Carolina.	1810.	5.6.	H.h.		
16 nitida. Ph.	glossy.		N. America.	1807.	6.8.	H. h.		
17 parviflora. Ph. 18 lucida. Ph.	small-flowered.			1724.		H.h.	Dill alt t 045 f 91	e
19 gemella. Ph.	shining-leaved. twin-flowering.			1800.	7.8.	н. ь.	Dill.elt.t.245.f.31	
20 Lyonii. Ph.	Lyon's.		Tennassee.				٠,	
21 setigera. Ph.	marsh.		N. America.	1800.	6.7.	H.h.		
22 carolina. W.	Carolina.			1700		LIT	Dill.elt.t.245.f.31	6
a single Burn						H.h.	MissLawr.ros.t. 2 t. 3. t. 68. t. 66. t. 54.	4.
β - double Burn						H.h.	t. 3.	
γ - single Pensy						H.h.	t. 68,	
δ — double Pensy spreading C						H. h.	t. 54.	
ζ — upright Car						Н. Б.	t. 36.	
23 rubifolia. H. K.	Bramble-leaved.			1800.		H.h.		
24 villosa, W.	Apple-bearing.		Britain.			H.h.	Eng. bot. 583.	
	double Apple-}	-	-				MissLawr.ros. t.2	9.
	bearing. \$					•		

5 hibernica. E. B. 5 sinica. H. K.	Irish. three-l ^d China.	Rosaceæ. J.					Eng. bot. 2196.
7 provincialis. H. K.			China.S. Europe.	1506	6.7.	H.L	
provincians. 11. K.	FIGVIES.					T T T	Miss Lawr. ros. t. 8.
a — common Pro β — scarlet Prov	ino.					H.L	# 90
b Scartet I Too	ins.					TI. T.	L. 22.
3 — blush Provin	<i>LS</i> .					11.7.	t. 1.
					,	Π.η.	t. 4.
Rose de Mei	ux.					H.h.	t. 31.
ζ Pompone.						H. h.	t. 50.
n Rose de Rho						H.h.	t. 71.
3 - Childing's I	Provins.					H.h.	t. 43.
- Blandford,	or Portugal.					H.h.	t. 21.
Rose St. Fre	ancis.					H.h.	t. 88.
A - Shailer's Pr						H. b .	t. 76.
µ muscosa. single A				1794.		H. b.	Bot. reg. 53.
- common Mo.			·			Н. Ь.	Bot. mag. 69.
\$ white Moss.						HL	Bot. reg. 101.
s ferox. H. K.	hadrahar		Cononene	1506	40	H L	Miss I nur ros t 49
	hedgehog.		- England.	1/90.		11.17.	MissLawr. ros.t.42.
9 dumetorum. E. B.	bushy.		- England.	• • • •	6.7.	n.n.	Eng. bot. 2579.
o scabriuscula. E. B.	roughish.			• • • •		Η. η.	1896.
1 rubella. E. B.	reddish.			• • • •		H.h.	1896. ————————————————————————————————————
2 micrantha. E. B.	small.		- Britain.		5.7.	H. h.	 24 99.
3 mollis. E. B.	soft.				6.7.	H.h.	2459.
4 reversa. W. en.	reversed.		- Hungary.			H. b .	,
5 pulchella. W. en.	neat.					H.h.	
6 adenophylla. W. en.				1816.		Н.Ъ.	
7 centifolia. W.	hundred-leaved.			1596.		H. b.	
a - Dutch hund				10,700		HL	MissLaur ros t 11.
						LI L	MissLawr. ros. t. 11 t. 40 t. 85.
β - blush hundr						Π.η.	1.40.
y - Singleton's	hundred-leaved.					H. h.	τ. 85.
3 —— Burgundy.			 			H.h.	t. 44.
s single velvet	!.					H.h.	t. 51.
ζ - double velver	t.					H.h.	t. 2.
n Sultan.						Н. Б.	t. 35.
\$ Stepney.						HL	t. 46.
. — Lisbon.						HL	t 67
						π. π.	t. 07.
* Bishop.		**************************************	 			H. 17.	1. 20.
λ —— Cardinal.		***************************************				H. h.	t. 59,
µ blush royal.						H.h.	t. 47.
y —— petit hundre	d-leaved.	***************************************		-		H. h.	t. 55.
¥ Pluto.						H.h.	t. 39.
o - monstrous h	undred-leaved.		—			H.b.	t. 73.
# fringe.						н. Б.	t. 82.
p plicate.							
	, , , ,					11.77	+ 70
- two-coloured	i nunarea-teavea.	***************************************				Π.η.	1.79.
τ — shell.					es.	· Н. h.	t. 89.
8 gallica. W.	officinal,		- S. Europe.	1596.		- H. h .	
a red officinal	•					H.h.	MissLawr.ros.t.16.
β - Mundi.						H. b .	
y marbled.		-				H. h.	t. 57.
δ - royal virgin						HL	t. 7.
	•					LI T	t. / .
s Giant.						Π. η.	1. 49.
9 lævigata. Ph.	smooth-leaved.		- Georgia.	• • • •		H.h.	NO. 7 1
o damascena. W.	red damask.	***************************************	or man open	10,0.	0., .		
β blush dama	sk.						t. 52.
y York and L	ancaster.					- Н. Ь.	t. 10.
δ - red monthly						Н. Б.	t. 5.
s white month						H.L	t. 17.
ζ blush Belgi							t. 70.
n great royal.		•					t. 58.
3 blush month	ug.						t. 18.
- red Belgic.		·				- H. h.	t. 83.
x Goliath.						H.h.	t. 80.
A imperial blu	ısh.					H. h .	t. 80.
1 sempervirens. W.	evergreen.		- Germany.	1690	6.8	H.L.	t. 45. 4
				1017		H L	
2 repens. W. en.	creeping.		— Hungary. —	181/.		11. n.	
3 polyphylla. W. en.		*					
4 pumila. W.	dwarf.		- Austria.	1773.	6.7.	H.h.	Jac. aust. 2. t. 198.
	turgid.				6.8.	H.h.	
5 turgida. P. S.	tui biut						MissLawr. ros. t.69.

47 suavis. W. en.	sweet.	Rosaceæ. J.		1817.	6.7. H.h	.77
48 rubiginosa, W.	Sweet-briar.		- Britain.		5.6. H.b.	Eng. bot. 992.
β - Semidouble	Sweet-briar				H. h.	Misslawr.ros. t.oo.
y Double mo	ssy Sweet-briar.				H. h	t. 72.
δ - Manning's	-blush Sweet-briar.				H.h.	t. 41.
E - Double-red	Sweet-briar.				H.h	. ——— t. 61.
ζ —— Royal Swe				• • • •	H. h	t. 74.
49 suaveolens. Ph.	{ American Sweet-briar. }		- N. America.		H. h	Andr. ros. c. ic.
50 moschata. W.	musk.		- Barbary	1506	7 10. H.h	. MissLawr. ros.t.64.
β plena.	double musk.					t. 53.
51 alpina. W.	Alpine.		- Switzerland.	1683.	6.7. H. b	t. 30. 3 A.
β red Alpine	•				H. b	t. 30. 3 Reg.
52 pendulina. W.	smooth pen-		- N. America.			
•	dulous.					_ 4 .7
53 multiflora. W.	Bramble-flowerd		- China.	1804.	6.7. H.h	. Bot. mag. 1059.
54 cæsia. E. B.	gray-leaved.			• • • •	H. h	. Eng. bot. 2367.
55 canina. E. B.	dog, or Hip.		- Britain.	• • • •	H. h	992.
β plena.	double dog.		England		П. д	. MissLawr.ros.t.60. . Eng. bot. 990.
56 tomentosa. E. B.	downy-le ^a . dog.		- England. - Britain.	• • • •	H h	. ————————————————————————————————————
57 collina. W. 58 caucasica. M. B.	Caucasian.		- Caucasus.	1708	H. h	1030.
59 parvifolia. W.	small-leaved.		- Europe	1730.	— H h	Simil march of 11/1/19
60 fraxinea. W. en.	Ash-leaved.		- Darope.		Н. Ь	· 234 . 2000 - 1877
61 semperflorens. W.	ever-blowing.		- China.	1789.	1.12. F. h	. Exot. bot. 2. t. 91.
β plena.	dark Chinese.					. Bot. mag. 284.
62 Lawranceana.	Miss Lawrance's.					. Bot. mag. 1762. 6.5
semperflorens y mi						
63 indica. W.	blush Chinese.		- China.	1789.	H. h	. MissLawr.ros.t.26.
β minor.	small Chinese.				H. h	. MissLawr.ros.t.26.
y centifolia.	large Chinese.				H. h	•
δ albiflora.	white Chinese.				—— H. h	
64 odorata.	sweet Chinese.			- 1810.	2.8, G.h	. Andr. ros. c. ic.
indica odorata. A						•
65 bracteata. W.	Macartney.			- 1795.	8.10. H.h	. Bot. mag. 1377.
66 alba. W.			- Europe.	1597.	6.7. H. h	. MissLawr.ros. t.37.
β —— double wh					H. h	. ——— t. 25.
y Cluster M					H.h	. MissLawr.ros.t.37 ———————————————————————————————————
δ —— Great Ma RUBUS. W.	Bramble.	Rosaceæ. J.			n. n	1. 32.
1 rosæfolius. Sm.	Rose-leaved.		_ Mouritine	1911	104 G b	. Smith ic. 3. t. 60.
β coronarius.	double-flowered.					Bot. mag. 1783.
2 pinnatus. W.	pinnate.		- C. B. S.			
3 Idæus. W.	Raspberry.		- Britain.		5.6. H. h	. Eng. bot. 2442.
4 occidentalis. W.	Virginian.		- N. America.	1696	H. H	. Dill.elt.t.247.f.319
5 cancifolius. Ph.	plaited-leaved.			- 1811	. 6.7. H. F	
6 canadensis. W.	purple-stalked.				H. H.	•
7 hispidus. W.	bristly.		- Canada.	1768	. 8. H.	•
8 cæsius. W.	Dewberry.		- Britain.		6.7. H. h	. Eng. bot. 826.
9 corylifolius. E. B.					7. H.	Eng. bot. 826.
10 fruticosus. W.	common.		Ø		6.9. H. I	715.
β albus.	white-fruited.				— Н. І	2 •
y plenus.	double-flowered.				Н. І	2 •
δ inermis.	smooth.		Germany.		H. k	·
11 tomentosus. W. e			- Germany.	1016	H. F	١.
12 glandulosus. W. e 13 hirtus. W. en.	9		Unngan			
14 laciniatus. W. en.	hairy. jag-leaved.		- Hungary.			W hort bor 2 t 82
15 trivialis. Ph.	procumbent.		— N. America			. W. hort. ber.2. t.82.
16 villosus. W.	shaggy.		- IV. Tamerica			
17 strigosus. Ph.	strigose.					
18 flagellaris. Ph.	shining-leaved.				. —— H. J	
19 inermis. W. en.	smooth.				. —— H.	
20 odoratus. W.	flowering.			- 1700	H.	2. Bot. mag. 323.
21 suberectus. E. B.			- Britain.			2. Eng. bot. 2572.
22 moluccanus. W.	Molucca.		- E. Ind.		. 7.8. S.1	SRumph. amb. 5. t.
						(4/.1.2.
23 saxatilis. W. 24 pistillatus. Ph.	stone.		Britain.Labrador.	1000		4. Eng. bot. 2233.
AT PISMILHERD I II.	close-styled.		- Daviagor.	1002	. 0.7. II.	4. Exot. bot. 2. t. 86.

2.00							
25 arcticus. E. B.	dwarf crimson.	Rosacew. J.	Scotland.		5.8.	H. 24.	Eng. bot. 1585.
26 Chamæmorus. W.	Cloud-berry.				5.6.	H.4.	716.
DALIBARDA. Mi.	DALIBARDA.	Rosaceæ. J. Rul					
1 violæoides. Mi.	Violet-leaved.		N. America.	1768.	5.6.	H.4.	Mich. amer. 1. t. 27.
repens. Ph.							
2 fragarioides. Mi.	Strawberry-leavd.			1803.		H.4.	1. t. 28.
FRAGARIA. W.	STRAWBERRY.	Rosaceæ. J.					
1 vesca. W.	wood.		Britain.				Eng. bot. 1524.
2 monophylla. W.	one-leaved.						Bot. mag. 63.
3 collina. W.	Alpine.		Germany.	1768.	4.11.	H. 24.	**
4 elatior. W.	Hauthoy.		Britain.	• • • •	4.5.	H.4.	Eng. bot. 2197.
5 canadensis. Ph.	Canada.		N. America.			H. 4.	Durbana sala 1 4 f
6 virginiana. Ph.	scarlet. Pine.		Cuninam	1029.		11.4.	Duham. arb. 1. t. 5. Mill. ic. 2. t. 288.
7 grandiflora. W.	Chili.		Surmani.	1707	5.0	H.4.	Duham. arb. 1. t. 3.
8 chiloensis. W. 9 indica. H. K.			India	1905	5.10	H 21	Bot. reg. 61.
COMARUM. W.	COMARUM.	Rosaceæ. J.	muia.	1000.	0.10.	11.4.	Dourteg. ott
1 palustre. W.	MarshCinquefoil		Britain.		6.7.	H.21.	Eng. bot. 172.
2 fragarioides. W.en.	Strawberry-like.						
Fragaria sterilis.	E. B.				• • • • • • • • • • • • • • • • • • • •		
POTENTILLA. W.	CINQUEFOIL.	Rosaceæ. J.					
1 fruticosa. W.			England.		6.8.	н. р.	Eng. bot. 88.
2 floribunda. Ph.	cluster-flowered.		N. America.	1811.	6.10.	H.h.	Eng. bot. 88. Amm.ruth.t.18.f.1.
3 Anserina. W.	Wild Tansey.		Britain				Eng. bot. 861.
4 hispida. W. en.	hispid.		Danria	1797.	7.8.	H.4.	-
5 sericea. W.	silky.		Siberia.	1780.	5.6.	H.4.	
6 multifida. W.	cut-leaved.			1759.		H.4.	
7 fragarioides. W.	Strawberry-lead.			1773.		H.4.	Gmel.sib.3.t.34.f.2.
8 ruthenica. W.	Russian.						Moris. s. 2. t. 20. f. 2.
9 rupestris. W.	rock.		England.				Eng. bot. 2058.
10 bifurca. W.	bifid-leaved.		Siberia.				Gmel. it.1. t.27.f.1.
11 pimpinelloides. W.	Burnet-leaved.	**************************************	Levant.				Buxb. cent. 1. t. 48.
12 pensylvanica. W.	Pensylvanian.		N. America.				Jac. vind. 2. t. 189.
13 supina. W.	trailing.		Siberia.				Jac. aust. 5. t. 406.
14 recta. W.	upright.		Britain				Eng. bot. 89.
15 argentea. W. 16 intermedia. W.	various-leaved.		Switzerland	1786	5.0	H.2/.	Ling. both og.
17 adscendens. W. en.			Linnaramir			H.4.	
18 hirta. W.	hairy.	,	S. Europe.			H. 4.	
19 stipularis. W.	stipular.		Siberia.			H.4.	
20 opaca. W.	small rough.	8	S. Europe.	1680.	5.6.	H.4.	Jac. ic. 1. t. 91.
21 verna. W.	spring.		Britain.		3.5.	H.4.	Eng. bot. 37.
22 aurea. W.	golden.		Scotland.		5.7.	H.4.	561.
23 astracanica. W.	Astracan.		Siberia.	1787.	6.8.	H.4.	Jac. ic. 1. t. 92.
24 alba. W.	white.		Wales.	• • • •	2.8.	H.4.	Eng. bot. 1384.
25 caulescens. W.	Alpine.						Jac. aust. 3. t. 220.
26 Clusiana. W.	Clusius's.		4.1 6.73	1806.	7.8.	н. 4.	Bot. mag. 1327.
27 lupinoides. W.	close-flowered.		Alps of Eur.	1739.	0.7.	H.4.	Inc aus 5 t an 05
28 nitida. W.	shining.		Austria.	1798.	0.7.	11.4.	Jac.aus. 5. t. ap. 25.
29 reptans. W. 30 sarmentosa. W. en.	common.		* T A	1804	0.9.	H. 2	Eng. bot. 862.
	various-leaved.		N. America.	1917	6.8	H.4.	
31 diffusa. W. en. 32 monspeliensis. W.	Montpelier.		France	1680	7.8	H. 2	Moris.h.s.2.t.20.f.2
33 nivea. W.	snowv.		Siberia.	1816.	6.8	H. 24	Gmcl.sib.3.t.36.f.1.
34 norvegica. W.			N. Europe.	1764	6.7	H. 1	Fl. dan. 171.
	Norwegian						
	Norwegian.			1704.	0.7.	H. 24.	Eng. bot. 2389.
35 tridentata. W.	trifid-leaved.		Scotland.			- H.4.	Eng. bot. 2389.
35 tridentata. W. 36 grandiflora. W.	trifid-leaved. great-flowered.					- H.4.	Eng. bot. 2389. Bot. mag. 75.
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W.	trifid-leaved. great-flowered. SEPTFOIL.	Rosaceæ. J.	Scotland.			- Н. 4 . - Н. 4 .	Eng. bot. 2389. Bot. mag. 75.
35 tridentata. W. 36 grandiflora. W.	trifid-leaved. great-flowered.	Rosaceæ. J.	Scotland. Siberia.	1640.	6.7.	- Н. 4 . - Н. 4 . Н. 4 .	Eng. bot. 2389.
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered.	Rosaceæ. J.	Scotland. Siberia.	1640.	6.7.	- Н. 4 . - Н. 4 . Н. 4 .	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864.
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS.	Rosaceæ. J.	Scotland. Siberia. Britain.	1640.	6.7.	- Н. 4. - Н. 4. Н. 4. Н. 4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864.
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. Avens. upright.	Rosaceæ. J.	Scotland. Siberia. Britain. N. America.	1640. 	6.7. 5.10.	H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ———————————————————————————————————
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph. 2 agrimonoides. Ph.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS. upright. Agrimony-leav ^d .	Rosaceæ. J.	Scotland. Siberia. Britain. N. America.	1640. 	6.7. 5.10. 5.6. 6.7.	H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ———————————————————————————————————
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS. upright. Agrimony-leav ^d . white-flowered.	Rosaceæ. J.	Scotland. Siberia. Britain. N. America.	1640. 1778. 1811. 1730.	6.7. 5.10. 5.6. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ————————————————————————————————————
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph. 4 virginianum. Ph.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS. upright. Agrimony-leav ^d .	Rosaceæ. J.	Scotland. Siberia. Britain. N. America.	1640. 1778. 1811. 1730.	6.7. 5.10. 5.6. 6.7. 7.8.	H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ————————————————————————————————————
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph. 4 virginianum. Ph. 5 macrophyllum.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS. upright. Agrimony-leav ^d . white-flowered.	Rosaceæ. J.	Scotland. Siberia. Britain. N. America.	1640. 1778. 1811. 1730.	6.7. 5.10. 5.6. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ————————————————————————————————————
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph. 4 virginianum. Ph. 5 macrophyllum. W. en.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS. upright. Agrimony-leav ^d . white-flowered. small white-flo ^d . large-leaved.	Rosaceæ. J.	Scotland. Siberia. Britain. N. America. Kamtschatka	1640. 1778. 1811. 1730.	6.7. 5.10. 5.6. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ————————————————————————————————————
35 tridentata. W. 36 grandiflora. W. TORMENTILLA. W. 1 reptans. W. 2 erecta. W. officinalis. E. B. GEUM. W. 1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph. 4 virginianum. Ph. 5 macrophyllum.	trifid-leaved. great-flowered. SEPTFOIL. large-flowered. common. AVENS. upright. Agrimony-leav ^d . white-flowered. small white-flo ^d . large-leaved. common.	Rosaceæ. J.	Scotland. Siberia. Britain. N. America.	1778. 1811. 1730.	6.7. 5.10. 5.6. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Eng. bot. 2389. Bot. mag. 75. Eng. bot. 864. ————————————————————————————————————

POLYANDRIA MONOGYNIA.

8 rivale. W.	water.	Rosaceæ. J.	Britain.		6.7.	H.4.	Eng. bot. 106.
9 hybridum. Jac.	hybrid.		Europe.			H.4.	Jac. ic. 1. t. 94.
10 pyrenaicum. W.	Pyrenean.		Pyrenees.	1804.		H.4.	Lam. ill. t. 44.
11 potentilloides. W.	Siberian.		Siberia.	1780.	6.	H.4.	Jac. vind. 3. t. 68.
12 montanum. W.	mountain.		Austria.	1597.	5.9.	H.4.	Jac. aust. 4. t. 373.
β minor.	small mountain.					H.4.	Bar. rar. t. 399.
13 reptans. W.	creeping.		Switzerland.	1775.	6.8.	H.4.	Jac. aus. 5. t. ap. 22.
DRYAS. W.	DRYAS.	Rosaceæ. J.					
octopetala. W.	mountain.		Britain.		6.8.	H.4.	Eng. bot. 451.
CALYCANTHUS. W.	ALLSPICE.	Rosaceæ? J.					
1 floridus. W.	Carolina.		Carolina.	1726.	5.8.	H.h.	Bot. mag. 503.
2 glaucus. W. en.	glaucous -leaved.					H.h.	Bot. rep. 539.
3 lævigatus. W. en.	smooth-leaved.		N. America.	1806.	5.7.	H.h.	100 160 miles
4 præcox. W.	Japan.		Japan.	1766.	12.3.	H.h.	Bot. mag. 466.
& lutea.	yellow-flowered.		Springers and a springers of the second			H.h.	

CLASS XIII.

POLYANDRIA MONOGYNIA.

CAPPARIS. W.	CAPER-TREE.	Capparides. J.				,	
1 spinosa. W.	common.	Capparnes. 5.	S. Europe.	1596.	5.8.	S. L.	Bot. mag. 291.
2 ovata. W.	acute-leaved.		Di Latiopei				Boc. sic. t. 42. f. 3.
3 frondosa. W.	large-leaved.						Jac. amer. t. 153.
4 ferruginea. W.	ferrugineous.						Brown. j. t. 28. f.1.
5 jamaicensis. W.	Jamaica.			1793.		S.h.	Jac.amer. e.p.t.101.
6 odoratissima. W.	sweet-scented.		Caracas.	1814.		S.h.	Jac.schœn.1. t.110.
7 cynophallophora. W							Jac. amer. t. 98.
8 saligna. P. S.	Willow-leaved.					S.h.	o mor time or to go.
9 linearis. W.	linear-leaved.						Jac. amer. t. 102.
10 Breynia. W.	Oleaster-leaved.						t. 103.
MARCGRAVIA. W.	MARCGRAYIA.	Capparides ? J.		2,04		٠٠١٧٠	0. 1.704
umbellata. W.	umbelled.		W. Ind.	1799.		S L	Jac. amer. t. 96.
ACTÆA. Ph.	ACTÆA.	Rapunculaceæ. J.		*10~1		~. 1	ouc. amer. t. 30.
1 spicata. W. en.	Bane-berry.	Teamuniculacete. 0.			46.	H N	Eng. bot. 918.
2 americana. Ph.	American.			• • • •	4.00		Corn. canad. t. 77,
a alba.	white-berried.		Tás Truirrichs			11.4.	Com. canad. t. 77,
B rubra.	red-berried.						•
SANGUINARIA. W.		Papaveraceæ. J.					
canadensis. W.	Bloodwort.	Papaveracea. 5.	N America	1690	21	T.F M	Rot man 100
PODOPHYLLUM. W.		Papaveraceæ. P. S		1000.	0.4.	п. 4.	Bot. mag. 162.
peltatum. W.				1001	_	TT N	Pat 1010
CHELIDONIUM. W.	May-Apple.	D	IV. America.	1004.	υ.	п. 4.	Dot. mag. 1819.
	7.5	Papaveraceæ. J.	Poitoin		4.10	EF 3/	Fra hat 1501
1 majus. W.	common.		S Furance				Eng. bot. 1581.
2 laciniatum. W. en.		Danamana I	S. Europe.			п. 4.	Mill. ic.1. t. 92. f.2.
GLAUCIUM. J.	HORN-POPPY,	Papaveraceæ. J.	Duitain		P 10	11.0	Van hat o
1 luteum. H. K.	yellow.						Eng. bot. 8.
2 fulvum. H. K.	orange.						Ex. bot. 1. t. 7.
3 phœniceum. H. K.				• • • •			Eng. bot. 1433.
4 violaceum. H. K.	violet.	n			5.7.	H.O.	201.
PAPAVER. W.	POPPY.	Papaveraceæ. J.	T 1. 1		0 =	** •	
1 hybridum. W.	mongrel,	Charles	England.				Eng. bot. 43.
2 Argemone. W.	rough.						
3 alpinum. W.	Alpine.						Jac. aus. 1. t. 83.
4 nudicaule. W.	naked-stalked.		Siberia.				Fl. dan. t. 41.
ß lutea.	yellow-flowered.						Bot. mag. 1633.
5 Rhœas. W.	common Corn.						Eng. bot. 645.
6 dubium. W.	smooth.						- 644.
7 caucasicum. M. B.	Caucasean.						Bot. mag. 1675.
8 floribundum.B.Reg.			Levant.			н. д.	Bot. reg. 134.
9 somniferum. W.	garden.			• • • •			Eng. bot. 2145.
10 cambricum. W.	Welsh.			• • • •			
11 orientale. W.	oriental.		Levant.	1714.	5.6.	H.4.	Bot. mag. 57.
ARGEMONE. W.	ARGEMONE.	Papaveraceæ. J.					
1 mexicana. W.	Mexican.	-	America.				Bot. mag. 243,
2 armeniaca. P. S.	Armenian.		Armenia.	1815.	6.9.	$H.\bigcirc$.	

SARRACENIA. W.	SIDE-SADDLE-	}					
	FLOWER.	,					7.
1 flava. W. 2 variolaris. Ph.	yellow. hook-leaved.	Complete de la Completa del la completa de la completa del la completa de la completa del la completa de la completa de la completa del la completa de la completa del la completa del la completa del la completa del la completa della della completa del la completa della completa della comple	N. America.	1752.	6.7.	F. 4.	Bot. mag. 780.
adunca. Ex. bot. t		Print of the Control		1803.		- r.4.	1710.
3 rubra. W.	red.			1796		- F 21	Pluk.alm.t.152.f.3
psittacina. Ph.	1cu.			1/50		- 1.4.	. Tiuk.aim. t. 102.1.0
4 purpurea. W.	purple.		N. America.	1640.	trace-	- F.2/ .	Bot. mag. 849.
NYMPHÆA. W.	WATER-LILY.	Hydrocharideæ. J		10101		2.7	27000 22200
1 alba. W.	white.		· Britain.		6.7.	н.и.	Eng. bot. 160.
2 odorata. W.	sweet-scented.		N. America.	1786.	7.	H.4.	Bot. mag. 819.
β minor.	[smaller sweet]	1					
•	\ scented. \	,					1652.
3 nitida. B. M.	cup-flowered.		Siberia.	1809.	7.8.	H.4.	1359. 1525.
4 pygmæa. H. K.	pigmy.		· China.	1805.	5.9.	H.4.	1525.
5 Lotus. W.	Egyptian Lotus.		Egypt.	1802.	6.9.	8.4.	797.
6 pubescens. W.	Indian Lotus.		E. Ind.	1803.	5.8.	5.4.	Bot. rep. 391.
7 rubra. B. M. 8 rosea. B. M.	red-flowered. rose-coloured.						Bot. mag. 1280.
9 versicolor. H. K.	changeable.			1807	-	- S.4.	1180
10 cærulea. H. K.	blue.		CBS	1709	69.	S.21	1189. 552.
11 stellata. W.	star-flowered.			1803.	0.0.	- S.M.	Bot. rep. 330. 2050
NUPHAR. H. K.	NUPHAR.	Hydrocharideæ. J		20001		~.4.	2
1 lutea. H. K.	common yellow.		Britain.		6.7.	H.4.	Eng. bot. 159.
2 Kalmiana. H. K.	Canadian.		Canada.				Bot. mag. 1243.
3 minima. E. B.	least yellow.		Scotland.			- H. i.	Eng. hot. 2292.
4 advena. H. K.	three-coloured.		N. America.	1772.		- H. 4.	Bot. mag. 684.
EURYALE. H. K.	EURYALE.	Hydrocharideæ. J	. Anneslea. L	3. R. 61	8.		
ferox. H. K.	prickly.		India.	1809.	7.9.	S.4.	Bot. mag. 1447.
BIXA. W.	ANOTTA.	Tiliaceæ? J.					
Orellana. W.	heart-leaved.		W. Ind.	1690.	5.8.	S.h.	Bot. mag. 1456.
SLOANEA. W.	SLOANEA.	Tiliaceæ. J.				n r	701
dentata. W.		muliana I dan		1752.		S.h.	Plum. 1c. 244.
AUBLETIA. W. 1 Tibourbou. W.	AUBLETIA.	Tiliacea. J. Apei	S America	1750		C T	Aub mi 1 4 010
2 Petoumo. W.	hoary		S. America.	1917	• • • •	S.h.	Aub. gui. 1. t. 213.
3 aspera. W.	prickly-cansuled.		Cavenne.	1799.		S.L.	Aub. gui. 1. t. 213
4 lævis. W.	smooth-leaved.		eagenne.	1817.		S. b.	1. t. 214.
SPARRMANNIA. W.	SPARRMANNIA.	Tiliaceæ. J.		101,0			1.0.41.
africana. W.	African.		C. B. S.	1790.	3.7.	G.b.	Bot. mag. 516.
MUNTINGIA. W.	MUNTINGIA.	Tiliaceæ. J.					Ü
Calabura. W.	Jamaica.		Jamaica.	1690.	6.7.	S.h.	Jac. amer. t. 107.
GREWIA. W.	GREWIA.	Tiliaceæ. J.					
1 hirsuta. W.	soft-leaved.		E. Ind.	1816.	• • • •	. S. h.	
2 Mallococca. W.	rough-fruited.)	1792.	8.9.	S.h.	
3 Microcos. H. K.	panicled.	-	0 T 0				Rheed. mal.1. t. 56.
4 occidentalis. W.	Elm-leaved.		C. B. S.				Bot. mag. 422.
5 orientalis. W.	oriental.		E. Ind.	1767.	7.8.	S.h.	Rheed. mal. 5. t. 46.
6 pilosa. P. S.	pilose.			1804.		5.h.	Sonn. it. 2. t. 138.
7 asiatica. W. 8 tiliæfolia. W.	Asiatic. Lime-tree-leav ^d .			1/92.	7.8.	5. n.	Soun. 11. 2. 1.138.
TILIA. W.	LIME-TREE.	Tiliaceæ. J.	-	1012.	• • • •	Β.η,	
1 europæa. W.	common.	Tanacca. o.	Britain.		68.	H.L.	Eng. bot. 610.
2 parvifolia. E. B.	small-leaved.						1705.
3 americana. W.	broad-leaved.	C					Vent.sc.phys. 4. t.2.
4 pubescens. W.	pubescent.						4. t.3.
5 alba. W.	white.		Hungary.			H.h.	
CORCHORUS. W.	Corchorus.	Tiliaceæ. J.					
1 olitorius. W.	bristly-leaved.		India.	1640.	6.8.	S.⊙.	Camer. hort. t. 12.
2 trilocularis. W.	three-celled.		Arabia.	1790.	7.8.	S.⊙.	Jac. vind. 2. t. 173.
3 æstuans. W.	Hornbeam-lead.		S. America.				1. t. 85,
4 acutangulus. W.	acute-angled.			1816.		· S.h.	Pluk.phyt. t.44. f.1.
5 capsularis. W.	heart-leaved.						Rum.am.5.t.78.f.1.
6 hirsutus. W.			S. America.				Jac. vind. 3. t. 57.
7 japonicus. W.	Japan.		China.				Bot. mag. 1296.
8 siliquosus, W.	Germander-lead.	Cattifana I	w.Ind.	1732.	6.8.	S.h.	Jac. vind. 3. t. 59.
GRIAS. W.	ANCHOVY PEAR.		Tomoico	1 5 0 0		C T.	Sloan. his. 2. t.
caulifora. W.	stem-flowering.	Guttiform J	odinuica.	1708.	• • • •	5. n.	Sloan. his. 2. t. 217. f. 1. 2.
CALOPHYLLUM. W.		Guttiferæ. J.	E. Ind				Rheed.mal. 4.t. 38.
2 Calaba. W.		and the same and the same was the solden the solden to the same and					Jac. amer. t. 165.
Andread and the same				_ , , , , , ,		~ 16	

	TOLL	ANDIUA	MONOU I	. IVIA.	3.140
MAMMEA. W.	Massan Town	C-44'C T			
americana. W.	MAMMEE-TREE. American.		C America	1907 S.L.	Jac.am. t.182. f.82.
OCHNA. W.	Ochna.	Guttiferæ. J.	S. America.	1/3/ 5.7 .	0 ac. am. 6.1 0 2.1.0 2.
1 squarrosa. W.	yellow-flowered.	Guttiferæ. 9.	E. Ind.	1790, 7.8, S.h.	Roxb. cor. 1. t. 89.
2 africana.	purple-flowered.		C. B. S.		Pluk.alm.263.f.1.2.
ELÆOCARPUS. W.	ELÆOCARPUS.	Guttifera ? J.			
1 serratus. W.	saw-leaved.		E. Ind.	1774 S.h.	Burm. zeyl. t. 40.
2 cyaneus. B. M.	blue-fruited.		N. Holland.		Bot. mag. 1737.
ALANGIUM. J.	ALANGIUM.	M.Farred: T		-	3
decapetalum. W.	Sage-leaved.	Myru. 3.	E. Ind.	1779 S.h.	Rheed.mal. 4. t.17.
MENTZELIA. W.	MENTZELIA.	Loaseæ. J. in Ann	. Mus.		
1 aspera. W.	rough.		America.		Plum. ic. 174. f. 1.
2 oligosperma. B. M.	few-seeded.		Louisiana.	1812. 5.6. G.4.	Bot. mag. 1760.
LAGERSTRŒMIA (LAGERSTRŒMIA.	Solicaria. I			
w					
1 indica. W.	Indian.		E. Ind.	1759. 8.10. S. h.	
2 Reginæ. W.	oblong-leaved.			1792 S.h.	Roxb. cor. 1. t. 65.
ÆGLE. H. K.		Aurantiæ. J. Cra		0.7	D
Marmelos. H. K.	thorny.		E. Ind.	1759 S.h.	Rox. cor. 2. t. 143.
CISTUS. J.	Rock-Rose.	Cisti. J.	0 7		13.1 1.1.4.4.4
1 villosus. W.	villous.		S. Europe.		Duham.arb.1.t.64
2 populifolius. W.	Poplar-leaved.		Spain.	1656. 5.G. H.h.	Cav. 1c. 3. t. 215.
3 Corboriensis. P. S.	small Poplar-Id.		m: a	——— H.h.	Dot non oor
4 vaginatus. W.	oblong-leaved.		Lenerine.	1779. 4.6. F.h.	Dot. reg. 225.
5 laurifolius. W. 6 Ledon. W.	Laurel-leaved.		Spain.	1731. 6.7. H.h.	Duham ouh 1 4 CC
7 ladaniferus. W.	· Many-flod Gum.		France.		Duham. arb.1.t.66
β planifolins.	Single-fld Gum.		spain.	1629. 6.7. F.h.	Dot. mag. 112.
8 monspeliensis. W.	Montpelier.		S Europe	1656. — F. h.	
9 laxus. W. en.	waved-leaved.		Snain	1000. — Г. д.	
10 hirsutus. W. en.	hairy.		Portugal.		
11 salvifolius. W.	Sage-leaved.		S Europe	1548. 6.7. F.h.	Jac col. 9 t 8.
12 heterophyllus. P. S.			Algiers.		Desf. atl. 1. t. 104.
13 incanus. W.	hoary-leaved.		S. Europe.	1596. 6.8. F.h.	
14 creticus, W.	Cretan.		Levant.	1731. — F.h.	
15 purpureus. P. S.	purple.			5.7. F.h.	
16 albidus. W.	white-leaved.		Spain.	1640. 6.7. F.h.	
17 crispus. W.	curled-leaved.	-	Portugal.	1656. — F. h.	Cav. ic. 2. t. 174.
HELIANTHEMUM.J	SUN-Rose.	Cisti. J. Cisti sp	. Linn.	•	
1 formosum.	beautiful.		Portugal.	1780. 5.7: F.h.	Bot. mag. 264.
2 atriplicifolium. P.S.	Orache-leaved.		Spain.	1656. 6.7. F.h.	
3 halimifolium. P. S.	Sea-Purslane-ld.			— F.h.	Cav. ic. 2. t. 138.
4 elongatum. P. S.	long-peduncled.		*	1800. 7. F.h.	•
5 algarvense. H. K.	Algarvian.		Portugal.	7.8. F.h.	Bot. mag. 627.
6 Libanotis, W.	Rosemary-leav ^d .		Spain.	1752. 6. F.h.	
7 umbellatum. P. S.	umbel-flowered.	-	S. Europe.	1731. 6.8. F.h.	
8 lævipes. P. S.	cluster-leaved.	_	France.	1690. — F.h.	
9 Fumana. P. S.	Heath-leaved.	-	~ =	1752. 6.7. F.h.	Jac. aust. 3. t. 252.
10 canum. W. en.	hoary.		S. Europe.	1772. — F.h.	All. ped. 2. t. 45. f.3.
11 scabrosum. P. S.	rough.		Italy.	1/75. — F. h.	Dat 1000
12 sampsucifolium. 13 italicum. P. S.	bristly-stalked. Italian.		r rance.	— H.h.	Dot. mag. 1803.
14 marifolium. P. S.	Marum-leaved.		Reitain	1779. 7.9. F.h 5.6. H.h.	
15 origanifolium. P. S.	Mariorem legud		Snoin		Cav. ic. 3. t. 262.
16 œlandicum. P. S.	smooth-leaved.		Germany.	1816. — H.h.	
17 Tuberaria. P. S.	Plantain-leaved		S Europe	1750 - F 2	Cav ic 1 + 67
18 serratum, P. S.	saw-netalled.		Snain.	1804. — H.O.	Cav. ic. 1. t. 67. 2.t.175.f.1. Eng. bot. 544.
	snotted-flowered.		England.		Eng. hot. 544.
20 canadense, P. S.	Canadian.		N. America.	1799. —— H.21.	2
21 punctatum, P. S.	punctated.			1816. — H.O.	
22 ledifolium. P. S.	Ledum-leaved.		England.	1816. — H.⊙. H.⊙.	Eng. bot. 2414.
23 salicifolium. P. S.	Willow-leaved.		S. Europe.	1759. 6.8. H.⊙.	
24 ægyptiacum. P. S.	Egyptian.		Egypt.	1764. 6.7. H.O.	
25 squamatum. P. S.	scaly.		Spain.	1815. — H. h.	
26 surrejanum. P. S.	dotted-leaved.		Eugland.	7.10. H. h.	
19 guttatum. P. S. 20 canadense. P. S. 21 punctatum. P. S. 22 ledifolium. P. S. 23 salicifolium. P. S. 24 ægyptiacum. P. S. 25 squamatum. P. S. 26 surrejanum. P. S. 27 glaucum. P. S. 28 nummularium. P. S. 29 canariense. P. S.	glaucous-leaved.		Spain.	1815. 6.8. H.h.	
28 nummularium. P.S.	Moneywort-lead.			1752. — H. h.	
				1790. 6.7. G.h.	Jac. ic. 1. t. 97.
30 serpyllifolium. P. S. 31 glutinosum. P. S.	Wild Thyme-Id.		Austria.	1731. 5.9. H.h.	
31 glutinosum, P. S.	clammy.		S. Europe.	1790. — F. h.	Cav.ic.2.t.145.f.2.

POLYANDRIA DIGYNIA.

17.1	101	I III I I I I I I I I I I I I I I I I	DIGIT	I.A.			
32 thymifolium. P. S. 33 pilosum. P. S.	hairy.	Cisti. J.	Spain. S. Europe.	1731.	6.8.	F.h.	Barrel. ic. 444. All.ped.2.t.45.f.1.2
34 aureum. P. S.	golden.		Montpelier.	• • • •		H.h.	
85 lavandulæfolium.	Lavender-leaved.		Levant.	1739.	6.7.	F.b.	Jac. ic. 1. t. 96.
P. S. 36 angustifolium. P. S.							
37 vulgare: P. S.	common dwarf.		Duitain				Jac. hort. 3. t. 53.
	double-flowered.		Britain.	• • • •	5.9.	Π.η.	Eng. bot. 1321.
β flore pleno. 38 grandiflorum. P.S.			T4.1	1000	0.5	TT T	S 4 05
39 tomentosum. E. B.		.,~	Castlan J				Scop. carn. t. 25.
40 mutabile. P. S.			E-ones				Eng. bot. 2208.
41 sulphureum. W.en.	changeable.		France.	1/95.	0.7.	n.n.	Jac. ic. 1. t. 99.
42 croceum. P. S.	Saffun colour'd		Spain.	1010.		LI T	Desf. alt. 1. t. 110. Barrel. rar. t. 488.
43 hirtum. P. S.				1750		E.L.	Porrel rer t 489
44 pulverulentum. P.S.	bristly-calyxed.		Evanos	. 1759.		T.T. T.	Dallel. 1al. t. 400.
45 apenninum. P. S.	Apennine.		Italia.	1791	60	LT L	Tabern. ic. 1062.
46 roseum. P. S.	Rose-coloured.		C Europe				Jac. hort. 3. t. 65.
47 polifolium. P. S.	white mountain		England				Eng. bot. 1322.
47 pomonamaras.	winte-mountain.		England.		0.7.	11.η.	111g. 000. 1322.
		DIGYNIA					
BAUERA, H. K.	BAUERA.	DIGINIA	1.				•
1 rubiæfolia. H. K.	Madder-leaved.		NSW	1702	710	GL	Bot. mag. 715.
2 humilis.	dwarf.		14.13. 14.	1/90.	1.12.	G L	Dot. 1116. 710.
		Amentaceæ. J.		1804.		. G. n.	_
FOTHERGILLA. W.			Ní America	1705	46	LT 7.	Rot man 1241
I alnifolia. W.	obtuse-leaved.	.~	N. America.	1765.	4.0.	II. n.	Bot. mag. 1341.
2 major. B. M.	large-leaved.				5.6.	n.n.	Jac. ic. 1. t. 100.
3 Gardeni. Jac.	acute-leaved.					H. N.	Jac. 1c. 1. t. 100.
4 serotina. B. M.	green-leaved.	Manualin) I			8.	H. η.	
CURATELLA. W.	CURATELLA.	Magnoliæ? J.	Q Amorica			S T.	Aub. gui. 1. t. 232.
americana. W.	American.			• • • •	• • • •	3.17.	Aub. gui. 1. t. 252.
PÆONIA. W.	PÆONÝ.	Ranunculaceæ. J.		17700	10	LT T.	2 1 212 200
1 Moutan. H. K.	Chinese-tree.		· China.	1789.	4.0.	п. и.	Pot non o in
a papaveracea.	Poppy-flowered.	2.4.10					Bot. rep. c. ic. Bot. mag. 1154.
β Banksii.	common.						Dot. mag. 1134.
y rosea.	Rose-coloured.		O11	1501	- 0	TT 31	
2 edulis. P. L.	eatable-rooted.		Siberia.	1784.	5.6.	н.4.	Bot. mag. 1756.
a albiflora.	white-flowered.	<u> </u>					Bot. mag. 1756.
β tatarica.	Tartarian.						
y sibirica.	Siberian.						70-4
δ rubescens.	blush-coloured.			-			Bot. reg. 42.
z unistora.	single-flowered.		bu				D 1 010 13/10
ζ IV hitleji.	double-white.		China.				Bot. rep. 612. 463
n Humii.	double-crimson.						Bot. mag. 1768.
I fragrans.	Rose-scented.	·	011			77.04	Hort. trans. c. ic.
3 daurica. H. K.	Daurian.		Siberia.	1790.	5.6.	11.4.	Bot. mag. 1441. Eng. bot. 1513. Bot. mag. 1784.
4 corallina. W.	entire-leaved.		England.			н. 4.	Eng. bot. 1513.
5 officinalis. W.	common.		Switzerland.	1548.		· F1. 4.	Bot. mag. 1784.
β rosea.	Rose-coloured.						
y blanda.	blush.						
δ rubra.	double-red.						
z carnescens.	flesh-coloured.						
ζ albicans.	whitish.						70.1 10.50
6 peregrina. H. K.	Turkish.		· Levant.	1629	5.6.	н.4.	Bot. mag. 1050.
β compacta.	compact.						
γ Grevillii.	Greville's.					~~	
7 paradoxa.	paradoxical.			• • • • •		н.4.	
β fimbriata.	double-fringed.			,			At. 200 1574
8 mollis.	soft.		• • • • • • • • • • •	• • • •			A. 200 4/4
9 arietina.	Anderson's.			• • • •		-H.4.	\$
β oxoniensis.	Oxford.	1 (-1					•
10 decora.	comely.					-н.4.	
& Pallasii.	Pallas's.						
B elatior.	tall.						.
11 humilis. W.	dwarf.		· Spain.	1633			Bot. mag. 1422.
12 anomala. W.	jagged-leaved.	,	· Siberia.	1788.	5.6.	H.4.	1754.
laciniata. Pall. ros							A 11
13 hybrida. W.	mule:						Pall. ross. 2. t. 86.
14 tenuifolia. W.	fine-leaved.			1765.	-	H.4.	Bot. mag. 926.

,		TRIGYNL	Α.				
HIBBERTIA. H. K.	HIBBERTIA.	Magnoliæ? J. I	Dilleniæ sp. M	7.			
1 volubilis. H. K.	twining.		N. S. W.	1790.5	.10.	G.h.	Bot. rep. 126.
2 grossulariæfolia.	Gooseberry-lead.	A	N. Holland.	1803. 3	3.8.	G. 12.	Bot. mag. 1218.
H. K. crenata. B. R.							
DELPHINIUM. W.	LARKSPUR.	Ranunculaceæ. J.					
1 Consolida. W.	field.		England.	6	6.7.	H.⊙.	Eng. bot. c. ic.
2 Ajacis. W.	Rocket.	Miles	Switzerland.	1573		H.⊙.	
3 aconiti. W.	Aconite-like.		Levant.	1801		H. 3.	Vahl. symb. 1. t. 13.
4 ambiguum. W.	doubtful.		Barbary.	1759. 7			A11 1 0 4 05 Co
5 peregrinum. W. 6 grandiflorum. W.	great-flowered.		Siberia				All. ped. 2. t. 25. f. 3. Bot. mag. 1686.
β flore pleno.	double-flowered.		Siberia.	1/41.		11.4.	Doc. mag. 1000.
7 intermedium. W.	Palmated Bee.		Silesia.	1710.	7.	H. 24.	Mill. ic. t. 119.
8 elatum. W.	Common Bee.		Siberia.				Schk.hand.2.t.145.
9 hybridum. W.	hairy.			1794		H.4.	
hirsutum. P. S.							25111
10 exaltatum. W.	American.		N. America.	1758. 7	7.8.	H. 4.	Mill. ic. t. 250. f. 2.
11 azureum. Ph. 12 tricorne. Ph.	azure. three-horned.		N America	1806 -		H 2	
13 urceolatum. W.	hollow-leaved.		N. America.	1801		H. 21.	Bot. mag. 1791.
14 puniceum. W.	scarlet-flowered.		Siberia.	1785.			Dott 111011
15 staphisagria. W. en.			S. Europe.	1596. 4	1.8.	H.O.	
16 pictum. W. en.	painted.			1816		H.3.	
17 fissum. P. S.	cloven.			6	3.8.	H.4.	Pl. rar. hung. t. 81.
ACONITUM. W.	WOLF'S-BANE.	Ranunculaceæ. J.				** **	-
I lycoctonum. W.	great yellow.		Alps of Eur.				Jac. aust. 4. t. 380.
2 japonicum. W. 3 pyrenaicum. W.	Japan. Pyrenean.		Durenees	1790. 6 1739. 6			
4 ochroleucum, W.	pale-white.		Cancasus.	1794.			• (**
5 Anthora. W.	wholesome.		Pyrenees.				Jac. aust. 4. t. 382.
6 album. W.	white.		Levant.	1752. 7			
7 barbatum. P. S.	hairy.		Siberia.	1807. €			
8 variegatum.	variegated.		S. Europe.	1597. 6			
9 septentrionale, W.	northern.		N. Europe.				Flor. dan. t. 123.
10 Napellus. W.	Monk's-hood.		Europe.	1596. 5			
12 neomontanum. W.	long-spiked.			1799 7	7.8.	H. 21	,
13 tauricum. W.	Taurian.		Tauria.				Jac. ic. 3. t. 492.
14 volubile. W.	twining.		Siberia.	1799. 7			0 400 100 00 00 10 20
15 tortucsum. W. en.	twisting.			1812		H. 24.	
16 Cammarum. W.	purple.		Germany.	1752.	7.	H.4.	Jac. aust. 5. t. 424.
17 uncinatum. W.	American.		N. America.	1768. 7	7.8.	H.4.	Bot. mag. 1119.
		PENTAGYNIA.					
CIMICIFUGA. Ph.	BUGWORT.	Ranunculaceæ. J.	•				
1 Serpentaria. Ph.			N. America.	1732. 6	5.7.	H. 24.	Dill. elt. t. 67. f. 78.
	W.						
2 fœtida. W.	stinking.		Siberia.	1777		H.4.	Lam. ill. 487.
3 cordifolia. Ph.	heart-leaved.		N. America.	1812		H.4.	
4 palmata. Ph.	palmated.			7	7.8.	н.4.	Bot. mag. 1630.
AQUILEGIA. W 1 viscosa. W.	COLUMBINE.	Ranunculaceæ. J.	Montpolier	1750 5	è	EJ N	Gouan. ill. t.19.f.1.
2 vulgaris. E. B.	clammy.		Britain.	1/02. 5	5.7	H 21	Eng bot 207
A flore pleno.	double-flowered.		211001111	••••	,.,.	11.4.	Ing. 000. 297.
3 bicolor. P. S.	two-coloured.		Siberia.			H. 21.	Bot. mag. 1221.
hybrida. B. M.							
4 alpina. W.	Alpine.		Switzerland.	1731. 5	.6.	H.4.	All. ped. 2. t. 66.
5 canadensis. W.	Canadian.		N. America.	1640. 4	1.5.	H.4.	Bot. mag. 246.
6 atropurpurea.W.en.			Siberia.			H.4.	
7 viridiflora. W.	green-flowered.			1780		н.4.	Jac. ic. 1. t. 102.
NIGELLA. W.	{ FENNEL- }	Ranunculaceæ. J.					
1 damascena. W.	common.		S. Europe.	1570. 6	.9	H.O.	Bot. mag. 22.
2 coarctata.	dwarf.	-		1793			
3 sativa. W.	small.		Egypt.				Zorn. ic. 119.
4 arvensis. W.	field.	,	Germany.	1683		$H.\widetilde{\odot}$.	Schk.hand.2.t.146.
5 hispanica. W.	Spanish.		Spain.	1629		н.⊙.	Bot. mag. 1265.
s orientalis. W.	yellow.	Displacement of the court of the court	Syria.	1699		н.⊙.	1264.

POLYANDRIA POLYGYNIA.

REAUMURIA. W.	REAUMURIA.	Ficoideæ. J.				
hypericoides. W.	Hypericum-like.		Syria.	1800. 7.	10. F.h.	Par. lond. 18. 2057
linifolia. P. L.	••		•			749
STEP TO STORE T	C D	POLYGYNIA.		1.7		49.24
NELUMBIUM. J.	SACRED BEAN. Indian.	Hydrocharideæ. J.	. Cyamus. Sm	uth.	0 6 31	Wat man 009
1 speciosum. W. 2 luteum. W.	vellow-flowered.		Carolina	1910	5.4.	Bot. mag. 903.
DILLENIA. W.	DILLENIA.	Magnoliæ? J.	Caronna.	1010	5.4.	
1 speciosa. W.	large-flowered.		E. Ind.	1800	S.b.	Exot. bot. 1. t. 2. 3.
2 pentagyna. W.	five-styled.			1803	S.h.	Exot. bot. 1. t. 2. 3. Roxb. cor. 1. t. 20.
ILLICIUM. W.	Aniseed-Tree.	Magnoliæ, J.				
1 floridanum. W.	red-flowered.		Florida.	1766. 4.	6. F.h.	Bot. mag. 439.
2 parviflorum. W.	yellow-flowered.			1790. 5.	6. F.h.	Vent. cels. 22.
LIRIODENDRON.W.		Magnoliæ. J.	NT A	1.000 0	. ** *	D.4 art 5
tulipifera. W. B obtusiloba.	common. obtuse-lobed.		N. America.	1003. 0.	7. Fl. n.	Dot. mag. 275.
MAGNOLIA. W.	MAGNOLIA.	Magnalia I				
1 grandiflora. W.	Laurel-leaved.	inghone. v.	Carolina.	1734. 6.1	10. H. b.	Bot. rep. 518. Mich. arb. t. 1. 10 5
& elliptica.	ferrugineous.				- Н. h.	Bot. rep. 518.
β obovata.	broad-leaved.				Н. h.	10.5
y lanceolata.	long-leaved.				H.h.	Mich. arb. t. 1. 10 5
2 glauca. Ph.	{ deciduous }		N. America.	1688. 6.	9. H.h.	- t. 2.216
	swamp.		111111111111111111111111111111111111111	1000. 0.		200
3 longifolia. Ph.	evergreen swamp		G1.1 .		— H.h.	VD 4
4 conspicua. H. K. 5 obovata. W.	Youlan. purple.			1 = 0 0 1	CTT	Bot. mag. 1621.
6 tomentosa. W.	slender.			190, 4,	ο. Γ .η.	Par land 87
7 pumila. W.	dwarf.			1786. 1.	12. G.h.	Bot. mag. 977.
8 fuscata. H. K.	brown-stalked.			1789. 4.	5. G.h.	1008 ₀
9 annonæfolia. P. L.	small-flowered.		·	1804	- G.h.	Par. lond. 5.
10 cordata. Ph.	heart-leaved.					
11 acuminata. W.	bluish-flowered.			1736. 5.	7. H.h.	t.3. 242
12 tripetala. W.	umbrella.			1752. 5.	6. H.h.	t. 3. 2 4 2 5 5 5 5 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5
13 macrophylla. Ph.	long-leaved.		Camalina	1800. 6.	7. H.h.	Det man 1000
14 auriculata. W.	ear-leaved. pyramidal.		Caronna.	1911	H. L.	Bot. mag. 1206.
15 pyramidata. Ph. MICHELIA. W.	MICHELIA.	Magnoliæ. J.		1011. —	11. n .	
Champaca. W.	sweet-scented.		E. Ind.	1779	S.b.	Rheed. mal.1. t. 19.
UVARIA. W.	UVARIA.	Annonæ. J.				
1 zeylanica. W.	Ceylon.		E. Ind.	1794	S.h.	Rheed.mal. 2. t.10.
2 lanceolata. W.	Lance Wood.		Jamaica.	1793	S.h.	
3 odorata. W.	sweet-scented.		Java.	1804. 5.	.7. S.h.	Rumph.amb.2.t.65
ANNONA. P. S.	CUSTARD APPLE		777 Y 3	10.0	0.7	Y . 1 4 .
1 muricata. W.	Sour Sop.		W. Ind.			Jac. obs. 1. t. 5.
2 tripetala. W. 3 squamosa. W.	broad-leaved. Sweet Sop.					Trew. ehret. t. 49. Rheed. mal. 3.t. 29.
4 paludosa: W.	marsh.		Cultura	3000	C T	A 1 3 4 0 4 C
5 reticulata. W.	netted.		S. America.	1690	S. h.	Rheed.m.3. t.30.31
6 hexapetala. W.	long-leaved.	wy a retain	China.	1758. 6	.7. S.h.	Berge 700
7 palustris. W.	shining-leaved.	<u> </u>	W. Ind.	1731	S.h.	Pluk.alm. t.240.f.6.
8 glabra. W.	smooth-fruited.		Carolina.	1774. 7.	.8. S.h.	Aub. gui. 1. t. 246. Rheed.m.3. t.30,31 Pluk.alm. t.240.f.6. Cat. car. 2. t. 64.
PORCELIA P.S.	Porcelia.	Annua. o. Orca	endocarpanee m	21/6/	wiece op. II	•
1 triloba. Ph.	trifid-fruited.		N. America.	1736.	8. H.h.	Cat. car. 2. t. 83.
2 parviflora. Ph.	small-flowered.		-	1806. 4.	.5. H. n.	Danta took t 1
3 pygmæa. Ph. XYLOPIA. W.	dwarf.	Annonæ. J.		1812	n.n.	Bartr. trav. t. 1.
1 muricata. W.	XYLOPIA. rough-fruited.		W. Ind.	1798	S.b.	Brown.jam. t.5.f.2.
2 glabra. W.	smooth-fruited.		Jamaica.			Pluk.alm. t.233.f.4.
HEPATICA. W. en.	Нератісл.	Ranunculaceæ. J.				
triloba. W. en.	common.		Europe.		4. H.4.	4
a cærulea.	blue.					
3 cæruleo-plena.	double blue.					73 /
y rubra.	red.	granustrations in Aspenies of the comments of	-	Contraction design		Bot. mag. 10.
8 rubro-plena.	double red.					
e alba.	{ red-anthered } white }					
Z nivea.	snowy white.					
ANEMONE. W. en.	ANEMONE.	Ranunculaceze. J.				0
1 coronaria. W.	Poppy.	-	Levant.	1596. 4.	5. H.4.	Bot. mag. 841.
\$ plena.	double-flowered.					

POLYANDRIA POLYGYNIA.

	IOLIA	ANDILIA I	OLIGIN	ILA.			121
2 hortensis. W.	star.	Ranunculaceæ. J.	Italy.				Bot. mag. 123.
3 palmata. W.	palmated.		Portugal.				Bot. reg. 200.
4 sibirica. W.	Siberian.		Siberia.	1804.	6. H	1.4.	Jac. ic. 1. t. 103.
5 baldensis. W. 6 sylvestris. W.	Strawberry-like. Snowdrop.		Germany				Bot. mag. 54.
7 virginiana. W.	Virginian.		N. America.	1722. 5	5.6. H	I. 24.	Herm. par. t. 18.
8 pensylvanica. Ph.	Pensylvanian.			1766	H	1.4.	
9 dichotoma. Ph.	forked.						Lin. fil. d. 2. t. 15.
10 trifolia. W.	three-leaved.		France.				Moris. s. 4. t. 25. f. 1.
11 nemorosa. W. 12 apennina. W.	wood. blue mountain.		Britain,				Eng. bot. 355.
13 ranunculoides. W.	yellow wood.		- Inglandi		— H	1.24.	1062. ————————————————————————————————————
14 narcissiflora. W.	Narcissus-flowd.		C:L	1 = = 0	c T1	T 21	D-4 1100
15 thalictroides. W.	Meadow-Rue-ld.		N. America.	1768. 4	4.5. H	1.4.	866.
PULSATILLA. W. en,		. Kanuncuiaceæ. J.	Anemonis sp	. IV .			
1 alpina. W. en. 2 pratensis. W. en.	Alpine. meadow.		Garmany	1058.	7. E	1.4.	Jac. aust. 1. t. 85. N 2 : Fl. dan. t. 611.
3 obsoleta.	pale-flowered.					1.24.	Bot. mag. 1863.
4 vulgaris. W. en.	common.		England.		4.5. I	1.21.	Eng. bot. 51.
5 Halleri. W. en.	Haller's.		Switzerland.	1816	— H	1.24.	All. ped. t. 80. f. 2.
6 vernalis. W. en.	spring.			1752.	4. H	1.24.	Fl. dan. t. 29.
7 cernua. W.	drooping.		Japan. Sibaria	1806. 5			Brown cont t Ct
8 patens. W. cn. ATRAGENE. W.	spreading ATRAGENE.	Ranunculaceæ. J.	. Sincila.	1/32. (3./. 1	1.4.	Breyn. cent. t. 61.
1 auştriaca. H. K.	Austrian.	Tunaneunteen o	Austria.	1792. 5	5.7. H	I.b.	Bot. rep. 180.
2 sibirica. H. K.	Siberiau.		Siberia.	1753. 6	6.7. H	I.h.	Bot. rep. 180. Pall. res. 2. t. 76. /05 Bot. mag. 887.
3 americana. H. K.	American.		N. America.	1797. 5	5.6. H	I.h.	Bot. mag. 887.
4 capensis. W.	Cape.		C. B. S.	1795. 3	3.4. C	i.h.	716.
5 zeylanica. W.	Ceylon. VIRGIN'S			1796		5. ų ·	Rox. cor. 2. t. 188,
CLEMATIS. W.	Bower.	Ranunculaceæ. J.					
1 cirrhosa. W.	evergreen.		Spain.	1596. 3	3.4. H	I. h.	Bot. mag. 1070.
2 florida. W.	large-flowered.	Tanunculacea. 9.	Japan.	1776. 4	4.9. H	I.h.	834.
β flore pleno.	double-flowered.				0 o T	* -	
3 Viticella. W. β plena.	purple. double purple.		-			-	565.
4 Viorna. W.	leathery-flower.		N. America.	1730	I	Lb.	Dill.elt.t.118,f,144 Bot. mag. 1160.
5 reticulata: Ph.	netted.	B		1812, -	I	I.h.	
6 cylindrica. H. K.	long-flowered.			1802.	7.9. H	I.h.	Bot. mag. 1160.
7 crispa. B. M.	curled-flowered.				—- I	I.h.	1892.
8 calycina. W.	Minorca.		Minorca.	1783. 9	2.3. (i.h.	Dill alt + 110 f 146
9 orientalis. W.	oriental. Virginian.		N. America.	1767. (6.8. I	I.h.	Dill.elt.t.119.f.145 Pluk.man.t.379.f.4
11 dioica. W.	Jamaica.		W.Ind.	1733. 5	5.6.	S. h.	Slo.jam.1.t.128.f,1.
12 aristata. B. Reg.	awned-anthered.		N. Holland.	1812. 8	5.8. (3. h.	Bot. reg. 238.
13 brachiata. B. Reg.	armed.		C. B. S.	10	0.12. (3. h .	Bot. reg. 97.
14 Massoni. 15 Vitalba. W.	Masson's.		England	• • • • •	~ O T	j.h.	Enm hat Clo
16 Flammula. W.	Traveller's Joy. sweet-scented.		France.	1596. 7	7.9, F	1. n.	Eng. bot. 612. Knor. thes. 2, t.C.9
β latifolia.	broad-leaved.					2. , .	Zinori theor zi tielo
17 maritima. W.	sea.		S. Europe.	(6.9. I	1.4.	
18 erecta. W.	upright.		Austria.	1597. €			Jac, aust. 3. t. 291.
19 angustifolia. W.	narrow-leaved.		TAT A	1787. 5	5.9. H	1.24.	Jac. ic. 1. t. 104. Pluk.man. t.379.f.5
20 ochroleuca. W. 21 integrifolia. W.	silky. entire-leaved.		Hungary.	1596. 6	6.8. TH	1.4.	Bot. mag. 65.
β angustifolia.	narrow entire-le.		22487.		-		Бос. шар. со.
THALICTRUM. W.	MEADOW-RUE.	Ranunculaceæ. J.					
1 alpinum. W.	Alpine.		Britain.				Eng. bot. 262. 223
2 fœtidum. W.	fœtid.		France.				Pl.rar.hun.2.t.174.
3 tuberosum. W. 4 Cornuti. W.	tuberous-rooted. Canadian.		Spain. N. America.	1713.			Mill.ic.2. t.265. f.2. Corn. can. t. 187.
5 dioicum. W.	diœcious.			.1759.			O.11. Gum. 6. 10/9
6 elatum. W.	tall.		Hungary.				Jac. vind. 3. t. 95.
7 majus. W.	greater.		England.	(6.7. F	I. 4.	Eng. bot. 611.
& medium. W.	middle.		Hungary.				Jac. vind. 3. t. 96,
9 minus. W. 10 concinnum. W. en.	lesser.		Britain.		6.7. F		Eng. bot. 11.
11 rugosum. W.	rough.		N. America.		7. I		
12 sibiricum. W.	Siberian.		Siberia.	1775.			
13 squarrosum. W.	squarrose.			1806			
							7 .

POLYANDRIA POLYGYNIA.

2.00					•		
14 pubescens. Ph.	pubescent.	Ranunculaceæ. J.	N. America.	1806.	6.7.	H.4.	
15 purpurascens. W.	purple.			1699.			
16 angustifolium. W.	narrow-leaved.		Germany.				Jac. vind. 3. t. 43.
17 lucidum. W.	shining.		Spain.				Plnk. alm. t. 65. f.5.
18 flavum. W.	common.		Britain.	• • • •		H.4.	Eng. bot. 367.
19 nigricans. W.	black.	-		1798.		H.4.	Jac. aus. 5. t. 421.
20 speciosum. W. en.			*		6.7.	H.4.	
	{Ranunculus-}	-	N. America.	1806.	-	H. 24.	
	leaved.					1	
22 simplex. W.	simple-stalked.						Fl. dan. 244.
23 aquilegifolium. W.							Jac. aust. t. 318.
β atro-purpureum.	dark purple.						Bot. mag. 1818.
24 galioides. W. en.	sweet-scented.					H.4.	
25 contortum. W. 26 petaloideum. W.	crook-seeded. Daurian.					H.4.	
ADONIS. H. K.	Adonis.	Ranunculaceæ. J.	Dauliu.	1799.		H.4.	
1 æstivalis. W.	tall.	Tranuncuracea. 5.	S. Enrope	1600	6 7	иО	Vnorthes 0 + A 10
2 autumnalis. W.	Pheasant's-eye.		Britain				Knor.thes.2.t, A.12 Eng. bot. 308.
3 flammea. W.	flame-coloured.		Apetria				Jac. aust. 4. t. 355.
4 vernalis. W.	perenuial.		Eurone				Bot. mag. 134.
KNOWLTONIA. H.K		Ranunculaceæ. J.			0.7.	11.4.	Dot. 1108. 154.
1 rigida. H. K.	thick-leaved.				3.5	G 21	Vent. malm. 22.
2 vesicatoria. H. K.	blistering.		C. D. G.	1691.	9.4.	G 21	Bot. mag. 775. R. 936
FICARIA. P. S.	PILEWORT.	Ranunculaceæ. J.	Rammenli sr	W.	2.4.	0.4.	Dott mag. 1100 mg.
verna. P. S.	vernal.	Tuntum cura cura cura cura cura cura cura cura			3.5.	H 2/.	Eng. bot. 584.
β plena.	double-flowered.		272104112		0.01	11.24.	Ing. sou our
RANUNCULUS. W.	CROW-FOOT.	Ranunculaceæ. J.					
1 Flammula. W.	T coasm Coasmusant		Britain.		6.9.	H. 24.	Eng. bot. 387.
2 reptans. W.	Least Spearwort.					H. 24.	Fl. dan. 108.
3 Lingua. W.	Great Spearwort.				6.8.	H. 24.	Eng. bot. 100.
4 nodiflorus. W.	knot-flowered.	-	Sicily.	1714.	5.7.	H.O.	Pl.rar.hung.2.t.176 2
5 gramineus. W.	orassv.		Wales				Eng. bot. 2306.
6 parnassifolius. W.	Parnassia-leav'd.		S. Europe.				Bot. mag. 386.
7 amplexicaulis. W.	Plantain-leaved.		Pyrenees.				266.
8 bullatus. W.	Portugal.		S. Europe.			H. 4.	
9 Thora. W.	kidney-leaved.		Austria.				Jac. aust. 5. t. 442.
10 creticus. W.	Cretan.		Candia.			H.4.	
11 cassubicus. W.	Cassubian.		Siberia.	1794.	6.7.	H. 4.	Læs. prus. t. 72.
12 auricomus. W.	wood.		Britain		4.5.	H.4.	Eng. bot. 624.
13 abortivus. W.	three-flowered.		N. America.	1713.	5.8.	H.4.	•
14 sceleratus. W.	Celery-leaved.		Britain.		5.6.	H.O.	Eng. bot. 681.
15 aconitifolius. W.	Aconite-leaved.		Alps of Eur.	1596.		H.4.	
β flore pleno.	double-flowered.						Bot. mag. 204.
16 platanifolius. W.	Plane-tree-leavd.			1769.	6.7.	H.4.	Fl. dan. 111.
17 pedatus. W. en.	pedate.		Hungary.				Pl.rar.hung.2.t.108
18 illyricus. W.	Illyrian.	-	S. Europe.	1596.		H.4.	Jac. aust. 3. t. 222. Mill. ic. 2. t. 216.
19 asiaticus. W.	common garden.	-	Levant.	-		H.4.	Mill. ic. 2. t. 216.
20 gregarius. P. S.			Portugal.			H.4.	
21 rutæfolius. W.	Rue-leaved.		Austria.	1759.	5.7.	H.4.	Jac. col. 1. t. 6, 7.
22 glacialis. W.	two-flowered.		Lapland.	1775.	6.8.	H, 4.	Fl. dan. 19.
23 nivalis. W.	snowy.					H.4.	Jac. col. 1. t. 6, 7. Fl. dan. 19. Fl. lap. t. 3. f. 2. Jac. aust. t. 325. f. Eng. bot. 2390. Jac. ic. 1. t. 105,
24 montanus. W.	mountain,		G .1 1			H. 4.	Jac. aust. t. 325. fi.
25 alpestris. W.	Alpine.		Scotland.			H. 4.	Eng. bot. 2390.
26 pensylvanicus. W.	Pensylvanian.		N. America.	1785.	6.7.	H. 6.	Jac. 1c. 1. t. 105,
27 bulbosus. W.	bulbous.			• • • •	5.6.	H. 4.	Eng. bot. 515.
28 hirsutus. H. K.	pale hairy.	Anna					1504.
29 marylandicus. Ph.	Maryland.		N. America.				Eng hot 516
30 repens. W.	creeping.		Britain.	• • • •	5.8.	11.4.	Eng. bot. 516.
β flore pleno.	double-flowered.		N Furana	1 = 0 €	e 0	T.T. M	Tob ic 666
31 polyanthemos. W. 32 acris. W.	many-flowered.		N. Europe. Britain.				Lob. ic. 666. Eng. bot. 652,
β flore pleno.	double-flowered.	<u> </u>	Britain.	• • • •	0.7.	11.4.	Bot. mag. 215.
33 lanuginosus. W.	woolly-leaved.		S Europe	1699		H. 21	Bot. mag. 215. Fl. dan. 397.
34 sericeus. W. en.	silky-leaved.		Cancaene	1816		H. 4.	A WILL O// 1
35 parvulus. W.	little upright.		England	1010.			Col.ecphr.t,316.f.1,
36 hederaceus. W.	Ivy-leaved.		Britain.				Eng. bot. 2003.
37 aquatilis. W.	various-leaved.		Direction.				101.
38 rigidus. P. S.	rigid-leaved.					H.4.	
39 fluviatilis. W.	long-leavd water.					H. 24.	Fl. dan. 376.
40 arvensis. W.	corn.						Eng. bot. 135.
						,	,

DIDYNAMIA GYMNOSPERMIA.

41 muricatus. W.	prickly-seeded.	Ranunculaceæ. J.	S. Europe.	1683.	7.8.	H.O.	Alp. exot. t. 262.
42 parviflorus. W.	small-flowered.						Eng. bot. 120.
TROLLIUS. W.	GLOBE-FLOWER.	Ranunculaceæ. J.	Ü				
1 laxus. Ph.	American.		N. America.	1805.	5.7.	H.4.	
2 europæus. W.	European.		Britain.		5.6.	H. 4.	Eng. bot. 28.
3 asiaticus. W.	Asiatic.		Siberia.	1759.		H.4.	Bot. mag. 235.
β intermedius.	intermediate.						
7 hybridus.	hybrid.						
ISOPYRUM, W.	Isopyrum.	Ranunculaceæ. J.					
1 fumarioides. W.	Fumatory-leav'd.	·	Siberia.	1741.	6.	H.⊙,	Am. ruth. 74. t. 12.
2 thalictroides. W.	Meadow-Rue-ld.		Italy.	1759.	3.4.	H.4.	Jac. aust. 2. t. 105.
ERANTHIS, L. T.	WINTER-	Ranunculaceæ. J.	Hellohomi om	177			
Elitaring. E. 1.	ACONITE, 5		_				
hyemalis. L. T.	common.		Italy.	1596.	1.3.	H.4.	Bot. mag. 3.
HELLEBORUS. W.	HELLEBORE.	Ranunculaceæ. J.					
1 niger. W.	Christmas-Rose.		Austria.	1596.	1.3.	H.4.	Bot. mag. 8.
2 viridis. W,	green.		Britain.	. ,	3.4.	H.4.	Eng. bot. 200.
3 purpurascens. P. S.	purplish.		Hungary.	1817.	7 10 10	H.4.	Pl.rar.hung.2.t.101
4 odorus. W. en.	sweet-scented.	n;					
5 dumetorum. W. en.	bushy.					H.4.	
6 fœtidus. W.	Bear's-foot.		England.		2.4.	H.4.	Eng. bot. 613,
	three-leaved.			1710.	1.5.	F.4.	Bot. mag. 72.
COPTIS. L. T.	Coptis.	Ranunculaceæ. J.	Hellebori sp.	W.			
trifolia. Ph.	three-leaved.		N. America.	1782.	6.7.	H. 4.	Fl. dan. 566.
CALTHA. W.	MARSH ?	Ranunculaceæ. J.					
CALITIĄ. W.	MARYGOLD.	Ranunculaceæ. J.					
I radicans, L. T.	creeping.		Scotland,		4.5.	H. 4.	Linn. trans. 8.t. 17.
2 palustris. W.	common.		Britain.	,		H.24.	Eng. bot. 506.
B flore pleno.	double-flowered.						
HYDROPELTIS. H.K.	HYDROPELTIS.	Ranunculaceæ. J.	Brasenia. Ph	i.			
purpurea. H. K.	purple.		N. America.	1798.	7.8.	F.4.	Bot. mag. 1147.
HYDRASTIS. W.	Hydrastis.	Ranunculaceæ. J.					
canadensis. W.	Canadian.		Canada.	1759.	5,6.	H.4.	Mill. ic. 2, t. 285.

CLASS XIV.

DIDYNAMIA GYMNOSPERMIA.

AJUGA. B. P.	BUGLE.	Labiatæ. J.					
1 orientalis. W.	oriental.		Levant.	1732.	5.6.	H.4.	Dill. elt. t. 53. f. 61.
2 pyramidalis. W.	pyramidal.		Britain.			H. 4.	Eng. bot. 1270.
3 alpina. W.	Alpine.	•	England.	'	5.7.	H.4.	
4 genevensis. W.	Geneva.		Switzerland.	1656.	5.6.	H.4.	Bull. herb. t. 361.
5 reptans. W.	common.		Britain.			H.4.	Eng. bot. 489.
β alba.	white-flowered.						
y rubra.	red-flowered.						
6 Chamæpitys. W.	Ground Pine.		England.		4.7.	H,\odot .	Eng. bot. 77.
7 Iva. W.	musky.		S. Europe.	1759.	7.8.	$H.\odot$.	Cav. ic. 2. t. 120.
ANISOMELES. B, P.	Anisomeles.	Labiatæ. J.					
ovata. H. K.	broad-leaved.		E. Ind.	1783.	7.8.	s.⊙.	Burm.zeyl.t.71.f.1.
TEUCRIUM. W.	GERMANDER.	Labiatæ. J.					
1 campanulatum. W.	small-flowered.		Levant.	1728.	7.8.	H.4.	
2 orientale. W.	great-flowered.			1752.		H.4.	Bot. mag. 1279.
3 Botrys. W.	cut-leaved.			1633.	7.9.	H.⊙.	Ger. emac. 525.f. 2.
4 nissolianum. W.	Nissole's.		Spain.	1752.	6.7.	F. 4.	Mor.s.11.t.22.f.19.
5 trifidum. W.	trifid-leaved.					G.h.	
6 fruticans. W.	narrow-ld. tree.		Spain.	1640.	6.9.	G.h.	Dill.elt.t.284.f.366
7 latifolium. B. M.	broad-leavd.trce.						Bot. mag. 245.
8 Marum. W.	Cat-thyme.		Spain.				Park. theat. 17. f. 2.
9 multiflorum, W.	many-flowered.	·					Bocc. mus. t. 117.
10 regium. W.	royal.						Pluk.alm.t.65.f.1.
11 Laxmanni. W.	Laxmann's.		Siberia.				Pl.rar.hung.1.t.69.
12 sibiricum. W.	Siberian.					H.4.	,
13 asiaticum. W,	Asiatic.			1777.	6.10.	G. h.	Jac. vind. 3. t. 41.

DIDYNAMIA GYMNOSPERMIA.

14 cubense. W.	Cuba.	Labiatæ. J.	Cuba.	1733. 5. S.	Jac. ol	s. 2. t. 30.
15 canadense. W.	Nettle-leaved.		N. America.	1768. 8.9. H.		
16 virginicum. W.	Virginian.			5.6. H.		
17 inflatum. W.	thick-spiked.		Jamaica.	1778. 3.10. S.	•	
18 hyrcanicum. W.	Betony-leaved.		Persia.			1.spec.13.t.4.20
19 Abutiloides. W.	Mulberry-leav'd.		Modeiro	1777. 4.5. G.		
20 Scorodonia. W.	Wood Sage.		Daitala	7. H.	War b	ot 1549
21 betonicum. W.	hoary.		Madaire			
		,	Dankanı	1775. 5.8. G.		
22 resupinatum. W.	resupinate.		Darbary.	1801. 7.8. H.		
23 massiliense. W.	sweet-scented.		France.	1731. 6.7. F.		
24 Scordium. W.	water.				24. Eng. b	
25 Chamædrys. W.	wall.			5.8. H.		 680.
26 heterophyllum. W.	various-leaved.		Madeira.	1759. 6.7. G.		
27 lucidum. W.	shining.		S. Europe.	1730. 6.9. H.	4. Magn.	hort. 52.
28 flavum. W.	yellow-flowered.			1640. 7.9. F.	h. Park.t	heat. 109.f.1.
29 montanum. W.	dwarf mountain.			1710. 7.10. F.	h.	
30 supinum. W.	procumbent.		Austria.	1752. 6.10. H.	h. Jac. at	st. 5. t. 417.
31 thymifolium. P. S.	Thyme-leaved.		Spain,	1816 H.	24.	
32 pyrenaicum. W.	Pyrenean.		Pyrenees.	1781. 6.8. H.	21.	
33 aurenm. W.	Golden Poley.		S. Europe.	- 6.7. F.	h . Cav. ic	2. 2. t. 117.
34 Polium. W.	Poley.		- Batopet	1569. 7.9. F.	h Barr	ar. f. 1074.
35 flavescens. P. S.	Yellow Poley.			F.	L	t 1078
	woolly-calyxed.		Spain	F.	η	+ 1000
36 gnaphalodes. P. S.	Hamoun loosed		Spain.	1010 F.	n	t. 1003.
37 Pseudohyssopus. W.	rryssop-ieavea.		Italy.	1804. 6.7. H.	h. Col. e	cpnr. 1. t. 67.
38 capitatum. W.	round-neaded.		Spain.	1731. 7.8. F.	h. Cav. 10	e. 2. t. 119.
39 pycuophyllum. P.S.				1816. — H.	4. Barr.	rar. 1096.
40 pumilum. W.	small.			F.	h	t. 1092.
41 spinosum. W.	thorny.			1640. 5.6. H.	O. Cav. ic	. 1. t. 31.
42 subspinosum. W. en.	Minorca.		Minorca.	1816 G.	h.	
WESTRINGIA. B. P.	WESTRINGIA.	Labiatæ. J.				
1 resmariniformis.	Rosemary-leavd.		N. S. W.	1791. 5.8. G.	b. Bot. re	ep. 214.
2 Dampieri. B. P.	Dampier's.		N. Holland.	1803, 5.7, G	h.	•
SATUREJA. W.	SAVORY.	Labiatæ. J.	211 2201141141		,,,	
1 juliana. W.	linear-leaved.		Traly	1596. 5.9. F.	M Lam	11 + 504 f 1.
1	whorl-flowered.	-	Candia	1640. 5.7. G.		
2 Thymbra. W.	Grecian.		Candia.			
3 græca. W.			Greece.	1759. 6.7. F		XOL. E. 204.
4 montana. W.	winter.		S. Europe.	1562. —— H.		0 4 404
5 rupestris. W.	rock.		Carmola.	1798. —— H.		
6 hortensis. W.	summer.		Italy.	1652. 6.8. H.		
7 capitata. W.	ciliated.		Levant.	1596. 6.10. H.	h. Barr.	ic. t. 897.
8 viminea. W.	Pennyroyal-tree.		Jamaica.	1783 S	. h .	
THYMBRA. W.	THYMBRA.	Labiatæ. J.				
1 spicata. W.	spike-flowered.		Levant.	1699. 6.7. G.	b. Pluk.a	lm. t.116.f.5.
2 verticillata. W.	whorl-flowered.		Spain.	1702. — G.		
HYSSOPUS. W.	HYSSOP.	Labiatæ. J.				
1 officinalis. W.	common.		S. Europe.	1548. 6.9. H.	b . Jac. at	ıst. 3. t. 254.
2 orientalis. W. en.	oriental.		Cancache	— Н		
3 Lophanthus. W.	Mint-leaved.		Ciberio	1752. 8.9. H.		
	square-stalked.		N. America	1/02. 0.9. II.	21	1 + 60
4 nepetoides. W.			IV. America.	1092. 8.10. II.	4 · II	1. t. 00.
5 scrophularifolius.	Figwort-leaved.			1800. 7.8. H	4. Herm	. parau 106.
PYCNANTHE-	PYCNANTHEMUM	. Labiataæ. J. Pyc	nanthemum &	Brachystemun	. Mich.	
MUM. Ph.						
1 incanum. Ph.	hoary.	-		1732. 7.10. H		
2 aristatum. Ph.	awned.	·		1752. 8. H.	4. Mich.	amer. 2. t. 33.
3 linifolium. Ph.	Flax-leaved.		_	1739. 7.8. H.	4. Herm	. parad. t.218.
Thymus virginicus.	W.					
4 lanceolatum. Ph.	spear-leaved.			1812. — H	. 24 .	
NEPETA. W.	CATMINT.	Labiatæ. J.			•	
1 Cataria. W.	common.		Britain.	7.9. Н	4. Eng. 1	not. 137.
2 angustifolia. W.	narrow-leaved.		Spain			300. 101.
	curl-leaved.			1798. 6.7. H		
3 crispa. W.				1800. 7.8. H		net 0 + 100
4 pannonica. W.	Hungarian.		Hungary.	1683. 8.10. H		ust. 2. t. 129.
5 cærulea. W.	blue.			1777. 5.6. H		4.00
6 violacea. W.	violet-coloured.		Spain.	1723. 7.9. H		nus. t. 36.
7 longiflora. H. K.	long-flowered.		Persia.	1802. 6.8. H		
8 Mussini. H. K.	scolloped-leaved.		Siberia.	1804. 5.8. H	. 4. Bot. r	nag. 925
9 incana. W.	hoary.			1723. 8. H	.4.	
10 ucranica. W.	Ukranian.	C	Ukraine.	1789. 7.8. H		
11 Nepetella. W.	small.	·	S. Europe.	1758. ——H		
12 graveolens. W.				1804. —— H.		ed. t. 2. f. 1
- 9						

DIDYNAMIA GYMNOSPERMIA.

13 nuda. W.	naked.	Labiatæ. J.	S. Europe.			Jac. aus. 1. t. 24.
14 colorata. W. en.	Nettle-leaved.		Caucasus.	1806. — H	1.4.	
15 melissæfolia. W. en.	Balm-leaved.		Candia.			
16 italica. W.	Italian.		Italy.	1640. 6.8. H		Jac. vind. 2. t. 112,
17 marrubioides.W.en.	Horehound-led.		• • • • • • • •	— H		~
16 reticulata. W.	netted.	-	Morocco.			Desf. atl. 2. t. 124.
19 lamiifolia. W. en.			Armenia.	1806. ——H		
20 teucriifolia. W. en.	Teucrium-leavd.			1816. —— H		TD : (000
21 tuberosa. W.			Spain.			Barr. ic. t. 602.
22 lanata. W.	woolly.	***************************************	S. Europe.			Jac. obs. 3. t. 75.
23 multifida. W.	multifid.		Siberia.			Gmel. sib. 3. t. 55.
24 botryoides. W.	annual.			1779. 6.7. H	⊙.	Cav. ic. 1. t. 49.
ELSHOLTZIA. W.	ELSHOLTZIA.	Labiatæ. J.	611	1500 CE T	10	Tem :11 + 500 f 1
cristata. W.	crested.		Siberia.	1/89. 5.7. F.	1.0.	Lam. ill. t. 502. f.1.
LAVANDULA. W.	LAVENDER.	Labiatæ. J.	C Furana	1569 70 1	r L	Sohk hand 0 + 157
1 Spica. W.	common.		S. Europe.	1000. 7.5. 1.	٠٠ ١٧٠	Schk.hand.2.t.157.
β alba. 2 latifolia. W, en.	white-flowered.			H	1 1	,
3 Stochas, W.	broad-leaved. French.					Barrel. ic. t. 301.
4 viridis. W.	Madeira.		Modeira			Hoff. et L. lus.1.t.4.
5 dentata. W.	tooth-leaved.		Smain			Bot. mag. 401.
6 pinnata. W.	pinnated.	-	Madeira			400.
7 multifida. W.	cut-leaved.		Canaries	1597. 7.9. G		
	Southern-		Canaries.			
8 abrotanoides. W.	wood-leavd.			1699, 6.9.	i. ħ .	Comm. rar. t. 27.
9 carnesa, W.	thick-leaved.		E. Ind.	1788. 6.7. 5	S. A.	Lin.amœ. ac.10.4.
SIDERITIS. W.	IRONWORT.	Labiatw. J.	D. Inu.	1,000 0.,0	- U •,	
1 canariensis. W.	Canary.	110-744-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-	Canaries.	1697, 5.8, (ł. b .	Jac. vind. 3. t. 30.
2 candicans. W.	Mullein-leaved.		Madeira.			Comm.hort. 2.t.99.
3 montana. W.	mountain.		Austria.			Jac. aust. 5. t. 434
4 elegans. W.	dark-flowered.					Mur.com.gcet.1.t.4
5 romana. W.	Roman,		Italy.			Cav. ic. 2. t. 187.
6 syriaca. W.	Syrian.		Lavont			Sabb. hort. 3, t. 40.
7 perfoliata. W,	perfoliate.			1731. 8.11. F		
8 incana. W.	Lavender-leaved		Spain.			Cav. ic. 2. t. 186.
9 ilicifolia. W. en.	Holly-leaved.			6.9. I		
10 spinosa. W. en.	spiny.		Spain.	F		
11 hyssopifolia, W.	Hyssop-leaved.		Pyrenees.	1597. 6.11. H	1.4.	Schk. hand. 2. t. 158.
12 scordioides. W.	scollop-leaved.		France.	8.11. F	1.4.	Barr. ic. t. 343.
13 hirsuta. W.	hairy.		S. Europe.			Cav. ic. 4. t. 302.
14 crispata. W. en.	curled-leaved.		Gibraltar.	1816. 6.9. I	F. 4.	
BYSTROPOGON. W.	Bystropogon.	Labiatæ. J.				
1 plumosum, W.	woolly-flowered.		Canaries.	1779. 6.7. (3. h.	
2 origanifolium. W.	entire-leaved.			1815. 7.8. (3.h.	
3 canariense, W.	Canary.			1714. 6.8. (3. h.	Comm.hort.2.t. 65
4 punctatum. W.	cluster-flowered.		Madeira.	1775. 7.9. (3. h.	Comm.hort.2.t. 65
MENTHA. W.	MINT.	Labiatæ. J.	•	-	_	
1 Auricularia. W.	Indian.	P	E. Ind.			Rumph.amb.6.t.16
2 villosa. W.	horse.		Britain.	7. I		77 1 4 0 0 0
3 sylvestris. W.	wild.			7.8. I		Eng. bot. 686.
4 nemorosa. W. en.	wood.		E 1 1			Fl. dan. t. 484.
5 rotundifolia. W.	round-leaved.		England.	., 8.9. H	1.4.	Eng. bot. 446.
β variegata 6 gratissima. W.	variegated. oblong-leaved.		Commons	1500 50 T	T 31	
7 balsamea. W. en.			Germany,	1799. 7.8. I		
8 niliaca. W.	Balsam-scented.			1804. —— H	1.4.	Jac. hort. 3. t. 87.
9 capensis. W.	Egyptian.					Jac. Hort. S. t. 67.
10 viridis. W.	Cape.		Britain.	1816. — (Eng hot 0494
11 palustris. S. M.	spear, marsh.		Dinam.	8. I		Eng. bot. 2424.
12 piperita. W.	pepper.		England.			Eng. bot. 687.
13 crispa. W.	curled.		Siberia	1640. 7.8. I		Ling. Dot. 0074
14 crispata. W. en.	crumpled.					
15 glabrata. W.	smooth.		Egypt.	1807. —— I 1802. —— I	1 7/	
16 incana. W. en.	hoary.		1187 рег	1790. —— I	1 71.	
17 undulata. W. en.	wave-leaved.			1816. — 1	1. 21	Eng. bot. 1025.
18 odorata. H. K.	Bergamot.		England.		1. 24.	Eng. bot. 1025.
19 hirsuta. H. K.	hairy water.		Britain.	7.9. H	1.21.	447.
20 acutifolia. H. K.	sharp-leaved.		England.	9. H	1.24.	2415.
21 sativa. W.	tall red.			8.9. I	I. 24.	447. 2415. 448.
22 rubra. H. K.	common red.		Britain.	9. I	I. 4.	1413,
		S 9				

132	אצעוע	AMIA GY	MNOSPE	KMIA	.•	
23 gracilis. H. K.	narrow-leaved.	Labiatæ. J.	Britain.	8	T.T. 31	Fra hat 446
24 gentilis. H. K.	bushy red.					Eng. bot. 445.
25 arvensis. H. K.	corn.			0.	o. H.4.	
26 agrestis. S. M.	field.			7.	9. II.4.	2119.
27 præcox. S. M.	early-flowering.		_			
28 pratensis. S. M.	meadow.			_		Sole's Mints, c. ic.
29 rivalis. S. M.	river.				- H.4.	t. 17.
30 paludosa. S. M.	brook.	<u> </u>	-		9. H.4.	
31 dentata. W. en.	toothed.		Cormony	1016 7	9. H.4.	
32 canadensis. W.	Canadian.		- N America	1010. /.	7 LJ 3!	
33 Pulegium. W.	Pennyroyal.	- 1	- Rritain	1001.	0 11.4.	Eng. bot. 1026.
34 cervina. W.	Hyssop-leaved.		- France	1648 6	e H 1	Mor. hist. 3. t.7. f.7.
PERILLA. W.	PERILLA.	Labiatæ. J.	- France.	1040. 0.	0. 11.4.	W101.1115t. 0. t./.1./.
ocymoides. W.	Basil-leaved.	Daviata. v.	- India	1970 7	• но	Arduin.spec.2.t.13.
HYPTIS. Poit.	HYPTIS.	Labiatæ. J.	- Illula,	11/0. /.	o. 11. o.	2305
						(Poit An mus 7 t
1 capitata. H. K.	Jamaica.		- W. Ind.	1714. 6.	7. S.J.	Poit. An. mus. 7. t. 27. f. 1.
2 radiata. H. K.	Carolina.		Carolina	1600	G 21	7 to7 fo
3 ebracteata. H. K.	small-headed.		- W Ind	1779 10	0.4.	7.t.27.f.2.
4 pectinata. H. K.	Balm-leaved.		- W. 111u.	1776 10	21 8 31	7. t. 30.
5 persica. P. S.	Persian.	S-1	Dorgio			
LEPECHINIA. W.	LEPECHINIA.	Labiatæ. J. Hon		1800.	. U.n.	Linn. trans. 6. t. 12.
spicata. W.	spiked.	Daglace. 0. 2107		1000 7	o Li n	
Horminum caulesce			- MEXICO.	1800. 7.	s. H.4.	
GLECHOMA. W.	GROUND IVY.	Labiatæ. J.				
1 hederacea. W.	common.	Laorata. 5.	. Dultain	ó	= II 3/	Trum hot 050
2 hirsuta. P. S.	hairy.		- Dillain.	3.		Eng. bot. 853.
LAMIUM. W.	ARCHANGEL.	Labiatæ. J.	- Hungary.	• • • • •	- H. 4.	Pl. rar. hung. t. 119.
1 Orvala. W.	Balm-leaved.	Labiatæ. J.	Ttoles	1500 É	é TT 31	Dot man 170
			- Italy.	1596. 5.	7. H.4.	Pluk.alm. t.198 f.1.
2 lævigatum. W.	smooth.			1711. 3.	10. II. 4.	Page mus 5 t 02
3 rugosum. W.	rough.			1766. 7.	8. F1. 4.	Bocc. mus. 5. t. 25.
4 garganicum. W.	woolly.			1729. —	H.4.	Exot. Dot. 1. t. 48.
5 maculatum. W.	spotted.		The Marketon	1683. 6.	7. H.4.	Pluk.alm. t. 198.f. 1. Bocc. mus. 5. t. 23. Exot. bot. 1. t. 48. Col.ecphr. 1. t. 185.
6 album. W.	white.	2	- Britain.	4.	9. H.4.	Eng. pot. 768.
7 moschatum. H. K.			- Levant.	1739	H.⊙.	
8 molle. W.	Pellitory-leaved.		n	1683. 4.	5. H.4.	T 1 #00
9 purpureum. W.	purple.		- Britain.	5.	s. H	Eng. bot. 769.
10 incisum. H. K.	cut-leaved.			5	7. H.O.	
11 amplexicaule. W.	Henbit.			3.	.6. H.O.	770.
12 multifidum. W.	multifid-leaved.	7.11.4	- Levant.	1752. 4.	5. H.⊙.	Comm. rar. t. 26.
GALEOPSIS. W.	HEMP-NETTLE.	Labiatæ. J.				77 1 4 4 4 4 4
1 Ladanum. W.	red.		Britain.	7.	9. H.O.	Eng. bot. 884.
2 villosa. E. B.	downy.	****		7.	.8. н.о.	2353. 207.
3 Tetrahit. W.	common.		·	• • • • •	н.⊙.	207.
4 versicolor, H. K.	large-flowered.	*			— н.⊙.	667.
GALEOBDOLON. }	DEAD-NETTLE.	Labiatæ. J.				
E. B.			5			m 1 1
Inteum. H. K.	yellow.		- Britain.	5.	.6. H.4.	Eng. bot. 787.
BETONICA. W.	BETONY.	Labiatæ. J.			. **	77 7 4 1140
1 officinalis. W.	wood.	***************************************	- Britain.			Eng. bot. 1142.
2 stricta. W.	Danish.		- Denmark.	1592. 6.	7. н. 4.	Park.theat.615.f.4.
3 incana. W.	hoary.	*	- Italy.	1759	Н. 4.	Jo On. 2106
4 orientalis. W.	oriental.	240	- Levant.			Lam.ill. t. 507. f. 2.
5 alopecurus. W.	fox-tail.	****				Jac. aus. 1. t. 78.
6 hirsuta. W.	hairy.		- Italy.			Mur.com.get.2.t.3
7 grandiflora. W.	great-flowered.	+ • • •	- Siberia.	1800. —	— н. 4.	Bot. mag. 700.
STACHYS. W.	HEDGE-NETTLE	. Labiatæ. J.				
1 sylvatica. W.	common.		- Britain.			Eng. bot. 416.
2 mollissima. W. en.			- Corfu.			W. Hort. ber.t. 60.
3 circinata. W.	blunt-leaved.		- Barbary.			L'Her. s. nov. t. 26.
4 decumbens. P. S.	decumbent.				— H.4.	
5 nepetifolia. P. S.	Cat-mint-leaved.				.8. H.4.	
6 coccinea. W.	scarlet.		– S. America.	1798. —	G. 4.	Bot. mag. 666.
7 ralustris. W.	{Clown's All-}		- Britain.		8. H.2/.	Eng. bot. 1675.
	\ heal. \		2			
8 ambigua. H. K.	ambiguous.	- W	-		.7. H.4.	
9 alpina. W.	Alpine.		- Germany.			Lap. pyr. 1. t. 8.
10 germanica. W.	downy.		- England.			Eng. bot. 829.
11 intermedia. W.	oblong-leaved.		- Carolina.		.7. H.4.	
12 lanata. W.	woolly.		- Siberia.	1782. 6.	9. H.4.	Jac. ic. 1. t. 107.

	DIDIN.	AMIA GIN	INOSEE	LUVIIIA.		100
13 cretica. W.	Cretan.	Labiatæ. J.	Candia.	1640. 6.8. I	H. 24.	Walt.hort.108.t.19
14 glutinosa. W.	clammy.			1729, 6.7, I		Mor.h.s.11.t.4.f.17
15 spinosa. W.	thorny.			1640. 7.		s.11.t.10.f.9.
16 orientalis. W.	oriental.		Levant.	1768. 6.7. I		
17 maritima. W.	sea.		S. Europe.			Jac. vind. 1. t. 70.
18 obliqua. P. S.	oblique-leaved.		Hungary.			Pl. rar. hung. t.133.
19 betonicæfolia. P. S.			Rochelle.	1812. ——]		Y . 1
20 æthiopica. W.	Ethiopian.		C. B. S.			Jac. obs. 4. t. 77.
21 hirta. W.	procumbent.		Spain.			All. ped. 1. t. 2. f. 3.
22 rugosa. W. 23 scordifolia. W. en.	rough. wedge-leaved.	and the second second		1816. ——]		Jac. ic. 3. t. 493.
24 recta. W. en.	upright.		S Europe.	1683 68 1	FI DI	Jac. aust. 4. t. 359.
	_			1000. 0.0. 1	4	(Bot. mag. 1959.
25 diffusa. H. R.	spreading.		Levant.	18 0 4. 7. 1	H. 4.	Bot. mag. 1959. S. arenaria.
26 annua. W.	annual.		S. Europe.			Jac. aust. 4. t. 360.
27 arvensis. W.	corn.		Rritain	7.8.	H.O.	Eng. bot. 1154.
28 latifelia. W.	broad-leaved.			1775. 6.7.	H.h.	
29 phlomoides. W. en.	Phlomis-leaved.			1816. ——	н.4.	
BALLETTA W.	STINKING }	Labiatæ, J.				
	HOREHOUND.					
1 nigra. W.	black.	·	Britain.			Eng. bot. 46.
2 alba. W.	white.		0.1			0 1 2 2 4 2 4
3 lanata. W.	woolly.	Comment of the state of	Siberia.	1752. 6.8.	H.4.	Gmel. sib. 3. t. 54.
Panzeria multifida		İnbirta I				
MARRUBIUM. W.	HoreHound.	Labiatæ. J.	ensin	1507 76	LT M	Con book and f 1
1 Alyssum. W. 2 astracanicum. W.	Astracan.		Lorent			Ger. herb.379. f. 1. Jac. ic. 1. t. 109.
3 peregrinum. W.	Sicilian.		Sicily			Jac. aust. 2. t. 160.
4 creticum. W.	Cretan.		Levaut.	1596. —		ouc. aust. 2. t. 100.
5 candidissimum. W.				1732	H.24.	Dill.elt.t.274.f.214
6 supinum. W.	procumbent.		S. Europe.			Bocc. mus. 2. t. 96.
7 vulgare. W.	common white.		Britain.			Eng. bot. 410.
8 africanum. W.	African.	a second	CDS			Comm. hort. 2. t. 90.
9 crispum. W.	curl-leaved.		S. Europe.	1714. 7.8.	H.4.	Herm. parad. t. 200.
10 hirsutum. W.	hirsute.			6.7.	н.4.	
11 hispanicum. W.	Spanish.	F1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Spain.	1714. 7.8. I	H.4.	Herm. parad. t.201.
12 Pseudo-Dictam-	shrubby white.		Candia.	1596. —	F. b .	Lam. ill. t. 508.f. 2.
nus. W.			Carrier			
13 acetabulosum. W.	saucer-leaved.	* 1		1676. 6.8.	F.4.	Barr. ic. 129.
LEONURUS. B. P.	Motherwort.	Labiatæ. J.	Cilveria	1050 50	TT 3/	Mann a mark of the
1 crispus. W. 2 Cardiaca. W.	curl-leaved.		Duitain	1658. 7.8.	11.4.	Murr. c. gœt. 8. t.4. Eng. bot. 286.
3 tataricus. W.	Tartarian.		Ruccia			Mill. ic. 1. t. 80.
4 sibiricus. W.	Siberian.		Siberia			Exot. bot. 2. t. 94.
5 marrubiastum. W.	small-flowered.		Austria.	1710.	H.O.	Jac. aust. 5. t. 405.
6 supinus. W.	procumbent.		Siberia.	1816	H. 11.	
PHLOMIS. B. P.	PHLOMIS.	Labiatæ. J.	Dio Cita			
1 fruticosa. W. en.	Jerusalem Sage.		Spain.	1596. 6.7.	н. ь.	Bot. mag. 1843.
2 lanata. W. en.	small-shrubby.					,
3 purpurea. W.	purple.		S. Europe.	1661. 6.8. I	H.h.	Smith spicil. 6. t. 3.
4 italica. W.	Italian.		Italy.		H.h.	
5 Nissolii. W.	Nissole's.		Levant.	1757. 6.7.	F. 4.	Mill. ic. 2. t. 204.
6 Lychnites. W.	lamp-wick.		S. Europe.			Bot. mag. 999.
7 Samia. W.	Samian.		N. Africa.	1714. 6.7.	H.4.	1891.
8 Herba-venti. W.	rough-leaved.		S. Europe.	1596. 7.9.		
9 alpina. W.	Alpine.		Siberia.			Pall. act. pet.2.t.13.
10 tuberosa. W.	tuberous.		T			Bot. mag. 1555.
11 laciniata. W. LEUCAS. B. P.	jagged-leaved.		Levant.	1731. 7.	11.4.	
1 zeylanica. B. P.	Leucas. Ceylon.		lomidis sp. W E. Ind.		80	Too in 1 6 111
2 martinicensis. B. P.			W. Ind.			Jac. ic. 1. t. 111.
3 urticifolia. B. P.	Nettle-leaved.		E. Ind.	1810. —		1. 6. 110,
4 indica. B. P.	Indian.			1789. 7.8.	. –	
LEONOTIS. B. P.	LION'S-TAIL.	Labiatæ. J. Phlo			J	
1 nepetifolia. H. K.	Catmint-leaved.				S.O.	Herm. lugdb.t.117.
2 Leonurus. H. K.	narrow-leaved.		C. B. S.	1712. 10.12.	G.h.	Bot. mag. 478.
3 Leonitis. H. K.	dwarf-shrubby.					Mill.ic.2.t.162.f.1.
MOLUCCELLA. W.	MOLUCCA-BALM	Labiatæ. J.			·	0 1
1 spinosa. W.	prickly.		Levant.	1596. 7.8.	H.⊙.	Lam. ill. t. 510.
2 lævis. W.	smooth.		Syria.			Bot. mag. 1852.
3 tuberosa. W.	tuberous-rooted.	-	Tartary.	1796. 7.	H.4.	Pall. it. 3. t. T.

CLIMOPODIUM W. Value-Basil. Labiates. Britain, 6.8 H. 24 Eng. bot. 1475 148	101	וועונע	MILL UI	MINOSI	LILIVII A.	
DRIGANUM. W. Marjorand. Labiatæ. J. Egypt. 1731. 6.8. G. f. Alp. ægypt.t.	CLINOPODIUM. W.	WILD-BASIL.				P .
DRIGANUM. W. Marjorand. Labiatæ. J. Egypt. 1731. 6.8. G. f. Alp. ægypt.t.	1 vulgare. W.	common.		Britain.	6.8. Н.4.	Eng. bot. 1401.
DRIGANUM. W. Marjorand. Labiatæ. J. Egypt. 1731. 6.8. G. f. Alp. ægypt.t.	2 ægyptiacum. W.	Egyptian.	-	- Egypt.		
4 Tournefortii. W. 5 creticam. W. 6 suryrnaum. W. 7 hieralcolicium. W. 8 vulgare. W. 9 Onites. W. 10 Majorana. W. 10 Majorana. W. 12 majoranoides. W. 12 majoranoides. W. 12 majoranoides. W. 13 majoranoides. W. 13 majoranoides. W. 14 majoranoides. W. 15 majoranoides. W. 15 majoranoides. W. 16 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 18 ma			Labiatæ. J.			
4 Tournefortii. W. 5 creticam. W. 6 suryrnaum. W. 7 hieralcolicium. W. 8 vulgare. W. 9 Onites. W. 10 Majorana. W. 10 Majorana. W. 12 majoranoides. W. 12 majoranoides. W. 12 majoranoides. W. 13 majoranoides. W. 13 majoranoides. W. 14 majoranoides. W. 15 majoranoides. W. 15 majoranoides. W. 16 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 18 ma				Egypt.		
4 Tournefortii. W. 5 creticam. W. 6 suryrnaum. W. 7 hieralcolicium. W. 8 vulgare. W. 9 Onites. W. 10 Majorana. W. 10 Majorana. W. 12 majoranoides. W. 12 majoranoides. W. 12 majoranoides. W. 13 majoranoides. W. 13 majoranoides. W. 14 majoranoides. W. 15 majoranoides. W. 15 majoranoides. W. 16 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 18 ma				- Candia.		
5 creticum. W. 6 smyrnam. W. 7 leracleoticum. W. 8 rulgare. W. 9 Onites. W. 19 Onites. W. 19 Onites. W. 10 Majorana. W. 11 salvifolium. Roth. 12 majoranoides. W. 7 HYMUS. P. S. 18 tryology. Wild. 12 majoranoides. W. 7 HYMUS. P. S. 18 rerightom. W. 2 langusifolius. P. S. 4 angustifolius. P. S. 4 angustifolius. P. S. 4 refeatedlins. P. S. 8 lucidus. W. en. 9 Mastichina. W. 10 montanus. W. en. 9 Mastichina. W. 10 montanus. W. en. 9 Mastichina. W. 11 tomentosus. W. en. 12 Zygis. W. 12 croidus. W. en. 12 Zygis. W. 12 croidus. W. en. 13 refeatedle. Spain. 15 croaticus. P. S. 14 croidus. W. en. 15 refeatedlins. W. 15 refluents. W. 16 refluents. W. 17 refluents. W. 17 refluents. W. 18 refluents. W. 18 refluents. W. 18 refluents. W. 19 montanus. W. 19 montanus. W. 19 montanus. W. 19 refluents. W. 19 re				Levant.		
7 hereacloticium. We winter sweet. 8 vulgare. W. 9 Onites. W. 10 Majorana. W. 11 salvifolium. Roth. 12 majoranoides. W. 13 majoranoides. W. 14 majoranoides. W. 15 majoranoides. W. 2 lanuginosus. W. 3 citriodorus. P. S. 4 angustifolius. P. S. 5 vulgaris. W. 6 citeriofius. Roth. 7 acicularis. P. S. 5 vulgaris. W. 10 montanus. W. 11 to montanus. W. 11 to montanus. W. 11 to montanus. W. 11 to montanus. W. 12 Izygis. W. 13 croaticus. P. S. 14 cephalottos. W. 15 croaticus. P. S. 16 create. S. 17 croaticus. P. S. 17 croaticus. P. S. 18 croaticus. P. S. 19 croaticus. P. S. 19 croaticus. P. S. 19 croaticus. P. S. 10 croaticus. P. S. 11 croaticus. P. S. 11 croaticus.				Amorgos.		
7 hereacloticium. We winter sweet. 8 vulgare. W. 9 Onites. W. 10 Majorana. W. 11 salvifolium. Roth. 12 majoranoides. W. 13 majoranoides. W. 14 majoranoides. W. 15 majoranoides. W. 2 lanuginosus. W. 3 citriodorus. P. S. 4 angustifolius. P. S. 5 vulgaris. W. 6 citeriofius. Roth. 7 acicularis. P. S. 5 vulgaris. W. 10 montanus. W. 11 to montanus. W. 11 to montanus. W. 11 to montanus. W. 11 to montanus. W. 12 Izygis. W. 13 croaticus. P. S. 14 cephalottos. W. 15 croaticus. P. S. 16 create. S. 17 croaticus. P. S. 17 croaticus. P. S. 18 croaticus. P. S. 19 croaticus. P. S. 19 croaticus. P. S. 19 croaticus. P. S. 10 croaticus. P. S. 11 croaticus. P. S. 11 croaticus.		_		Smerno		
10 Majorana. W. 12 majoranoides. W. 13 majoranoides. W. 15 majoranoides. W. 16 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 16 majoranoides. W. 16 majoranoides. P. 16 majoranoides. W. 16 majoranoides. P. 16 majoranoides. W. 16			**************************************	S. Europe.		
10 Majorana. W. 12 majoranoides. W. 13 majoranoides. W. 15 majoranoides. W. 16 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 16 majoranoides. W. 16 majoranoides. P. 16 majoranoides. W. 16 majoranoides. P. 16 majoranoides. W. 16				Britain.		
10 Majorana. W. 12 majoranoides. W. 13 majoranoides. W. 15 majoranoides. W. 16 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 17 majoranoides. W. 17 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 16 majoranoides. P. 15 majoranoides. W. 16 majoranoides. W. 16 majoranoides. P. 16 majoranoides. W. 16 majoranoides. P. 16 majoranoides. W. 16				Sicily.		
11 salyrifolium, Roth 12 majoraoides, W. THYMUS, P. S. THYME Labiatæ, J. THYMUS, P. S. THYME Labiatæ, J. Serpyllum, W. 2 lanuginosus, W. wolly, Stritodorus, P. S. Lemon. H. I ₂ Stritodorus, P. S. Lemon. H. I ₃ Stritodorus, P. S. Lemon. H. I ₄ Stritodorus, P. S. Lemon. H. I ₄ Stritodorus, P. S. Lemon. H. I ₄ Stritodorus, P. S. S. Stritodorus, P. S. Lemon. H. I ₄ Stritodorus, P. S. S. Stritodorus, P. S. S. Stritodorus, P. S. S. S. S. S. S. S. S		knotted.		Partugal	1572 67 F #	
THYMUS. P. S. 1 Serpyllum. W. 2 lanuginosus. W. 3 citriodorus. P. S. 4 angustifolius. P. S. 5 vulgaris. W. 6 ericaefolius. Roth. 7 acicularis. P. S. 5 vulgaris. W. 10 montanus. W. 11 tomentosus. W. en. 12 Zygis. W. 12 Croaticus. P. S. 13 croaticus. P. S. 14 cephalotus. W. 15 villosus. W. 16 Tragoriganum. W. 17 vulgaris. P. S. 18 Acyxos. 18 Labiate. J. Thymis. Britian. 18 Acyxos. 18 Labiate. J. Thymis. Britian. 18 Leno. 18 L	11 salvifolium. Roth.	Sage-leaved.		·	F. h.	
THYMUS. P. S. 1 Serpyllum. W. 2 lanuginosus. W. 3 citriodorus. P. S. 4 angustifolius. P. S. 5 vulgaris. W. 6 ericaefolius. Roth. 7 acicularis. P. S. 5 vulgaris. W. 10 montanus. W. 11 tomentosus. W. en. 12 Zygis. W. 12 Croaticus. P. S. 13 croaticus. P. S. 14 cephalotus. W. 15 villosus. W. 16 Tragoriganum. W. 17 vulgaris. P. S. 18 Acyxos. 18 Labiate. J. Thymis. Britian. 18 Acyxos. 18 Labiate. J. Thymis. Britian. 18 Leno. 18 L		shrubby sweet.			F.h.	
2 lanuginosus W. 3 cirtiodourus P. S. 4 angustifolius P. S. 5 vulgaris W. 6 ericaciolius Roth. 6 ericaciolius Roth. 7 acicularis P. S. 5 vulgaris W. 7 circinolius Roth. 7 acicularis P. S. 8 circinolius Roth. 7 acicularis P. S. 8 circinolius W. 6 ericaciolius Roth. 7 acicularis P. S. 8 circinolius W. 6 ericaciolius W. 6 ericaciolius W. 6 ericaciolius W. 7 circinolius W. 7 circinolius W. 7 circinolius W. 7 circinolius P. S. 8 circinolius P. S. 8 circinolius P. S. 12 Zygis W. 8 pain. 1 comotnosus W. en. 12 Zygis W. 8 pain. 1 comotnosus P. S. 14 cephalotus W. 13 croaticus P. S. 14 cephalotus W. 16 Tragoriganum W. 17 filiformis W. 16 Tragoriganum W. 17 filiformis W. 20 calleaved. 1 calleaved. 1 calleaved. 2 cardina Portugal. 1759. F. f. 1 calleaved. 2 cardina P. S. 1 vulgaris P. S. 1 vulgaris P. S. 2 cardinians P. S. 3 plinus P. S. 4 patavinus P. S. 4 patavinus P. S. 4 patavinus P. S. 5 cretica P. S. 7 fruticosa P. S. 6 cretica P. S. 7 fruticosa P. S. 8 marun-leaved. 1 cardina. 1			Lahiatæ. J.			
S. trilgeris, W. Gericaefolius, Roth. Facilitaris, P. S. Bucidns, W. en. Heath-leaved. Spain. 1806. 6.8. H. ½. H. ½. Spain. 1806. 6.8. H. ½. H. ½. Spain. 1806. 6.8. H. ½.				Britain.	\dots 6.8. H.h.	Eng. bot. 1514.
S. trilgeris, W. Gericaefolius, Roth. Facilitaris, P. S. Bucidns, W. en. Heath-leaved. Spain. 1806. 6.8. H. ½. H. ½. Spain. 1806. 6.8. H. ½. H. ½. Spain. 1806. 6.8. H. ½.		Y		• • • • • • • • • •	— H.h.	
10 montanus, W. 11 tomentosus, W. en 12 Zygis, W. 15 tomentosus, Spanish. 1816. 6.8, H, ½. 17.11 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ħ. 17.11 s. H, ħ. 17.12 s. H, ħ.		Lemon.			H.h.	
10 montanus, W. 11 tomentosus, W. en 12 Zygis, W. 15 tomentosus, Spanish. 1816. 6.8, H, ½. 17.11 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ħ. 17.11 s. H, ħ. 17.12 s. H, ħ.		garden		S Furano	1540 50 H L	
10 montanus, W. 11 tomentosus, W. en 12 Zygis, W. 15 tomentosus, Spanish. 1816. 6.8, H, ½. 17.11 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ħ. 17.11 s. H, ħ. 17.12 s. H, ħ.		Heath-leaved.		Spain	1046. 0.6. H. h.	
10 montanus, W. 11 tomentosus, W. en 12 Zygis, W. 15 tomentosus, Spanish. 1816. 6.8, H, ½. 17.11 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ħ. 17.11 s. H, ħ. 17.12 s. H, ħ.		needle-leaved.		Hungary.	———— H. h.	Pl.rar.hung.2.t.147
10 montanus, W. 11 tomentosus, W. en 12 Zygis, W. 15 tomentosus, Spanish. 1816. 6.8, H, ½. 17.11 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ½. 17.12 s. H, ħ. 1816. 6.8, H, ħ. 17.11 s. H, ħ. 17.12 s. H, ħ.		shining-leaved.			1816. — H.b.	i i i i i i i i i i i i i i i i i i i
10 montanus. W. en. toméntose. 11 tomentous. W. en. toméntose. 12 Zygis. W. en. toméntose. Spanish. 12 Zygis. W. en. toméntose. Spanish. 13 croaticus. P. S. oval-leaved. 14 cephalotus. W. bairy. 15 villosus. W. bairy. 16 Tragoriganum. W. party. 16 Tragoriganum. W. party. 16 Tragoriganum. W. party. 17 filiformis. W. ACYNOS. P. S. Acynos. 18 rulgaris. P. S. Acynos. 18 rulgaris. P. S. Alpine. 18 rulgary. 18 parrel. ic. 777 18 filormis. W. Minorca. 18 pritain. 18 p		Mastick.		Spain.	1596. 7.9. F. b.	Blackw. t. 134.
12 Zygis, W. oval-leaved.	10 montanus. W.	mountain.		Hungary.		
12 Zygis, W. oval-leaved.	11 tomentosus. W. en.	toméntose.		Spain.		· ·
15 villosus W. hairy. goat's. Candia. 1640. 5.6. F. ½. Alp. exot. t. 78					1771. S. H.h.	Barrel. ic. 777.
15 villosus W. hairy. goat's. Candia. 1640. 5.6. F. ½. Alp. exot. t. 78				Hungary.		
16 Tragoriganum. W. 17 filiformis. W. Minorca. Mastria. Minorca. Mastria. Minorca.				Portugal.		
ACYNOS. P. S. 1 vulgaris. P. S. 2 villosus. P. S. 3 alpinus. P. S. 4 patavinus. P. S. CALAMINTHA. Ph. 1 grandiflora. P. S. 2 caroliniana. grandiflora. Ph. 5 marifolia. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 1 vulgaris. Villous. DRACOCEPHA— LUM. W. 1 virginianum. W. 2 denticulatum. W. 3 variegatum. Ph. 4 canariense. W. 5 palmatum. W. 6 peregrinum. W. 7 austriac. 8 Labiatæ. J. 9 paradiflora. P. S. 9 Labiatæ. J. 9 Racon's Head. Labiatæ. J. 9 grandiflorum. W. 10 altaiense. W. 10 altaiense. W. 10 Britain. Bail-leaved. Balin of Gilead. 9 Labiatæ. J. 10 altaiense. W. 10 altaiense. W. 10 altaiense. W. 10 Britain. Britain. Labiatæ. J. 1 Labiatæ. J. 2 Labiatæ. J. 2 Labiatæ. J. 2 Labiatæ. J. 2 La		hairy.		Ct 1:		
ACYNOS. P. S. 1 vulgaris. P. S. 2 villosus. P. S. 3 alpinus. P. S. 4 patavinus. P. S. CALAMINTHA. Ph. 1 grandiflora. P. S. 2 caroliniana. grandiflora. Ph. 5 marifolia. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 1 vulgaris. Villous. DRACOCEPHA— LUM. W. 1 virginianum. W. 2 denticulatum. W. 3 variegatum. Ph. 4 canariense. W. 5 palmatum. W. 6 peregrinum. W. 7 austriac. 8 Labiatæ. J. 9 paradiflora. P. S. 9 Labiatæ. J. 9 Racon's Head. Labiatæ. J. 9 grandiflorum. W. 10 altaiense. W. 10 altaiense. W. 10 Britain. Bail-leaved. Balin of Gilead. 9 Labiatæ. J. 10 altaiense. W. 10 altaiense. W. 10 altaiense. W. 10 Britain. Britain. Labiatæ. J. 1 Labiatæ. J. 2 Labiatæ. J. 2 Labiatæ. J. 2 Labiatæ. J. 2 La		goat's.		Candia.		Alp. exot. t. 78.
1 vulgaris. P. S.			Labiata I The	Minorca.	1779. 6.7. G.h.	
Thymus Acinos. W. 2 villosus. P. S. 3 alpinus. P. S. Alpine. — Austria. 4 patavinus. P. S. CALAMINTHA. Ph. 1 grandiflora. P. S. 2 caroliniana. Grandiflora. P. S. 3 vulgaris. 4 Nepeta. Ph. 5 marifolia. P. S. 6 cetica. P. S. 6 cetica. P. S. 6 cretica. P. S. 7 fruticosa. P. S. BALM. Officinalis. W. β romana. DRACOCEPHA- LUM. W. 1 virginianum. W. 2 denticulatum. W. 3 variegatum. Ph. 4 canariense. W. 5 palmatum. W. 6 peregrinum. W. 7 to palmatum. W. 7 to palmatum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 9 grandiflorum. W. 1 to palmated.			Daniala. o. 1 mg	Britain.	68 H O	Fng. hot. 411-
2 villosus, P. S. 3 alpinus, P. S. 4 patavinus, P. S. CALAMINTHA. Ph. 1 grandiflora, P. S. 2 caroliniana. grandiflora, Ph. 3 vilgaris. 4 Nepeta, Ph. 5 marifolia, P. S. 6 cretica, P. S. 6 cretica, P. S. 6 fruticosa, P. S. 7 fruticosa, P. S. 8 mellissa, W. 6 friginalis, W. 7 fruticosa, P. S. 8 mellissa, W. 8 romana. DRACOCEPHA- LUM, W. 1 virginianum, W. 2 denticulatum, W. 3 variegatum, Ph. 4 canariense, W. 5 palmatum, W. 6 peregrinum, W. 6 peregrinum, W. 7 grandiflorum, W. 8 Ruyschiana, W. 9 grandiflorum, W. 10 altaiense, W. 10 deladica, W. 10 altaiense, W. 10					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	211g. 500. 411r
Alpine. Austria. 1731. 6.9. F. β. Jac, aust. 1. t. S. Europe. 1776. 6.8. H. β. Jac, obs. 4. t. 8 Calamint. 1 grandiflora. P. S. great-flowered. 2 caroliniana. 1 grandiflora. Ph. 3 vulgaris. 1 Labiatæ. J. Melissæ sp. W. Thymis sp. Smith. 2 carolina. 1 1604. 6.7. F. μ. 997. 1 1789. 6.9. H. μ. Bot. mag. 208. 1 1604. 6.7. F. μ. 997. 1 1789. 1 1 1789. 1 1 1789. 1 1 1789. 1 1 1789. 1 1 1789. 1 1 1789. 1 1 1789. 1 1 1789. 1		villous.		Germany.	1817. — H.O.	
CALAMINTHA. Ph. 1 grandiflora. P. S. 2 caroliniana. grandiflora. P. S. 2 caroliniana. grandiflora. P. S. 3 vulgaris. 4 Nepeta. Ph. 5 marifolia. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 7 fruticosa. P. S. 8 MELISSA. W. 7 officinalis. W. 8 romana. DRACOCEPHA- 2 LUM. W. 3 virginianum. W. 4 denticulatum. W. 5 palmatum. Ph. 5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 13 Siberia. 12 Moldavica. W. 14 Grolina. 15 Garolina. 15 Jenea. 16 Jenea. 17 Jenea. 18 Jene		Alpine.		Austria.		Jac. aust. 1. t. 97.
CALAMINTHA. Ph. 1 grandiflora. P. S. 2 caroliniana. grandiflora. P. S. 2 caroliniana. grandiflora. P. S. 3 vulgaris. 4 Nepeta. Ph. 5 marifolia. P. S. 6 cretica. P. S. 7 fruticosa. P. S. 7 fruticosa. P. S. 8 MELISSA. W. 7 officinalis. W. 8 romana. DRACOCEPHA- 2 LUM. W. 3 virginianum. W. 4 denticulatum. W. 5 palmatum. Ph. 5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 13 Siberia. 12 Moldavica. W. 14 Grolina. 15 Garolina. 15 Jenea. 16 Jenea. 17 Jenea. 18 Jene		Marjoram-leav'd.		S. Europe.		
Thymus grandiflorus. B. M. England. Common. England. Common. England. Common. England. Common. England. Common.	CALAMINTHA. Ph.	CALAMINT.	Labiatæ. J. Mel	issæ sp. IV.		
Thymus grandiflorus. B. M. England. Common. England. Common. England. Common. England. Common. England. Common.		great-flowered.		Italy.		
Siberian W. Siberian Siber				Carolina.	1804. 6.7. F.4.	997.
1414 1416		Thymus grandiffe	orus. 13. M.	Y	YY 21	F 1.4 3050
Spain				England.		
S. Europe 1596. — F. ½ Barr. ic. 1166.		Marun-leaved		Spain		
MELISSA. W. officinalis. W. BALM. Labiatæ. J.		Creian.		S. Europe.		
MELISSA. W. officinalis. W. BALM. Labiatæ. J.		shrubby.		Spain.		Barrier 1100.
officinalis. W. β romana. DRACOCEPHA- LUM. W. 1 virginianum. W. Virginian. 2 denticulatum. W. variegatum. Ph. 4 canariense. W. 5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. Siberia. S. Europe. 1573. 6.10. H. ¼. 1573. 6.10. H. ¼. 1683. 7.9. H. ¼. Bot. mag. 467. 1787. 8.9. H. ¼. 1787. 8.9. H. ¼. 1812. — H. ¼. 1815. 6.8. H. ½. 1815. 6.8. H. ½. 1759. 7.8. H. ¼. Bot. mag. 1084 1815. 6.8. H. ½. 1759. 7.8. H. ¼. Bot. mag. 1084 1815. 6.9. H. ¼. Jac. ic. 1. t. 118 1817. 7.8. H. ¼. Sib. mag. 1093 1818. — H. ¼. Siberia. 1819. 7. H. ¼. Bot. mag. 1084 1819. — H. ¼. Jac. ic. 1. t. 118 1819. — H. ¼. 1819. 7. H. ¼. Jac. ic. 1. t. 118 1819. — H. ¼. 1819. 7. H. ¼. Jac. ic. 1. t. 118 1819. — H. ¼. 181		BALM.	Labiatæ. J.	~ [rann	1,021 1.01 21121	
DRACOCEPHA- LUM. W. 1 virginianum. W. 2 denticulatum. W. 3 variegatum. Ph. 4 canariense. W. 5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 12 Moldavica. W. 15 DRAGON's HEAD. Labiatæ. J. N. America. 1683. 7.9. H. ¼. Bot. mag. 467. Carolina. 1787. 8.9. H. ¼. 1812. — H. ¼. Vent. cels. t. 44. 1812. — H. ¼. Vent. cels. t. 44. 1815. 6.8. H. ¼. 1815. 6.8. H.				S. Europe.	1573. 6.10. H. 4.	
LUM. W. 1 virginianum. W. 2 denticulatum. W. 3 variegatum. Ph. 4 canariense. W. 5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 13 PAROBO STEAB. Lablate. S. N. America. 1683. 7.9. H. 4. 1787. 8.9. H. 4. 1812. — H. 4. Vent. cels. t. 42 1812. — H. 4. Vent. cels. t. 42 1815. 6.8. H. 4. 1815. 6	\$ romana.	hairy.				
1 virginianum. W. 2 denticulatum. W. 3 variegatum. Ph. 4 canariense. W. 4 canariense. W. 5 palmatum. W. 5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 9 grandiflorum. W. 9 grandiflorum. W. 10 altaiense. W. 8 Betony-leaved. 9 grandiflorum. W. 11 sibiricum. W. 12 Moldavica. W. 12 Moldavica. W. 12 Moldavica. W. Moldavian. 15 16 6.8 H. 12 Bot. mag. 1084 Moldavia. 15 16 6.8 H. 12 Moldavica. 16 Moldavica. 17	DRACOCEPHA- \	DRAGON'S HEAD	Labiatze J.			
2 denticulatum. W. variegated. Siberia. 1787. 8.9. H. ¼. Vent. cels. t. 4-4 canariense. W. Balm of Gilead. Siberia. 1815. 6.8. H. ¾. Vent. cels. t. 4-4 canariense. W. palmatum. W. palmated. Siberia. 1815. 6.8. H. ¾. Bot. mag. 1084 comm. W. prickly-leaved. Siberia. 1815. 6.8. H. ¾. Bot. mag. 1084 comm. W. Austrian. Austrian. Siberia. 1597. 6.7. H. ¾. Jac. ic. 1. t. 118 comm. W. great-flowered. Siberia. 1759. 7. H. ¾. Bot. mag. 1084 comm. W. Siberia. 1759. 7. H. ¾. Bot. mag. 1084 comm. W. Siberia. 1759. 7. H. ¾. Bot. mag. 1084 comm. W. Siberia. 1759. 7. H. ¾. Bot. mag. 1084 comm. W. Siberia. 1759. 7. H. ¾. Bot. mag. 1084 comm. P. ¼. Siberia. 1769. A. H. ¾. Siberia. 1760. 6.9. H. ¾. Gmel. sib. 3. t. 1816 comm. Moldavica. W. Moldavica. Moldavica. Moldavica. Moldavica. Moldavica. Moldavica. 1596. 7.8. H. ⊘. Lam. ill. t. 518.	LUM. W.					
3 variegatum. Ph. 4 canariense. W. Balm of Gilead. Canaries. 1812. H. \(\frac{1}{2}\). Vent. cels. t. 44 4 canariense. W. Balm of Gilead. Siberia. 1815. 6.8. H. \(\frac{1}{2}\). 5 palmatum. W. palmated. Siberia. 1815. 6.8. H. \(\frac{1}{2}\). 6 peregrinum. W. Prickly-leaved. Prickly-leaved. Top. 7.8. H. \(\frac{1}{2}\). Bot. mag. 1084 8 Ruyschiana. W. Hyssop-leaved. N. Europe. 1699. H. \(\frac{1}{2}\). Fl. dan. 121. 9 grandiflorum. W. Georgia. 1759. 7. H. \(\frac{1}{2}\). Bot. mag. 1009 10 altaiense. W. Betony-leaved. Georgia. 1787. 7.8. H. \(\frac{1}{2}\). Nov. com. pe 29. f. 3. 11 sibiricum. W. Siberian. Siberia. 1760. 6.9. H. \(\frac{1}{2}\). Gmel. sib. 3. t. 12 Moldavica. W. Moldavian. Moldavia. 1596. 7.8. H. \(\frac{1}{2}\). Lam. ill. t. 513.		Virginian.		N. America.	1683. 7.9. H.4.	Bot. mag. 467.
A canariense, W. Balm of Gilead. Canaries. 1697. 7.9. G. ½. Comm.hort. 2.t.				Carolina.		
5 palmatum. W. 6 peregrinum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 15 palmated. 1815. 6.8. H. ⅓. 1759. 7.8. H. ⅙. 1759. 7.8. H. ⅙. 1815. 6.8. H. ⅙. 1825. H. ⅙				Commi		
6 peregrinum. W. 7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 15 peregrinum. W. 17 austriacum. W. 18 Ruyschiana. W. 19 grandiflorum. W. 10 altaiense. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 17 sibiricum. W. 18 peregrinum. W. 18 peregrinum. W. 18 peregrinum. W. 19 prickly-leaved. 19 Austria. 19 97. 6.7. H. ¼. Jac. ic. 1. t. 119 16 99. — H. ¼. Fl. dan. 121. 17 pot. Moldavia. 17 pot. Moldavia. 18 peteny-leaved. 18 peteny-leaved. 19 Georgia. 19 17 peregrinum. W. 19 18 peteny-leaved. 19 18 peteny-leave						Comm.nort. 2. t.41.
7 austriacum. W. 8 Ruyschiana. W. 9 grandiflorum. W. 9 grandiflorum. W. Betony-leaved. Siberia. 1597. 6.7. H. 4. Jac. ic. 1. t. 119 1699. H. 4. Fl. dan. 121. 1759. 7. H. 4. Bot. mag. 1009 10 altaiense. W. Betony-leaved. Georgia. 1787. 7.8. H. 4. Nov. com. pe 29. f. 3. 11 sibiricum. W. Siberian. Siberia. 1760. 6.9. H. 4. Gmel. sib. 3. t. 12 Moldavica. W. Moldavian. Moldavia. 1596. 7.8. H. ①. Lam. ill. t. 513.				Stocia.		Bot. mag. 1084.
8 Ruyschiana. W. 9 grandiflorum. W. 10 altaiense. W. 11 sibiricum. W. 12 Moldavica. W. 18 Ruyschiana. W. 19 grandiflorum. W. 10 altaiense. W. 11 Sibiricum. W. 12 Moldavica. W. 13 Siberia. 14 Siberia. 15 Siberia. 1699. — H. ¼. Fl. dan. 121. 1759. 7. H. ¼. Bot. mag. 1009 29. f. 3. 1787. 7.8. H. ¼. {Nov. com. pe} 29. f. 3. 1760. 6.9. H. ¼. Gmel. sib. 3. t. 1760. 6.9. H. ¼. Gmel. sib. 3. t. 18 Moldavica. W. 18 Moldavica. W. 19 Moldavica. W. 19 Moldavica. W. 10 Moldavica. W. 11 Siberia. 12 Moldavica. W.		*.		Austria		
9 grandiflorum. W. great-flowered. ————————————————————————————————————						
10 altaiense. W. Betony-leaved. — Georgia. 1787. 7.8. H. 4. { Nov. com. pe 29. f. 3. 11 sibiricum. W. Siberian. — Siberia. 1760. 6.8. H. 4. Gmel. sib. 3. t. 12 Moldavica. W. Moldavia. — Moldavia. 1596. 7.8. H. 4. Lam. ill. t. 513.		• •			1750 7 H 2/	Rot mag. 1009.
11 sibiricum. W. Siberian. ————————————————————————————————————					1000 70 TIN	Nov. com. pet. t.
12 Moldavica. W. Moldavian. — Moldavia. 1596. 7.8. H Lam. ill.t. 513.	10 artaiense, w.	•				
12 Moldavica. W. Moldavica. 1596. 7.8. H.⊙. Lam. ill.t. 513. 13 canescens. W. hoary. Levant. 1711. — H.⊙. Mill. ic. 1. t. 15 14 peltatum. W. Willow-leaved. 1711. — H.⊙. Lam. ill.t. 513.						
13 canescens. W. hoary. Levant. 1711. — H. ⊙. Mill. ic. 1. t. 15 14 peltatum. W. Willow-leaved. 1711. — H. ⊙. Lam. ill. t. 513.					1596. 7.8. H.⊙.	Lam. ill. t. 513. f. 1.
1711. — H.O. Lam. III. J. 513.				Levant.	1711. — H	Mill. 1C. 1. T. 129.
	14 penatum. W.	willow-leaved.			1/11. — H.O.	Laul. III. J. 5 [3. I.Z.

DIDYNAMIA GYMNOSPERMIA.

15 nutans. W.	nodding.	Labiatæ. J.	Siberia.	1731.	7.8.	H. 24.	Gmel. sib. 3. t. 49.	04
16 thymiflorum. W.	small-flowered.						3. t. 50.	
MELITTIS. W.	BASTARD-BALM.							
1 Melissophyllum. W.			England.	• • • •			Eng. bot. 577.	
β alpina. 2 grandiflora. H. K.	Alpine. great-flowered.		Switzerland.				Eng. bot. 636.	
OCYMUM. W.	Basil.	Labiatæ. J.	England.	• • • •	э.	п. 4.	Eng. bot. 050.	
1 thyrsiflorum. W.	thyrse-flowered.		E. Ind.	1806.	7.8.	S. 2.	Jac. vind. 3. t. 72.	
2 suave. W. en.	sweet-scented.			1816.	7.9.	S.h.		
3 viride. W. en.	green.					S.h.		
4 monachorum. W.	monk's.		E. Ind.	1796.	7.8.	s.o.	Jac. ic. 3. t. 495.	
5 gratissimum. W.	shrubby.		41	1752.		S.h.	Jac. ic. 3. t. 495.	
6 grandiflorum. W.	great-flowered.		Abyssinia.				L'Her. s. nov. t. 43.	
7 Basilicum. W. 8 minimum. W.	bush.		E Ind				Blackw. t. 104. Schk.hand.2.t.166.	
9 sauctum. W.	purple-stalked.			1758.	7.9.	S.O.	Rheed.mal.10.t.92.	
10 pilosum. W. en.	ciliated.			1816.		s.o.		
11 americanum. W.	American.		India.	1789.	7.8.	$s.\odot.$	Jac. vind. 3. t. 86.	
12 tenuiflorum. W.	slender-spiked.		E. Ind.	1708.		S. 3.	Rum.am.5.t.92.f 2.	
13 polystachion. W.	many-spiked.	-		1783.		S. ⊙.	Murr.com.got.3.t.3	
14 menthoides. W.	Mint-leaved.		-	1010		S.⊙.		
15 micranthum. W.en. 16 molle. W.	heart-leaved.		F Ind			S.O.		
17 capitellatum. W.	small-headed.		China	1806.				
PLECTRANTHUS.W		Labiatæ, J.		1000.	7.0.	11.0.		
1 fruticosus, W.	shrubby.		C. B. S.	1774.	6.9.	G.b.	L'Her.stirp.85.t.41	
2 Forskohlæi. W.	Forskohl's.		Abyssinia.	1806.	10.11	. S. h.	Bot. rep. 594. 263	lugh
3 parviflorus. W. en.			S. America.	1805.	6.9.	G. h.	W.hort.ber.1.t.65,	
parviflorus. B. P. i.		·s.					- 4	
4 scutellarioides. B.P.			E. Ind.	1764.	7.8.	s.⊙.	Bot. mag. 1446.	
Ocimum scutellarion			1 fulas	1000	1 -	C 1	I 'III on ation of 4 41	
5 punctatus. W., TRICHOSTEMA. W.	dotted.			1775.	1.0.	G. 8 .	L'Her.stirp.87.t.41	
1 dichotoma. W.	Marioram-leav'd.	Labiatæ. J.	N. America.	1759.	6.7.	H.O.		
2 brachiata. W.	sessile-leaved.		71177771011	1732.	6.8.	H. 2.	Dill.elt.t.285.f.369	
PROSTANTHERA ?	Docement	* 11. *						
B. P. }	PROSTANTHERA.							
B. P. lasianthos. B. P.	villous-flowered.		N. S. W.	1808.	6.7.	G.h.	Bot. reg. 143.	4 . ·
B. P. Scutellaria. W.	villous-flowered. SKULL-CAP.	Labiatæ. J.						4
B. P. Scuttellaria. W. 1 orientalis. W.	villous-flowered. SKULL-CAP. yellow-flowered,	Labiatæ. J.	Levant.	1729.	7.9.	H.4.	2 A. 2125	4
B. P. Scuttellaria. W. 1 orientalis. W. 2 grandiflora. P. S.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered.	Labiatæ. J.	Levant. Siberia.	1729. 1804.	7.9. 7.8.	H.4. H.4.	Bot. mag. 635.	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy.	Labiatæ. J.	Levant. Siberia.	1729. 1804. 1771.	7.9. 7.8. 6.7.	Н.4. Н.4. Н.4.	Bot. mag. 635. Sab. hort. 3. t. 29.	- 설
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy. Alpine.	Labiatæ. J.	Levant. Siberia. Levant. Hungary.	1729. 1804. 1771. 1752.	7.9. 7.8. 6.7. 6.10.	H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137	ধু:
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy.	Labiatæ. J.	Levant. Siberia. Levant. Hungary.	1729. 1804. 1771. 1752.	7.9. 7.8. 6.7. 6.10.	H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29.	- -
B. P.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy. Alpine. Tartarian.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America.	1729. 1804. 1771. 1752.	7.9. 7.8. 6.7. 6.10. 6.9.	H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137	<u>4</u>
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy. Alpine. Tartarian. Virginian.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America.	1729. 1804. 1771. 1752. 1739. 1752.	7.9. 7.8. 6.7. 6.10. 6.9.	H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137	- di
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain.	1729. 1804. 1771. 1752. 1739. 1752. 1805.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137 Schmidel ic. t. 78.	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain.	1729. 1804. 1771. 1752. 1739. 1752. 1805.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. 524.	4 4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered. hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina.	1729. 1804. 1771. 1752. 1739. 1752. 1805. 	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137 Schmidel ic. t. 78. Eng. bot. 523. 524. Lam. ill. t.515.f.8.	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lapulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph.	villous-flowered. SKULL-CAP. yellow-flowered. large-flowered. hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805. 1798. 1811. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.7. 6.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137 Schmidel ic. t. 78. Eng. bot. 523. 524. Lam. ill. t.515.f. 3. Pluk.alm. t.441.f.6.	·
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805. 1798. 1811. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 6.9. 6.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3, t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 78. Eng. bot. 523. ———————————————————————————————————	- 4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 18 serrata. Ph. 14 havanensis. W.	villous-flowered. SKULL-CAP. yellow-flowered. large-flowered. hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805. 1798. 1811. 1731. 1800. 1793.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8. 6.7. 6.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.t. 137 Schmidel ic. t. 73. Eng. bot. 523. 524. Lam. ill. t. 515. f. 9. Pluk.alm. t. 441. f. 6. Bot. rep. 494. Jac. obs. 2. t. 29.	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah.	1729. 1804. 1771. 1752. 1739. 1752. 1805. 1798. 1811. 1731. 1800. 1793. 1683.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8. 6.7. 6.10. 6.9.	H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3, t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 78. Eng. bot. 523. ———————————————————————————————————	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 18 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah.	1729. 1804. 1771. 1752. 1739. 1752. 1805. 1798. 1811. 1731. 1800. 1793. 1683. 1806.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8. 6.7. 6.9. 6.10. 6.8.	H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. — 524. Lam. ill. t.515.f. 3. Pluk.alm. t.441.f.6. Bot. rep. 494. Jac. obs. 2. t. 29. Pl.rar.hun. 2.t. 125. Colum. ecp. 1.t. 189	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 18 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah.	1729. 1804. 1771. 1752. 1752. 1805. 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.7. 6.9. 5.6. 6.10. 6.8. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137 Schmidel ic. t. 78. Eng. bot. 523. ———————————————————————————————————	- 4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete.	1729. 1804. 1771. 1752. 1752. 1805. 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8. 6.7. 6.9. 6.7. 6.9. 7.8. 6.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. 524. Lam. ill. t. 515. f. 9. Pluk.alm. t. 441.f. 6. Bot. rep. 494. Jac. obs. 2. t. 29. Pl.rar.hun. 2.t. 125. Colum. eep. 1.t. 189	4
B. P. Isianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy.	1729. 1804. 1771. 1752. 1752. 1805. 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8. 6.7. 6.9. 6.7. 6.9. 7.8. 6.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. — 524. Lam. ill. t.515.f. 3. Pluk.alm. t.441.f.6. Bot. rep. 494. Jac. obs. 2. t. 29. Pl.rar.hun. 2.t. 125. Colum. ecp. 1.t. 189	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 18 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.7. 6.9. 5.6. 6.10. 6.8. 7.8. 6.7. 7.8.	H. 4. H. 4. S. 4. H. 4. S. 4. H. 4. G. b.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng.2.t.137 Schmidel ie. t. 78. Eng. bot. 523. ———————————————————————————————————	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1800. 1793. 1683. 1806. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 5.6. 6.10. 6.8. 7.8. 6.7. 7.8.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. 4. H. 4. S. 4. H. 4. G. 5.	Bot. mag. 635. Sab. hort. 3, t. 29. Pl.rar.linng. 2.t.137 Schmidel ic. t. 78. Eng. bot. 523. ———————————————————————————————————	4
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ, W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. \$\beta\$ alba. 2 ovata. P. S. 5 pensylvanica. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731. 1729.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 5.6. 6.10. 6.9. 7.8. 6.7. 7.8.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. 4. H. 4. G. 5. H. 4. G. 6.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.1.137 Schmidel ic. t. 73. Eng. bot. 523. 524. Lam. ill. t. 515. f. 3. Pluk.alm. t. 441. f. 6. Bot. rep. 494. Jac. obs. 2. t. 29. Pl.rar.hun. 2. t. 125. Colum. ecp. 1. t. 189 Eng. bot. 961. W. hort. ber. t. 9.	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731. 1729.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 7.8. 6.7. 6.9. 7.6. 7.8. 7.8.	H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3, t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. ———————————————————————————————————	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S. 3 pensylvanica. W. 4 hyssopifolia. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian. Hyssop-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1830. 1793. 1683. 1806. 1731. 1729 1801.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 5.6. 6.10. 6.8. 7.8. 6.7. 7.9.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. 4. H. 4. G. h. H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.1.137 Schmidel ic. t. 73. Eng. bot. 523. 524. Lam. ill. t. 515. f. 3. Pluk.alm. t. 441. f. 6. Bot. rep. 494. Jac. obs. 2. t. 29. Pl.rar.hun. 2. t. 125. Colum. ecp. 1. t. 189 Eng. bot. 961. W. hort. ber. t. 9.	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. \$\beta\$ alba. 2 ovata. P. S. 5 pensylvanica. W. 4 hyssopifolia. W. 5 grandiflora. W. 5 grandiflora. W. 6 laciniata. P. S. 7 intermedia. P. S. 7	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian. Hyssop-leaved. great-flowered. yellow-flowered. various-leaved.	Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1800. 1793. 1683. 1806. 1731. 1729 1801. 1731.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.7. 6.9. 5.6. 6.10. 6.8. 7.8. 7.9.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. 4. H. 4. G. h. H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng. 2.t. 137 Schmidel ic. t. 73. Eng. bot. 523. ———————————————————————————————————	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S. 3 pensylvanica. W. 4 hyssopifolia. W. 5 grandiflora. W. 6 laciniata. P. S. 7 intermedia. P. S. CLEONIA. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian. Hyssop-leaved. great-flowered. yellow-flowered. various-leaved. CLEONIA.	Labiatæ. J. Labiatæ. J. Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. N. America. America. N. America. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731. 1729 1801. 1731. 1790.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 5.6. 6.10. 6.9. 7.8. 6.7. 7.8. 7.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.hung. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. 524. Lam. ill. t. 515. f. 3. Pluk.alm. t. 441.f. 6. Bot. rep. 494. Jac. obs. 2. t. 29. Pl.rar.hun. 2. t. 125. Colum. eep. 1.t. 189 W. hort. ber. t. 9. Mor. s. 11. t. 5. f. 7. Bot. mag. 337. 20. Lam. ill. t. 516. f. 2.	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S. 3 pensylvanica. W. 4 hyssopifolia. W. 5 grandiflora. W. 6 laciniata. P. S. 7 intermedia. P. S. CLEONIA. W. lusitanica. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian. Hyssop-leaved. great-flowered. yellow-flowered. various-leaved. CLEONIA. sweet-scented.	Labiatæ. J. Labiatæ. J. Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. America. America. N. America.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1731. 1800. 1793. 1683. 1806. 1731. 1729 1801. 1731. 1790.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.9. 5.6. 6.10. 6.9. 7.8. 6.7. 7.8. 7.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng. 2.t. 137 Schmidel ic. t. 73. Eng. bot. 523. ———————————————————————————————————	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 5 lupulina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S. 3 pensylvanica. W. 4 hyssopifolia. W. 5 grandiflora. W. 6 laciniata. P. S. 7 intermedia. P. S. CLEONIA. W. lusitanica. W. PRASIUM. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. saw-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian. Hyssop-leaved. yellow-flowered. yellow-flowered. various-leaved. CLEONIA. sweet-scented. PRASIUM.	Labiatæ. J. Labiatæ. J. Labiatæ. J. Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. America. N. America. Portugal.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1800. 1793. 1683. 1806. 1731. 1729 1801. 1731. 1790.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.7. 6.9. 5.6. 6.10. 6.8. 7.8. 7.9. 6.7.	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. 4. H. 4. S. 4. H. 4. G. 5. H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng. 2.t.137 Schmidel ic. t. 73. Eng. bot. 523. ———————————————————————————————————	
B. P. lasianthos. B. P. SCUTELLARIA. W. 1 orientalis. W. 2 grandiflora. P. S. 3 albida. W. 4 alpina. W. 6 lateriflora. W. 7 pilosa. Ph. 8 galericulata. W. 9 minor. W. 10 hastifolia. W. 11 caroliniana. Ph. 12 integrifolia. Ph. 13 serrata. Ph. 14 havanensis. W. 15 peregrina. W. 16 Columnæ. W. 17 altissima. W. 18 cretica. W. PRUNELLA. W. 1 vulgaris. W. 8 alba. 2 ovata. P. S. 3 pensylvanica. W. 4 hyssopifolia. W. 5 grandiflora. W. 6 laciniata. P. S. 7 intermedia. P. S. CLEONIA. W. lusitanica. W.	villous-flowered. SKULL-CAP. yellow-flowered, large-flowered, hairy. Alpine. Tartarian. Virginian. pubescent. common. lesser. hastate-leaved. Carolina. entire-leaved. Havannah. Florentine. heart-leaved. tall. Cretan. SELF-HEAL. common. white-flowered. oval-leaved. Pensylvanian. Hyssop-leaved. great-flowered. yellow-flowered. various-leaved. CLEONIA. sweet-scented.	Labiatæ. J. Labiatæ. J. Labiatæ. J. Labiatæ. J.	Levant. Siberia. Levant. Hungary. Tartary. N. America. Britain. Germany. Carolina. N. America. Havannah. Italy. Levant. Crete. Britain. America. N. America. Portugal. Portugal.	1729. 1804. 1771. 1752. 1739. 1752. 1805 1798. 1811. 1800. 1793. 1806. 1731. 1729 1801. 1731. 1790. 1710.	7.9. 7.8. 6.7. 6.10. 6.9. 7.8. 6.7. 6.9. 5.6. 6.10. 7.8. 6.7. 7.8. 6.8. 6.7. 6.8. 6.7. 6.7	H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. 4. H. 4. S. 4. H. 4. G. 5. H. 4. H. 4.	Bot. mag. 635. Sab. hort. 3. t. 29. Pl.rar.linng. 2.t.137 Schmidel ic. t. 78. Eng. bot. 523. ———————————————————————————————————	

PHRYMA. W.	Рикума.	Labiatæ. J.				
Leptostachya. W. SELAGO. W.	slender-spiked. Selago.	Verbenaceæ. J. in	N. America.	1802. 8.9.	H.4.	
1 corymbosa. W.	fine-leaved.		CBS	1600 70	G L	Com. hort. 2. t. 40.
2 canescens. W.	canescent.					
3 diffusa. Th.	spreading.		*	1807. 7.8.	G.h.	
4 ovata. W. 5 polygaloides. Th.	oval-headed. Milkwort-like.			1774. 6.7.	G.h.	Bot. mag. 186.
6 spuria. W.	linear-leaved.			1779. 7.10	. G. ₹.	
7 fasiculata. W.	cluster-flowered.	e		1774. 6.7.	G.h.	Bot. reg. 184.
8 lucida. P. S.	shining-leaved.		****	1812. —	- G. h.	Bot. reg. 186. Bot. reg. 184. Vent. malm. t. 10.
		ANGIOSPERMI				
TITING TO THE TIME A TWO	**			* * * 1	. 6 01	
HEBENSTRETIA. W	. HEBENSTRETIA. toothed.	Verbenaceæ. J. in	Ann. Mus.	1500 50	C 0	D
1 dentata. W. 2 integrifolia. W.	entire-leaved.		C. D. S.	1709. 0.9.	G	Bot. mag. 485. Bot. rep. 252.
aurea. B. Rep.	Cittire-reaved.					
3 ciliata. W.	ciliated.			1815. 5.7.	G.h.	
4 spicata. W.	spiked.				- G.4.	13.m. 1070. fruite
5 erinoides. Th.	Erinus-leaved.			1816. 5.11.	G.h.	15.86 10 10 15 min
6 cordata. W.	heart-leaved.		***************************************	1774. 7.8.	G. h.	
CLERODENDRUM B. P.	CLERODENDRUM	. Verbenaceæ. B. P.				
1 fragrans. H. K.	fragrant.		China.	1790. 12,8	S.h.	Vent. malm. 70.
B flore pleno.	double-flowered.				S, h.	Bot. mag. 1834.
2 viscosum. H. K.	clammy.					1805 N ()
3 infortunatum. P. S. 4 fortunatum. W.				1704 7		Och it + 11
5 squamatum. H. K.	spear-leaved. scarlet.		China	1784. 7.		Osb. it. t. 11. Jac. ic. 3. t. 500.
6 paniculatum. W.	panicled.	***************************************	Java.			Bot. rep. 628. /2 11 4
7 trichotomum. W.	three-forked.		Japan.	1800		• 0
8 tomentosum. B. P.			N. S. W.			Bot. mag. 1518.
9 ligustrinum. H. K.			Mauritius.			Jac.col, sup. t.5. f.1.
10 heterophyllum.H.K. 11 inerme. H. K.	smooth.	,	K Ind			Bot. rep. 554.
12 Siphonanthus. H.K.			D. IIId.			Jac. col. sup. t.4.f.1. Burm.ind. t.43.f. 1.
VOLKAMERIA. H. K.		Verbenaceæ. B. P.		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
aculeata. H. K.	prickly.		W. Ind.	1739. 8.10.	S.h.	Brown.jam.t.20.f.2
HOLMSKIOLDIA.	Holmskioldia.	Verbenaceæ. P. S.	Platunium.	J. Hasting	sia. Ex	. bot.
H.K. sanguinea. W.	scarlet.	***************************************	India	1796	SL	Exot. bot. 2. t. 80.
VITEX. W.	CHASTE-TREE.	Verbenaceæ. B. P.		1/30	5. n.	R.602
1 ovata. W.	oval-leaved.			1796. 7.8.	S. 7.	C. Cojac
2 altissima. W.	tall.		Ceylon.	1802	S.h.	
3 Agnus-Castus. W.	common.		Sicily.	1570. 9.	F.h.	
β latifolia. 4 incisa. W.	broad-leaved.		China	1750 70	G L	Bot. mag. 364.
5 Leucoxylon. W.	white-wooded.		Cevlon.	1793		Doc. mag. 504.
6 Negundo. W.	quadrangular.		E. Ind.	1812	S.b.	Rumph.amb.4.t.19
7 bicolor. W. en.	two-coloured.			1810	S.h.	
8 trifolia. W.	three-leaved.			1759	S.h.	Rheed, mal. 2. t. 11.
CORNUTIA. P. S.	CORNUTIA.	Verbenaceæ. B. P.		1799	SL	Lam. ill. t. 541.
pyramidata. P. S. HOSTA. Jac.	pyramidal. Ноsта.	Verbenaceæ. B. P.			S. 17 •	Dam. III. G 041.
cærulea. Jaç.	blue-flowered.		S. America.	,	S.h.	Jac.scheen.1.t.114.
GMELINA. W.	GMELINA.	Verbenaceæ. B. P.				A.C. ! !
1 asiatica. W.	oval-leaved.		E. Ind.	1792	S.h.	Lam. ill. t. 542.
2 parviflora. Rox.	obovate-leaved.	Varbana D. C.		1817	S.h.	Roxb. cor. t. 32.
PETRÆA. W.	Petræa. climbing.	Verbenaceæ. P. S.	Vera Cruz.	1783. 7.8.	S. L.	Bot. mag. 628.
CITHAREXYLUM.W.		Verbenaceæ. P. S.	, can cause	.,00. ,.00	٠٠، ١٢٠	
1 cinereum. W.	ash-coloured.		W. Ind.			Jac. amer. t. 118.
2 caudatum. W.	oval-leaved.		Jamaica.	1763	S.h.	Jac. ic. 3. t. 501.
3 villosum. W.	hairy-leaved.		St. Domingo.	1784	S.h.	Vent cels t 47
4 pentandrum. P. S.	pentandrous.					Vent. cels. t. 47. Jac. vind. 1. t. 22.
5 quadrangulare. W. DURANTA. W.	square-stalked. DURANTA.	Verbenaceæ. P. S.	oamarca.	1109	η.•	
1 Plumieri. W.	smooth.		S. America.	1733. 10.		Bot. reg. 244.
2 Ellisia. W,	prickly.		W. Ind.	1739. 8.	S.h.	Bot. mag. 1759.

LANTANA. W.	LANTANA.	Verbenaceæ. P. S			~ -	
1 mista. W.	Nettle-leaved.		W. Ind.	1732. 8.10.	S.h.	Dill. elt. t. 56. f. 64.
2 trifolia. W.	three-leaved.		~	1733. 6.9.	S. h.	Bot. mag. 1449.
3 annua. W.	annual.		S. America.	7.8.	S.O.	1022.
4 stricta. W.	narrow-leaved.					Slo.jam.2.t.195.f.4.
5 Radula. W.	Rasp-leaved.		W. Ind.	1803	S.h.	D. 1. 1
6 Camara. W.	various-coloured	• ~		1691. 4.9.	S.h.	Dill. elt. t. 56. f. 65. Pluk.alm.t. 114.f.5.
7 involucrata. W.	round-leaved.	£	-	1690. 5.7.	S.n.	Pluk.alm.t. 114.f.5.
8 recta. W.	upright.		Jamaica.	1758. 6.8.	S. n.	Jac.scheen.3.t.360.
9 odorata. W.	sweet-scented.		w. Ind.	5.11.	S. n.	Jac.sch@n.3.t.360. Plum. ic. t. 71. f. 2. Dill. elt. t. 57. f. 66. Vent. malm. t. 8. Bot. mag. 96.
10 melissæfolia. W.	Balm-leaved.	9		1732. 7.9.	S.n.	Dill. elt.t. 57.1.66.
11 scabrida. W.	rough.	7	T. T., J	1774. 9.	S.n.	37
12 nivea. P. S.	white-flowered.	h	E. ind.	1.000 4.11	S.n.	vent. maim. t. 8.
13 aculeata. W.	changeable-cold.	77 1 5	w. ma.	1692. 4.11.	s.h.	Bot. mag. 96.
SPIELMANNIA. W.	SPIELMANNIA.	Verbenaceæ. J.	C D C	2010 011 6	CI	D-4 1000
africana. W.	Hex-leaved.				G. n.	Bot. mag. 1899.
ZAPANIA. J.	ZAPANIA.	Verbenaceæ. B. P.			6 31	D 4.0.64
1 stechadifolia. P. S.			w. ma.			Brown.jam.t.3.f.1.
2 nodiflora. Ph.	knot-flowered.				G. 4.	Lam, ill. 1.t. 17.f.3.
PRIVA. P. S.	PRIVA.	Verbenaceæ. P. S.			6 31	Dill alt t and face
1 mexicana. P. S.	Mexican.		Mexico.	1726. 8.9.	5.4.	Dill.elt. t.302.f.389
Verbena mexicana.		-	Tr. T., 3	1500 50	6 31	D
2 leptostachya. P. S.	rough.		E. Ind.	1799. 7.8.	5.4.	Rox. cor. 2. t. 146.
Tortula aspera. W.			777 f	777		
ALOYSIA. P. S.	ALOYSIA.	Verbenaceæ. P. S.			C I	T) (000
citriodora. P. S.	Lemon-scented.		Chili.	1784. 5.9.	to.h.	Bot. mag. 367.
Verbena triphylla.		** 1				
VERBENA. B. P.	VERVAIN.	Verbenaceæ. B. P.			** 4	D'' 14 4 and 6 and
1 bonariensis. W.	cluster-flowered.		BuenosAyres	.1732. 7.10.	н. д.	Dill.elt.t.300.f.387
2 hastata. W.	halberd-leaved.		Canada.	1710. 6.8. 1	H. 4.	Herm. parad. t.242.
3 paniculata. P. S.	panicled.	•	N. America.	1800. 7.8. 1	н. 4.	
4 angustifolia. H. K.	narrow-leaved.			1802. 6.8.	H. 4.	D21 1/ / (
5 caroliniana. W.	Carolina.			1732. 6.9.	H.4.	Dill.elt. t.301.f.388
6 urticifolia. W.	Nettle-leaved.			1683. 7.9.	H.4.	Rob. 1c. 26.
7 stricta. Ph.	upright.		-	1802. 7.8.	11,4.	Vent. cels. 53.
8 Aubletia. W.	Rose.			1774. 6.8.	F. 3.	Bot. mag. 308.
9 bracteosa. Ph.	long-bracted.		-	1812. 7.	H.4.	3 390
10 spuria. W.	jagged-leaved.		-	1731. 7.8.	н. з.	
11 officinalis. W.	common.		Britain.	6.9.	H.4.	Eng. bot. 769.
12 supina. W.	trailing.		Spain.	1640. 6.7.	н.⊙.	Park.theat.675.f.2.
13 prostrata. H. K.	prostrate.		N. America.	1794. ——	н.4.	
MYOPORUM. B. P.	Myoporum.	Myoporinæ. B. P.				
1 ellipticum. B. P.	smooth-leaved.		N. S. W.	1789. 1.3.	G, h.	Bot. rep. 283.
2 acuminatum. B. P.	acuminate.			1812	G.h.	_
3 parvifolium. B. P.	small-leaved.		N. Holland.	' 303. 1.12.	G.h.	Bot. mag. 1691,
4 tuberculatum. B. P.				1803	G.h.	
5 viscosum. B. P.	viscid.				G.h.	
6 debile. B. P.	procumbent.		N. S. W.	1793. 5.8.	G, h.	Bot. mag. 1832.
7 diffusum. B. P.	diffuse.		N. Holland.	8.2.	G.b.	
8 oppositifolium.B.P.				1803. 1.12.	G. h.	
STENOCHILUS. B.P.		Myoporinæ. B. P.			~ -	
glaber, B. P.	smooth-leaved.		N. Holland.	1803. 1.12.	G.h.	Bot. mag. 1942.
BONTIA. B. P.	BONTIA.	Myoporinæ. B. P.	*** * '			
daphnoides. W.	Barbadoes.		W. Ind.	1690. 6.	S.h.	Dill.elt. t. 49. f. 57.
AVICENNIA. B. P.	AVICENNIA.	Myoporinæ. B. P.			~ ~	
tomentosa. B. P.	downy-leaved.		India.	1793	S.h.	Palis. d'Owar.t. 47.
PEDALIUM. W.	PEDALIUM.	Pedalinæ. B. P.				
Murex. W.	prickly-fruited.	***************************************	E. Ind.	1778. 8,9.	$S_{i}\odot$.	Lam. ill. t. 538.
BIGNONIA. W.	TRUMPET-	Bignoniaceæ. B, P	. Bignonia	& Tecoma, J.		
	FLOWER.	-				
1 Unguis. W.	Barbadoes.		W. Ind.			Plum. amer. t. 94.
2 æquinoctialis. W.	equinoctial.		Guiana.			Plum. ic. t. 55. f. 1.
3 alliacea. W.	Garlick-scented.		W. Ind.	1790		
4 laurifolia. W.	Laurel-leaved.		Guiana.	1804		m
5 paniculata. W.	panicled.		W. Ind.			Plum. ic. 56. f. 1.
6 crucigera. W.	cross-bearing.		S. America.	1759		t. 58.
7 uncata. B. M.	hooked.		Guiana.			Bot. mag. 1511.
8 capreolata. W.	four-leaved.					264.
9 pubescens. W.	downy.	***************************************	Campeachy:	1759.	s.n.	
		T				

DIDYNAMIA ANGIOSPERMIA.

	-							
10	venusta. B. reg.	comely.	Bignoniaceæ.B.P.	S. America.	1816. 9	9.12.	S.h.	Bot. reg. 249. 2050
	l echinata. W.	bristly-fruited.		Guiana.	1804		S.h.	Aub. gui. 2. t. 264.
	2 triphylla. W.	three-leaved.		S. America.	1733		S.h.	
	pentaphylla. W.	five-leaved.		Jamaica.				Marcg. bras. t. 118.
	4 Leucoxylon. W.	white-wooded.		W. Ind.	1759.	6.7.	S. h.	Bot. rep. 43.
1 0	5 radicans. W. α major.	Great Ash-low'd		N. America.	1040.	7.8.	Π.η.	Bot. mag. 485.
	& major. β minor.	Small Ash-leav'd						Cates. car. 1. t. 65.
10	6 grandiflora. W.	large-flowered.		China.	1800.	7.8.	G. b.	Bot. mag. 1398. Plum. ic. t. 54. Rheed. mal. 6. t. 26.
	7 stans. W.	branching.		America.	1730.	8.	S.h.	Plum. ic. t. 54.
	8 chelonoides. W.	tree. Po		E. Ind.	1808.		S.b.	Rheed. mal. 6. t. 26.
	9 spathacea. W.	salver-shaped.			1794		S.h.	Rox. cor. 2. t. 144.
	Spathodea longiflor	a. P. S.					_	
20	australis. H. K.	NewSouth Wales.		N. S. W.	1793.	4.7.	G.h.	Bot. mag. 865.
	Pandoræ. B. M.	Tecoma australis.	B. P.					
	l indica. W.	Indian.	-	India.	1775.		S.h.	Rheed.mal.1.t.43.
	2 procera. W.	Box-leaved.		Guiana.	1793	• • • •	S.h.	Aub. gui. 2. t. 265.
23	3 cærulea. W.	blue-flowered.		Bahama Isl ^s .	1724.	7.8.	G. h.	Cat. car. 1. t. 42.
61	Jacaranda carolini		D: > T					
	ESAMUM. W.	OILY-GRAIN.	Bignoniaceæ? J.	Ti Ind	1 # 0 1	-	60	Dheed mal 0 + 54
	orientale. W. indicum. W.	oriental. Indian.		E. Inu.	1731.	7.	3.0.	Rheed.mal. 9. t. 54.
	ENTSTEMON. W.	PENTSTEMON.	Bignoniaceæ? J.				s. <u></u>	Bot. mag. 1788.
	campanulata. W.	hall Harranad	- 3	Morriso	1704	0 10	TO T	Pot mor 1050
	2 lævigata. W.	smooth.		N. America.	1776.	8.9.	14.21.	1425.
	B hirsuta. W.	narrow-ld, hairy.			1758		H. 2L.	Mor.h.s.11.t.21.f.3
	pubescens. W.	broad-ld. hairy.					H. 4.	Mor.h.s.11.t.21.f.3 Bot. mag. 1424.
	erianthera. Ph.	dwarf.		tonisiana.	1811		H.71.	
6	angustifolia. Ph.	narrow-leaved.				7.9.	H.4.	Bot. mag. 1672.
7	glabra. Ph.	Nuttal's.					H.4.	Bot. mag. 1672.
8	Bradburii. Ph.	large-flowered.					н. 4.	
	HELONE. W.	CHELONE.	Bignoniaceæ? J.					
	glabra. W.	white-flowered.		N. America.	1730.8	3.10.	H.4.	Trew. ehret. t. 83.
	obliqua. W.	red-flowered.			1752		14.24.	Bot. reg. 175.
	Lyoni. Ph.	Lyon's.		N	1812.	7.9.	H.4.	Bot. mag. 1864.
	barbata. W.	scarlet.	D:	Mexico.	1794. (6.9.	11.4.	Bot. reg. 116.
1	OURRETTIA. J. lappacea. W.	Tourrettia. scarlet-flowered.	Bignouiaceæ? J.			e o	80	Sal ction was 5 to
м	ARTYNIA. W.	MARTYNIA.	Bignoniaceæ? J.	rerui	1/00.	0.0.	3.0.	Sal.stirp.rar.5.t.3.
	diandra. W.	two-stamened.	Dignomacea: 9.	New Spain.	1731.	7.8.	SO.	Bot. rep. 575.
	craniolaria. W.	white-flowered.		S. America.	1733		S.O.	Jac. amer. t. 110.
	Proboscidea. W.	horn-capsuled.		America.	1738. 6	6.8.	$G.\odot$.	Bot. mag. 1056.
	longiflora. W.	long-flowered.		C. B. S.				Meerb. ic. 1. t. 7.
G	LOXINIA. W.	GLOXINIA.	Rignonlacese ?					
1	maculata. W.	spotted-stalked.		S. America.	1739. 7	7.10.	S. 24.	Bot. reg. 213. 1937
	speciosa. B. reg.	many-flowered.			1815. 6	3.11.	S.4.	Bot. reg. 213. 1937
	ESNERIA. W.	GESNERIA.	Bignoniaceæ:					./
	acaulis. W.	stemless.		Jamaica.	1793	• • •	S.h.	Sloa.jam.1.t.102.f.1 Bot. mag. 1023.
	tomentosa. W.				1752. 1	1.6.	S. h.	Bot. mag. 1023.
-	ATHRÆA. W.	Toothwort.	Orobancheæ. Ven			, ,	11 2/	Fra hot a is
0	squamaria. W. ROBANCHE. W.	scaly. Broom-Rape.	Orobancheæ. Ven		• • • •	4.	п. 4.	Eng. bot. c. ic.
	major. E. B.	greater.	Orobancheæ. Ven			67	T-T 2/	Eng hot 491
	elatior. E. B.	taller.		Dittain.		7.8.	H. 2/	568.
	minor. E. B.	smaller.					H. 24.	568.
	rubra. E. B.	red.				8.	H. 24.	c. ic.
	cærulea. E. B.	blue.				7.	H.4.	423.
6	ramosa. E. B.	branching.			8	8.9.	H.4.	84.
A	CANTHUS. W.	BEAR'S-BREECH	Acanthaceæ. B. P.					
1	mollis. W.	smooth.		Italy.				Lam. ill. t. 550.
	2 nigra. Mill.	shining-leaved.		Portugal.	1759		н.4.	
	spinosus. P. S.	prickly-leaved.		Italy.	1629]	н.4.	Bot. mag. 1808.
	spinosissimus. P. S.			S. Europe.			н. 4.	
	ilicifolius. B. P.	Holly-leaved.			1759	• • •	S.h.	Rheed. mal. 2. t. 48.
	HUNBERGIA. W.	THUNBERGIA.	Acanthaceæ. B. P.			- ^	C T	Dut man 2002
	fragrans. W.	twining.	Assuthment P D		1796.	o.9.	3. n.	Bot. mag. 1881.
	ARLERIA. W.	BARLERIA.	Acanthaceæ. B. P.		1701 7	7.0	8 1	Dluk alm t 129 fA
	longifolia. W. Prionitis. W.	long-leaved. thorny.			1781. 7 1759. 7			Pluk.alm.t.133.f.4. Rheed.mal.9.t.41.
	buxifolia. W.	Box-leaved.		company of the control of the contro				2. t. 47.
100	1				., 0	, •		

DIDYNAMIA ANGIOSPERMIA.

4 cristata. W.	crested.	Acanthaceæ. B. P	E. Ind.	1796.	6.9.	S.h.	Bot. mag. 1615.
5 mitis. B. reg.	yellow-flowered.			1816.		S.h.	Bot. reg. 191. Vahl. symb.1.t. 16.
6 longiflora. W.	long-flowered.	h		-		S.h.	Vahl. symb.1.t. 16.
RUELLIA. J. 1 ovata. W.	RUELLIA.	Acanthaceæ. B. F	,	1000	= 0	8 21	Cav. ic. 3. t. 254.
2 strepens. W.	oval-leaved. whorl-flowered.						Schk.hand.2.t.177.
3 ocymoides. Cav.	Basil-like.		Marrian				Cav. ic. 5. t. 456.
4 patula. W.	spreading.		E. Ind.				Jac. ic. 1. t. 119.
5 lactea. W.	white		Mexico.				Cav. ic. 3. t. 255.
6 clandestina. W.	three-flowered.		Barbadoes.	1728.	7.8.	S. 24 .	Dill.elt.t.248.f.320
7 paniculata. W.	panicled.		W. 1nd.	1768.	8.	S.4.	Slo.jam.1.t.100.f.2. 📢
8 tuberosa. W.	tuberous-rooted.		Jamaica.				1.t.95.f.1
9 biflora. W.	two-flowered.		· Carolina.	1765.			
10 formosa. H. K.	splendid.		Brazil.				Bot. mag. 1400.
11 fulgida. H. K.	bright-flowered.		W. Ind.				Bot. rep. 527.
12 ciliata. W. en.	ciliated.		E. Ind.	1806.			
13 ringens. W.	gaping-nowered.		E. mu.	1807.	1.0.	S.h.	
Hygrophilæ sp. B. BLECHUM. B. P.	BLECHUM.	Acanthaceæ. B. P	,				
Brownei, H. K.	dense-spiked.	Translacea. B. I		1780.	6.	S. 21.	Slo.jam.1.t.109.f.1
APHELANDRA. B.P.		Acanthaceæ. B. P		1,000	••	S. 24.	510 y ann 21012 00 1112
cristata. H. K.	dense-spiked.			1733.	6.9.	S.b.	Bot. mag. 1578.
CROSSANDRA. P. L.		Acanthaceæ. B. P					6 .
undulæfolia. P. S.	waved-leaved.	-			6.1.	S. L.	Bot. reg. 69.
LIMOSELLA. W.	MUDWORT.	Scrophularinæ. B	. P.				
aquatica. W.	water.				7.9.	H.⊙.	Eng. bot. 357.
BROWALLIA. W.	BROWALLIA.	Scrophularinæ. B				~ ~	
1 demissa. W.	spreading.		S. America.	1735.	6.9.	G.⊙.	Bot. mag. 1136.
2 elata. W.	upright.			1768.		G.O.	34.
STEMODIA. W.	STEMODIA.	Scrophularinæ. B		1750	7 0	8 21 3	
parviflora. H. K. MAZUS. B. P.	small-flowered.	Scrophularinæ. B		1709.	1.0.	5.4.	
rugosus. H. K.	China.	Scrophularma. B		1780.	5.9.	E.O.	
LINDERNIA. B. P.	LINDERNIA.	Scrophularinæ. B		1700.	0.3.	1.0.	
Pyxidaria. W.	European.			1789.	6.8.	н.⊙.	Lam. ill. t. 522.
HERPESTIS. B. P.	HERPESTIS.	Scrophularinæ. B	. P. Monnieri	a. Mich.	. Gr	atioli s	
1 Monnieria.	Thyme-leaved.		India.	1772.	7.9.	S.4.	Rox. cor. 2. t. 178.
2 cuneifolia. Ph.	wedge-leaved.		N. America.	1812.	8.	H.4.	
CAPRARIA. P. S.	CAPRARIA.	Scrophularinæ. B	. P.				
	Shrubby Goat-		S. America.	1752.	7.8.	S.h.	Jac. amer. t. 115.
t.	weed.						0 1141 (11211 11 11 11 11 11
2 cuneata. H. K.	wedge-leaved.		0.00				,
3 lanceolata. W.	spear-leaved.		C. B. S.	1774.			Dot man 1550
4 undulata. W. 5 humilis. W.	wave-leaved.			1781.			Bot. mag. 1556.
TEEDIA. P. S.	TEEDIA.	Scrophularinæ. B				5.0.	
1 lucida. P. S.	shining.	Scropharama: B	C. B. S.	1774.	4.7.	G. 2.	Bot. reg. 210.
2 pubescens. B. reg.	pubescent.			1816. 5	.10.	G. J.	214.
BESLERIA. W.	BESLERIA.	Scrophularinæ. B				Ū	
1 melittifolia. W.	Balm-leaved.		Guiana.	1739.	6.7.	S.h.	Exot. bot. 1. t. 54.
2 lutea. W.	yellow-flowered.						Plum. ic. 49. f. 1.
3 serrulata. W.	saw-leaved.		W. Ind.				Jac. schœn.3.t.290.
4 pulchella. H. K.	striped-flowered.		Trinidad.				Bot. mag. 1146.
5 cristata. W.	crested.	Constitution D	W. Ind.	1739.	6.8.	S.h.	Jac. amer. t. 119.
IREVIRANA. W. en.	1 REVIRANA.	Scrophularinæ. D	. P. Acnimene	S. F. D.	10	S 31	Dot man 274
coccinea. W. en. Cyrilla pulchella.			Jamaica.	1//0. 0		0.4.	Bot. mag. 374.
COLUMNEA. W.	COLUMNEA.	Scrophularinæ. B	. P.				
1 scandens. H. K.	climbing.		W. Ind.	1759.	8.9.	S.b.	Bot. mag. 1614.
2 hirsuta. W.	hairy.		Jamaica.	1780. 8	8.11.	S.h.	Brown.jam.t.30.f.3
RUSSELIA. W.	Russelia.	Scrophularinæ. B					
multiflora. B. M.	many-flowered.		S. America.	1812.	6.8.	S.h.	Bot. mag. 1528.
DODARTIA. W.	Dodartia.	Scrophularinæ. B				30	
orientalis. W.	oriental.		Levant.	1752.	7.8.	н.4.	Lam. ill. t. 530.
HALLERIA. W.	HALLERIA.	Scrophularinæ. B					
lucida. W.	shining-leaved.		C.B.S.	1752.	6.8.	G.h.	Bot. mag. 1744.
MIMULUS. W.		Scrophularinæ. B		1550	~ 0	TT 3/	Dot man coo
1 ringens. W.	gaping.		N. America. California.				Bot. mag. 283.
2 glutinosus. W.	Orange-coloured.	T 2	Camorina.	1/94, 1	1.1%.	J. R.	354.
		1 2					

DIDYNAMIA ANGIOSPERMIA.

	- ID I I I						
3 alatus. W.		Scrophularinæ.B.P.					Rot may 1501
4 luteus. W. HORNEMANNIA.	yellow-flowered. Hornemannia.	Scrophularinæ. B.		1812.	0.9.	r.4.	Bot. mag. 1501.
W. en.	two-coloured.	-	É. Ind.	1916	60	80	
bicolor. W. en. DIGITALIS. W.	Fox-GLOVE.	Scrophularina. B.		1010.	0.9.	s.o.	,
1 purpurea. W.	purple.	*			6.9.	н.д.	Eng. bot. 1297.
β alba. 2 minor. W.	white. dwarf.	2	Spain.	1790	6.7	Har	m.2160
3 Thapsi. W.	Mullein.			1759.	5.8.	H. 21.	Exot. bot. 1. t. 43.
4 ambigua. W.	greater yellow.		0 4 1 1	1596.	7.8.	H.4.	Bot. reg. 64.
5 intermedia. P. S. 6 lutea. W.	middle yellow. small yellow.		Germany.	1816.		- H. 4.	
7 erubescens. H. K.	blush-flowered.		Italy.	1776.	6.7.	H: 1.	Bot. reg. 251.
3 parviflora. W.	small-flowered.			1798.	6.3.	H.4.	Bot. reg. 257.
9 lanata. W.	woolly.		Hungary.	1789.	6.7.	H.4.	Bot. mag. 1159.
10 leucophæa. H. K. 11 ferruginea. W.	broad-lipped: iron-coloured.		Greece.	1788.	7.8	H.4.	B mas 1608
12 lævigata. P. S.	shining-leaved.		Hungary.	1816.	7.0.	- H. 4.	Pl.rar.hung.2.t.158
13 obscura. W.	Willow-leaved.		Spain.	1778.		- H.4.	Jac. vind. 1. t. 91.2/5 -
14 canariensis. W:	Canary.		Canaries.				Bot. reg. 48.
15 Sceptrum. W. SCROPHULARIA. W	Madeira shrubby	Scrophularinæ. B		1777.	7.8.	G. n.	Exot. bot. 2. t. 73.
1 marilandica. W.	Maryland.		N. America.	1759.	5.7.	H. 4.	
2 nodosa. W.	knotty-rooted.		Britain.				Eng. bot. 1544.
3 aquatica. W. 4 appendiculata.W.en	water.		Moracca			- H. 4.	
5 auriculata. W.	ear-leaved.		Spain.			H.4.	Lob. ic. 533.
6 Scarodonia. W.	Balm-leaved.		Britain.		-	- H. 4.	Eng. bot. 2209.
7 glabrata. W.	spear-leaved.	<u> </u>	Charanian				Jac.scheen.2.t.209.
8 betonicifolia. W. 9 biserrata. W. en.	Betony-leaved. doubly-sawed:						Barr. ic. 274.
10 glandulosa. W. en.			Hungary.	1806.	6.9.	H.71.	Pl. rar. hung. t. 214.
11 orientalis. W.	Hemp-leaved:		Levant.	1710.	7.8.	H.4.	Schk.hand.2.t.173.
12 adscendens. W. en.				1816.	• • •	. H.4.	TY landb 4 5 4 5
13 frutescens. W. 14 altaica. W.	shrubby. white-flowered.	2	Portugal:	1768.	6.8.	F. h.	Herm.lugdb.t.547. Mur.com.got.4.t.2.
15 vernalis. W.	yellow.		Britain.				Eng. bot. 567.
16 arguta. W.	slender upright.		Canaries.	1778.	5.6	. G.O.	
17 trifoliata. W.	three-leaved.		Africa.	1731.	5.9	H. 3.	Jac.scheen.3. t.286.
18 sambucifolia. W. 19 laciniata. W. en.	Elder-leaved.		Hungary.	1806.	7.9.	H.26	Mill. ic. 2. t. 231. Pl.rar.hung.2.t.170
20 lyrata. W. en.	lyrate-leaved.		Portugal.	1816.	7.8.	H. 4.	W. hort. ber. 1. t. 55.
21 tanacetifolia: W. en			Touris	1804.	7.9.	H.4.	1. t. 56.
22 mellifera. W.	Barbary.		Barbary.	1786.	7.8.	F. 4.	Desf. atl. 2. t. 143.
23 canina. W. 24 lucida. W.	wing-leaved. shining-leaved.		Levant.	1596.	0.8	. H. 2.	W. hort. ber. 57.
25 variegata. M. B.	variegated.		CaspianShor	es1816		- H. 4	
26 multifida. W. en.	multifid-leaved.			نسنند		- H.4	. W.hort.ber.1. t. 58.
27 chrysanthemifo-	{ Chrysanthe-		- Tauria.	<u> </u>		- H.4	. — 1. t. 59.
28 peregrina. W.	Nettle-leaved.		- Italy.	1640		-H. &	Camer. hort. t. 43.
MAURANDIA. W.	MAURANDIA.	Scrophularinæ. H	3. P.				
1 semperflorens. W.	red-flowered.		- Mexico.	. 1796	1.19	2. G. h	. Bot. mag. 460.
2 antirrhiniflora. W. en.	blue-flowered.			- 1814		– G. ի	1643.
CYMBARIA. W.	CYMBARIA.	Scrophularinæ. I	3. P.				
daurica. W.	Daurian.					. H.4	. Amm.ruth.t.1.f.2.
NEMESIA. Vent. 1 chamædrifolia. V.	NEMESIA.	Scrophularinæ. I				Gal	
2 fœtens. V.	Chamædrys-l ^d . fætid.	4	- C. B. S.			. G.4 - G.4	Vent. malm. t. 41.
3 bicorne. P. S.	horned.			- 1774	7.8	. G.O	. Burm. afr. t. 75. f. 3.
ANARRHINUM. Desf.	ANARRHINUM.	Scrophularinæ.B	.P. Antirrhi	ni sp. L			
bellidifolium. W.	Daisy-leaved.	***************************************	- France.			. H. A	. Bauh. prod. t. 106. 2056
ANTIRRHINUM. J.	SNAP-DRAGON.	Scrophularinæ. B	1	-0-0			
1 majus. W.	great.		- England.	• • • •	6.8	. H.4	. Eng. bot. 129.
β coccinea. y bicolor.	scarlet-flowered two-coloured.	- 1					
flore pleno.	double-flowered.						
•	,						

2 siculum. W.	Sicilian.	Scrophularinæ.B.P	. Sicily.	1804. 7	7.8.	H.4.	
3 orontium. W.	lesser.		Britain.				Eng. bot. 1155.
4 Asarina. W.	heart-leaved.		Italy.				Bot. mag. 902.
5 molle. W.	soft-leaved.	0 1 1 1 2	Spain.	1752. 7	.10.	F.h.	
LINARIA. J.	TOAD-FLAX.	Scrophularinæ. B.I	P. Antirrhim			YY 31	Fra hat 500
1 Cymbalaria. H. K.	Ivy-leaved.		England.				Eng. bot. 502.
2 pilosa. H. K.	hairy-leaved. sharp-pointed.		Frederices.				Jac. obs. 2. t. 48. Eng. bot. 692.
3 Elatine. H. K. 4 spuria. H. K.	round-leaved.		England.				691.
5 cirrhosa. H. K.	tendrilled.		Egynt.				Jac. vind. 1. t. 82.
6 ægyptiaca. H. K.	Egyptian.			1771			0.00. 110.0. 110.0.20
7 triphylla. H. K.	three-leaved.		Sicily.				Bot. mag. 324.
8 latifolia. H. K.	broad-leaved.						Desf. atl. 2. t. 134.
9 triornithophora. }	three-bird's.		Portugal.			_	Bot. mag. 523.
H. K.			U				9
10 bipartita. P. S.	two-parted.		Barbary.				Vent. cels. t. 82.
11 purpurea. H. K.	purple.		S. Europe.				Bot. mag. 99.
12 versicolor. H. K.	various-coloured.		France.				Jac. ic. 1. t. 116.
13 repens. H. K.	creeping-rooted.		England.				Eng. bot. 1253.
14 spartea. H. K.	branching.						Bot. mag. 200.
15 bipunctata. H. K. 16 Hælava. W.	two-spotted.		Egypt	1749. 6 1803.			
17 tristis. H. K.	melancholy.		Spain.				Bot. mag. 74.
18 supina. H. K.	trailing.	-		1728.			1700. mag. 74.
19 simplex. P. S.	upright.		S. Europe.				Jac. ic. 3. t. 499.
20 arvensis. P. S.	corn.						
21 pelisseriana. H. K.							Barrel. ic. 1162.
22 viscosa. H. K.	clammy.		Spain.				Bot. mag. 368.
23 multicaulis. H. K.	many-stalked.		Levant.	1728. 5	5.7.	H.O.	Boc. sic. t. 19. f. 1.
24 reticulata. H. K.	net-flowered.	·	Algiers.	1788		F. 24.	Smith. ic. pict. 2.
25 glauca. H. K.	glaucous-leaved.		S. Europe.	1800. 6	.8.	$H.\odot.$	Buxb. cent. 4. t. 37.
26 alpina. H. K.	Alpine.		Austria.				Bot. mag. 205.
27 villosa. H. K.	villous.		Spain.				Barrel. ic. 597.
28 origanifolia. H. K.	Marjoram-leavd.		S. Europe.				598.
29 minor. H. K.	least erect.		England.				Eng. bot. 2014.
30 dalmatica. H. K.	Dalmatian.		Levant.				Buxb. cent.1. t. 24.
31 hirta. H. K.	shaggy-leaved.		Anothio				Jac. ic. 1. t. 117.
32 genistifolia. H. K. 33 juncea. H. K.	Broom-leaved. Rush-stalked.		Austra.	1780			Jac. aus. 3. t. 244. 2
34 vulgaris. H. K.	yellow.		Britain				Eng. bot. 658.
β Peloria.	regular-flowered		Diream.				260.
35 canadensis. P. S.	Canada.		N. America.	1819. 6	3.8.	H.O.	Vent. cels. 49.
36 chalepensis. H. K.	white-flowered.		Levant.				Moris. s. 5. t. 35. f.9.
GERARDIA. W.	GERARDIA.	Scrophularinæ. B.	Р.				
1 delphinifolia. W.	Larkspur-leaved.		E. Ind.	1800. 6	5.7.	S. 24 .	Rox. cor. 1. t. 90.
2 purpurea. Ph.	purple.		N. America.	1779. 7	7.8.	H.O.	Pluk man.t. 388 f.1.
3 tenuifolia. Ph.	slender-leaved.			1812		н. д.	Pluk.alm. t.12. f.4.
4 flava. Ph.	yellow.			1796		H.4.	Pluk.amal.t.389.f.3
5 quercifolia. Ph.	Oak-leaved.			1812		H.4.	Pluk.alm. t.12. f.4. Pluk.amal.t.389.f.3 Pursh. amer. t. 19.
PEDICULARIS. W.	Lousewort.	Scrophularinæ. B.	Ρ.				_
1 palustris. W.	marsh.	***************************************	Britain.				Eng. bot. 399.
2 sylvatica. W.	common.		011				400.
3 euphrasioides. W.	Eyebright-leavd.		Siberia.				Gmel. sib. 3. t. 43.
4 myriophylla. W.	Milfoil-leaved.		Siberia.				Pall.it.3.app.t.8.f.1.
5 resupinata. W. 6 Sceptrum Caro-	resupinate.		Siberra.			1.4.	Gmel. sib. 3. t. 44.
linum. W.	sceptred.		Sweden.	1793.	8.	F.4.	Flor. dan. t. 26.
7 recutita. W.	jagged-leaved.		Austria.	1787. 7	7.8.	F. 24.	Jac. aust. 3. t. 258.
8 foliosa. W.	leafy.		114511141	1786.			2. t. 139.
9 canadensis. W.	Canadian.		N. America.				
10 incarnata. W.	flesh-coloured.		Austria.				Jac. aust. 2. t. 140.
11 uncinata. W.	hooked-flowered		Siberia.				Gmel. sib. 3: t. 45.
12 verticillata. W.	whorled.		Austria.	1790. 5	6.6.	F. 4.	Jac. aust. 3. t. 206.
13 flammea. W.	upright.		Switzerland.				Hall.helv. t. 8. f.3.
14 tuberosa. W.	tuberous.	-		1799. 7	7.8.	F.4.	n.323.t.10.
15 compacta. W.	close-headed.	-	Siberia.	1815		F. 4.	
16 comosa. W.	spiked.			1775		F.4.	All. ped.1. t. 4. f. 1.
MELAMPYRUM, W.	COW-WHEAT.	Scrophularinæ. B.1				TT 0	Franchist co
1 cristatum. W. 2 arvense. W.	crested.		England.				Eng. bot. 41.
2 MI VCHOC. W.	purple.	-		6	1./.	H.O.	53.

TETRADYNAMIA SILICULOSA.

3 pratense, W.	common.	Scrophularinæ.B.P.Britain.	7.8. H.O	. Eng. bot. 113.
4 sylvaticum. W.	wood.			D. ———— 804.
RHINANTHUS. W.	YELLOWRATTLE	Scrophularinæ. B.P.		,
Crista-galli. W.	Cock's Comb.	Britain.	6.8. H.(. Eng. bot. 657.
BARTSIA. W.	BARTSIA.	Scrophularinæ. B.P.		
t coccinea. W.	scarlet.	N. Ameri Siberia. Britain.	ica. 1787. 7. H.:	4. Pluk.alm.t.102.f.5.
2 pallida. W.	pale-flowered.	Siberia.	1782. 6.9. H.	4. Gmel. sib. 3. t. 42.
3 viscosa. W. 4 Odontites. H. K.	yellow viscid.	Britain.	7.8. H.(. Eng. bot. 1045.
5 alpina. W.	Alpine.		···· 7.9. H.(. ————————————————————————————————————
CASTILLEJA. Sm.	CASTILLEJA.	Scrophularinæ. B.P.	7.0. 11.(361.
sessiliflora. Ph.	sessile-flowered.	Louisiana Louisiana	. 1811. 7.8. H.:	91.
EUPHRASIA. W.	EYE-BRIGHT.	Scrophularinæ. B.P.		7,
1 officinalis. W.	cemmon.	Britain. S. Europe	· · · · 7.9. H.(D. Eng. bot. 1416.
2 lutea. W.	yellow.	S. Europe	e. 1816. — H.(). Jac. aust. t. 398.
BUCHNERA. B. P.	BUCHNERA.	Scrophularinæ. B.P.		
americana. W.	American.	N. Ameri		4.
MANULEA. W. en.	MANULEA.	Scrophularina. B.P. Buchu	eræ sp. H. K.	
1 fœtida. P. S.	stinking.	C. B. S.	1794. 6.9. G.(. Bot. rep. 80.
2 villosa. P. S.	villous.		1783. 6.7. G.(. Burm.afr. t.50. f.2.
Buchnera capensis.			1800 011 (1.1	70.4
3 pedunculata. P. S.	solitary-flowerd.	Sarauludavina H D	1790. 6.11. G.1	7. Bot. rep. 84.
4 viscosa. W. en.	clammy.		17/4. — G.	2. Bot. mag. 217.
5 rubra. W. 6 tomentosa. W.	woolly.		1790, 4.9, G.	Q. Bot mag goo
7 Cheiranthus. W.	Wall Flower.		- 1774. 5.11. G.	7. Dot. mag. 322.
8 argentea. W.	silvery.		1801 711 G	5. Com. nort. 2. t. 42.
ERINUS. W.	ERINUS.	Scrophularinæ. B.P.	1001. 7.11. d.(9•
1 alpinus. P. S.	smooth-leaved.	Pyrenees.	1739. 3.4. F.	1
2 hispanicus. P. S.	hairy-leaved.	Pyrenees Spain C. B. S.	F.1	
3 fragrans. W.	fragrant.	C. B. S.	1776, 5.6, G.I	2. Burm. afr. t. 49. f.4.
SIBTHORPIA. W.	SIBTHORPIA.	Scrophularinæ. B.P.		[·
europæa. W.	Cornish.	England.	7.8. H.	4. Eng. bot. 619.
BRUNFELSIA. W.	BRUNFELSIA.	Calamam 2 T		,
1 undulata. W.	wave-flowered.	Jamaica.	1780. 6.7. S.I	2. Bot. reg. 228.
2 americana. W.	American.	Jamaica. W. Ind.	1735. — S.I	2. Bot. mag. 393.
a latifolia.	broad-leaved.			-
β angustifolia.	narrow-leaved.			
CRESCENTIA. W.	CALABASHTREE.	Solaneæ? J.		
1 Cujete. W.	oval-fruited.	Jamaica. W. Ind.	1690 S. J	2. Jac. amer. t. 111.
2 cucurbitina. W.	round-fruited.		1733 S. J	2. Plum. ic. t. 109.
CELSIA. W.	CELSIA.	Solaneæ. J.		
1 orientalis. W.	oriental.	Levant. Candia. E. Ind. Crete. Levant.	1713. 7.8. H.(). Lam. ill. t. 532.
2 Arcturus. W.	scallop-leaved.	Candia.	1780. 7.9. F. d	. Jac. vind. 2. t. 117.
3 coromandelina. W. 4 viscosa. W. en.		E. Ind.	1783. 7.8. S.G	
5 cretica. W.	clamniy. great-flowered.	Croto	1816. — S.(
6 lanceolata. P. S.	spear-leaved.	Crete.	1/02. /.9. F.	6. Bot. mag. 964. 6. Vent. cels. t. 27.
ALONSOA. H. K.	ALONSOA.	Solaneæ. J. Hemimeridis s	n W	. Vent. cets. t. 27.
acutifolia. P. S.	acute-leaved.		1790. 5.10. G.J	
2 incisifolia. H. K.	Nettle-leaved.	Peru. Chili.	1795. — G. I	2. Bot. mag. 417.
Hemimeris urticifo			1,000	¿. 200 mag. 11,1
3 linearis. H. K.	linear-leaved.	Peru.	1790. — G.I	2. —— 210.
ANTHOCERCIS.B.P.		Solaneæ. B. P.		
littorea. B. P.	yellow.		d. 1803. 5.8. G. h	. Bot. reg. 212.
LINNÆA. W.	LINNÆA.	Caprifoliæ. J.		
borealis. W.	two-flowered.	Scotland.	5.8. H.2	4. Eng. bot. 433.
MELIANTHUS. W.	Honey-Flower			
1 major. W.	great.	C. B. S.	1688. 5.7. G. I	
2 minor. W.	sma!l.		- 1696. 8. G.I	2. Bot. mag. 301.
			•	

CLASS XV. TETRADYNAMIA SILICULOSA.

CAKILE. H. K.	CARILE.	Cruciferæ. J.			,	
1 maritima. H. K.	Sea Rocket.	Britain.		6.9.	H.⊙.	Eng. bot. 231.
2 perennis. H. K.	perennial.	Germany.	1789.	7.	H.4.	Jac. aust. 5. t. 414.
3 rugosa. H. K.	wrinkled.	S. Europe.	1739.	6.7.	н.⊙.	All. ped. 1. t. 78.

TETRADYNAMIA SILICULOSA.

	122 1 102	.11.11.11.11.11.11.11.11.11.11.11.11.11	L DILLI				
CRAMBE. W.	COLEWORT.	Cruciferæ. J.					
1 maritima. W.	Sea Kale.		- Britain.				Eng. bot. 924.
2 pinnatifida. H. K.	smooth-winged.						Jac. ic. 1. t. 128.
3 orientalis. W.	oriental.		- Levant.	1752.		-н. 4.	Jac. ic. 1. t. 129.
4 tatarica. W. 5 hispanica. W.	Tartarian.		- Siberia.	1609		н.	Schk.hand.2.t.189.
6 fruticosa. W.	Spanish. Madeira.		- Spain. - Madeira			G.h.	Scha. Hand. 2. t. 103.
7 strigosa. W.	Canary.		· Canaries.				Jac. ic. 1. t. 120.
8 filiformis. W.	Patagonian.		- Patagonia.				3. t. 504.
MYAGRUM. H. K.	MYAGRUM.	Cruciferæ. J.		1			
1 perfoliatum. W.	perfoliate.		- Françe.				Schk.hand.2.t.178.
2 orientale. P. S.	oriental.		- Levant.	1795.	7.	н.⊙.	
EUCLIDIUM. H. K.	Euclidium. Svrian.	Cruciferæ. J.	Laurant	1550	# 0	TI O	Ton ione 1 A C
syriacum. H. K. RAPISTRUM. G.	RAPISTRUM.	Cruciferæ. J. A	- Levant.		7.0.	11.0.	Jac. aus. 1. t. 6.
1 ægyptiacum. H. K.		Crucifera. 0. 2	- Egypt.		8.	Н.⊙.	Jac. vind. 2. t. 145,
2 paniculatum. H. K.			- Europe.				Gært. de fr.2. t.141.
BUNIAS. W.	BUNIAS.	Cruciferæ. J.					
1 Erucago. W.	prickly-podded.		- Austria.				Jac. aust. 4. t. 340.
2 orientalis. W.	oriental.		- Levant.		5.7.	H.4.	Gmel. sib. 3. t. 57.
CORONOPUS. G.	WART CRESS.	Cruciferæ. J. S	enebieræ sp. P			**	E 1-4 1000
1 Ruellii. H. K.	common.		- Britain.	• • • •			Eng. bot. 1660.
2 didyma. H. K.	lesser. (Buckler		- Engrand.	• • • •	7.8.	н.б.	248.
BISCUTELLA. W.	MUSTARD.	Cruciferæ. J.					
1 auriculata. W.	ear-podded.		- S. Europe.	1683.	6.7.	H.O.	Lam. ill. t. 560. f. 2.
2 apula. W.	spear-leaved.		- Italy.				t.560.f.l.
3 lyrata. W.	lyre-leaved.		· Spain.	1799.		· H.⊙.	
4 didyma. W. en.	distant-toothed.		- Italy.	1816.		H.⊙.	Dec.an.mus.18.t.14
5 coronopifolia.W.en.			-	1790.		н.⊙.	Dec.an.mus.18.t.14
6 lævigata. W.	smooth-podded.		T.Y	1777.		н. 4.	Jac. aust. 4. t. 339. Pl. rar.hun.3.t.228.
7 alpestris. W. en. 8 sempervirens. W.	Hungarian. downy-leaved.		- Frungary.	1810.		F 1.	Barr. ic. t. 841.
PELTARIA. W.	PELTARIA.	Cruciferæ. J.	- Spain.	1 (0.4.		. r. n.	Dail. IC. U. 041.
alliacea. W.	Garlie-scented.		- Austria.	1601.	5.7.	H.21.	Jac. aust. 2. t. 123.
CLVDEOLA W	TREACLE ?	Crusifona I					
CLYPEOLA. W.	Mustard.	Cruciferæ. J.					
Ionthlaspi. W.	annual.		 S. Europe. 	1710.	5.7.	H.⊙.	Cav. ic.1. t. 34. f. 2.
ISATIS. W.	WOAD.	Cruciferæ. J.	** 1 1			** 4	77 1 4
1 tinctoria. W.	common dyer's.		- England.				Eng. bot. 97.
2 aleppica. H. K. - 3 alpina. W.	oriental Alpine.		- Levant.				Scop. ins. 2. t. 16. All. ped. t. 86. f. 2.
SUCCOWIA. P. S.	Succowia.	Cruciferæ. J.	- Italy.	1000.		11. 24.	rin. pett. 1, 50. 1. 2.
balearica. P. S.	Minorca.		Minorca.	1781.	6.7.	н.⊙.	Jac. vind. 2. t. 144.
VELLA. W.	CRESS ROCKET.	Crucifera, J.					
1 annua. W.	annual.		- England.		6.7.	$H.\odot.$	Eng. bot. 1441.
2 Pseudo-Cytisus. W.	shrubby.		- Spain.	1759.	4.5.	F. l2.	Cav. ic. 1. t. 42.
ANASTATICA. W.	{Rose of }	Cruciferæ. J.					
hierochuntica. W.	JERICHO. S		- Levant.	1507	60	IJ 21	Ing rind 1 4 50
ÆTHIONEMA. H. K.		Cruciferæ. J.	- Levant.	1597.	0.8.	п. 4.	Jac. vind. 1. t. 58.
1 saxatile. H. K.	rock.		S. Europe.	1759.	6.7.	н.⊙.	Jac. aust. 3, t. 236,
2 monospermum.							5 H5 H4 5 H 5 F 5 H 7 F 5 H
н. к. }	one-seeded.		- Spain.	1778.	7.8.	н. д.	
THLASPI. W.	∫SHEPHERD'S }	Cruciferæ. J.					
	Purse.						4
1 arvense. W.	Penny Cress.		- Britain.		6.7.	H.⊙.	Eng. bot. 1659.
2 alliaceum. W. 3 ceratocarpon. W.	Garlic-scented. Siberian.		- S. Europe. Siberia.				Jac. ic. 1. t. 121.
4 Bursa pastoris. W.	common.		- Britain.	1779.			Scop. ins. 1. t. 4. Eng. bot. 1485.
5 hirtum. W.	hairy.		Ziregilii				——————————————————————————————————————
6 perfoliatum. W.	perfoliate.		- England.				Eng. bot. 2354.
7 alpestre. W.	Alpine.						
8 montanum. W.	mountain.		- Austria.				Jac. aust. 3. t. 287.
HUTCHINSIA, H. K.		Cruciferæ. J. Le				**	A11 1
1 rotundifolia. H. K. 2 alpina. H. K.	round-leaved.						All.ped.1. t. 55. f.2.
2 aipina. H. K. 3 petræa. H. K.	Alpine.		Germany.				Jac. aust. 2. t. 137.
TEESDALIA. H. K.	TEESDALIA.	Cruciferæ. J. Ibe			0.0.	**** 0 .	Eng. bot. 111.
nudicaulis. H. K.	naked-stalked.	Transport Transport		,	5.7.	H.O.	Eng. bot. 827.
						_	_

TETRADYNAMIA SILICULOSA.

	227 2202						
IBERIS. H. K.	CANDY TUFT.	Cruciferæ. J.					
1 semperflorens. W.	broad-leaved.		- Sicily.				Zanon. hist. t. 165.
2 sempervirens. W.	narrow-leaved.		- Candia.				Riv. tetr. 224. f. 2.
8 gibraltarica. W.	Gibraltar.		- Spain.				Bot. mag. 124.
4 saxatilis. W.	rock.		- S. Europe.				Garid. prov. t. 101.
β corifolia.	smooth-leaved. ciliate-leaved. purple. blunt-led purple. bitter. Flax-leaved. sweet-scented.		-				Bot. mag. 1642,
5 ciliata. W.	ciliate-leaved.		- Caucasus,	1802.	6.7.	F. 4.	
6 umbellata. W.	purple.		- S. Europe.	1596.		- H.⊙.	106.
7 violacea. H. K.	blunt-le purple.			1782.		-н.⊙.	
8 amara. W.	bitter.		- England.				Eng. bot. 52.
9 linifolia. W.	Flax-leaved.		- S. Europe.	1759.			Garid. prov. t. 105.
10 odorata. W.	sweet-scentea.		- Geneva.	1800.		-H.⊙.	T.1. 1. 010
11 pinnata. W.	wing-icaveu.		- 2. Fatobe.	1980.	6.8.	H.O.	Lob. ic. 218.
LEPIDIUM. H. K.	PEPPERWORT.	Cruciferæ. J.	Paito:			TT 31	From hot 100
1 latifolium. W.	broad-leaved, lyre-leaved.		Toront				Eng. bot. 182.
2 lyratum. W.	Whitlow.		- Europe				Tourn. it. 2. t. 339.
3 Draba. H. K.							Jac. aust. 4. t. 315. Bauh.h.2.p. 918.ic.
4 graminifolia. H. K. 5 Iberis. Roth.	diandrous.		Commons				
6 divaricatum. W.			C B S				Lob. ic. 223.
7 ruderale. W.	close-spiked.		Britain			G, h.	Fng hot 1505
8 bonariense. W.	Buenos Ayres.		S Argarian				Eng. bot. 1595.
9 Cardamines. W.			S. America.				Dill.elt.t.286.f.370
	Spanish Cress.						Arduin. sp. 1. t. 18,
10 subulatum. W.	awl-leaved. South Sea.		Society Isl				D.Asso arag.t.6.f.3,
11 piscidium. W.	various-leaved.		Ametric	1779.			Too exet 4 + 94C
1.2 perfoliatum. W.			- Austria.	1640.			Jac. aust. 4. t. 346.
13 spinosum. W.	prickly.		Patron	1787.			Eng hot 1905
14 campestre. H. K.	hoary-field.		- Dritain.	1540	0.7.	H.O.	Eng. bot. 1385.
15 sativum. W.	Common Cress.	Ş		1548.		н.б.	Zorn. iç. 10.
β crispum.	Curled Cress.		A ma out an	1610		TŤ O	Cable hand 0 4 100
16 virginicum. W.	Virginian.		Aleene				Schk.hand.2.t.180.
17 chalepense. W.	Aleppo.	C	- Wiebbo.	1798.	5.7.	H.⊙,	
COCHLEARIA. H.K. 1 officinalis. W.	Scurvy-Grass.	Cruciferæ. J.	Dultain			TT	The hot 550
	common.		· Dritain.	• • • •	4.5.	H.O.	Eng. bot. 550.
2 anglica. W.	English.		•	• • • •	, D.	H. ().	552.
3 danica. W,	Danish.		Commons	1040	5.6.	H. 7	Maria his 0 t 01 f 9
4 glastifolia. W.	Wood-leaved.		Cartland				Moris.his.2.t.21.f.3
5 grænlandica. E. B.			- Scottang.				Eng. bot. 2403.
6 saxatilis. W.	rock.		Austria.				Jac. aust. 2. t. 128.
7 macrocarpa. W.	large-capsuled.		Findlend	1806.			For hot 0000
8 Armoracia. W.	Horse-Radish.	Counties T	- England.	• • • •	5.	п. 4.	Eng. bot. 2223.
SUBULARIA. W.	AWLWORT,	Cruciferæ. J.	Dultain		-	TT O	Fra hot 700
aquatica, W.	water.		Britain.		7.	n	Eng. bot. 732.
DRABA. W.	{WHITLOW-}	Cruciferæ. J.					
1 wayne W	GRASS.		Duitein			TT O	Eng Rot 596
1 verna. W.	common.		Section 4				Eng. Bot. 586.
2 rupestris. H. K. hirta. E. B.	rock.		· scottang.	5	5.7.	11.4.	1338.
	twicted modded		Ruitain		5.0	T. 7	388.
3 incana. W. 4 muralis. W.	Canada all lagrad		England				
	twisted-podded. Speedwell-leaved. wood.		Englang.				912.
5 nemoralis. W.			Wales	1709.	0.0.	H. W.	Hout.sys.4.t.60.f.1
6 aizoides. W.	sen-green.		- Wates.	1001	2.4.	H 3/	Eng. bot. 1271. Bot. mag. 170.
7 ciliaris. W.	ciliate-leaved.	Cruciferæ. J. L	Switzerianu.	1/31. •		11.4.	Dot. mag. 170.
PETROCALLIS. H.K.				150	E C .	LT 31	Rot mag 719
pyrenaica. H. K.			Pyrenees.			11.4.	Bot. mag. 713.
CAMELINA, P. S. 1 sativa. H. K.	CAMELINA.	Cruciferæ. J. M				но	Eng bot 1054
	cultivated.						Eng. bot. 1254.
2 dentata. P. S.	tooth-leaved.		Europe.				Lind.alsat.p.49.f.1.
3 austriaca, H. K. ALYSSUM: H. K.	Austrian.	Cruciferæ. J.	- Austria.	1/90.	0.,.	11.0,	Jac. aust. 2. t. 111.
	MADWORT,		0	1 = 40	~ 0	TTO	Jac. aust. t. 339.
1 calycinum. H. K.	calycine.		· Austria.	1740.	7.0.	H.O.	vac. aust. t. 555.
2 campestre. W.	field.		Gormon.	1708.		$\mathbf{H} \cdot \mathbf{H}$	Bot. mag. 419.
3 montanum. W,	mountain.		Condia	1/13.	1 -	T. T.	159.
4 saxatile, W.	rock.		Ttole	1710.	4.0.	HI L	Jac. col. 4. t. 4. f. 1.
5 alpestre. W. 6 spinosum. W.	Italian.		S Firmono	1602	6 o	E L	Barr. ic. 808.
7 tortuosum. W.	thorny.		Hungang				Pl. rar. hung.t. 91.
8 minimum. W.			- Flungary. - Spain.				I I I I I I I I I I I I I I I I I I I
9 maritimum. W.	small.		· Spain. Fralerd	1791.	60	H L	Eng. bot. 1729.
- muratimetini, yy p	g week		Til Statter	7777	J.J.	# -: 14 ·	

	11111	1 1111	WILL DILLIE	go obiti.	110
FARSETIA. H. K.	FARSETIA.	Cruciferæ. J.	Alyssi sp. W.		
1 Cheiranthoides.H.F		·	Levant.	1788. 6.7. G.h	Desf. atl. 2. t. 160. Tourn.it. 1. p. 242.
2 lunarioides. H. K. 3 clypeata. H. K.	oriental.		- Archipelago.	1731. — H. 4	. Tourn. it. 1. p. 242.
4 mutabilis. H. K.	buckler-podded. changeable.		Levant.	1802. 7.8. H.24	. Vent. cels. 85.
5 incana. H. K.	hoary.		- Europe.	1;40. 7.9. H. d	
6 deltoidea. H. K.	purple.		Levant.		. Bot. mag. 126.
VESICARIA. Lam.	VESICARIA.	Cruciferæ. J.	Alussi sp. W.		
1 utriculata. H. K.	smooth.		Levant.		. Bet. mag. 130.
2 cretica. P. S. 3 sinuata. H. K.	Cretan. sinuate-leaved.		Crete.	1596. 4.6. H. J	. Alp. exot. t. 118.
LUNARIA. W.	Honesty.	Cruciferæ. J.	Spath.	1030. 4.0. 11.0	
1 rediviva. W.	perennial.		Germany.	1596. 5.6. H.4	. Lam. ill. t. 561. f. 1.
2 annua. W.	annual.			1570. — H. J	. Lam. ill. t. 561. f. 1.
RICOTIA. W.	RICOTIA.	Cruciferæ. J.			
ægyptiaca. W.	Egyptian.		Egypt.	1757. 6.7. H.⊙	. Bot. reg. 49.
		SILIQUO	SA.		
HELIOPHILA. W.	HELIOPHILA.	Cruciferæ. J.			
1 incana. W.	hoary.		C. B. S.	1774. 5.8. G.h	•
2 filiformis. W. 3 platysiliqua. H. K.	awl-podded. broad-podded.			1786. 7.8. G.O	•,
4 pilosa. H. K.	hairy.			1768. 5.9. H.O	Jac. ic. 3. t. 526. Bot, mag. 496.
B incisa.	cut-leaved.				Bot, mag. 496.
5 amplexicaulis. W.	opposite-leaved.			1774. 6.9. H. ① ————————————————————————————————————	•
6 fœniculacea. H. K.	Fennel-leaved.			—— H.O	•
7 pinnata. H. K.	wing-leaved.	***************************************		1792. — H.O	. Vent. malm. t. 118.
6 fœniculacea, H. K. 7 pinnata, H. K. 8 crithmifolia, W. en. 9 coronopifolia, W.	Buck's born-led			1816. — H.C	Harm lundh + 267
CARDAMINE, H. K.	LADY'S SMOCK.	Crucifera, J.	Cardamine et De	entaria. W.	· IIcimingdo. 1.507.
1 enneaphylla. H. K.			- Austria.	1656. 5.6. H. ♂	. Jac. aust. 4. t. 316.
2 pentaphylla. H. K.	five-leaved.		- Switzerland.	H.4	. Jac. aust. 4. t. 316. . Garid. prov. t. 29
3 pinnata. H. K.	seven-leaved.			1683. — H. 4	t. 28.
4 bulbifera. H. K.	bulbiferous.		England.	4.5. H.4	Eng. bot. 309. Pl.rar.hung.2.t.169 Bot. mag. 1465.
5 polyphylla. P. S. 6 glandulosa. P. S.	many-leaved. glandular.		Hungary.	1817. 5.6. H.4	. Fi.rar.nung.z.t.109
7 diphylla. P. S.	two-leaved.		- N. America.	1810. — H. 2	. Bot. mag. 1465.
8 asarifolia. W.	kidney-leaved.		Talv.	1710. 6.7. H.4	1735.
9 bellidifolia. W.	Daisy-leaved.		- Scotland	16 H 1	Fnc hot 0255
10 trifolia. W.	three-leaved.		- Switzerland.	1629. 3.4. H. 4 1691. 5.6. G. 4	. Bot. mag. 452.
11 africana. W.	African.		C. B. S.	1691. 5.6. G.4	. Herm. parad. 202.
12 chelidonia. W. 13 græca. W.	Celaudine-leav ^d . Grecian. bitter.		- Italy.		. Pl.rar.hung.2.t.140 . Boc. sic. t. 44. f. 2.
14 amara. W.	bitter.		- Britain.	4.5. H.2	Eng. bot. 1000.
15 latifolia. W.	broad-leaved.		- Snain.	1710. 6.8. H. &	. Herm. parad. 203,
16 pratensis. W.	Cuckoo-flower,	· · · · · · · · · · · · · · · · · · ·	- Britain.	4.5. H.4	
β plena.	double-flowered.				
17 impatiens. W. 18 hirsuta. W.	impatient.			4.6. H.O	80.
19 resedifolia. W.	hairy. Rocket-leaved.		Germany.	1658. 7. H 🔾	All. ned. 1. ± 57 f 9.
ARABIS. H. K.	WALL CRESS.				
1 cærulea. W.	blue.		- Switzerland.	1793. 6.7. H. 14	. All. ped.1.t.40.f.2.
2 nutans. W.	nodding.			1658. 3.4. H.4	. Jac. aust. 3. t. 281.
3 bellidifolia. W.	Daisy-leaved.			1773. 5.6. H.4	/
4 caucasica. W. en.	early-flowering.		Caucasus.	1798. 1.10. H.4	
5 grandiflora. W. 6 alpina. W.	naked-stalked. Alpine.		- Siberia Switzerland.	1596. — H. 4	Lamoen.ac.t,4.f,20
7 crispata. W. en.	curled-leaved.		- Carniola.	1816. 3.4. H.4	
8 verna. H. K.	vernal.		- France.	1710. 5.6. H.O	
9 stricta. W.	Bristol.		- England.		. Eng. bot. 614.
10 arenosa. H. K.	purple.		- Germany,	1798. 6.7. H.O	. Scop. carn. t. 40.
11 hispida. H. K.	short-podded.		- Britain.		. Eng. bot. 469.
12 thaliana. W.	common.		T 1 3		. ——— 901.
13 ciliata. H. K. Turritis alpina. E.	ciliated.	*****	Ireland.	6.7. H. 3	1746,
14 hirsuta. H. K.	háiry.	-	Britain.	5.7. Н.24	587.
15 pendula. W.	pendulous.		- Siberia.		. Jac. vind. 3. t. 34,
16 Turrita. W.	tower.		England.		. Eng. bot. 178,
			T	, .	

110	11111	MD I MIIMI	T DILLY	0002	7.0		
17 canadensis. W.	sickle-podded.	Cruciferæ. J.	N. America.	1768.	5.7.	H.4.	
18 lucida. W. en.	shining-leaved.	·····	Hungary. Switzerland.	1790.	6.7.	11.24.	
19 incana. W. en.	hispid-stalked.		Switzerland.	1816.	5.6.	н.д.	
MACROPODIUM. H. K.	MACROPODIUM.	Cruciferæ. J. Ca	rdaminis <mark>sp. I</mark> .	V.			
nivalis. H. K.	Siberian.	***************************************	Siberia.	1796.	6.9.	H.21.	Pall. it. 2. ap. t. U.
	TOWER ?	Cruciferæ. J.		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			2. up
TURRITIS. H. K.	MUSTARD.						
1 arvensis. H. K.	Cabbage-flow ^d .		S. Europe.				Bocc.sic.t.25.f.3.4.
2 glabra. H. K.	long-podded.		England.				Eng. bot. 777.
3 stricta. W. 4 Loeselii. H. K.	upright. Loeselius's.		Germany	1804.			Jac. aust. 4. t. 324.
BARBAREA. H. K.		Cruciferæ. J. Er	vsimi sp. W.	1000.	٠.	11.0.	0 nc. austr 4. 8. 024
1 vulgaris. H. K.	common.				5.8.	H.4.	Eng. bot. 443.
2 præcox. H. K.	early.		England.	• • • •	4.10.	н.4.	1129.
NASTURTIUM. H.K.		Cruciferæ. J. Sis				77.01	n 1 1 2 2 2
1 officinale. H. K.	Water Cress.						Eng. bot. 855.
2 sylvestre. H. K. 3 terrestre. H. K.	creeping.				6.9.	H.O.	2324. 1747.
4 amphibium. H. K.	amphibious.						1840.
5 pyrenaicum. H. K.	Pyrenean.	Consideration of	Pyrenees.				Act. helv. 4. t. 15,
6 sagittatum. H. K.	arrow-leaved.		Siberia.	1780.		H.4.	Jac. ic. 1. t. 122.
SISYMBRIUM. H. K.		Crucheræ. J.				** 0	7 1 1 2 2 2
1 officinale. H. K.	Hedge Mustard. London Rocket.		Britain.				Eng. bot. 725.
2 Irio. W. 3 Columnæ. W.	Columna's.		Italy.				Jac. aust. 4. t. 323.
4 orientale. W.	oriental.		Levant.	1739.			0 WC1 WG5C1 11 C1 0 201
5 pannonicum. W.	Hungarian.		Hungary.				Jac. ic. 1. t. 123.
6 Barbareæ. W.	Winter-Cress-la.		Levant.	1799.			
7 austriacum. W.	Austrian.		Amatria				Jac. aust. 3. t. 262.
8 sinapoides. H. K.	Pyrenean.		Pyrenees.				Jac. vind. 3. t. 97.
9 altissimum. W. 10 eckartsbergense. W.	Austrian.		Anetria	1700	6.7	H. ⊅	Walth. hort. t. 22.
11 asperum. W.	rough-podded.		S. France.	1778.	5.6.	H.O.	
12 supinum. W.	dwarf.		S. Europe.		6.7.	H.O.	Isnard.act.par.t.18,
13 polyceratium. W.	Dandelion-leavd.			1633.		· H.⊙.	Walth, hort. t. 22. Isnard.act.par. t. 18, Jac. vind. 1. t. 79. Dill.elt.t. 148, f. 177 Zanon. hist. t. 72. Barr. ic. 1016. Eng. bot. 963. Jac. ic. 1. t. 127.
14 bursifolium. W.	various-leaved.			1732.		H.⊙.	Dill.elt.t.148.f.177
15 tanacetifolium. W.	Tansy-leaved.	•	Italy.	1731.		н.4.	Zanon. hist. t. 72.
16 Barrelieri. W. 17 Sophia. W.	Flix Weed.		S. Europe.	1770.	7	H.O.	Eug hot 963
18 millefolium. W.	Milfoil-leaved.		Canaries.	1779.	5.9.	G. b.	Jac. ic. 1. t. 127.
19 strictissimum. W.	spear-leaved.		Switzerland.	1658.	6.8.	H. 24.	Jac. aust. 2. t. 194.
ERYSIMUM. H. K.	∫ Hedge }	Cruciferæ. J. Erg					
	Mustard.	•					
1 cheiranthoides. W.	treacle.		Britain.	1770			Eng. bot. 942.
2 repandum. W. 3 diffusum. H. K.	small-flowered. Alpine.		S Europe				Jac. aust. 1. t. 22.
4 angustifolium. W.	narrow-leaved.		Hungary.				Pl.rar.hung.1. t.98.
5 sessiliflorum. H. K.			Siberia.	1704	67	TI 2/	L'Her ctirn 1 t 44
6 lanceolatum. H. K.			S. Europe.	1597.	5.7.	н. д.	Jac. aust. 1. t. 74. 24
7 helveticum. H. K.	Swiss.		Switzerland.	1793.	5.6.	H. &.	Jac. vind. 3. t. 9.
8 odoratum. W.	fragrant.			1795.	7.8.	$\mathbf{H}.\odot$.	Jac. aust. 1. t. 73.
9 virgatum. W. 10 Alliaria. W.	Garlick-scented		Britain	1807.			Eng. bot. 796.
11 orientale. H. K.	Hare's Ear.		England.				
NOTOCERAS. H. K.		Cruciferæ. J. Er					7
canariensis. H. K.	Canary.		Canaries.	1779.	8.9.	G.⊙.	
CHEIRANTHUS.	WALL FLOWER.	Cruciferæ. J.					
H. K.			C France	1580	4 -	7.7 ž	1
1 Cheiri. W. B flore pleno.	garden. double-flowered.		S. Europe.	1573.	4.7.	H.h.	
y Chameleon.	various-coloured.			1816.		н.ь.	Bot. reg. 219.
2 fruticulosus. E. B.	common.		Britain.			H.h.	Eng. bot. 1934.
B flore pleno.	double.						
3 strictus. W.	upright.		C.B.S.	1802.			D.1
4 mutabilis. W. 5 longifolius. Vent.	changeable.		Madeira.				Bot. mag. 195.
6 frutescens. Vent.	long-leaved.		Teneriffe.	1815.			Vent. malm. t. 83.
	(crowded-		20110111101				
7 scoparius. W. en.	branched.	- Andrews		1815.	3.8.	G. h.	

	22122		· william	0001			***
8 linifolius. W. en.	Flax-leaved.	Cruciferæ. J.	Spain.	1815.	3.8.	G. h.	
9 semperflorens.W.en	ever-blowing.	Cruciera. v.	- Barbary.		1.12	. G. ի .	
10 silenifolius. W. en.		ber				- G. h.	
11 tenuifolius. H. K.	fine-leaved.		- Madeira.	1777.		G.h.	
12 armeniacus. B. M.	Armenian.	b	- Armenia.	1803.			Bot. mag. 835.
13 ibericus. W. en.	Barbarea-leaved.		- Iberia.			H.4.	
MATHIOLA, H. K.	STOCK.	Cruciferæ. J. C/			0.0.		
1 incana. H. K.	Gilly Flower.		England.		5.11.	H.h.	Eng. bot. 1935.
B coccinea.	Brompton.		25		••••		2
y alba.	white branching.						
2 annua. W.	ten-week.		S. Europe.	1731.		H.O.	
3 græca. P. S.	Wall-flower-led.		51 Daroper	17011		- H.O.	
4 fenestralis. H. K.	window.			1750	7 8	G A	Jac wind 0 t 170
5 taraxacifolia. W.	Dandelion-leavd.		Ciharia	1705	6	LI A	Jac. vind. 2. t. 179.
6 sinuata. H. K.			England	1/30.	50	H 4	Eng bot 460
7 odoratissima. H. K.	greater sea.		Dansie				Eng. bot. 462. Bot. mag. 1711.
8 tristis. H. K.	dark-flowered.		C Furance				
9 tricuspidata. H. K.			Dankama				729.
			Maruary.				Lam.ill. t. 564. f. 2.
10 parviflora. H. K.	small-flowered.	Comits I CI	Morocco.	1799.	7.8.	H.⊙.	
MALCOMIA. H. K.	MALCOMIA.	Cruciferæ. J. Ch	eirantni et H	esperiai	s sp.	<i>"</i> .	77-4
1 maritima. H. K.	dwarf annual.		S. Europe.				Bot. mag. 166.
2 Chius. W.	dwarf branching		Chio.				Dill.elt.t.147.f.178
3 africana. H. K.	African.		Africa.				Bocc. sic. t. 42. f.1.
4 littorea. H. K.	small sea.		S. Europe.	1683.	6.11	. H.O.	
HESPERIS. H. K.	ROCKET.	Cruciferæ. J.					
1 tristis. W.	night-smelling.	Citation of the citation of th	Austria.				Bot. mag. 730.
2 matronalis. W.	common.		Italy.	1597.	5.8.	H.4.	Lam. ill. t. 564. f.1.
В albo-plena.	double white.						
y purpureo-plena.	double purple.						
3 inodora. W.	sceiftless.		Britain.	• • • •	5.6.	H.4.	Eng. bot. 731.
4 runcinata. W. en.	runcinate.		Hungary.	1804.	6.7.	H. &.	Pl.rar.hung.2.t.200
5 hituminosa. W. en.	clammy.			1816.		H. J.	Desf. atl. 2. t. 162.
6 arenaria. W.	sand.		Algiers.	1804.		H.O.	Desf. atl. 2. t. 162.
ERUCARIA. G.	ERUCARIA.	Cruciferæ. J. Cor	dylocarpi sp.	W.	1	-	
aleppica. Vent.	Aleppo.		Levant.		7.8.	H.O.	Gært.se.2.t.143.f.9.
BRASSICA. H. K.	CABBAGE.	Crucifera, J.					
1 Napus. W.	Rape.		Britain.		5.	H. 3.	Eng. bot. 2146.
2 Rapa. W.	Turnep.		England.				Eng. bot. 2176.
3 oleracea. W.	common.						637.
a capitata.	white.						
β rubra.	red.						•
y sabauda.	Savoy.						
S sabellica.	Borecole.						
z botrytis.	Cauliflower.						
ζ ——	Broccoli.						
n napobrassica.	Turnep-rooted.						
4 chinensis. W.	Chinese.	***************************************	China	1770	-	110	
5 polymorpha. W.	various-leaved.		Unina.			H.O.	Di see hung 4 00
6 Erucastrum, W.			Flungary.	1504.		п. 4.	Pl. rar. hung. t. 90.
7 Eruca. W.	runcinate-leavd.		S. Europe.				Fusch. hist. 262. ic.
	stripe-flowered.		Austria.				Schk.hand.2.t.186.
	Isle of Man.		Britain.				Eng. hot. 962.
9 clongata. W.	stalk-leaved.		Hungary.				Pl. rar.hung.1.t.28.
10 campestris. W.	field.		England.	• • • •			Eng. bot. 2234.
	Alpine.	5 14 7	Germany.	1793.	5.6.	н.4.	Vill. dauph. 3, t. 36.
SINAPIS. H. K.	MUSTARD.	Cruciferæ. J.					
1 arvensis. W.	Charlock.		Britain.				Eng. bot. 1748.
2 orientalis, W.	oriental.		Levant.				Schk.hand.1. t.186.
3 alba. W.	white.		Britain.				Eng. bot. 1677.
4 Allioni. W.	Allioni's.		• • • • • • • • •				Jac. vind. 2. t. 168,
5 chinensis. W.	Chinese.		China.				Arduin.spec.1.t.10.
6 juncea. W.	fine-leaved.			1710.	6.7.	H.⊙.	Jac. vind. 2. t. 171.
7 brassicata. W.	Cabbage-leaved.			1801.		H.⊙.	
8 lævigata. W.	smooth.			1801. 1769.			
9 nigra. W.	common.		Britain.				Eng. bot. 969.
10 pubescens. W.	downy.		Sicily.	1789.	6.7.	H.4.	Arduin. spec.1. t.9.
11 hispida. W.	hispid.		Morocco.				Schous. Maroc. t. 4.
12 erucoides. W.	dwarf.		S. Europe.				Jac. vind. 2. t. 170.
13 pyrenaica. W.	Pyrenean.		Pyrenees.				All. ped. t. 55. f. 1.
14 frutescens. W.	shrubby.		Madeira.	1777.			•
15 tenuifolia, H. K.	fine-leaved.		England.				Eng. bot. 525.
		U					

16 muralis. H. K.	sand.	Cruciferæ. J.	England.	• • • •	7.9.	H.⊙.	Eng. bot. 1090.	
17 incana. H. K.	hoary-jointed.		S. Europe.	1771.	7.	H. J.	Jac. vind. 2. t. 169.	
18 hispanica. W.	Spanish.			1710.	5.7.	$H.\odot.$		
19 integrifolia. W.	entire-leaved.	~~~~·	E. Ind.	1804.	7.8.	H.O.		
RAPHANUS. H. K.	RADISH.	Cruciferæ. J.				_		
1 sativus. W.	common.		China.	1548.	5.6.	H.O.	Lam. ill. t. 566.	
2 caudatus. W.	long-podded.			1815.	5.8.	H.O.	Linn. dec. 3. t. 10.	
8 Raphanistrum. W.	wild.		Britain.			_	Eng. bot. 856.	
4 maritimus. H. K.	sea.							
5 cheiranthifolius, W.	Stock-leaved.		Spain.				W. hort. ber. t. 19.	
CHORISPERMUM)	-		•		••••			
H. K.	CHORISPERMUM.	Cruciferæ. J. Ra	phani sp. W.					
· tenellum. H. K.	purple.		Siberia.	1780.	6.7.	H.O.	Pall. it. 3. t. L. f. 3.	
CLEOME. W.	CLEOME.	Capparides. J.	,				1	
1 Chelidonii, W.	Celandine-flowd.		E. Ind.	1790.	6.7.	S.O.		
2 viscosa. W.	viscid.		Cevton.				Rheed.mal. 9. t. 23.	
3 dodecandra. W.	three-leaved.						Bur.zeyl. t.100.f.1.	
4 pentaphylla. W.	five-leaved.						Jac. vind. 1. t. 21.	_
5 gigantea. W.	gigantic.		S. America.				Jac. obs. 4. t. 76.	
6 spinosa. W.							Marcgr. bras. t.34.	
7 pungens. W.							W.hort.ber.1.t.18.	
spinosa. B. M. 164				20420	,	ē;	***************************************	
8 Houstoni. H. K.	Houstoun's.			1730.	7.	S.O.	, -	
	*** 1 . 1		_					
9 violacea. W.	Violet-coloured.		Portugal.	1776.	6.7.	н.⊙.	Schk. hand. 2. t. 189. b.	
10 ornithopodioides. W	bird's-foot.		Levant.	1732.		· H.⊙.	Dill.elt.t.266.f.345	
11 arabica. W.	Arabian.		Arabia.				Lin. fil. fasc. t. 8.	
12 monophylla. W.	simple-leaved.		E. Ind.				Burm.zey. t.100.f.2	
13 procumbens. W.	procumbent.						Jac. amer. t. 120.	
14 pubescens. B. M.	pubescent.						Bot. mag. 1857	
a a V ma indiana une éta.				40.00				

CLASS XVI.

MONADELPHIA TRIANDRIA.

TAMARINDUS. W.	TAMARIND TREE.	Leguminosæ. J.	Y . I'-			T
indica. W.	4		maia.	1633. 6.7	. s.n.	Jac. amer. t. 10.
PATERSONIA. B. P. 1 sericea. B. P.	PATERSONIA. silky. smooth.	Irideæ. B. P.	N. S. W.			Bot. mag. 1041.
2 glabrata. B. P. FERRARIA. Ker.	FERRARIA.	Iridea, B. P.		1014.	- G. 4.	Bot. reg. 50.
1 undulata, W.	curled.	Hidea. D. F.	CBS	1755 2/	G 21	Bot. mag. 144.
2 antherosa. Ker.	variegated.					751.
TIGRIDIA. J.		Irideæ. B. P. Fen	raria en W		. 0.4.	751.
pavonia. P. S.	Mexican.	Index. D. I. Ter			H 2/	Bot, mag. 532.
GALAXIA. W.	GALAXIA.	Irideæ. B. P.	MCMCO	1790. 5.3	. 11.4.	Doc mag. 052.
1 ovata. W.	oval-leaved.		CBS	1700 50	G 21	Bot. rep. 94.
2 grandiflora. B. R.	great-flowered.					164.
3 mucronularis. Sal.	mucronated.	b	C. B. S.		- G. 4.	{ Jac. ic. t. 291. f. inf. ad sinis.
4 versicolor. Sal.	various-coloured.					-, f. inf. ad dextr.
5 graminea. W.	narrow-leaved.					Bot. mag. 1292.
o grammea. W.	planton icurcus	•		1750. 71	. 0.4.	200 1108 1202
		PENTANDRIA				
WALTHERIA. W.	WALTHERIA.	Tiliaceæ? J.				
1 americana. W.	American.		S. America.	1691, 5.1	0. S. A.	Jac. ic. 1. t. 130.
2 indica. W.	Indian.					Burm. zeyl. t. 68.
3 elliptica. W.	woolly.					Cav.dis.6.t.171.f.2.
HERMANNIA. W.	HERMANNIA.	Tiliaceæ? J.			•	
1 althæifolia. W.	Althæa-leaved.		C. B. S.	1728. 3.7	7. G.h.	Bot. mag. 307.
2 plicata. W.	plaited-leaved.					Jac.schæn.2.t.213.
3 candicans. W.	white.					1.t.117.
4 disticha. W.	round-leaved.					1.t.118.
5 salvifolia. W.	Sage-leaved.					Cav.dis.6.t.180.f.2.
6 micans. W.	glittering.					Jac.scheen.1.t.119.

	112 0 1 1 1 1 1 1	/ J.		TOTAL TE		110
7 involucrata. W.	involucred.	Tiliaceæ. J.				Cav.dis.6.t.177.f.1.
8 scordifolia. W.				4.11.	h.h.	Jac.schæn.1. t.120.
9 mollis. W. en. 10 denudata. W.	soft-leaved.			1774. 5.7.	J. n.	Jac.schæn.1.t.122.
11 disermæfolia. W.	simple-flowered.			1795. 3.4. 6	. b.	1.t.121.
12 aluifolia. W.	Alder-leaved.		-	1728. 2.5. 0	3. h .	Pot. mag. 299.
13 cuneifolia. W.	wedge-leaved.		-	1791, 8.9. (F. h.	Jac.scheen.1. t.194.
14 holosericea. W.	velvet-leaved.			1792. 5.6.	i.h.	3. t. 292.
15 hirsuta, W. 16 scabra. W.	hairy-branched. rough-leaved.			1789. 3.4.	7. b.	Schrad. s.ban.1.t.4. Jac.schon.1.t.127.
17 multiflora. W.	many-flowered.			1791. 3.5. C	i. h.	1. t.128.
18 flammea. W.	flame-flowered.			1794. 1.12. 0	7. h.	Jac.schæn.1.f.127. 1.t.128. Bot. mag. 1349. Jac.schæn.1.t.126. Cav.dis.6.t.181.f.3. Jac.schæn.1.t.125.
19 angularis. W.	angular.			1791. 4.5. (i.h.	Jac.schœn.1.t.126.
20 hyssopifolia. W. 21 trifurcata. W.	Hyssop-leaved. three-forked.			1725. 4.6. 0	1. 12 ·	Lacechon 1 + 105
22 odorata. W.	sweet-scented.			1780. 2.10. (3. b	Jac.schen.1. t.125. Bot. mag. 304. Jac.schen.1. t.123. Cav.dis.6. t.182.f.2. 6.t.177.f.2. Bot. rep. 161. Bot. mag. 1348.
23 lavandulifolia. W.	Lavender-leaved.			1732. 5.9. (3. h.	Bot. mag. 304.
24 filifolia. W.	thread-leaved.			1816. 5.8.	3. h.	Jac.schæn.1. t.123.
25 trifoliata. W.	three-leaved.			1752 (i. h.	Cav.dis.6. t.182.f.2.
26 procumbens. W. 27 grossularifolia. W.	Gooseherry-lead			1792, 5.6, 0	r. n.	0.1.1/7.1.2.
28 pulverulenta. B. R.	powdered.		•	1800. 5.8.	3. h .	Bot. rep. 161.
29 incisa. W.	cut-leaved.			1806. 6.7. 0	G. Iz.	
30 tenuifolia. B. M.	slender-leaved.				3. h.	Bet. mag. 1348.
1 pyramidata. W.	pyramidal.					Jac. vind. 1. t. 30.
2 tomentosa. W.	downy.	***************************************	W. Ind.	5.6.	S. h	Cav. dis. 6. t. 172.
3 corchorifolia. W.	Corchorus-leavd.		E. Ind.			Dill.elt.t.176.f.217
MELHANIA. J.	MELHANIA.	Malvaceæ. J. Don				·
1 Erythroxylon, H.K.						Bot. mag. 1000.
2 Melanoxylon. H.K. OCHROMA. W.		Malvaceæ. J.		1800. 7.5.	o. n.	Pluk.man. t.333.f.5
1 tomentosa. W. en.	woolly-leaved.	Malvaceæ. J.	S. America.	1816	S.b.	•
2 Lagopus. W. en.	downy-leaved.		Jamaica.	1802	S.h.	Cav. dis. 5. t. 153.
PASSIFLORA. W.		Passiflora. J. in			ė, r	T) / 055
1 serratifolia. W. 2 cuprea. W.	notched-leaved.		W. Ind.	1731. 5.10.	5. h	Bot. mag. 651.
3 maliformis. W.	Apple-fruited.		W. Ind.	1731. 7.11.	S. h.	Bot. reg. 95.
4 quadrangularis. W.	square-stalked.			1768. 8.9.	S. 12 .	- 14. £0.7
5 alata. W.	wing-stalked.		W. Ind.			Bot. mag. 66.
6 laurifolia. W.	Laurel-leaved.		W. C.	1690. 6.7.		
7 multiflora. W. 8 Murucuja. W.	many-flowered. purple.		W Ind			Plum. amer. t. 90.
9 perfoliata. W.	perfoliate-leaved.		** · * ind ·	1806. —	S. h .	Bot. reg. 78.
10 rubra. W.	red-fruited.			1731. 4.9.	S. Iz.	96.
11 normalis. W.	linear-lobed.		Vera Cruz.	1771. 5.6.		
12 lunata. W.	crescent-leaved.		Jamaica.		_ •	Smith ic. pict. 1.
13 Vespertilio. W. 14 rotundifolia. W.	bat-winged.					Dill.elt.t.137.f.164. Cav. dis. 10. t. 290.
15 punctata. W.	dotted-leaved.		Peru.			6. t. 269.
16 lutea. W.	yellow.		America.	1714. —	S.h.	Bot. reg. 79.
17 angustifolia. W.	narrow-leaved.		W. Ind.			188.
18 minima. W. 19 suberosa. W.	small.		Curassao.			144.
20 peltata. W.	Cork-barked.		w. ma.			Exot. bot. 1. t. 28. Cav. diss. 10. t. 274.
21 hederacea. W.	Ivy-leaved.					Plum. amer. t. 84.
22 glauca. W.	glaucous-leaved.		Cayenne.			Bot. reg. 88.
23 stipulata. W.	large-stipuled.		Guiana.			Aub. gni. 3. t. 325.
24 holosericea. W.	silky-leaved.		Vera Cruz.			Bot. reg. 59. 2074
25 hirsuta. W. 26 fœtida. W.	hairy.		W. Ind.			Plum.amer.t.88.f.A Cav. dis. 10. t. 289.
27 ciliata. W.	ciliated.		Jamaica.			Bot. mag. 288.
28 adiantifolia. B. Reg.			Norfolk Isl.			Bot. reg. 233.
29 peduncularis. Cav.	long-peduncled.		Peru.	1815	S.h.	Cav. ic. 5. t. 426.
30 incarnata. W.	Rose-coloured.		America.			Miss Lawr. pass.
β major. 31 cærulea. W.	larger.		Brazil.			Bot mag 98
32 serrata. W.	common. saw-leaved.		Martinique.			Bot. mag. 28. Plum. amer. t. 79.
33 pedata. W.	curl-flowered.		W. Ind.	1781		
-	1					,

MONADELPHIA HEPTANDRIA.

ERODIUM. W.	HERON'S BILL.	Geraniæ. J.	Geranii sp. Linn.		
1 crassifolium. W.	thick-leaved.		Cyprus.	1788. 3.8. G. 4	Bot. rep. 136.
2 petræum. W.	rock.		Cyprus. S. Europe. Spain.	1640. 6.7. H. 2.	Gouan. ill. t.21. f.1.
3 glandulosum. W.	glandulous.		Spain.	1798. — F. 4	Lapey. pyr. 1. t. 1.
4 bipinnatum. W.	Numidian.		Numidia.	1803. 5.6. G. d	Cav.dis.5. t.126.f.3.
5 alpinum. W.	Alpine.		—— Italy. —— S. Europe.	1814. 5.8. H.4	
6 ciconium. W.	long-beaked. Hemlock-leav'd.		—— S. Europe. —— Britain.		Jac. vind. 1. t. 18.
7 cicutarium. W. 8 romanum. W.	Roman.		70	4.9. H.O.	
9 moschatum. W.	musky.		England. Crete.	1724. 5.6. H.⊙. 5.7. H.⊙.	
10 laciniatum. W.	laciniated.		Crete.		Cav.dis.4. t.113.f.3.
11 gruinum. W.	broad-leaved.				
12 chium. W.	Chion.		Levant. Barbary.	1724. — H.O.	
13 hymenodes. W.	three-leaved.		Barbary.	1789. 1.12. G. 4.	Bot. mag. 1174.
14 glaucophyllum. W.	glaucous-leaved.		Egypt.		Dil.elt. t.124.f.150.
15 incarnatum. W.	three-leaved. glaucous-leaved. flesh-coloured. Mallow-leaved.		C. B. S.	1787. 5.7. G.h.	
16 malacoides. W.	Mallow-leaved.	•	—— S. Europe. —— England.		Cav.diss.4.t.91.f.2.
17 maritimum. W. 18 chanadryoides. W.	sea.		Minorca.	5.9. H.4.	
10 Chamadi yordes. W.	uwaii.		Minorca.	1700. 4.5. 1.4.	Dut. mag. 10.
		HEPTAND:	RIA.		
PELARGONIUM. W.	STORK'S BILL.	Geraniæ. J.	Geranii sp. Linn.	•	*
1 longifolium. W.	long-leaved.		C. B. S.	1812. 5.6. G.4.	Jac. ic. 3. t. 518.
2 longiflorum. W.	long-flowered.			G. 4.	3. t. 521.
3 dipetalum. W.	two-petalled.			1795. 4.5. G. 4. 4.6. G. 4. 5.7. G. 4.	L'Her. ger. t. 43.
4 ciliatum. W.	ciliated.			4.6. G.4.	t. 7.
5 undulatum. H. K.	wave-flowered.		` ,	5.7. G.4.	Bot. rep. 292.
6 auriculatum. W.	ear-leaved. fleshy-fringe-le ^d .		(1802. 6.7. G. 4.	Pat. mar. 1719.
7 radicatum. Vent. ciliatum. B. R. c	meshy-linge-le . meavifolium. P. S			1802. 6.7. 0.4.	Dot. mag. 1/18.
8 spathulatum. H. K.	spatula-leaved.			1795. 4.5. G. 4. G. 4.	Bot. rep. 152.
9 affine. P. S.	fringed spatula-la	·		G. 24.	282.
10 radiatum. H. K.	ray-leaved.			1801 68 G 21	299
11 lineare. H. K.	linear-petalled.				W 4 400
12 punctatum. W.	dotted-flowered.			1704 45 1471	
13 foseum. H. K.	Rose-coloured.			1709. 35. (4.7)	173.
14 laciniatum. P. S.	jag-leaved.			1800. 5.6. G. 4. ———————————————————————————————————	131.
15 penniforme. P. S.	winged.			G. 4.	269.
16 purpurascens. P. S. 17 hirsutum. W.	purple-flowered.			1700 2 G N	209. ————— 204. Cav.diss.4.t.101.f.2
18 virgineum. P. S.	virgin.			1795. 5.7. G.4.	Bot. rep. 317
19 atrum. W.	dark-brown.			1000 C 31	T'IIau com + 44
20 dioicum. H. K.	diœcious.			1795. 6.7. G.24.	Bot. rep. 209.
Geranium melanan	thum. B. R.	,			
21 revolutum. H. K.	revolute.			1800. 7.8. G.4. 1801. 5.8. G.4.	354.
22 oxalidifolium. H.K.				1801. 5.8. G.4.	300.
23 pictum. P. S.	painted.			1800. 4.5. G.4.	160.
24 triphyllum. W.	three-leaved.			1812. — G. 4.	Jac. 1c. 3. t. 515.
25 nervifolium. W. 26 reflexum. H. K.	nerved-leaved.			5.8. G.4. 1800. 6.7. G.4.	Bet wen 004
27 astragalifolium. P.S.				1788. 7. G.4.	100
28 coronillæfolium.P.S				1705 67 G 21	305
29 pinnatum. W.	wing-leaved.			1779. 46. G. 1.	Bot. mag. 579.
30 floribundum. H. K.				1795. 3.5. G.4. 4.8. G.4.	Bot. rep. 420.
31 fissifolium. H. K.	cloven-leaved.			4.8. G.4.	
32 bubonifolium. H.K.	Bubon-leaved.			1800. 3.7. G. 4.	328.
33 luteum. B. R.	small yellow.			6.7. G.4.	
34 nummularifolium.	Moneywort.			1801. 5.8. G.4.	Par. lond. t. 23.
85 barbatum. W.	bearded.			1790. 7.8. G.4.	
36 pilosum. H. K.	hairy.			1801. 5.7. G. 4.	Too in 2 t 514
37 melananthon. W.	black-flowered.			1790. 5.6. G.4. 1788. 4.6. G.4.	Rot ren 990
38 rapaceum. W. β lutcum.	Fumitory-flowd.			G. 4.	Bot. mag. 1977
39 carnerm W	flesh-coloured.	•		1812. — G. 2	Jac. ic. 3. t. 512.
39 carneum. W. 40 Grenvillianum.A.G.	Lady Grenville's.			4.5. G.21.	And. ger. c. ic.
41 incrassatum. H. K.	fleshy-leaved.			1801. 6.7. G. 21.	Bot. mag. 761.
42 lobatum. W.	Cow-Parenenald			1710. 78. G M.	Cav. dice 4 t 114 f 9 10
43 triste. W.	night-smelling.			1632. 5.10. G.4.	
	Dropwort-leav4.	-		1812. — G.4.	Bot. mag. 1641.
45 flavum. W.	Carrot-leaved.			1724. 7.9. G.4.	Jac. ic. 3. t. 522.

	MONAI	JELLIIIA .	HEL LAN	DILLA	K.	10 Ļ	
46 pulchellum. H. K.	nonesuch.	Geraniæ. J.	C. B. S.	1795. 3.	5. G.4.	Bot. mag. 524.	
47 ardens.	burnished.						
48 ignescens.	fiery-flowered.				G. h.		
49 Œnotheræ. W.	Enothera-like.		C. B. S.		G. 4.	Jac. ic. 3. t. 525.	
50 chamædrifolium. W.				1812. 5.	6. G. 4.	Jac. 1c. 3. t. 528.	
51 ovale. W.	oval-leaved.			1774. 5.	7. G.h.	L'Her. ger. t. 28.	
52 blattarium. W.	downy-leaved.			1790. 6.	8. G.h.	Jac.schæn.2.t.131.	
53 eriostemon. W.	velvet-leaved.			1794. 3.	6. G.h.	2. t. 132.	
54 elegans, W.	elegant.			1795. —	- G.n.	1'Hou con t 0	
55 tabulare. W. 56 alchimilloides. W.	rough-stalked.			1775. 5.	10 G V	Con dies 4 t 00 f 1	
57 odoratissimum. W.	eweet-scented			1794	G h	Cav.diss.4.t.98.f.1. 4.t.103.f.1. W. hort. ber.2.t.77.	
58 fragrans. W. en.	Nutmeg-scented.			1/24	- G. h.	W. hort. her. 2. t. 77	
59 inodorum. W. en.	scentless.			1796. —	G. 21.	1. t. 34,	
60 grossularioides. W.	Gooseberry-lead.			1731. 4	8. G. 21.	Cav.diss.4.1.119 f.2	
61 anceps. W.	flat-stalked.			1788 5	7. G 21.	Jac coll 4 t 90 f 8	
62 althwoides. W.	Althæa-leaved.			1724. 4.	6. G.A.	4.t.21.f.2.	
63 columbinum. W.	Dove's-foot.			1795, 6.	10. G. 2L.	Jac. schœu. 2. t. 133.	
64 coronopifolium. W.				1701	G h	Rot ren 338	
65 tricolor. W.	three-coloured.			1.	12. G.h.	Bot. mag. 240.	
violarium. Jac. ic.	3. t. 527.				- 00	- 1	
66 senecioides. W.				1775. 6	.7. G.⊙.	L'Her. ger. t. 11.	
67 humifusum. W. en.				1801. 5.	.7. G.O.	D.4 224	
68 procumbens. H. K.				1.000 5	5. G.4.	Bot. rep. 234.	
69 myrrhifolium. W.	Myrrh-leaved.			1690. 5.	8. G.n.	Jac. 1c. 3. t. 531.	
70 lacerum. W. 71 multicaule. W.	torn-leaved. manv-stalked.			1/31. 0.	.s. G.4.	3. t. 532,	
71 municanie, w.	Corinnder-leav'd			1704 9	0.4.	3. t. 534.	
72 coriandrifolium. W. 73 caucalifolium. W. 74 glaucum. W.	Cancalus-leaved.			1819 -	G 21.	3 t 599.	
74 glancum, W.	glaucous-leaved.			1775. 6	8. G.h.	Bot. mag. 56.	
75 lanceolatum. A. G.	spear-leaved.			6	7 6 1	And ger c ic	
76 dentatum. A. G.	tooth-leaved.				7 C L	c. ic.	
77 diversifolium. W.	different-leaved.			1794. 6	.8. G.b.		
78 cuspidatum. W. en.	sharp-pointed.				- G. h.		
79 penicillatum. W. en	. pencilled.			1794	G.h.	W.hort.ber. 1. t. 37,	
80 betulinum. W.	Birch-leaved.			1759	G. h.	Bot. mag. 148.	
81 formosum. A. G.	handsome.				G. h.	And, ger. c. ic.	
82 acc osum. W.	Sorrel-leaved.			1710. 5.	.9. G.h.	Bot. mag. 103.	
83 hybridum. W.	bastard.			1732. —	— G. ի .	Cav.diss.4.t.105.f.2	
84 reniforme. H. K.	kidney-leaved.			1791. 1.	12. G.h.	Bot. mag. 493.	
85 stenopetalum. W.	narrow-petalled.			1800. 6	.7. G.h.		
86 pumilum. W. en. 87 scandens. W.	dwarf. climbing.				G.n.		
88 lateritium. W. en.	brick-coloured.				.ο. G.η.		
	common horse-					1	
89 zonale. W.	shoe.	-		1710. 4.	12. G.h.	Cav.diss.4.t.98.f.2,	
B'marginatum.	white-margined.						
90 Grevillianum. A.G.				4	.5. G.h.	And. ger. c. ic.	
91 crenatum. A. G.	Cape scarlet.			_	G. h.	- c ic	
92 inquinans. W.	scarlet-flowered.			1714 5	OGL	Car dice 4 + 100 fa	
93 heterogamum. W.	six-stamened.			1786	G. b.	L'Her. ger. t. 18.	
94 monstrum. W.	cluster-leaved.			1784 7	8. (+ h.		
95 crassicaule. W.	thick-stalked.		Africa.	1786	S.h.	Bot. mag. 477.	
96 peltatum. W.	peltated.		C. B. S.	1701. 6	.8. G.h.	20.	
97 lateripes. W.	lvy-leaved.		····	1787. —	G.h.	L'Her. ger. t. 24. Plant. grass. 96.	
98 tetragonum. W.	square-stalked.			1774. —	— G. h.	Plant. grass. 96.	
β variegatum.	variegated.					Bot. mag. 136.	
99 cordatum. W.	heart-leaved.			3.	7. G.h.	165.	
W. en.	curl'd-heart-lead	,			- G.h.		
101 Barringtonii.W.en	Barrington's	-	C. B. S.		C 1-		
102 cucullatum. W.en.					G.h.	Cav.diss.4.t.106.f.1	
103 angulosum. W.	Marshmallow-ld.					4.t.112.f.2.	
104 cochleatum. W.en.						3.6.112.1.7.	4
	Maple-leaved.		C. B. S.			L'Her. ger. t. 21.	
106 sidæfolium. W.en.						D 40 W 41	
107 speciosum. W. en.					— G. h.		
108 amplissimum.							
W. en. }	stately.				— G. ₧ .		
109 pubescens. A. G.	pubescent.	,	C. B. S.	6	.7. G.h.	And. ger. c. ic,	

102		MILLIA.					
110 rugosum. A. G.	wrinkled.	Geraniæ. J.	C. B. S.		5.7.	G.h.	And, ger. c. ic.
111 rubens. W. en.	red-flowered.					G.h.	
112 papilionaceum. W.	Butterfly.	• · · · · · · · · · · · · · · · · · · ·	C. B. S.	1724.	4.7.	G. Iz.	Cav.diss.4.t.112.f.l. Bot. rep. 121. Bot. mag. 547. Jac. ic. 3. t. 540. 3. t. 541.
113 Beaufortianum.P.S	S. Beautort.	**************************************	A.C.	1798.	5.8.	G.h.	
114 cortusæfolium. W.	five-fingered.		Airica.	1786.	7.8.	S.h.	Bot. rep. 121.
115 quinatum. H. K. 116 fuscatum. W.	dark-marked.		С. Б. S.	193.	17	G.h.	Jon in 2 + 540
117 patulum. W.	spreading.			1012.	4.7.	G. h	3 1 541
118 sororium. W. en.	sister.					G.h.	0.0.041
119 grandiflorum. W.	great-flowered.		C. B. S.	1794.		G.h.	Bot. rep. 12. Cav.diss.4.t.118.f.3
120 variegatum. W.	variegated-flowd.			1812.		G.h.	Cav.diss.4.t.118.f.3
121 delphinifolium.	Larkspur-leaved.					Gh	
W. en.						_	
122 cynoshatifolium	Cynosbati-leav'd.					G.h.	W.hort.ber.2. t.78.
W. en. J 123 saniculæfolium. W	Sanicle-leaved		CRS	1006	6 9	G L	Jac. ic. t. 539. L'Her. ger. t. 27. Bot. mag. 309. Cav.diss.4.t.111.f.2 And. ger. c. ic. Bot. mag. 143. Cav.diss.4.t.110.f.1
124 Cotyledonis. W.	Hollybock-leave.		St Helena	1765.	5.7.	S. L	I. Her ger t 27
125 discipes. H. S.	central-stalked.		Africa.	1808.		S. b.	11 1101.501. 11. 27.
126 echinatum. W.	prickly-stalked.		C. B. S.	1789.	5.8.	S.h.	Bot. mag. 309.
127 australe. W.	Botany-Bay.		N. S. W.	1792.		G. h.	0
128 vitifolium. W.	Vine-leaved.		C. B. S.	1724.	4.8.	G.h.	Cav.diss.4.t.111.f.2
129 capitatum. W.	Rose-scented.			1690.	4.8.	G.h.	And. ger. c. ic.
130 glutinosum. W.	clammy.			1777.	5.6.	G.h.	Bot. mag. 143.
131 hispidum. W.	hispid.			1790.	5.7.	G.h.	Cav.diss.4.t.110.f.1 Bot. mag. 518.
132 tomentosum. W.	Pennyroyal. Currant-leaved.			1700	5.7.	G.h.	100. mag. 518.
134 quercifolium. W.	Oak-leaved.			1774.	3.8.	G. h.	L'Her. ger. t. 14.
135 candidum.	white-leaved.			1812.	12.8.	G.h.	Jac. ic. 3. t. 538. L'Her. ger. t. 14. L'Her. ger. t. 17. Roth. abhand. t. 10. Jac. ic. 3. t. 543. Bot. mag. 95.
136 graveolens. W.	Odour of Rose.			1774.	3.7.	G.b.	L'Her. ger. t. 17.
137 asperum. W.	rough multifid.			1795.	7.9.	G.h.	Roth. abhand. t. 10.
138 balsameum. W.	balsamic.			1790.		G.ħ.	Jac. ic. 3. t. 543.
139 Radula. W.	Rasp-leaved.			1774.	3.7.	G.h.	Bot. mag. 95. Jac.schæn.2.t.195.
140 denticulatum. W.	tooth-leaved.						
rum. P. S.	dark-flowered.	December 1997		1796.	5.10.	G.h.	Bot. rep. t. 114.
142 bicolor. W.	two-coloured.			1778.	7.8.	G.b.	Bot. mag. 201. W. hort. ber. t. 17. L'Her. ger. t. 30. Jac. ic. 3. t. 542, Paters.it. t. ad. p. 67.
143 canariense. W.	Canary.		Canaries.	1802.	7.9.	G.b.	W. hort. ber. t. 17.
144 tricuspidatum. W.	three-pointed.		C. B. S.	1780.	5.8.	G. h	L'Her. ger. t. 30.
145 scabrum. W.	roughwedge-lead.			1775.	8.4.	G.h.	Jac. ic. 3. t. 542,
146 spinosum. W.	thorny.			1795.	5.6.	G.h.	Paters.it.t.ad.p.67.
147 spurium. W. en.	spurious.		• • • • • • • • •	• • • •	4.7.	G.h.	
148 nothum. W. en. 149 alnifolium. W. en.	mixed.			• • • •		G. h.	
150 crispum. W.	curl-leaved.		C.B.S.	1774	7 11.	G.h.	L'Her. ger. t.32.33.
151 gratum, W. en.	Citron-scenfed.		0. 5. 5.		4.8.	G.b.	TI TICH BOTTON
152 consanguineum.	hindund						
w.cn.				• • • •		G. n.	
153 pallidum. W. en.			• • • • • • • • •	• • • •		G.h.	
154 obtusilobum.W.en. 155 hermannifolium.W 156 adulterinum.W. 157 tripartitum.W. 158 semitrilobum.W. 159 splendens.W.en.	blunt-lobed.		0.70.0	• • • •		G.h.	T
155 hermannifolium.W	.Hermannia-lead.		C. B. S.	1505	4.6.	G.h.	Jac. 1c. 3. t. 545.
156 adulterinum, W.	danconstried.			1785.	10	G. h	Jac schoen 9 t 194.
159 semitrilohum. W.	three-lobed.			1800.	4.0.	G, h	2, t. 139
159 splendens, W. en.	splendid.				21/1	G.b.	W.hort,ber.2. t. 76.
160 fulgidum. W.	Celandine-leavd.			1723.		G.h.	Cav.diss.4.t.116.f.3
161 gibbosum. W.	gouty.			1712.		G.h.	And. ger. c. ic.
162 exstipulatum. W.	soft-trifid-leav'd.			1779.	5.8.	G.h.	Cav.diss.4.t.116.f.2 And. ger. c. ic. L'Her. ger. t. 35.
163 ternatum. W.	ternate-leaved.			1789.		G.h.	Bot. mag. 413.
164 unicolorum. W.en.	self-coloured.			• • • •		G.h.	
165 Willdenowii.	Willdenow's.			• • • •		G. h .	
pulchellum, W.enur	f glaucous ter-						C Pro Advan Ca
166 lævigatum. W.	nate-leav'd.			• • • •		G.h.	Cav.diss.4.t.121.f.1
167 fragile. W.	brittle-stalked.			1789.		G. h.	Bot. rep. 37.
168 incisum. W.	cut-leaved.			1791.	5.8.	G.h.	67.
169 carnosum. W.	fleshy-stalked.	······································					Cav.diss.4.t.99.f.1,
170 ceratophyllum. W.		·	Africa.	1786.	5.6.	S.h.	Bot. mag. 315.
171 alternans. W.	Parsley-leaved. thick-stemmed.			1705	7 10	CL	Wendl. herr. 2. t. 9.
172 dasycaule. H. S. 173 crithmifolium. W.	Samphire-leav'd			1790.	5.6.	G.h.	Smith ic. pict. 13.
_,							-

MONADELPHIA DODECANDRIA.

		MONA	DELPHIA	DODEC	ANDAIA	7.	199
	174 abrotanifolium.W.	Southernwood-16 fine-leaved.	Geraniæ. J.	C. B. S.	1791. 5.7. 1768. —	G.ħ. -G.ħ.	Jac.schæn.2, t.136, L'Her. ger. t. 12.
			OCCUANDRI				
			OCTANDRI	2 X •			
	AITONIA. W.	AITONIA.	Meliæ. J.	a D c	1554 40	CI	Dat mag 179
	capensis. W.	Cape.		C. B. S.	1774. 4.9.	G.η.	Bot. mag. 173.
			DECANDRL	Α			
	GERANIUM, W.	Charrie Dres	Geraniæ, J.				
,	1 spinosum. W.	CRANE'S-BILL.		C. B. S.	1790. 7.	G.b.	Cav.diss.4.t.75.f.2.
	2 sibiricum. W.	Siberian.		Siberia.			Jac. vind. 1. t. 19.
	3 sanguineum. W.	bloody.		Britain.			Eng. bot. 272.
	4 lancastriense. With.	Lancashire.					Cav.diss.4.t.76.f.3.
	5 tuberosum. W.			Italy.			4.t. 78.f.1.
	6 anemonefolium. W. 7 macrorhizum. W.	long-rooted.		Italy.			Bot. mag. 206. Jac. ic. 1. t. 134.
	8 phæum. W.	dusky.		England	16	T-T 2/	Fine hat 200
	9 reflexum. W.	reflex-flowered.		Italy.	1758. 5.6.	H. 4.	Cav.diss.4.t.\$1.f.1. L'Her. ger. t. 39.
	10 lividum. W.	wrinkle-leaved.		Switzerland.	1775. 6.7.	H.4.	L'Her. ger. t. 39.
	11 fuscum. W.	brown.			1703. 7.	11.4.	
	12 nodosum. W. 13 striatum. W.	knotty. strcaked.		England.			Eng. bot. 1091. Bot. mag. 55.
	14 angulatum. W.	angular-stalked.			1789. 5.6.	H.4.	203.
	15 ibericum. W.	Iberian.		Levent.	1802. 6.9.	H.2/.	1386.
	16 sylvaticum. W.	wood.		Britain.	5.6.	H.4.	Eng. bot. 121.
	17 parviflorum. W. en.				1816. —		Til. I ree
	18 palustre. W. 19 aconitifolium. W.	marsh. Aconite-leaved.	1	Germany.	1732. 6.8.	H. 4.	Flor. dan. 596. L'Her. ger. t. 40.
	20 collinum. W.	hill.		Siberia.	1815. 5.8.	H. 2/.	L Fier. ger. t. 40.
	21 pratense. W.	Crowfoot-leaved.		Britain.	5.7.	H. 2/.	Eng. bot. 404.
	22 maculatum. W.	spotted.		N. America.	1732. 5.8.	H.4.	Cav.diss.4. t.86.f.2;
	23 canescens. W.	silky-leaved.					L'Her. ger. t. 38.
	24 incanum. W.	heary multifid.					Cav.diss.4.t.82.f.2.
	25 argenteum. W. 26 varium. W.	silvery-leaved. grey.		Pyrences.			Bot. mag. 504. L'Her. ger. t. 37.
	27 pyrcnaicum. W.	mountain.		Britain.			Eng. bot. 405.
9	28 umbrosum. P. S.	naked-stalked.		Hungary.			Pl.rar.hung.2.t.124
	29 bohemicum. W.	Bohemian.		Bohemia.			Cav.diss.4.t.81.f.2.
	30 divaricatum. W.	straddling.		Hungary.			Pl.rar.hun.2.t.123.
	31 lucidum. W. 32 molle. W.	shining. Dove's-foot.		Dritain.			Eng. bot. 75.
	33 carolinianum. Ph.	spreading.		N. America.			Cav.diss.4.t.84.f.1.
	34 lanuginosum.W.en.						Jac. scheen. 2. t. 140
	35 columbinum. W.	long-stalked.					Eng. bot. 259.
	36 dissectum. W.	jagged-leaved.		72 1 1			753.
	37 rotundifolium. W. 38 pusillum. W.	round-leaved. small-flowered.		England.	6.7.	H.O.	157. 385.
	39 robertianum. W.	Herb-Robert.		Britain.	4.10.	H.O.	1486.
	10 purpureum. W.	purple.					Vill. delph. 3. t. 40.
1	BROWNEA. W.	BROWNEA.	Leguminosæ? J.			~ -	
	coccinea. W.	scarlet-flowered.		W. Ind.	1793. 7.8.	S.h.	Jac. amer. t. 121.
	1		DODECANDRIA				
76	ACATOONII 4 ME	37		k •			
I	MONSONIA. W. 1 speciosa. W.	Monsonia. large-flowered.	Geraniæ. J.	C. B. S.	1774. 4.5.	GN	Bot. mag. 73.
	2 pilosa. W. en.	hairy.		C. D. S.	1778. 7.8.	G. 4.	Bot. rep. 276.
	3 lobata. W.	broad-leaved.			1774. 4.5.	G. 24.	Bot. mag. 385.
	4 ovata. W.	oval-leaved			8.	G. 3.	L'Her. ger. t. 40.
	5 spinosa. W.	thorny.	3.f.1 Y		1790. 5.6.	G.h.	t. 42.
1	HELICTERES, W.	Screw-Tree.	Malvaceæ. J,	W. Ind.	1730. 0 10	SL	Jac. amer. t. 149.
	1 baruensis. W. 2 jamaicensis. W.	great-fruited.		Jamaica.			Jac. vind. 2. t. 143.
		East-Indian.		E. Ind.			Rum.am.7.t.17.f.1.
1	DOMBEYA. J.	Dombeya.	Malvaceæ. J.				,
_	ferruginea. W.	ferrugineous.		Mauritius.	1815	S.h.	Cav.diss.3.t.42.f.2.
1	PENTAPETES. W.	PENTAPETES.	Malvaceæ. J.	India	1600 70	S 1	Mill in t on the
	1 phœnicea. W. 2 ovata. P. S.	scarlet-flowered.					Mill. ic. t. 201
			X				

Suberifolium, W. Apple-leaved. E. Ind. 1783, 9.10 S. hg. Bot. mag. 1578.	PTEROSPERMUM.W	PTEROSPERMUM.	Malvaceæ, J.					
POLYANDRIA. CAROLINEA. Malvacee. J. W. Ind. 1787 S. Jr. Aubguit. 2. 1. 291. 2. 291.		various-leaved.	2/10//40000/01	E. Ind.	1783.	9.10	S. h.	Bot. mag. 1526.
ADANONIA Caraltera Malvacex J. W. Ind. 1787 Analysis 2.1.291.2	2 acerifolium. W.	Maple-leaved.			1790.	7.9.	S.h.	620.
ADANONIA Cardina Malvacex J. W. Ind. 1787 Aubguit 2.1-201.2			•					
1 princeps W. digitated. W. Ind. 1787. S. P. Aubgrü.2.4.291.2. 2 minor. H. K. sissignis. W. great-flowered. Malvacce. J. Senegal. 1786. S. P. Ed. tung. 1412. 1 portandrum. W. Still-Corrons Trible.			POLYANDRI.	Α.				
1 princeps W. digitated. W. Ind. 1787. S. P. Aubgrui.2.t.291.t.	CAROLINEA. W.	CAROLINEA.						
ADANSONIA W. digitata W. Sur-Gourd. Malvaceæ. J.		digitated.		- W. Ind.	1787.		S.h.	Aub.gui.2.t. 291.2.
ADANSONIA W. digitata W. Sur-Gourd. Malvaceæ. J.	2 minor. H. K.			- Guiana.				
BOMBAX. W. Sulf-Courted. Senegal. 1724 S. ft. Cav. diss. 5. t. 157.				· W. Ind.	1796.	• • • •	.S.h.	Cav. diss. 5. t. 154.
DOMBAX W. TREE. 1 pentandrum W. five-stamened. E. Jud. 1789 S. ½. Jac.amer.pict.t.176 2 Ceiba. W. 5 verbaphyllum. W. seven-leaved. America. 1699 S. ½. Cav.diss.5.t.152.f.2 2 America. 1699 S. ½. Pluk.alm.t.188.f.4. LaGUNEA. Malvacce. J. Solandra. Cav. Maple-leaved. Malvacce. J. Solandra. Cav. Tree. 1699 S. ½. Pluk.alm.t.188.f.4. Lavis. P. S. S. Q. Cav.diss.5.t.136.f.1 2 Virginia. 1788. S. Q. Cav.diss.5.t.136.f.1 2 Virginia. 1789 S. ½. Cav.diss.5.t.136.f.1 2 Virginia. 1789 S. ½. Cav.diss.5.t.136.f.1 2 Virginia. 1789 S. Q. Q. Q. Cav.diss.5.t.136.f.1 2 Virginia. 1789 S. Q. Q. Q. Cav.diss.5.t.136.f.1 2 Virginia. 1789 S. Q. Q. Q. Cav.diss.5.t.136.f.1 2 Virginia. 1789 Q.				Sanagal	1794		Sh.	Cav. diss. 5. t. 157.
1 pentandrum. W. 2 Ceiba. W. 3 heptaphyllum. W. 4 heptaphyllum. W. 4 heptaphyllum. W. 4 heptaphyllum. W. 4 heptaphyllum. W. 5 humbifolia. W. 4 hornbeam-leavd. 5 humbifolia. W. 4 hornbeam-leavd. 5 humbifolia. W. 6 halifolia. W. 7 hornboil-leaved. 7 halifolia. W. 7 halifo		(Sur-Correst-)		- Sellegal.	1/24.	••••	D. 17.	
3 heptaphyllum. W. seven-leaved. LAGUNEA. W. lobata. W. Maple-leaved. NAPÆA L. 1 lavis. P. S. sumooth. 2 seabra. P. S. pough. Sipa. Malvaceæ. J. Sida sp. H. 1787. 7.8. S. ⊙. Cav.diss.5.t.136.f.1 NAPÆA L. 1 lavis. P. S. sumooth. 2 seabra. P. S. pough. Sipa. M. 2 spinosa. W. 3 carpinifolia. W. prickly. Cav. 1 marrow-leaved. Prombioid-leaved. Prombioid-l	BOMBAX. W.							
3 heptaphyllum. W. seven-leaved. LAGUNEA. W. lobata. W. Maple-leaved. NAPÆA L. 1 lavis. P. S. sumooth. 2 seabra. P. S. pough. Sipa. Malvaceæ. J. Sida sp. H. 1787. 7.8. S. ⊙. Cav.diss.5.t.136.f.1 NAPÆA L. 1 lavis. P. S. sumooth. 2 seabra. P. S. pough. Sipa. M. 2 spinosa. W. 3 carpinifolia. W. prickly. Cav. 1 marrow-leaved. Prombioid-leaved. Prombioid-l				- E. Ind.				
LAGUNEA W. Naple-leaved.				- India.				
Iobata. W. NAPÆA L. NAPÆÆA L. NAPÆÆA L. NAPÆA L. NAPÆA L. NAPÆÆA L. NAPÆÆ					1699.	• • • •	5. h.	Pluk.aim. t. 188.1.4.
NAPEA L NaPe					1787.	7.8.	S.O.	Cav.diss.5.t.136.f.1
1 lavis. P. S. 2 scabra P. S. SIDA. W. 1 angustifolia. W. 2 spinosa. W. 3 carpinifolia. W. 4 subcrosa. W. 5 rhombid-leaved. 5 clitaris. W. 8 periplocifolia. W. 9 hernandioides. W. 1 tringular. 1 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 reflexa. W. 15 reflexa. W. 15 reflexa. W. 16 foctida. W. 10 reflexida. W. 10 madrifina. W. 10 reflexida. W. 11 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 15 reflexa. W. 16 foctida. W. 16 foctida. W. 17 crispa. W. 18 arborea. W. 19 mauritiana. W. 20 occidentalis. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 saiatica. W. 24 populifolia. W. 25 homolis ** a. W. 26 mollis** sa. W. 27 Sonneratiana. W. 20 occidentalis. W. 20 occidentalis. W. 31 mericana. W. 32 Abutilon. W. 33 arjata. W. 34 paniculata. W. 35 agarta. W. 36 hastata. W. 36 hastata. W. 37 Sonneratiana. W. 38 agrata. W. 39 lileniana. W. 30 pillosa. W. 31 mericana. W. 32 pillosa. W. 33 pillosa. W. 34 paniculata. W. 35 pillosa. W. 36 hastata. W. 37 Sonneratiana. W. 38 pillosa. W. 39 pillosa. W. 40 pollosa. W. 41 pripolacelezed. 41 particle. S. 42 populifolia. W. 43 paniculata. W. 44 populifolia. W. 45 pillosa. W. 46 mollis** sa. W. 47 Sonneratiana. W. 48 argata. W. 49 pollosa. W. 49 priplocialed. 40 pollosa. W. 40 pollosa. W. 41 pripolacelezed. 41 pollosa. W. 42 populifolia. W. 43 paniculata. W. 44 populifolia. W. 45 pillosa. W. 46 mollis** sa. W. 47 Sonneratiana. W. 48 argata. W. 49 pollosa. W. 40 pollosa. W. 40 pollosa. W. 41 pripolacelezed. 42 populifolia. W. 43 paniculata. W. 44 populifolia. W. 45 pillosa. W. 46 pollosa. W. 47 Sonneratiana. W. 48 pillosa. W. 49 pollosa. W. 40 pollosa. W. 40 pollosa. W. 41 pillosa. W. 42 populifolia. W. 43 paniculata. W. 44 populifolia. W. 45 pollosa. W. 46 pollosa. W. 47 Sonneratiana. W. 48 pillosa. W. 49 pollosa. W. 40 pollosa. W. 40 pollosa. W. 41 pillosa. W. 42 pollosa. W. 43 paniculata. W. 44 pollosa. W. 45 pollosa. W. 46 pollosa. W. 47 pollosa. W. 48 pillosa. W. 49 pollosa. W. 40 pollosa. W. 40 pollosa. W. 41 pollosa. W. 42 pollosa. W. 43			Malvaceæ, J. S	ide sn. II'.			_	,
2 seabra P. S. SIDA. Malvaceæ J. 1 angustifolia W. 2 spinosa W. 3 carpinfolia W. 4 suberosa. W. 6 alnifolia W. 6 alnifolia W. 6 priplocifolia W. 8 periplocifolia W. 9 periplocifolia W. 1 periplocifolia W. 1 periploca-leaved. 9 periplocifolia W. 1 periploca-leaved. 2 between W. 2 between W. 3 periplocifolia W. 4 patens H. K. 5 hombilis W. 6 fortida W. 1 periploca-leaved. 1 periploca-leaved. 2 triquetra W. 1 periploca-leaved. 3 periplocifolia W. 4 patens H. K. 5 homilis W. 6 fortida W. 8 periplocifolia W. 9 periplocifolia W. 10 periploca-leaved. 10 periploca-le			1	- Virginia.	1748.	8.9.	H.4.	Cav.diss.5.t.132.t 12
1 agnustifolia W. prickly.	2 scabra. P. S.	rough.		-	1759.		H.4.	5.t.132.f.2.
2 spinosa. W. 3 carpinifolia. W. 4 subcrosa. W. 5 rhombifolia. W. 6 alnifolia. W. 7 ciliaris. W. 8 periplocifolia. W. 9 periplocifolia. W. 10 nudifiora. W. 11 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 15 rhomera. W. 16 feetida. W. 16 feetida. W. 17 feetida. W. 18 arborea. W. 18 arborea. W. 19 pinosa. W. 19 priplocal-leaved. 10 nudifiora. W. 10 nudifiora. W. 10 nudifiora. W. 11 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 15 reflexa. W. 16 feetida. W. 16 feetida. W. 17 crispa. W. 18 arborea. W. 19 mauritiana. W. 10 occidentalis. W. 19 mauritiana. W. 20 occidentalis. W. 21 americana. W. 22 asiatica. W. 23 asiatica. W. 24 populifolia. W. 25 Abutlion. W. 26 molliss' v.a. W. 27 Sonneratiana. W. 28 arguta. W. 29 pilosa. W. 20 alba. W. 20 alba. W. 21 americana. W. 22 mons. W. 23 mil-flowered. 24 populifolia. W. 25 molliss' v.a. W. 26 molliss' v.a. W. 27 Sonneratiana. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 30 alba. W. 30 alba. W. 31 mehellata. W. 32 urens. W. 33 Dilleniana. W. 34 panicelata. W. 35 Dilleniana. W. 36 hastata. W. 37 Cristata. W. 38 Dilleniana. W. 39 Dilleniana. W. 30 alba. W. 31 mehellata. W. 32 urens. W. 33 Dilleniana. W. 34 panicelata. W. 35 Dillenia. W. 36 hastata. W. 37 Cristata. W. 38 Dilleniana. W. 39 Dillosa. W. 40 sericea. P. S. 40 MALACHRA. W. Malbachra. Malvaceæ. J. Mal							6 24	Y 277
3 carpinifolia. W. 4 subcrosa. W. 5 rhombifolia. W. 6 alnifolia. W. 6 alnifolia. W. 7 rhomboid-leaved. India. 1798			***************************************	- Brazil.				
4 suberosa, W. 5 rhombidida, W. 6 alnifolia, W. 6 alnifolia, W. 7 ciliaris, W. 8 periplocafolia, W. 9 hernandioides, W. 10 nudifiora, W. 11 periptera, B. M. 12 triquetra, W. 13 reflexa, W. 14 patens, H. K. 15 humilis, W. 16 fedida, W. 16 fedida, W. 17 crispa, W. 16 fedida, W. 17 crispa, W. 18 arborea, W. 19 marritana, W. 20 oocidentalis, W. 21 americana, W. 21 americana, W. 21 americana, W. 21 americana, W. 22 Abutilon, W. 23 asiatica, W. 24 populifolia, W. 25 bindica, W. 26 mollis's ia, W. 27 Sonneratiana, W. 28 arguta, W. 29 pilosa, W. 30 nudiflora, W. 31 periptera, B. M. 41 patens, H. K. 42 presidentalis, W. 43 arguta, W. 44 populifolia, W. 45 presidentalis, W. 45 populared, Deprendentalis, W. 46 populifolia, W. 47 Sonneratiana, W. 48 presidentalis, W. 48 presidentalis, W. 49 pilosa, W. 40 populifolia, W. 40 populi		prickly.		- E. Ind.				
5 rhombifolia. W. 6 alnifolia. W. 7 ciliaris. W. 8 periplocifolia. W. 9 hernandioides. W. 10 nudifiora. W. 11 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 15 humilis. W. 16 factifa. W. 16 factifa. W. 17 crispa. W. 18 arborea. W. 18 arborea. W. 19 munitiana. W. 20 occidentalis. W. 20 nocidentalis. W. 21 americana. W. 22 Abutilon. W. 23 asiatica. W. 24 Aputilon. W. 25 findica. W. 25 findica. W. 26 mollis*ia. W. 27 Sonneratiana. W. 28 arguta. W. 28 arguta. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 28 arguta. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 29 pilosa. W. 20 occidentalis. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 abutilon. W. 24 populifolia. W. 25 indica. W. 26 mollis*ia. W. 27 Sonneratiana. W. 28 arguta. W. 29 pilosa. W. 30 alnie. W. 30 alnie. W. 30 alnie. W. 31 mericana. W. 32 arguta. W. 33 mibellata. W. 34 arguta. W. 35 vesicaria. W. 35 pilosa. W. 36 alnie. W. 36 alnie. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alnie. W. 30 alnie. W. 31 mericana. W. 32 arguta. W. 33 umbellata. W. 34 apaniculata. W. 35 vesicaria. W. 36 alnie. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alnie. W. 30 alnie. W. 31 mericana. W. 32 deceine. Ph. 34 populifolia. W. 35 vesicaria. W. 36 alnie. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alnie. W. 30 alnie. W. 30 alnie. W. 31 mericana. W. 32 deceine. Ph. 34 phace. D. 35 deceine. Ph. 36 piloca-leaved. Peru. 36 piloca-leaved. Peru. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alnie. W. 30 alnie. W. 31 merica. Ph. 32 deceine. Ph. 34 populifolia. W. 35 vesicaria. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alnie. R. 30 alnie. R. 31 merica. Ph. 32 deceine. Ph. 34 populifolia. W. 35 vesicaria. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alnie. R. 30 alnie. R. 31 merica. Ph. 32 deceine. Ph. 34 populifolia. W. 35 vesicaria. W. 36 bladered. Physic-Nut-like. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. White-flowered. Physic-Nut-like. 39 pilosa. White-flowered				- Hispaniola.				
G alnifolia. W. 7 ciliaris. W. 8 periplocifolia. W. 9 hernandioides. W. 10 nudifiora. W. 11 periptera. B. M. 12 triquetra. W. 12 triquetra. W. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 15 humilis. W. 16 foetida. W. 16 foetida. W. 16 foetida. W. 17 crispa. W. 17 crispa. W. 17 crispa. W. 17 crispa. W. 18 arborea. W. 19 muritiana. W. 20 occidentalis. W. 20 occidentalis. W. 20 occidentalis. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 asiatica. W. 24 foliaca. W. 25 indica. W. 25 indica. W. 27 Sonneratiana. W. 28 arguta. W. 27 Sonneratiana. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 30 alba. W. 30 alba. W. 31 cordifolia. W. 32 triple. W. 32 triple. W. 33 triple. W. 34 paniculata. W. 35 triple. W. 35 triple. W. 36 hastata. W. 37 cristata. W. 38 billeniana. W. 38 billeniana. W. 39 triloba. W. 37 cristata. W. 39 triloba. W. 39 triloba. W. 30 cristata. W. 39 triloba. W. 30 cristata. W. 37 cristata. W. 39 triloba. W. 37 triple. W. 38 billeniana. W. 36 cristata. W. 37 triple. W. 38 triple. W. 38 triple. W. 39 triloba. W. 30 triple. W. 30				- India.				
8 periplocifolia, W. 9 hernandioides, W. Hernandioides, W. Hernandioides, W. 11 periptera, B. M. 12 periptera, B. M. 12 periptera, W. 12 periptera, W. 13 reflexa, W. 14 patens, H. K. 15 periptera, W. 15 periptera, W. 16 fetida, W. 16 fetida, W. 16 fetida, W. 17 crispa, W. 18 arborea, W. 19 mauritiana, W. 20 occidentalis, W. 21 americana, W. 22 Abutilon, W. 21 americana, W. 22 Abutilon, W. 23 asiatica, W. 23 asiatica, W. 24 populifolia, W. 25 molths, a. W. 25 molths, a. W. 27 Sonneratiana, W. 28 arguta, W. 29 pilosa, W. 20 abutilota, W. 36 hastata, W. 29 pilosa, W. 37 crispa, W. 38 pileniana, W. 38 pileniana, W. 39 triloba, W. 37 cristata, W. 37 cristata, W. 38 pileniana, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 32 trens, W. 34 paniculata, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 34 paniculata, W. 35 triloga, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 34 paniculata, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 30 hastata, W. 31 cordifolia, W. 34 paniculata, W. 35 triloba, W. 34 paniculata, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pilleniana, W. 38 pilleniana, W. 39 triloba, W. 30 hastata, W. 37 cristata, W. 38 pilleniana, W. 39 triloba, W. 30 hastata, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 34 paniculata, W. 35 triloba, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pilleniana, W. 38 pilleniana, W. 39 triloba, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 34 paniculata, W. 35 triloba, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pilleniana, W. 39 triloba, W. 39 triloba, W. 30 hastata, W. 30 hastata, W. 31 cordifolia, W. 31 cordifolia, W. 31 cordifolia, W. 32 triloba, W. 34 paniculata, W. 35 triloba, W. 35 triloba, W. 36 hastata, W. 37 cristata, W				E Ind				
8 periplocifolia, W. 9 hernandioides, W. Hernandioides, W. Hernandioides, W. 11 periptera, B. M. 12 periptera, B. M. 12 periptera, W. 12 periptera, W. 13 reflexa, W. 14 patens, H. K. 15 periptera, W. 15 periptera, W. 16 fetida, W. 16 fetida, W. 16 fetida, W. 17 crispa, W. 18 arborea, W. 19 mauritiana, W. 20 occidentalis, W. 21 americana, W. 22 Abutilon, W. 21 americana, W. 22 Abutilon, W. 23 asiatica, W. 23 asiatica, W. 24 populifolia, W. 25 molths, a. W. 25 molths, a. W. 27 Sonneratiana, W. 28 arguta, W. 29 pilosa, W. 20 abutilota, W. 36 hastata, W. 29 pilosa, W. 37 crispa, W. 38 pileniana, W. 38 pileniana, W. 39 triloba, W. 37 cristata, W. 37 cristata, W. 38 pileniana, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 32 trens, W. 34 paniculata, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 34 paniculata, W. 35 triloga, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 31 cordifolia, W. 34 paniculata, W. 36 hastata, W. 37 cristata, W. 38 pileniana, W. 39 triloba, W. 30 hastata, W. 31 cordifolia, W. 34 paniculata, W. 35 triloba, W. 34 paniculata, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pilleniana, W. 38 pilleniana, W. 39 triloba, W. 30 hastata, W. 37 cristata, W. 38 pilleniana, W. 39 triloba, W. 30 hastata, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 34 paniculata, W. 35 triloba, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pilleniana, W. 38 pilleniana, W. 39 triloba, W. 31 cordifolia, W. 31 cordifolia, W. 32 trens, W. 34 paniculata, W. 35 triloba, W. 35 triloba, W. 36 hastata, W. 37 cristata, W. 38 pilleniana, W. 39 triloba, W. 39 triloba, W. 30 hastata, W. 30 hastata, W. 31 cordifolia, W. 31 cordifolia, W. 31 cordifolia, W. 32 triloba, W. 34 paniculata, W. 35 triloba, W. 35 triloba, W. 36 hastata, W. 37 cristata, W	7 ciliaris. W.	ciliated.		- Jamaica.	1759.	6.9.	8.8.	Cav. diss. 1.t. 3. f.9.
11 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 14 patens. H. K. 15 humilis. W. 16 foetida. W. 17 crispa. W. 18 arborea. W. 19 mauritiana. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 asiatica. W. 24 populifolia. W. 25 humilis. W. 25 moliss + a. W. 26 molliss + a. W. 27 sonneratiana. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 20 molisi. W. 20 molisi. W. 21 mericana. W. 22 mera. Sonneratiana. W. 23 miliela. W. 24 populifolia. W. 25 molliss + a. W. 26 molliss - a. W. 27 sonneratiana. W. 28 arguta. W. 29 pilosa. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 pilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 priloba. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 39 pilosa. W. 30 mbelleta. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 mbelleta. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 mbelleta. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 39 pilosa. W. 30 mbelleta. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 39 pilosa. W. 30 pilosa. W. 30 pilosa. W. 31 pilosa. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 pilosa. W. 30 pilosa. W. 31 pilosa. W. 32 urens. W. 33 pilosa. P. 34 paniculata. W. 35 pilosa. P. 36 pilosa. P. 37 pilosa. P. 38 pilosa. P. 39 pilosa. P. 30 pilosa. P.		Periploca-leav'd.		- India.	1691.	7.8.	S. J.	Dill. elt. 4. t. 3. f. 2.
11 periptera. B. M. 12 triquetra. W. 13 reflexa. W. 14 patens. H. K. 14 patens. H. K. 15 humilis. W. 16 foetida. W. 17 crispa. W. 18 arborea. W. 19 mauritiana. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 asiatica. W. 24 populifolia. W. 25 humilis. W. 25 moliss + a. W. 26 molliss + a. W. 27 sonneratiana. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 20 molisi. W. 20 molisi. W. 21 mericana. W. 22 mera. Sonneratiana. W. 23 miliela. W. 24 populifolia. W. 25 molliss + a. W. 26 molliss - a. W. 27 sonneratiana. W. 28 arguta. W. 29 pilosa. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 pilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 priloba. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 39 pilosa. W. 30 mbelleta. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 mbelleta. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 mbelleta. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 39 pilosa. W. 30 mbelleta. W. 31 cordifolia. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 39 pilosa. W. 30 pilosa. W. 30 pilosa. W. 31 pilosa. W. 32 urens. W. 33 lilleniana. W. 34 paniculata. W. 35 pilosa. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 pilosa. W. 30 pilosa. W. 30 pilosa. W. 31 pilosa. W. 32 urens. W. 33 pilosa. P. 34 paniculata. W. 35 pilosa. P. 36 pilosa. P. 37 pilosa. P. 38 pilosa. P. 39 pilosa. P. 30 pilosa. P.		Hernandia-leava	,	- Hispaniola.				
12 triquetra. W. 13 reflexa. W. 13 reflexa. W. 13 reflex d-flower'd. 14 patens. H. K. 15 humilis. W. 16 fottida. W. 16 fottida. W. 16 fottida. W. 17 crispa. W. 18 arborea. W. 19 mauritiana. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 asiatica. W. 24 populifolia. W. 25 indica. W. 26 mollis* a. W. 27 Sonneratiana. W. 28 arguta. W. 29 arguta. W. 21 arguta. W. 21 arguta. W. 21 arguta. W. 22 hutilon. W. 23 indica. W. 24 populifolia. W. 25 indica. W. 26 mollis* a. W. 27 Sonneratiana. W. 28 arguta. W. 29 arguta. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 33 unbellata. W. 34 paliculata. W. 35 pilosa. W. 36 hastata. W. 37 roistata. W. 38 Dilleniana. W. 39 triloba. W. 30 albar. W. 30 frileaved. Balberd-leaved. 30 frileaved. Balberd-leaved. 30 frileaved. Balberd-leaved. 30 priloba. W. 30 triloba. W. 31 trilogia. W. 32 triloba. W. 33 triloba. W. 34 priloba. W. 35 triloba. W. 36 hastata. W. 37 roistata. W. 38 triloba. W. 39 triloba. W. 40 sericea. P. S. 41 jatoophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. Mallaveleaved. Malazera. J. Malvaceæ. J				- Peru.				
13 reflexa W. reflex'd-flower'd.				_ W. Ind				
15 homilis. W. 16 fetida. W. 17 crispa. W. 18 arborea. W. 19 mauritiana. W. 20 occidentalis. W. 21 americana. W. 22 Abutilon. W. 23 asiatica. W. 24 populifolia. W. 25 indica. W. 26 molliss va. W. 27 sonceratiana. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 29 pilosa. W. 30 alba. W. 30 alba. W. 31 arguta. W. 32 pilosa. W. 32 arguta. W. 33 molticinous. W. 34 arguta. W. 35 ordifolia. W. 36 pilose. S. 37 ordifolia. W. 38 pilose. S. 39 pilose. S. 30 alba. W. 31 arguta. W. 32 pilosa. W. 33 pilose. S. 34 paniculata. W. 35 tordifolia. W. 36 habtata. W. 37 cristata. W. 38 pilleniana. W. 38 pilleniana. W. 39 pilose. S. 30 alba. W. 31 tordifolia. W. 32 pinceled. S. 33 umbellata. W. 34 paniculata. W. 35 pilose. S. 35 pilose. S. 36 habtata. W. 37 cristata. W. 38 pilleniana. W. 39 pilose. S. 30 alba. W. 31 tordifolia. W. 32 pinceled. S. 33 umbellata. W. 34 paniculata. W. 35 pilose. S. 36 habtata. W. 37 cristata. W. 38 pilleniana. W. 39 pilose. S. 30 alba. W. 31 tordifolia. W. 32 pinceled. S. 33 umbellata. W. 34 paniculata. W. 35 pilose. S. 36 habtata. W. 37 cristata. W. 38 pilleniana. W. 39 pilose. S. 40 pilose. S. 41 piatrophoides. W. 40 sericea. P.S. 41 piatrophoides. W. 41 piatrophoides. W. 42 Carstaria. W. 43 pariculata. W. 44 proportion. Physic-Nut-like. Carstaria. M. 44 proportion. Physic-Nut-like. Carstaria. M. 45 paniculata. W. 46 paniculata. W. 47 proportion. Physic-Nut-like. Carstaria. M. 48 paniculata. W. 49 pricolia. W. 40 sericea. P.S. 41 piatrophoides. W. 40 sericea. P.S. 41 piatrophoides. W. 41 piatrophoides. W. 42 pricolia. W. 44 paniculata. W. 45 paniculata. W. 46 paniculata. W. 47 paniculata. W. 48 paniculata. W. 49 pilose. S. 40 pilose. W. 40 sericea. P.S. 41 piatrophoides. W. 40 sericea. P.S. 41 piatrophoides. W. 41 piatrophoides. W. 42 pricolia. W. 44 portion. Proportion. Propor				- Peru.				
16 feetida, W, 1795, 179				 Abyssinia. 				Bot. rep. 571.
17 crispa. W. 18 arborea. W. 18 arborea. W. 19 mauritiana. W. Mauritius. Mauritius. 1789. 7.9. S. ⊕. L'Her.stirp.1.t.63.f.2 Mauritius. Mauritius. 1789. 7.9. S. ⊕. L'Her.stirp.1.t.63.f.2 Mauritius. Mauritius. 1789. 7.9. S. ⊕. Jac. ic. 1.t. 137. Mauritius. Mauritius. 1789. 7.9. S. ⊕. Jac. ic. 1.t. 137. Mauritius. Mauritius. Mauritius. 1789. 7.9. S. ⊕. Jac. ic. 1.t. 137. Mauritius. Mauritius. Mauritius. 1789. 7.9. S. ⊕. Jac. ic. 1.t. 137. Mauritius. Mauritius. Mauritius. 1789. 7.9. S. ⊕. Jac. ic. 1.t. 147. J					1800.	7.8.	S.⊙.	I'llor etien 1 t 59
18 arborea W.					1795.		· S.⊙.	Car diss 5 t 135 f 9
20 occidentalis. W. downy.				– Caronna. – Peru				
20 occidentalis. W. downy.				- Mauritius.				
21 americana. W. broad-leaved. broad-leaved. Saistica. W. small-flowered. E. India. 1596. 6.8. S.⊙. Houtt. syst. t. 61. 1768. 7.8. S.⊙. Cav. diss.1.t. 7. f. 2. 1769. Sidica. W. Poplar-leaved. Soft-leaved. Peru. 1789. 6.7. S. ⊙. ——1.t. 7. f. 9. 11. 7. f. 10. Soft-leaved. Peru. 1789. 6.7. S. ♂. ——2.t. 14. f. 1. Saistica. W. Smooth sharp-l⁴. W. India. 1731. ——S.⊙. ——1.t. 7. f. 10. Saistica. W. Smooth sharp-l⁴. W. Ind. 1732. 7.8. S. ½. Saiguta. W. Smooth sharp-l⁴. W. Ind. 1732. 7.8. S. ½. S. ½. Sidica. W. Pilose. St. Domingo. 1793. 7.9. S. ♂. ——1.t. 1. f. f. 4. St. Domingo. 1793. 7.9. S. ♂. ——1.t. 1. f. f. 8. Sidica. W. Singing. Jamaica. 1781. 7.9. S. ½. ——1.t. 1. f. f. 8. Sidica. W. Singing. Jamaica. 1781. 7.9. S. ½. Cav. diss.1.t. 2. f. f. 7. Siddered. Mexico. 1795. ——S. ⅙. Cav. diss.1.t. 12. f. f. Siddered. Mexico. 1796. S. ⅙. S. ⊙. Bot. mag. 1541. Siddered. Mexico. 1799. 6.7. S. ⊙. Bot. mag. 1541. Siddered. Sidy. Silky. Silky				 America. 	1732.	7.8.	$s.\odot$.	Dill. elt. 7. t. 6. f. 6.
23 asiatica. W. 24 populifolia. W. 25 indica. W. 26 molliss *ia. W. 27 Sonneratiana. W. 28 arguta. W. 29 pilosa. W. 29 pilosa. W. 29 pilosa. W. 29 pilosa. W. 30 alba. W. 31 cordifolia. W. 32 urens. W. 32 urens. W. 33 umbellata. W. 35 triging. 36 hastata. W. 37 singing. 38 triging. 39 pilose. 30 alba. W. 40 paniculata. W. 41 paniculata. W. 42 paniculata. W. 43 paniculata. W. 44 paniculata. W. 45 pilose. 46 poniculata. W. 46 paniculata. W. 47 paniculata. W. 48 paniculata. W. 49 pilose. 50 pilose. 51 pilose. 52 pilose. 53 presicaria. W. 54 paniculata. W. 55 poniculata. W. 56 hastata. W. 57 pilose. 58 poniculata. W. 58 pilose. 59 pilose. 50 pilose. 50 pilose. 50 pilose. 51 pilose. 52 pilose. 53 poniculata. W. 54 paniculata. W. 55 poniculata. W. 56 paniculata. W. 57 pilose. 58 poniculata. W. 58 pilose. 59 pilose. 50 pilose. 50 pilose. 51 pilose. 52 pilose. 53 poniculata. W. 54 paniculata. W. 55 paniculata. W. 56 paniculata. W. 57 pilose. 58 paniculata. W. 58 pilose. 59 pilose. 50 pilose. 50 pilose. 50 pilose. 50 pilose. 51 pilose. 52 pilose. 53 pilose. 54 paniculata. W. 55 pilose. 55 pilose. 56 pilose. 57 pilose. 58 pilose. 58 pilose. 59 pilose. 50 pilose. 50 pilose. 50 pilose. 51 pilose. 51 pilose. 52 pilose. 53 pilose. 54 pilose. 55 pil				- Jamaica.				
26 molliss via. W. soft-leaved. Sonneratiana. W. Sonneratisa. W. Isoft Sonneratisa. W. Sonneratisa. W. Isoft Sonneratisa. W. Isoft Sonneratisa. W. Isoft Sonneratisa. W. Sonneratisa. W. Sonneratisa. W. Sonneratisa. W. Isoft Sonneratisa. Is	22 Abutilon. W.			- India.				
26 molliss via. W. soft-leaved. Sonneratiana. W. Sonneratisa. W. Isoft Sonneratisa. W. Sonneratisa. W. Isoft Sonneratisa. W. Isoft Sonneratisa. W. Isoft Sonneratisa. W. Sonneratisa. W. Sonneratisa. W. Sonneratisa. W. Isoft Sonneratisa. Is			•	- E. Ind.	1708	7.8.	- S .⊙.	
26 molliss via. W. soft-leaved. Sonneratiana. W. Sonneratisa. W. Isoft Sonneratisa. W. Sonneratisa. W. Isoft Sonneratisa. W. Isoft Sonneratisa. W. Isoft Sonneratisa. W. Sonneratisa. W. Sonneratisa. W. Sonneratisa. W. Isoft Sonneratisa. Is				_ India	1731.		. S.O.	
27 Sonneratiana, W. Sonnerat's smooth sharp-1 ⁴ . W. Ind. 1732. 7.8. S. h. pilose. St. Domingo. 1793. 7.9. S. d. — 1.t.1.f.8. St. Domingo. 1793. 7.9. S. d. Dill.elt.t.i71.f.210. St. Domingo. 1793. 7.9. S. d. Cav. diss.1.t.2.f.9. St. Domingo. 1793. 7.9. S. d. Cav. diss.1.t.2.f.9. St. Domingo. 1793. St. Domingo				- Peru.	1789.	6.7.	S. 3.	2.t.14.f.1.
28 arguta. W. smooth sharp-1 ^d .				- C. B. S.	1806.		· G. A.	
31 cordifolia. W. 32 urens. W. 33 umbellata. W. 34 paniculata. W. 35 vesicaria. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 triloba. W. 40 sericea. P.S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. Mearica. C. B. S. 4. C. B. S. 4. Jamaica. 1781. 7.9. S. ħ. Cav. diss.1. t. 2. f.7. 1788. S. ♂. Lav. diss.1. t. 12. f.5. 1785. S. ♂. Cav. diss.1. t. 12. f.5. 1785. S. ♂. Cav. diss.1. t. 12. f.5. 1795. S. ♂. Cav. diss.1. t. 12. f.5. 1796. S. ħ. 1799. 6.7. S. ⊙. Bot. mag. 1541. 1720. 7.9. G. ♂. Cav. diss.1. t. 10. f.3. 1720. 7.9. G. ♂. Jac. schœn. 2. t. 142. 1720. 7.9. G. ♂. Jac. schœn. 2. t. 142. 1720. 7.9. G. ♂. Jac. schœn. 2. t. 142. 1721. G. ⊙. Dill. elt. 3. t. 2. f. 2. 1722. G. ♂. Jac. schœn. 2. t. 142. 1723. S. ∱. 1724. G. O. 1725. G. J. 1726. S. ∱. 1727. G. ♂. 1727. G. ♂. 1728. S. ∱. 1729. G. ♂. 1729.				- W. Ind.	1732.	7.8.	S.h.	
31 cordifolia. W. 32 urens. W. 33 umbellata. W. 34 paniculata. W. 35 vesicaria. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 triloba. W. 40 sericea. P.S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. Mearica. C. B. S. 4. C. B. S. 4. Jamaica. 1781. 7.9. S. ħ. Cav. diss.1. t. 2. f.7. 1788. S. ♂. Lav. diss.1. t. 12. f.5. 1785. S. ♂. Cav. diss.1. t. 12. f.5. 1785. S. ♂. Cav. diss.1. t. 12. f.5. 1795. S. ♂. Cav. diss.1. t. 12. f.5. 1796. S. ħ. 1799. 6.7. S. ⊙. Bot. mag. 1541. 1720. 7.9. G. ♂. Cav. diss.1. t. 10. f.3. 1720. 7.9. G. ♂. Jac. schœn. 2. t. 142. 1720. 7.9. G. ♂. Jac. schœn. 2. t. 142. 1720. 7.9. G. ♂. Jac. schœn. 2. t. 142. 1721. G. ⊙. Dill. elt. 3. t. 2. f. 2. 1722. G. ♂. Jac. schœn. 2. t. 142. 1723. S. ∱. 1724. G. O. 1725. G. J. 1726. S. ∱. 1727. G. ♂. 1727. G. ♂. 1728. S. ∱. 1729. G. ♂. 1729.	29 pilosa. W.			- St. Domingo	. 1793.	7.9.	S. 3.	To: 11 als 4 1/71 f 010
32 urens. W. stinging. Jamaica. 1781. 7.9. S. ħ. Cav. diss.1. t. 2. f. 7. 33 umbellata. W. paniculata. W. paniculata. W. bladdered. Mexico. 1796. S. ħ. Cav. diss.1. t. 16. 35 vesicaria. W. bladdered. Mexico. 1796. S. ħ. — 2.t.14.f.3. 36 hastata. W. halberd-leaved. 1799. 6.7. S. ☉. Bot. mag. 1541. 37 cristata. W. Dilleniua's. 1720. 7.9. G. ☉. Cav. diss.1. t. 10. f. 3. 38 Dilleniana. W. Dilleniua's. 1720. 6.11. G. ☉. Dill. elt. 3. t. 2. f. 2. 39 triloba. W. three-lobed. 1720. 7.9. G. ♂. Jac. schœn. 2.t. 142. 40 sericea. P. S. silky. 1894. S. ♂. L'Her. stirp.1. t. 56. CRISTARIA. Cav. coccinea. Ph. Physic-Nut-like. CRISTARIA. Scarlet. Scarlet. Malvaceæ. J. Scarlet. Malvaceæ. J. Missouri. 1811. 7.9. H. ¼. Bot. mag. 1673. MALACHRA. W. Mallow-leaved. Malvaceæ. J. Malvaceæ				- E. Ind.	1732.	6.7.	<u>5.</u> ⊙.	
33 umbellata. W. 34 paniculata. W. 35 vesicaria. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 triloba. W. 40 sericea. P.S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. Malvaceæ. J. Mexico. 1796. S. J. 1799. 6.7. S. O. 189. Thirding. 1899. 6.7. S. O. 1899. Thirding. 1899. 6.7. S. 1899.				- C.D.S.				
34 paniculata. W. 35 vesicaria. W. 36 hastata. W. 37 cristata. W. 38 Dilleniana. W. 39 triloba. W. 40 sericea. P. S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. Malvaceæ. J. Mexico. 1795. S. ♂. Cav.diss.1.t.12.f.5. S. ∱. 1796. S. ∱. Cav.diss.1.t.12.f.5. S. ∱. Cav.diss.1.t.10.f.3. Alv. S. ∱. Cav.diss.1.t.10.f.3. Alv. S. ∱. S. ∱. Cav.diss.1.t.12.f.5. S. ∱. Cav.diss.1.t.11.f.4. Malvaceæ. J. Missouri. 1795. S. ∱. Cav.diss.1.t.12.f.5. S. Å. Cav.diss.1.t.10.f.3. Alv. S. ∱. S. Å. Cav.diss.1.t.12.f.5. S. Å. Cav.diss.1.t.12.f.5. S. Å. Cav.diss.1.t.12.f.5. Cav.diss.1.t.11.f.56. Cav.diss.1.t.11.f.56. Cav.diss.1.t.11.f.56. Cav.diss.1.t.11.f.4. Malvaceæ. J.					1788.		- S.J.	Jac. vind. 1. t. 16.
Stop				-	1795.	-	- S. 3.	Cav.diss.1.t.12.f.5.
37 cristata. W. 38 Dilleniana. W. 39 triloba. W. 40 sericea. P. S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. Crested. 1720. 7.9. G. O. Cav.diss.1.t.10.f.3. 1725. 6.11. G. O. Dill.elt. 3. t. 2. f. 2. 1725. 6.11. G. O. Dill.elt. 3. t. 2. f. 2. 1720. 7.9. G. O. Cav.diss.1.t.10.f.3. 1725. 6.11. G. O. Dill.elt. 3. t. 2. f. 2. 1804. — S. J. S. America. 1787. 8. S. J. L'Her. stirp.1.t.56. Malvaceæ. J. Missouri. 1811. 7.9. H. ¼. Bot. mag. 1673. Peru. 1794. 6.8. H. O. Cav.diss.1.t.11.f.4			·	 Mexico. 	1796.		- S.h.	
38 Dilleniana. W. 39 triloba. W. 40 sericea. P. S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. Dillenius's. 1725. 6.11. G.⊙. Dill.elt. 3. t. 2. f. 2. 1794. 7.9. G. ♂. Jac.schœn. 2. t. 142. 1804. — S. ♂. S. America. Nalvaceæ. J. Missouri. Missouri. 1811. 7.9. H. ¼. Bot. mag. 1673. Malvaceæ. J.								
19 triloba. W. 1904. 7.9. G. 3. Jac.schæn.2.t.142. 1904. 190					1720.	7.9.	G.⊙.	Dill elt. 3 t o f o
40 sericea. P. S. 41 jatrophoides. W. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malviolia. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MISSOURI. MALACHRA. W. MALACHRA. W. MALACHRA. W. MALACHRA. W. MISSOURI. MISSO				- C. B. S.	1794.	7.9.	G. A.	Jac.schœn. 2.t.142.
41 jatrophoides. W. Physic-Nut-like. S. America. 1787. 8. S. J. L'Her.stirp.1.t.56. CRISTARIA. Cav. coccinea. Ph. PALAVIA. W. malvifolia. W. Mallow-leaved. Malvaceæ. J. Missouri. 1811. 7.9. H. 4. Bot. mag. 1673. Malvaceæ. J. Peru. 1794. 6.8. H. ⊙. Cav.diss.1.t.11.f.4 Malvaceæ. J. Malvaceæ. J. Malvaceæ. J. Malvaceæ. J. Peru. 1794. 6.8. H. ⊙. Cav.diss.1.t.11.f.4					1804.			
CRISTARIA. Cav. CRISTARIA. Malvaceæ. J. coccinea. Ph. PALAVIA. W. malvifolia. W. MALACHRA. W. MALACHRA. W. Malvaceæ. J. Peru. 1794. 6.8. H.⊙. Cav.diss.1.t.11.f.4			,	- S. America.	1787.		S. J.	L'Her. stirp.1. t.56.
coccinea. Ph. scarlet. Missouri. 1811. 7.9. H. 4. Bot. mag. 1673. PALAVIA. W. Malvaceæ. J. Malvaceæ. Malvaceæ. J. Malvaceæ. Malvaceæ. J. Malvaceæ. Malvaceæ. J. Malvaceæ. J. Malvaceæ. J. Malvaceæ. J.		•	Malvaceæ. J.					
malvifolia. W. Mallow-leaved. ————————————————————————————————————	coccinea. Ph.			- Missouri.	1811.	7.9.	н.4.	Bot. mag. 1673.
MALACHRA. W. MALACHRA. Malvaceæ.J.				_ Pern	1504	6.9	HO	Cav diss. 1. t. 11. f 4
*** * 1				- I CIU.	1784.	0.0.	11.0.	Car. (105.11 011 111.4
1 capitata. W. headed. W. Ind. 1759. 8.9. S Cav. dis. 2. t. 33.f. 1.2.	1 capitata. W.	headed.		- W. Ind.	1759.	8.9.	S.O.	Cav.dis.2.t.33.f.1.2.

MONADELPHIA POLYANDRIA.

2 alceæfolia. W.	Hollyhock-leavd.	Malvaceæ. J.	Caracas.	1805. 8.		Jac. ic. 3. t. 549.
3 radiata. W.	rayed.		St.Domingo.	1794. 7.8	s. S.J.	Cav. diss.2.t.33.f.3.
ALTHÆA. W.	MARSH MALLOW		70. 24. 2		o II a	Euro hat 14"
1 officinalis. W. 2 narbonensis. W.	common. Narbonne.		S Europe			Eng. bot. 147. Jac. ic. 1. t. 138.
3 cannabina. W.	Hemp-leaved.		. S. Europe.	1597. 6.	7. H. 24.	Jac. aust. 2. t. 101.
4 birsuta. W.	hairy.			1683. —	-H.O.	2. t. 170.
5 Ludwigii. W.	Ludwig's.		Sicily.	1791	—н.⊙́.	2. t. 170. Cav.diss.2. t.30. f.3. 2.t.27.f.3.
6 acaulis. W.	stemless.		Aleppo.	1680	— H.⊙.	2.t.27.f.3.
7 rosea. W.	Hollyhock.		China.	1573. 7.	9. H.J.	2.t.28.f.1.
8 pallida, W.	pale-flowered.		Hungary.		8. H.J.	D.4 1010
9 caribæa. B. M. 10 flexuosa. B. M.	West Indian.		W. Ind.			Bot. mag. 1916.
11 ficifolia. W.	Seringapatam. Fig-leaved.		Levant.			Cav.diss.2.t.28.f.2.
MALVA. W.	MALLOW.	Malvaceæ. J.	220 1 1111	100,100		- CU T CO
1 spicata. W.	simple-spiked.		Jamaica.	1726. 9.1	10. S.h.	Cav.diss.2.t.20.f.4.
2 polystachia. W.	many-spiked.		Peru.			5.t.138.f.3.
3 borbonica. W. en.	Bourbon.		Mauritius.	1816. —		
4 scoparia. W.	Birch-leaved.		Peru.			Jac. ic. 1. t. 139.
5 tricuspidata. H. K. coromandeliana. W			w.ina.	1/20. 7.8	o. 0.0.	Cav.diss.2. t.22. f.2.
6 americana. W.	American.	•		1756. 6.	7. H.⊙.	
7 calycina. W.	large-calyxed.		C. B. S.			Cav.diss.2.t.22.f.4.
8 angustifolia. W.	narrow-leaved.		Mexico.			Cav. ic. 1. t. 68.
9 scabra. W.	rough-stemmed.		Peru.			Cav.diss.5.t.138.f.1
10 leprosa. W. en.	leprous.		Cuba.	1815. 5.		
11 peruviana. W.	Peruvian.		Peru.			Jac. vind. 2. t. 156.
12 limensis. W. 13 capitata. W.	blue-flowered. various-leaved.					2. t. 141.
14 bryonifolia. W.	Bryony-leaved.		CBS	1731 7 9	Q G L	Cav.diss.5.t.137.f.1 Wen.hort.her.1.t.4
15 asperrima. W. en.	roughest.			1796. 6.	9. G.h.	Jac. scheen. 2. t. 39.
16 procumbens. W. en.			S. America.	1815. —	- G. 4.	
17 abutiloides. W.	Bahama.		Bahama Isl.	1725. —	— G. ħ.	Jac.schæn.3. t.293.
18 stricta. W.	upright.		C. B. S.	1805. 5.8	8. G.h.	Jac.schœn.3. t.293. 2. 3. t.294. Cav. ic. 1. t. 20.
19 lactea. W.	panicled white.		Mexico.	1780. 1.9	2. G.h.	Cav. ic. 1. t. 20.
20 operculata. W.	lid-capsuled.		Peru.	1795. 7.3	8. G. n.	Cav. ic. 1. t. 20. Cav. diss. 2. t. 35. f. 1. Jac. vind. 3. t. 38. Cav. diss. 2. t. 24. f. 3. Jac. ic. 1. t. 140. Cav. diss. 2. t. 24. f. 2. ——————————————————————————————————
21 fragrans. W. 22 capensis. W.	fragrant. Capc.		С. Б. S.	1719. 1.1	7. G. h.	Car diss 9 t 94 f 2
23 balsamica. W.	balsamic.			1800. 5.9	G. b.	Jac. ic. 1. t. 140.
24 grossularifolia. W.	Gooseberry-lead.			1732. —	- G. h.	Cav.diss.2. t.24. f.2. 2
25 virgata. W.	twiggy.			1727. 5.7	7. G.h.	2. t.18. f.2.
26 miniata. W.	*		S. America.			
27 retusa. W.	blunt-leaved.		C. B. S.	1803. 3.	5. (t.h.	Cav.diss.2, t.21.t.1.
28 tridactylides. W. 29 divaricata. H. K.	reflex-flowered.			1791, 6.8	S. G.h.	182.
30 caroliniana. W.	straddling. creeping.		Carolina	1792. 6.5	. H.Ω	Cav dies 9 t 15 f 1
31 prostrata. W.	trailing.		Brazil.	1806. 6.8	3. G.h.	Cav.diss. 2. t. 15. f. 1. 25
32 parviflora. W.	small-flowered.		Barbary.			Jac. vind. 1. t. 39.
33 rotundifolia. W.	round-leaved.		Britain.			Eng. bot. 1092.
β pusilla.	dwarf.					241.
\$4 sylvestris. W.	common.		Britain.			Eng. bot. 671.
35 mauritiana. W. 36 hispanica. W.	Ivy-leaved. Spanish.		Spain			Cav.diss.2.t.25.f.2. Desf. atl. 2. t. 170.
37 verticillata. W.	whorl-flowered.		China.			Jac. vind. 1. t. 40.
38 crispa. W.	curled.		Syria.			Cav.diss.2, t.23, f.1.
39 stipulacea. W.	long-stipuled.		Spain.			2. t.15. f.2.
40 Alcea. W.	Vervain.		Germany.	1597.7.10	o. H.4.	2. t.17.f.2, 22
41 moschata. W.	musk.					Eng. bot. 754.
42 elegans. W.	elegant.					Jac. col. 4. t. 6. f.1.
43 Tournefortiana. W. 44 ægyptia. W.			Egypt.			Cav.diss.2. t.17. f.3.
45 trifida. W.	Egyptian. large-flowered.		Spain.			2. t.17. f.1. 5. t.137. f.2.
LAVATERA. W.		Malvaceæ. J.	- Presser		0.	0.0.10/11/49
1 arborea. W.	Tree Mallow.		Britain.	7.10	о. н. đ.	Eng. bot. 1841.
2 micans. W.	glittering.		Spain.			Mor. his. 1. t. 17. f.9.
3 Olbia. W.	downy-leaved.		France.	1570. 6.1	0. G. h.	Cav.diss.2.t.32.f.2.
4 unguiculata. P. S.	clawed.		Almiene	1807. 7.9	. G.h.	D. C. 41 A. 1
5 hispida. P. S.	hispid.		Algiers.	1750	. G.h.	Desf. atl. 2. t. 171.
6 triloba. W. 7 lusitanica. W.	three-lobed. Portugal.		Portugal.	1731. 8.9		Jac. vind. 1. t. 74.
		*7 -			16,	

MONADELPHIA POLYANDRIA.

8 maritima. W.		Malvaceæ. J.	S. Europe.			Cav.diss.2. t.32.f.3.
9 thuringiaca. W.	large-flowered. Cretan.		Candia	1731. 7.9. H.	4. J	Jac. vind. 1. t. 41.
11 punctata. W.	spotted-stalked.		Italy.	1800. — H.	$\overset{\circ}{\circ}$.	, ac. 111 a. 1
12 trimestris. W.	common annual.		S. Europe.	1633. — H.		Bot. mag. 109.
RUIZIA. W.	Ruizia.	Malvaceæ. J.	•		_	
variabilis. W.	various-leaved.		Bourbon.	1792. 5. S.	h. 3	Jac.schæn.3.t.295.
MALOPE. W.	MALOPE.	Malvaceæ. J.	T 1		4	0 - 1 - 0 + 0 = 61
1 malacoides. W.	Barbary. trifid.		Barbary.			Cav.diss.2. t.27. f.1.
2 trifida. W. KITAIBELIA. W.	KITAIBELIA.	Malvaceæ. J.		1808. 7. H.	<u>.</u>	2.t.27.f.2.
vitifolia. W.	Vine-leaved.		Hungary.	1801. 7.9. H.	21.	Bot. mag. 821.
URENA, W.	URENA.	Malvaceæ. J.				. O
1 lobata. W.	angular-leaved.		China.	1731. 6.7. G.	ħ.	Cav.diss.6.t.185.f.1
2 americana. W.	American.		Surinam.			Sloan.his.1.t.11.f.2
3 sinuata. W.	cut-leaved.		E. Ind.	1759. 7.8. S.	.h.	Cav.diss.6.t.185.f.2
4 multifida. W.	multifid.			1817. 10.1. S.	٠. ۲۰۰۰	6.t.184.f.2.
GOSSYPIUM. W. 1 herbaceum. W.	COTTON.	Malvaceæ. J.	F Ind	1594. 7. S.	0	Cav.dis. 6.t. 164.f.2.
2 arboreum. W.	tree.			1604 79 8	I.	6. t. 193.
3 vitifolium. W.	Vine-leaved.	*		1805 S.	Ъ.	6. t. 166.
4 hirsutum. W.	hairy.		S. America.	1731. 7.8. S.	8.	6.t. 167.
5 religiosum. W.	spotted barked.		India	1777. 7. S.	μ.	6.t.164.f.1
6 barbadense. W.	Barbadoes.		Barbadoes.		3.	Bot. reg. 84.
HIBISCUS. W.	Hibiscus.	Malvaceæ. J.				
1 Moscheutos. Ph.	swamp.		N. Anterica.	8.10. H.	.24 .	Cav.diss.3. t.65. f.1.
2 palustris. Ph.	marsh.		N. (1) x 1	1759. 7.9. H.	24 . :	3. t.65. f.2.
3 Patersonii, H. K.	Norfolk Island.		Nortolk Isl.	1792. 6.8. G.	h.	вот. гер. 286.
Lagunæa Paterson: 4 incanus. Ph.	hoary.		Carolina	1806. 9. G.	n .	Wend.hort.her.t.24
5 militaris. Ph.	smooth.		Louisiana.	1804. 8.9. G.	21.	Cav.diss.6.t.198.f.2 23
6 populneus. W.	Poplar-leaved.		E. Ind.	1770 S	ь.	Rheed. mal.1.t. 29.
7 tiliaceus. W.	Lime-tree-leavd.			1739. 78. S	h .	Bot. reg. 232.
8 elatus. Sw.	tall.		Jamaica.	1790 S.	. ħ.	Cav.diss.3.t.56.f.2.
9 Lampas. W.	three-pointed.		E. Ind.	1806 S.	h.	Cav.diss.3.t.56.f.2.
10 membranaceus. W.				1816 S.	·h·	3.t.57.f.2.
11 lunarifolius. W.	Lunaria-leaved.		· E. Ina.	3	. 12 .	
12 Rosa-sinensis. W.	China Rose.		-	1731. 7.8. S.	. h.	Bot. mag. 158.
B rubro-plenus.	double red.					
y flavo-plenus.	double buff. double striped.					
δ variegato-plenus. 13 phœniceus. W.	numle-flowered.			1796 S	ъ.	Bot. reg. 280. Cav.diss.3.t.66.f.1.
14 micranthus. H. K.	small-flowered.			1794 S	. h	Cav.diss.3.t.66.f.1.
15 æthiopicus. W.	dwarf wedge-led.		- C. B. S.	1774. 8. G	. 17 .	3. t.61. f.1.
16 mutabilis. W.	changeable.		E. Ind.			Bot. rep. 228 5 50
B flore pleno.	double-flowered.		•	* 1		-
17 syriacus. W.	Althæa frutex.		- Syria.	1596. 8.9. H	· h ·	Bot. mag. 83.
a purpureus.	purple-flowered.	· ·				
β ruber.	red-flowered.					•
η albus. δ variegatus.	white-flowered. striped-flowered.			w		
ε albo-plenus.	double white.					
3 purpureo-plenus.	double purple.					
18 acerifolius. P. L.	Maple-leaved.	Charles of the second of the s	- China.	1798. 3.6. G	. Ъ.	Par. lond. c. ic.
19 diversifolius. W.	different-leaved.		- E. Ind.	6.7. S	. ħ.	Jac. ic. 3. t. 551. 381
20 ficulneus. W.	Fig-leaved.		- Ceylon.	1732. 6.7. S	. h.	Cav.diss.3. t.52. f.2.
21 Sabdariffa. W.	Indian.					6.t.198.f.1.
22 speciosus. W.	superb.		- Carolina.			Bot. mag. 360.
23 pruriens. B. R.	stinging.		- E. Ind.			Bot. rep. 498.
24 heterophyllus. H.K. 25 cannabinus. W.	Hemp-leaved.			1803. 8.9. G	· /2 •	Rox. cor. 2. t. 190.
26 surattensis. W.	prickly-stalked.		E. Ind.	- 1731. 7.9. S	. 0	Bot. mag. 1356.
27 radiatus. W.	rayed.					1911.
28 Manihot. W.	palmated.		- China.	1712. 7.9. S	. h	1702.
29 scaber. Ph.	scabrous.		- Carolina.	1810. 7.9. G		
30 furcatus. W. en.	forked-calyxed.		- E. Ind.	1816. —— S	S.O.	
31 Abelmoschus. W.	Musk Okro.		- India.	1640. —— S	S.h.	Rheed.mal, 2.t. 33.
32 pedunculatus. W.	long-peduncled.					Bot. reg. 231.
33 esculentus. W.	eatable.		- W. Ind.			Cav.diss.3.t.61.f.2.
34 clypeatus. W.	shield-capsuled.		- Jamaica.	1759. 7.8. S	· 5 ·	

			a)				
35 tubulosus. W.	tubular.	Malvaceæ. J.	E. Ind.	1796.	7.10.	S. đ.	Cav.diss. 3. t. 68.f.2.
36 vitifolius. W.	Vine-leaved.						Rheed.mal.6.t.46.
37 virginicus. W.	Virginian.		Virginia.	1798.	7.9.	H.4.	Jac. ic. 1. t. 142.
38 pentacarpos. W.	angular-fruited.		Venice.				1. t. 143.
39 vesicarius. W.	African.		Africa.	1713.	7.8.	H.⊙.	Cav.diss.3.t.64.f.2.
40 Trionum. W.	Bladder Ketmia.		Italy.	1596.	6.9.	$H.\bigcirc$.	Bot. mag. 209.
41 hispidus. Mill.	hispid.		C. B. S.				ayar William
PAVONIA. W.	PAVONIA.	Malvaceæ. J.				-	
1 præmorsa. W.	bitten-leaved.		C.B.S.	1774.	6.8.	G.h.	Bot. mag. 436.
2 spinifex. W.	prickly-seeded.		W. Ind.	1778.	7.8.	S.h.	Jac. vind. 2. t. 103. ?
3 odorata. W.	fragrant.		E. Ind.	1807.		S.h.	
4 coccinea. W.	scarlet.		St.Domingo.	1816.		S. h.	Cav.diss.3. t.47.f.1.
5 columella. W.	angular-leaved.		Bourbon.	1307.	7.	S.h.	3.t.48.f.3.
6 urens. W.	stinging.		Mauritius.	1801.		S.h.	Jac. vind. 2. t. 103. ? Cav.diss.3, t.47.f.1. — 3.t.48.f.3. Jac. ic. 3. t. 522. Cav.diss.3, t.48.f.2.
7 zeylanica. W.	Ceylon.		E. Ind.	1790.	7.9.	S.O.	Cav.diss.3. t.48.f.2.
ACHANIA. W.	ACHANIA.	Malvaceæ. J.					>
1 Malvaviscus. W.	scarlet.			1714.	1.12.	S.h.	Cav.diss.3. t.48. f.1.
2 mollis. W.	woolly.			1780.	8.9.	S.h.	Bot. reg. 11. 23
3 pilosa. W.	hairy.		Jamaica.	1	0.11.	S. h.	
MYRODIA. W.	Myrodia.	Malvaceæ. J.					2
turbinata. W.	short-flowered.		W. Ind.	1793.		S.h.	
GORDONIA. W.	GORDONIA.	Malvaceæ. J.					
1 Lasianthus. W.	smooth.		N. America.	1739.	8.11.	G. h.	Bot. mag. 668.
2 pubescens. W.	pubescent.		Carolina.	1774.		F.h.	Vent. malm. t. 1.
Lacathea florida. P	. L. 56.		7				
STUARTIA. W.	STUARTIA.	Tiliaceæ. J.					
 Malachodendron.W 	common.		N. America.	1742.	5.8.	H.h.	Bot. rep. 397.
2 pentagyna. W.	curled.			1785.	7.8.	H.h.	Exot. bot. 2. t. 110.
Malachodendron ov	atum. Cav.						
CAMELLIA. Ker.	CAMELLIA.	Aurantiæ. J. Ca	mellia & Thea	\mathcal{W} .			
1 Bohea.	Bohea Tea.		China.	1768.	8.12.	G.h.	Bot. mag. 998.
Thea Bohea. a. lax	a. H. K. T. chine	nsis. β. B. M.					
2 viridis.	Green Tea.				11.2.	G.h.	Hill exot. t. 22.
Thea Bohea. B. stri	cta. H. K. certain	ly a distinct specie	25.				
3 Sasanqua. W.	Lady Banks's.			1811.	11.2.	G.h.	Bot. reg. 12.
4 japonica. W.	common.					G. L.	
a rubra.				1739.	12.5.	0.16.	
0 11	single red.			1739.	12.5.	G. h.	Bot. mag. 42.
β alba.	single white.			1739.	12.5.	G. h.	Bot. mag. 42.
g awa. g semiduplex.				1739.	12.5.	G. h. G. h. G. h.	Bot. mag. 42. Bot. rep. 559.
	single white. semi-double red. double red.			1739.	12.5.	G.h. G.h. G.h.	Bot. mag. 42. Bot. rep. 559. 199.
y semiduplex. 8 rubro-plena.	single white. semi-double red. double red. Middlemist's	ly a distinct specie		1739.	12.5.	G.h. G.h. G.h.	Bot. rep. 559.
g semiduplex. 8 rubro-plena. 2 carneo-plena.	single white. semi-double red. double red.' { Middlemist's } red.			• • • •		G.h.	
y semiduplex. 8 rubro-plena. 1 carneo-plena. 2 myrtifolia.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved.			• • • • •		· G. ħ. · G. ħ.	Bot. mag. 42. Bot. rep. 559. 199. Bot. mag. 1670.
g semiduplex. 8 rubro-plena. 2 carneo-plena.	single white. semi-double red. double red. { Middlemist's } red. } Myrtle-leaved. Loddiges' red.			• • • •		G.h.	
y semiduplex. δ rubro-plena. ε carneo-plena. ζ myrtifolia. η atrorubens.	single white. semi-double red. double red. { Middlemist's } red. Myrtte-leaved. Loddiges' red. { Waratah-					G.h. G.h. G.h.	Bot. mag. 1670.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 3 atrorubens. 9 anemoniflora.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered.			• • • • • • • • • • • • • • • • • • • •		G.h. G.h. G.h. G.h.	
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 9 anemoniflora. 4 pæoniflora.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. } Pæony-flowered					G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 3 anemoniflora. 4 pæoniflora. 2 variegata.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { If wratah- flowered. Pæony-flowered double-striped.					G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1654. Bot. rep. 91.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 9 anemoniflora. 4 pæoniflora.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Wuratah- flowered. Pæony-flowered double-striped. Kew blush.					G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 3 atrorubens. 3 anemoniflora. 4 pæoniflora. 2 variegata. 3 pomponia.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Howered. flowered. Pæony-flowered double-striped. Kew blush. { Hume's-					G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. * Bot. mag. 1654. Bot. rep. 91. Bot. reg. 22.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 9 anemoniflora. 1 pæoniflora. 2 variegata. 2 pomponia. 4 flavescens.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. } Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff.}					G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. rep. 91. Bot. reg. 92.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 4 anemoniflora. 4 variegata. 5 pomponia. 6 flavescens. 7 albo-plena.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white.					G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. * Bot. mag. 1654. Bot. rep. 91. Bot. reg. 22.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 9 anemoniflora. 1 pæoniflora. 2 variegata. 2 pomponia. 4 flavescens.	single white. semi-double red. double red. { Middlemist's } Myrtle-leaved. Loddiges' red. { IV aratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white. long-leaved.					G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. rep. 91. Bot. reg. 92.
y semiduplex. 8 rubro-plena. c carneo-plena. g myrtifolia. n atrorubens. s anemoniflora. variegata. n pomponia. u fluvescens. g albo-plena. g longifolia.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. } Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. } double white. long-leaved. { Lady (Adl.)					G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. reg. 91. Bot. reg. 22. 112. Bot. rep. 25.
y semiduplex. 8 rubro-plena. E carneo-plena. 2 myrtifolia. n atrorubens. 9 anemoniflora. I pæoniflora. N variegata. N pomponia. µ flavescens. I longifolia. I rubricaulis.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved. { Lady (Adl.) Campbell's.}					G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. reg. 91. Bot. reg. 22. 112. Bot. rep. 25.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 3 anemoniflora. 4 pæoniflora. 4 variegata. 5 pomponia. 4 flavescens. 9 albo-plena. 5 longifolia. 6 rubricaulis. BARRINGTONIA.W.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's. BARRINGTONIA.	Myrti. J. Buton	vica. Lam.			G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. reg. 91. Bot. reg. 22. 112. Bot. rep. 25.
y semiduplex. 8 rubro-plena. c carneo-plena. y myrtifolia. n atrorubens. matrorubens. matroruben	single white. semi-double red. double red. { Middlemist's } Myrtle-leaved. Loddiges' red. { Waratuh- flowered. } Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. } double white. long-leaved. { Lady (Adl.) Campbell's.} BARRINGTONIA. Laurel-leaved.	Myrti. J. Buton	tica. Lam. - E. Ind.			G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. reg. 91. Bot. reg. 22. 112. Bot. rep. 25.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 3 atrorubens. 9 anemoniflora. 4 pæoniflora. 4 variegata. 5 pomponia. 4 flavescens. 7 albo-plena. 5 longifolia. 6 rubricaulis. BARRINGTONIA.W. speciosa. W. GUSTAVIA. W.	single white. semi-double red. double red. { Middlemist's } Myrtle-leaved. Loddiges' red. { If wratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white. long-leaved. { Lady (Adl.) Campbell's. BARRINGTONIA. Laurel-leaved. GUSTAVIA.	Myrti. J. Buton Myrti. J. Pirige	vica. Lam. - E. Ind. vri. J.	1786.		G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1654. Bot. rep. 91. Bot. reg. 22. —————————————————————————————————
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 4 atrorubens. 9 anemoniflora. 4 pæoniflora. 5 variegata. 5 pomponia. 6 flavescens. 7 albo-plena. 5 longifolia. 6 rubricaulis. BARRINGTONIA,W. speciosa. W. GUSTAVIA. W. augusta. W.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. } Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white. long-leaved. { Lady (Adl.) Campbell's.} BARRINGTONIA. Laurel-leaved. GUSTAVIA. august.	Myrti. J. Buton Myrti. J. Pirige	vica. Lam E. Ind. vri. J Guiana.	1786.		G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1670. Bot. reg. 91. Bot. reg. 22. 112. Bot. rep. 25.
y semiduplex. 8 rubro-plena. 2 carneo-plena. 3 myrtifolia. 3 atrorubens. 9 anemoniflora. 4 pæoniflora. 4 variegata. 5 pomponia. 4 flavescens. 7 albo-plena. 5 longifolia. 6 rubricaulis. BARRINGTONIA.W. speciosa. W. GUSTAVIA. W.	single white. semi-double red. double red. { Middlemist's } Myrtle-leaved. Loddiges' red. { If wratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white. long-leaved. { Lady (Adl.) Campbell's. BARRINGTONIA. Laurel-leaved. GUSTAVIA.	Myrti. J. Buton Myrti. J. Pirige	vica. Lam. - E. Ind. vri. J. - Guiana.	1786.		G.h. G.h. G.h. G.h. G.h. G.h. G.h. G.h.	Bot. mag. 1654. Bot. rep. 91. Bot. reg. 22. —————————————————————————————————

CLASS XVII.

DIADELPHIA PENTANDRIA.

MONNIERIA. W.	Monnieria.				
trifolia. W.	three-leaved.		Guiana.	1792. 7.8. S.O.	Aub. gui. 2. t. 293.
PETALOSTEMUM }	PETALOSTEMUM.	Leguminosæ. J.	Daleæ sp. W.		
1 candidum. Ph.	white.		N. America.	1811. 7.8. H.4.	Mich.am.2.t.37.f.1.
2 carneum. Ph.	flesh-coloured.				D
3 violaceum. Ph. 4 corymbosum. Ph.	purple. corymbose.			7.9. H.4.	Bot. mag. 1707.
Dalea Kuhnistera.					
		•			
CONTINUES	0	HEXANDRIA		-	•
CORYDALIS. Vent. 1 Cucullaria. P. S.	CORYDALIS. naked-stalked.	Papaveraceæ. J.	N America	L. 1731 67 H N	Bot mag. 1127.
2 formosa. Ph.	blush.		- Tr. Trincinca:	1796. — H. 4.	1335.
3 eximia. B. Reg.	choice.			1812. — H.4.	Bot. mag. 1127. 1335. Bot. reg. 51. Vent. choix. t. 19. Bot. rep. 614. Bot. mag. 232. Eng. bot. 1471.
4 fungosa. Ph.	spongy-flowered.	8 7 3 24	Cilconia	1778. 6.9. H. J.	Vent. choix. t. 19.
5 nobilis. P. S. 6 bulbosa. P. S.	great-flowered. hollow-rooted.		Europe.	1783. 5. H.4.	Bot. nag. 232.
7 fabacea. W. en.	Bean-leaved,		Germany.	1815. —- H.4	
8 Halleri. W. en.	solid-rooted.		Britain.	2.5. H.4.	Eng. bot. 1471.
Fumaria solida. I	5. mag. 231.				
9 sempervirens. P. S. 10 aurea. W. en.	golden.			1683. 7.8. H.⊙. 1812. 5.7. H.♂.	Bot. mag. 179.
11 lutea. P. S.	yellow.		England.	4.10. H. 4	Eng. bot. 588.
12 capnoides. P. S.	white-flowered.		S. Europe.	1596. 5.10. H.J	
13 claviculata. W.	climbing.		· Britain.	6.7. H.⊙.	Eng. bot. 103.
CYSTICAPNOS. W.er africana. W. en.	African.	Papaveraceæ. J.	. C. B. S.	1696, 6.7, H.⊙.	Boerh.lugd.1.t.300
Fumaria vesicaria.			C. B	10000 0111 1210	
FUMARIA. P. S.	FUMITORY.	Papaveraceæ. J.			70 - 4 - 2 (4
1 enneaphylla, P. S.			· Spain.	1714. 5.7. H.4. 5.8. H.⊙.	Boc.mus.2.t 73.f.1.
2 officinalis. P. S. 3 capreolata. P. S.	common. ramping.		Dritain.	ra II 🔿	049
4 parviflora. P. S.	smail-flowered.		- England.	5.9. H. O. 1714. 7.8. H. O.	590.
5 spicata. P. S.	narrow-leaved.	¢	· S. Europe.	1714. 7.8. H.⊙.	
		OCTANDRIA			
POLYGALA. W.	MILKWORT.	To 11 1 Y			
1 incarnata. W.	flesh-coloured.		N. America.	1812. 6.7. H.⊙.	Jac. aust. 5. t. 419. 24 Eng. bot. 76. Jac. aust. 5. t. 413. Bot. mag. 345. Bot. reg. 150. 25/780
2 amara. W.	bitter.		Europe.	1775. 6. H.4.	Jac. aust. 5. t. 412.
3 vulgaris. W. 4 major. W.	large Austrian		- Britain	1720 79 H M	Jac. aust. 5. t. 413.
5 paucifolia. W.	naked-stalked.		N. America.	1812. 5.8. H. 4	,
6 bracteolata. W.	spear-leaved.		. C. B. S.	1713. 5.10. G.h.	Bot. mag. 345.
7 speciosa. B. M.	showy.			1814. — G. h	Bot. reg. 150.45//00
8 teretifolia. W. 9 purpurea. H. K.	purple.	*	N America	5.6. H.h.	Бот. гер. 370.
10 virgata. Th.	iwiggy.		- C. B. S.	1812. 5.8. G.h.	
11 myrtifolia. W.	Myrtle-leaved.			1707. — G. h.	Com. hort. 1. t. 46.
12 oppositifolia. W.	opposite-leaved.			1790. — G. h	Bot. mag. 492. 63
13 cordifolia. W.	heart-leaved.			1791. 3.8. G.h.	estima 1
15 spinosa. W.	spiny.			1780. 1.5. G.h.	
16 Chamæbuxus. W.	Box-leaved.	·	- Austria.	1658. 5.6. H.h	Bot. mag. 316.
17 alopecuroides. W.	Fox Tail.	***************************************	- C. B. S.	1800. 5.8. G.h.	1006.
18 Heisteria. W. 19 mixta. W.	Furze-leaved.			1787. 1.12. G. h	1714.
20 filiformis. W.	filiform.			1812. 5.12. G.h.	,
21 micrantha. W.	small-flowered.			1800. 1.12. G.h	Bot. rep. 324.
22 stipulacea. W.	stipuled.		NI A.	1801. 4.9. G. h	Bot. mag. 316. Bot. mag. 316. 1006. 340. 1714. Bot. rep. 324. Bot. mag. 1715. 1051. Pluk,amal,t.438,f 6
23 Senega. W. 24 lutea. W.	mattiesnake Root		- IN. America.	6.7. H.O.	Pluk.amal.t.438.f.6
25 viridescens. W.	greenish-flowerd.			1815. 7.8. H.⊙.	
	_			40	E Common of the

DIADELPHIA DECANDRIA.

	22 22 23 23						200
26 sanguinea. W.	purple-spiked.	Dedicalares I	N America	1730	7 0	HO	Pluk.man.t.438.f.5
27 verticillata. W.	whorl-leaved.						
	four-leaved.				6 7	H.O.	t.438.f.4
28 cruciata. W. SECURIDACA. W.					0.7.	н.⊙.	
	SECURIDACA.	Leguminosæ? J.	TIT Ind	1700		ет	I
volubilis. W.	climbing.		W. Ind.	1739.	• • • •	5. n.	Jac.amer.t.183.f.38
	-	WOANDDYA			5		
MICCOLLA MI	_	DECANDRIA.					
NISSOLIA. W.	NISSOLIA.	Leguminosæ. J.	0			G T	T
fruticosa. W.	shrubby.		S. America.	1766.	7.11.	5. h.	Jac. vind. 2. t. 167.
DALBERGIA. W.	DALBERGIA.	Leguminosæ. J.				0.7	
1 latifolia. W.	broad-leaved.		E. Ind.	1811.	• • • •	S. h.	Rox. cor. 2. t. 113.
2 rubiginosa. W.	climbing.				• • • •	S. 12 .	2. t. 115. 2. t. 114.
3 paniculata. W.	panicled.				• • • •	S.h.	2. t. 114.
PONGAMIA. Vent.	Pongamia.	Leguminosæ. J. 1					
glabra. P. S.	smooth-leaved.		E. Ind.	1699.	• • • •	S.h.	Vent. malm. t. 28.
PTEROCARPUS. W.	PTEROCARPUS.	Leguminosæ. J.					
1 Marsupium. W.	emarginate-lead.		E. Ind.	1811.		S.h.	Rox. cor. 2. t. 116. Lam. ill. t. 602. f. 5.
2 lunatus. W.	crescent-podded.		S. America.	1792.		S.h.	Lam. ill. t. 602. f. 5.
3 santalinus. W.	Red Sandal Wood		E. Ind.	1800.		S. h.	
4 Ecastaphyllum, W.	oval-leaved.		W. Ind.	1733.		S.h.	Brown.jam.t.32.f.1.
AMERIMNUM. W.	AMERIMNUM.	Leguminosæ, J.					
1 Brownei. W.	Browne's.	0	W. Ind.	1793.		S. b .	Jac.amer.t.180.f.58
2 latifolium. W.	broad-leaved.		S. America.	1814.		S.b.	t.177.f.50
3 Ebenus. W.	Jamaica Ebony.		W. Ind.	1713.	7.8.	S.h.	Brown.jam.t.31.f.2
DIPTERIX. W.	TONOUIN BEAN.	Leguminosæ. J.	Sarnosna Gæ	rt.	,	12 •	210 migunitio in 2
odorata. W.	sweet-scented.	Degammosa.v.				SL	Aub. gui. 2. t. 296.
outifaca. W.	(WILD)		Guiana.	1750.	• • • •	r. 15 .	11ab. 5al. 2. t. 230.
ABRUS. W.		Leguminosæ. J.					
	Liquorice.		337 T. 1	1.000	9.5	e r	Bb 1 1 0 + 00
precatorius. W.	Jamaica.		W. Ind.	1680.	3.5.	3. n.	Rheed.mal. 3. t. 39.
ERYTHRINA. W.	CORAL TREE.	Leguminosæ. J.				G 7	70 .
1 herbacea. W.	herbaceous.		Carolina.				Bot. mag. 877.
2 carnea. W.	flesh-coloured.		Vera Cruz.	1733.		S. h.	Trew. chret. t. 8.
3 Corallodendrum. W			W. Ind.	1690.	5.6.	S.h.	Comm.hort.1.t.10\$
4 indica. W.	Indian.		E. Ind.				Rheed. mal. 6. t. 7.
5 fusca. W.	brown-flowered.						Rumph.amb.2.t.78.
6 caffra. W.	Cape.		C. B. S.	1816.		G.h.	The F343 . 5
7 picta. W.	prickly-leaved.		E. Ind.	1696.		S.h.	Rumph.amb.2. t.77
8 speciosa. H. K.	large-flowered.		W. Ind.	1805.	8.10.	S. 12.	Bot. rep. 443.
9 Crista-galli. W.	Cock's Comb.		Brazil.				Exot. bot. 2. t. 95.
BUTEA. W.	BUTEA.	Leguminosæ. J.				•	
- 1 frondosa. W.			E. Ind.	1796.		S.h.	Roxb. cor. 1. t. 21.
2 superba. W.	smooth-branchd.						1. t. 22.
PISCIDIA. W.	PISCIDIA.	Leguminosæ. J.		.,,,,,,		0.12	1.00 2.00
	[Jamaica]						
Erythrina. W.	Dogwood.		W. Ind.	1690.		S.h.	Lam. ill. t. 605.
BORBONIA. W,	Borbonia.	Leguminosæ. J.					
1 ericifolia. W.	Heath-leaved.	negummosæ. o.	CDE	1010	~ 0	CI	
	fleath-leaved.		С. Б. З.	1012.	1.0.	G.n.	Districtor 4 com 5 4
2 trinervia. W.	three-nerved.			1759.		G.h.	Pluk.alm.t.297.f.4.
3 lanceolata. W.	many-nerved.			1752.		G.h.	Jac. schæn. 2. t. 217.
4 perfoliata. W.	perfoliate.			1812.		G.h.	
5 undulata. W.	wave-leaved.					G. h.	Pluk.alm.t.297.f.4. Jac.schæn.2.t.217. Jac.schæn.2.t.218.
6 cordata. W.	heart-leaved.			1759.	7.9.	G. h.	Jac.schœn.2.t.218.
7 crenata. W.	noten-leaved.			1774.	6.8.	G.h.	Bot. mag. 274.
SPARTIUM. W.	Broom.	Leguminosæ. J.					
1 junceum. W.	Spanish.		S. Europe.	1548.	7.9.	H.h.	Bot. mag. 85.
β flore pleno.	double-flowcred.						
2 monospermum. W.	white single-			1600	c =	ĊI	600
z monospermam. w.	seeded.			1090.	0.7.	G.n.	683.
01 337	(yellow)					O T	n 1
3 sphærocarpon. W.	single-sceded			1731.		G. h.	Renealm.spec. t.33.
4 procerum. W. en.	tall.		Portugal.	1816.		G.b.	
5 congestum. W. en.	close-branched.		Teneriffe.			G.h.	
6 virgatum. W.	long-twigged.		Madeira.				Jac. ic. 1. t. 147.
7 purgans. W.	purging.		S. France.				Bulliard herb £.115
8 umbellatum. W.	umbelled.		Barbary.				Desf. atl. 2. t. 180.
9 Scorpius. W.	Scorpion.		S. Europe.				Desi. au. 2. t. 180.
10 sericeum. Vent.	silky.					H.h.	Vent sheir 4 17
11 multiflorum. W.			Mogadore.				Vent. choix. t. 17.
12 angulatum. W.	white Portugal.		Portugal.	1702.	· ·	11. h.	Duham, arb. t. 23.
	small-flowered.	,	Douture 1	1739.	0.0.	n.h.	Vent. cels. 87.
13 patens. W.	woolly-podded.		rortugai.	1752.	6.7.	ri.h.	Cav. ic. 2. t. 176:

DIADELPHIA DECANDRIA.

14 nubigenum. W.	cluster-flowered.	Leguminosæ. J.	Teneriffe.	1779. 5.8.	G. b .	,
15 linifolium. W.	Flax-leaved.		Spain.			Bot. mag. 442.
16 scoparium. W.	common.		Britain			Eng. bet. 1339.
17 radiatum. W.	starry,		Italy			
			Donboon	1/00. 0./.	C.I.	Mill. ic.2. t.259. f.1
18 ferox. W.	fierce.		C F	1500.	- G. n .	Desf. atl. 2. t. 182. Desf. atl. 2. p. 95.
19 spinosum. W.	prickly.	· · ·	S. Europe.	1596.	- G.n.	Lob. 1c. 2. p. 95.
GENISTA. W.	GENISTA.	Leguminosæ. J.				
1 canariensis. W.	Canary.		· Canaries.	1656. 5.9.	G. h.	Bot. reg. 217.
2 candicans. W.	hoary.		- Spain.	1735. 4.7.	H.h.	
3 viscosa. W.	clammy.		· Canaries.	1815	- G. h.	4
4 triquetra. W.	triangular.		Corsica.			Bot. mag. 314.
5 sagittalis. W.	jointed.		Germany.			Jac. aust. 3. t. 209.
6 triangularis. W.	three-sided.		Hangary.			Pl.rar.hung.2.t.153
7 tinctoria. W.	Green Weed.		Britain			
			Siborio	7505	11. n.	Eng. bot. 44.
8 sibirica. W.	Siberian.		Siberia.			Jac. vind. 2. t. 190.
9 ovata. W.	oval-leaved.		Hungary.	1816. 6.8.	н. 12.	Pl. rar. hung.t. 83.
10 florida. W.	Spanish.		Spain.	1752	-H.h.	
11 procumbens. W.	procumbent.		Hungary.	1816. ——	- H.h.	
12 decumbens. W.	trailing.		France.	1775. 5.6.	H.h.	
13 pilosa. W.	hairy green-weed.		England.		- H.h.	Eng. bot. 208.
14 diffusa. W.	diffuse.		Italy.	1816	- H. h.	Jac. ic. 3. t. 555.
15 sericea. W.	silky.		Anstria.	1819	- H. b	3. t. 556.
	Petty Whin.		Britain	1012.	H L	Eng. bot. 132.
16 anglica. W.	and the second s		Comment.			Eng. 10t. 152.
17 germanica. W.	German.		Germany.	1773. 6.8.		
18 hispanica. W.	dwarf prickly.		Spain.			Cav. ic. 3. t. 211.
19 lusitanica. W.	Portugal.	****	Portugal.	1771. 3.5.	H.h.	Bot. rep. 419.
LEBECKIA. W.	LEBECKIA.	Leguminosæ. J.				
1 contaminata. W.	narrow-leaved.	-	C. B. S.	1787. 4.5.	G.h.	
2 sericea. W.	silky.	· · · · · · · · · · · · · · · · · · ·		1774. 4.		
3 cytisoides. W.	Cytisus-leaved.					Comm.hort.2.t.107
RAFNIA. Th.	RAFNIA.	Leguminosæ. J.			0.77.	Commission of 2007
	three-flowered.	Deguminose. 0.	CPS	1700 07	C 1	Pat man 400
triflora. W.					-	Bot. mag. 482.
ASPALATHUS. W.	ASPALATHUS.	Leguminosæ. J.				- 60
1 Chenopoda, W.	Goose-foot.		C. B. S.	1759, 7.8.	G.h.	Breyn. cent. t. 11.
2 albens. W.	silky.			1774. ——	- G.h.	Breyn. cent. t. 11. 22 Bot. mag. 344. Pluk.man.t.413.f.6. Bot. mag. 1289. Bot. rep. 351. 2 3 3 3 Pluk.man.t.414.f.7. Bot. rep. c. ic. Bot. mag. 829.
3 pedunculata. H. K.	small-leaved.			1775	- G. h.	Bot. mag. 344.
4 ericifolia. W.	Heath-leaved.			1789	- G. h .	Pluk.man.t.413.f.6.
5 asparagoides. W.	Asparagus-leavd.			1812. —	- G. h.	
6 carnosa. W.	fleshy-leaved.			1795 56	Gh	Bot mag 1989
	briefly pointed			1000 70	G. L.	Bot map 251
7 crassifolia. B. R.	bristle-pointed.			1500. 7.6.	G.n.	Dot. 10p. 331.
8 ciliaris. W.	ciliated.			1799. —	- G. 17.	(C) 494 - 1 5 2 2
9 uniflora. W.	single-flowered.			1812.	- G. h.	Pluk.man.t.414.1.7,
10 subulata. W.	awl-leaved.			1789	- G. h.	
11 globosa, B. R.	globular.			1802. 6.7.	G.h.	Bot. rep. c. ic.
12 araneosa. W.	cobweb.			1795	G. b .	Bot. mag. 829.
13 indica. W.	Indian.		E. Ind.	1759, 7.8,	S.b.	Rheed, mal. 9, t. 37.
14 argentea. W.	silver-leaved.		C. B. S.		- G h	
15 candicans. H. K.	white		C. D. C.	1774 67	G L	
	and aniled			1010 70	C. L	Dink man + 245 f 4
16 callosa. W.	ovar-spikeu.			1012. 7.0.	G. n.	riuk.man.t.545.1.4.
17 mucronata. W.	morny-branch'd.			1790. 6.7.	G. 12 .	Bot. rep. c. ic. Bot. mag. 829. Rheed. mal. 9. t. 37. Pluk.man.t.345.f.4.
SARCOPHYLLUM }	SARCOPHYLLUM.					
Th.						2 0010
carnosum. Th.	jointed-leaved.		C. B. S.	1812. 5.8.	G.h.	JES . Hotel had had
STAURACAN-	STAURACAN-					
THUS. W. cn.	THUS.	Leguminosæ. J.				
aphyllus. W. en.	leafless.		Portugal.	1815. 6.7.	F.b.	
ULEX. W.	Furze.	Leguminosæ. J.	Tortugui	1010. 0.7.	1.16.	
		0	Duitain	1 =	LT T.	Eng bot 740
1 europæus. W.	common.		Britain.			Eng. bet. 742.
2 nanus. W.	dwarf.			8.12.	H. 7	743.
AMORPHA. W.	BASTARD-INDIGO					
1 fruticosa. W.	shrubby.		Carolina.	1724. 6.7.	H.h.	Schmidt.arb.1.t.30.
β emarginata.	emarginate-leav.				-H.h.	
2 microphylla. Ph. 274			Missouri.	1811. 7.8.	F. h	1.2m,2112.
3 pubescens. Ph.	pubescent.		Carolina.	1803. 6.7.		
4 canescens. Ph.	canescent.		Missouri.	1812. 7.8.		
PLATYLOBIUM. Sm.		Leguminosæ. J.		,		
		Leguminosa. 5.	NSW	1790 69	GL	Bot. mag. 460
1 formosum, H. K.	large-flowered.					Bot. mag. 469.
2 parviflorum. H. K.				1/92. 5.9.	G.n.	1520.
3 triangulare. H. K.	trianguiar-leav'd.		vanDiem.Isl.	1805. 6.9.	G. h.	1508.

BOSSLÆA. Sm.	Bossiæa.	Leguminosæ. J.	Platylobii sp.	B. R.			
1 Scolopendrium.H.			- N. Š. W.	1792.	5.7.	G.h.	Bot. rep. 191.
2 rufa. H. K.	red-flowered.		- N. Holland.	1803.	6.9.	G. h.	
3 heterophylla. V.	various-leaved.		N. S. W.	1792.	5.12	. G. ի .	Bot. mag. 1144.
4 linophylla. H. K.	narrow-leaved.		N. Holland.	1803.	7.9.	G. h.	2441
5 prostrata. H. K.	procumbent.		· N. S. W.			- G.h.	Bot. mag. 1493.
6 cinerea. H. K.	downy-sharp-ld.		VanDiem.Isl.	1805.	5.7.	G.h.	
7 microphylla. H. K.			N. S. W.	1803.	5.8.	G.h.	Bot. mag. 863.
SCOTTIA. H. K.	SCOTTIA.	Legummosæ. 5.					
dentata. H. K.	tooth-leaved.		N. Holland.	1803.	6.9.	G. h.	
TEMPLETONIA.H.F		Leguminosæ. J.	NT NT.11 1	1000	0.0	C T	77 1 1 - 9
retusa. H. K.	wedge-leaved.		N. Holland.	1803.	3.6.	G. n.	Vent. malm. 53. 4 3
GOODIA. P. L.	Goodia.	Leguminosæ. J.	X7 TX* T.1	1700	. ~	C 1	The fact of the fa
1 lotifolia. H. K.	smooth.		VanDiem.Ist.	1793.	4.7.	G. h.	Bot. mag. 958.
2 pubescens. H. K.		7 T		1805.		- G. n.	1310.
LODDIGESIA. B. M.		Leguminosæ. J.	ODE	1000	E 0	CI	Dot man off
oxalidifolia. B. M.	Oxalis-leaved.		C. B, S.	1802.	5.9.	G.n.	Bot. mag. 965.
WIBORGIA. W.	WIBORGIA.	Leguminosæ. J.	C. B. S.	1500	~ 0	C L	
sericea. W.	Silky.		C. D. S.	1/80.	1.0.	G.h.	
CROTALARIA. W.	CROTALARIA.	Leguminosæ. J.	America	1721	67	80	Pluk alm t 160 f 6
1 sagittalis. W.	Virginian.		F Ind				Pluk.alm.t.169.f.6.
2 prostrata. W. en.	prostrate.			1804. 1807.			
3 rubiginosa. W.	ferrugineous.					_	
4 anthylloides. H. K.	{ large-flower- }			1789.	8.9.	S. h.	
5 tetragone W V	cupped. square-stalked.			1006	10 11	2 1	Dot non 509
5 tetragona. H. K.	Rangel			1800.	10.11	. 5. 6 .	Bot. rep. 593. Pluk.alm.t.169.f.5. Bot. rep. 422. Bot. mag. 1933. Bot. reg. 253. Bot. rep. 308.
6 benghalensis. P. S.	stricted stelled			1700	0.7.	. \$.0.	Rot rop 400
7 juncea. W. 8 fenestrata. B. M.	window column			1015		· s	Bot. 1ep. 422.
9 sericea. W.	window-caryxed.			1010.		3.0.	Dot. mag. 1933.
10 retusa. W.	waden langed			1791		3.0.	Bot nor Ose
11 verrucosa. W.	Meuge-leaved			1751.	7 9	\$.0.	Bot rep 200
12 pulchra. H. K.	short-podded.			1900	2.5	S. L	601
13 semperflorens. P. S.	oner Permit			1816	3.0	S. T.	Vent cale t 17
14 hirta. W. en.	hairy.			1010.	6.8	S.Q.	v cht. ocis. t. 1/.
15 biflora. W.	two-flowered.			1790.	7.8.	S.O.	Burm.ind.t.48.f.2.
16 paniculata. W.	panicled.		-	1807.	,	S. b.	Daim.ma. 6.40.1.2,
17 lotifolia. W.	Lotus-leaved.		Jamaica.	1732.	6.7.	S.O.	Dill.elt.t.102.f.121 Rheed. mal. 9.t.27.
18 laburnifolia. W.	Laburnum-leavd.		E. Ind.	1739.	7.9.	8.3.	Rheed, mal. 9 ± 97
19 cordifolia. W.	heart-leaved.		C. B. S.	1790.	4.6.	G. h.	zeneed. mai. 3. 0.27,
20 purpurea. H. K.	dark-purple,	**************************************			3.5.	G.h.	Bot. reg. 128.
21 pulchella. H. K.	large-flowered,			1800.	7.8.	G. h	Bot. mag. 1699.
22 Saltiana. B. R.	Salt's.		Abyssinia.				Bot. rep. 648.
23 axillaris. W.	axil-flowered.		Guinea.	1781.			2001 top: 0 10.
24 orixensis. W. en,	strigose.		F Ind	1816.			
25 incanescens. W.	spreading.		C. B. S.				Jac. vind. 3. t. 64.
26 incana. W.	hoary.		W. Ind.	1714.	6.7.	S.O.	3 20 11. 227
27 pallida. W.	pale-flowered.		A fui an			s.O.	* ***
28 angustifolia. W.	narrow-leaved.		C. B. S.				Jac.schæn.2.t.219.
29 quinquefolia. W.	five-leaved.		E. Ind.				Rheed. mal. 9.t. 28.
HOVEA. H. K.	HOVEA.	Leguminosæ. J.	Poiretia. L,T_{c}				•
1 linearis. H. K.	linear-leaved.		N. S. W.	1796.	3.7.	G.b.	A marchine
2 longifolia. H. K.	long-leaved.			1805.	6.9.	G.h.	The state of the same
3 lanceolata. B. M.	spear-leaved.		N. Holland.		3.7.	G.b.	Bot. mag. 1624.
4 ovata. L. T.	oval-leaved.			1817.		G. b.	
ONONIS. W.	REST-HARROW.	Leguminosæ, J.					
1 antiquorum. W.	tall.		S. Europe.	1790.	6.7.	H.24.	
2 spinosa. W.	Cammock.		Britain.				Eng. bot. 682.
3 hircina. W.	stinking.		Italy.				Jac. vind. 1. t. 93.
4 repens. W.	creeping.		Britain.				Dill. elt. t. 25. f. 28.
5 Columnæ. W.	small-flowered.		S. Europe.				Jac. aust. 3. t. 240.
6 mitissima. W.	cluster-flowered.		Portugal.				Dill. elt. t. 24. f. 27.
7 alopecuroides. W.	Fox-tail.						Lap. pyr. 1. t. 9.
8 variegata. W.	variegated.		Spain.				Desf. atl. 2. t. 185.
9 pubescens. W.	downy.		S. Europe.	1680.			-
10 cernua. W.			C. B. S.				Comm.hort.2.t.82.
11 geminata. W.	two-flowered.			1787.			
12 reclinata. W.							
	spreading.		S. Europe.	1800.	6.8.	H.O.	•
13 cenisia. W.			S. Europe.				
13 cenisia. W. 14 vaginalis. P. S.	spreading.		S. Europe.				All. ped. 1. t.10. f.2. Vent. cels. t. 32.

	102	DIADI	ELFIIA L	ECHNDI	ulA.			
	15 Cherleri, W.	dwarf.	Leguminosæ. J.	S. Europe.	1771.	6.7.	H.4.	
	16 viscosa. W.	clammy.			1759.	7.8.	$H.\odot.$	Barr. ic. 1289.
	17 ornithopodioides.W.	Bird's-foot.		Sicily.				Cav. ic. 2. t. 192.
	18 pinguis. W.	greasy.		S. Europe.	1739.	7.	G.h.	
	19 Natrix. W.	yellow-shrubby.		C	1683.	5.9.	G.h.	Bot. mag. 329.
	20 hispanica. W.	Spanish.		Spain.	1799.	<u> </u>	G.h.	Barr. ic. 775.
	21 tridentata. W.	three-toothed.			1752.	0.5.	G. n.	Magn. mons. t. 17.
	22 crispa. W. 23 fruticosa. W.	shrubby.		S France	1680	5.6	H.L	Rot mag 217
	24 rotundifolia. W.	round-leaved.		Switzerland.	1570.	5.7.	H.h.	385.
	ANTHYLLIS. W.	KIDNEY-VETCH.	Leguminosæ, J.		10,00	0.,.	,2,	0000
	1 tetraphylla. W.			S. Europe.	1640.	7.8.	H.O.	Bot. mag. 108.
	2 Vulneraria. W.	common.		Britain.				Eng. bot. 104.
	β rubra.	red-flowered.						,
	3 montana. W.	mountain.		S. Europe.				Jac. aust. 4. t. 334.
	4 sericea. W.	wing-leaved.		Barbary.	1786.	7.8.	G. J.	Desf. act. par.1. t. 3.
	5 corniciua. W.	horny.	***************************************	Spain.				Cav.ic. 1. t. 39. f. 2.
	6 lotoides. W.	Lotus-like.		Duowan ao				1. t. 40.
	7 Gerardi. W.	Gerard's. Jupiter's-beard.		S Europe				Ger. prov. t. 18. Bot. mag. 1927.
	8 Barba-jovis. W. 9 cretica. W.	Cretan.		Candia.				1092.
	10 heterophylla. W.	various-leaved.		S. Europe.			- G. h.	
	11 cytisoides. W.	downy-leaved.		Spain.				Barr. ic. 1182.
	19 Hermannia, W.	Lavender-leav'd.		Levant.	1739.	4.7.	F.h.	Alp. exot. t. 26. 2
	13 tragacanthoides.P.S. 14 Erinacea. W.	Goat's-thorn-like.		Barbary.				Desf. atl. 2. t. 194.
	14 Erinacea. W.			Spain.	1759.	4.5.	F.h.	Bot. mag. 676.
	ARACHIS. W.		Leguminosæ. J.					
d	hypogæa. W.	American.		S. America.	1712.	5.6.	S.⊙.	Trew.pl.rar. 3. t. 3.
ja.	LUPINUS. W.	LUPINE.	Leguminosæ. J.	NT A	10.0		TT 21	D
	1 perennis. Ph.	smooth perennial.		N. America.	1658.	5.7.	н. 4.	Bot. mag. 202.
	2 nootkatensis. Ph. 3 albus. W.	white		Levant	1506	7.8	H. (1)	1311.
486	4 Termis. W.	Ecuntian.		Egypt.	1809.	6.7.	H.O.	
27.74	5 varius. W.	small blue.		S. Europe.	1596.	7.8.	H.O.	Bot. mag. 202.
3	6 hirsutus. W.	great blue.			1629.		· н.о.	
	7 pilosus. W.	rose.			1710.		- H.⊙̃.	Knorr. del.2. t. L.7.
	8 angustifolius. W.	narrow-leaved.		Spain.	1686.		- H.⊙.	Knorr. del.2. t. L.7.
	9 linifolius. W.	Flax-leaved.			1799.		-H.⊙.	Roth abhand 14.t.5 Bot. mag. 140.
	10 Inteus. W.	yellow.		Sicily.	1596.		H.⊙.	Bot. mag. 140.
	11 villosus. W.	villous.	~	Carolina.	1787.		- F. 74 ·	D.4 000
ķ	12 arborens. H. K. CARPOPOGON. Rox.	Cappanagan	Leguminosæ. J.	••••••	1793.		- r.n.	Bot. mag. 682.
	1 giganteum. Rox.	gigantic.	Leguminosæ. 5.	E. Ind	1915		S L	
	2 imbricatum. Rox.	imbricated.		E. Ind.	1010.		Sh.	
	PHASEOLUS. W.	KIDNEY-BEAN.	Leguminosæ. J.					
	1 vulgaris. W.	common.		India.	1597.	6.9.	н.⊙.	Lob. ic. 2. p. 59.
	2 multiflorus. W.	scarlet.		S. America?	1633.	7.9.	H.⊙.	Schk.han.2.t.199.a.
	3 lunatus. W.	cimeter-podded.		E. Ind.	1779.	6.7.	$\mathbf{s}.\mathbf{\odot}.$	Ho.n.h.10. t.63.f.1.
	4 inamœnus. W.	various-coloured.		Africa.				Jac. vind. 1. t. 66.
	5 farinosus. W.	mealy.		E. Ind.	1759.		- S. 24.	Niss.act.par.1730. t. 42.
				W. Ind				Jac. vind. 2. t. 102.
	6 vexillatus. W. 7 helvolus. W.	sweet-scented.		Carolina	1/32.		. H. O	Dill.elt.t.233.f.300
	8 semierectus. W.	dark-red.		W. Ind.		7.	S.O.	t. 233.f.301.
	9 alatus. W.	winged.		Carolina.			- S.⊙.	t.235.f.303.
	10 Caracalla. W.	Snail-flower.		India.				Bot. rep. 341. 16 3
	11 aconitifolius. W.	Aconite-leaved.		E. Ind.				Jac. obs. 3. t. 52.
	12 trilobus. W.	three-lobed.			1777.	7.8.	$s.\odot$.	Burm.ind. t. 50. f.1.
	13 stipularis. W.	large stipuled.		Peru.			- H.⊙.	
	14 nanus. P. S.	common dwarf.		India.		6.9.	H.⊙.	D'II 144 007 5007
	15 radiatus. W.	rayed.		China.	1732.	6.7.	H.⊙.	Dill.elt.t.235.f.305
	16 Max. W.	hairy-podded.		maia.	1758.		H.O.	Rumph.am.5.t.140.
	17 Mungo. W.	small-fruited. various-leaved.		N. America.	1790.		- H.⊙.	
	18 diversifolius. P. S. trilobus. Ph. Glyci		r. Ph.	A TAMERICA.	1900.		11.0.	
	19 lathyroides. W.	Lathyrus-like.		Jamaica.	1786	7.8.	S.O.	Slo.jam.1.t.116.f.1.
	DOLICHOS. W.	Dolichos.	Leguminosæ. J.	,	.,50	,		
	1 Lablab. W.	black-seeded.		Egypt.	1694.	6.7.	s.⊙.	Bot. mag. 896.
	2 sinensis. W.	Chinese.		India.	1776.	7.8.	H.⊙.	Jac. vind. 3. t. 71, 2.
	3 luteolus. Ph.	yellow.		America,	1805.		H.Q.	Jac. hort. t. 90.

	DIAD.	ELLIIA D	LUMINDI	un.			100
4 unguiculatus. W.	Bird's-foot.	Leguminosæ. J.	W. Ind.	1780.	6.7.	s.o.	Jac. vind. 1. t. 23.
5 tranquebaricus. W.	Tranquebar.		E. Ind.	1801.	6.7.		Jac. vind. 3. t. 70.
6 gladiatus. W.	sabre-podded.			1790.	8.	S.⊙.	Jac. ic. 3. t. 560.
7 tetragonolobus. W.			-	1816.			
8 sesquipedalis. W.	long-podded.			1781.			Jac. vind. 1. t. 67.
9 hirsutus. W.	hirsute.		China.	1802.			Kæmpf. ic. t. 41.
10 pilosus. W. 11 minimus. W.	hairy-podded. small.		E. Ind.	1790.		S.⊙.	Jac. obs. 1. t. 22.
12 tetraspermus. W.	four-seeded.		E. Ind.		5.8.		vac. 003. 1. t. 22.
13 scarabæoides. W.	silver-leaved.						Pluk. alm. t. 53. f. 3.
14 reticulatus. W.	net-leaved.		N. S. W.				
15 bulbosus. W.	bulbous.		W. Ind.		7.	S.4.	Rumph.am.5.t.132.
16 purpureus. W.	purple.		E. Ind.				Exot. bot. 2. t. 74.
17 lignosus. W.	woody.						Bot. mag. 380.
18 luteus. W. 19 ensiformis. W.	yellow-flowered. cimeter-podded.		E Ind				Jac. ic. 3. t. 559.
20 Soja. W.	Soy.			1790.		S.O.	1. t. 145.
21 Catiang. W.	small-fruited.			1793.		S.O.	Rheed, mal. 8. t. 41.
22 biflorus. W.	two-flowered.			1776.		s.⊙.	Pluk,alm,t.213.f.4.
23 roseus. W.	Rose-coloured.					s.⊙.	
STIZOLOBIUM. P. S.		Leguminosæ. J.	Negretia. Fl.				T
1 altissimum. P. S.	tall.		Martinico.				Jac.amer.t.182.f.85
2 urens. P. S. 3 pruriens. P. S.	broad-podded.		W. Ind.				Plam. amer. t. 107.
GLYCINE. P. S.	Common. GLYCINE.	Leguminosæ. J.	maia.	1080.	• • • •	s.n.	Juc. amer. t. 192.
1 sarmentosa. W.	sarmentose.	Teguiiiiosa. v.	Carolina.	1805.	6.8.	н.о.	Schk.bot.ann.12.t.2
			27 1 .		- 1	77 -1	(Wendl. in Rom.
2 monoica. W.	pale-flowered.		N. America.	1781.	9.	11.4.	{ Wendl. in Ræm. Arch. 3. t. 2.
3 angustifolia. W.	narrow-leaved.		C. B. S.	1795.	6.8.	G. h .	Jac.schæn.2.t.231.
4 debilis. W.	hairy.		E. Ind.	1778.	6.7.	S. 3.	
5 comosa, W.	tufted.		N. America.	1812.	7.9.	H.4.	Dill ly and fine
6 tomentosa. Ph. 7 reniformis. Ph.	downy.		Canalina				Dill. elt. t. 26. f. 29.
8 suaveolens. W.	kidney-leaved. sweet-scented.		E. Ind		7.8. 7.9.		1
9 reticulata. W.	net-leaved.		Jamaica.	1779.			
10 caribæa. W.	trailing.		W/Ind				Jac. ic. 1. t. 146.
11 bituminosa. W.	clammy.		(1 T) (2				Bot. reg. 261.
12 parviflora. P. S.	small-flowered.		E. Ind.	1812.	7.	S. 3.	
13 sagittata. W. en.	arrow-leaved.		Havannah.		5.8.		-
14 rhombifolia. W.	rhomb-leaved.	Y	E. Ind.			S.h.	
APIOS. Ph. 1 tuberosa. Ph.	APIOS. tuberous-rooted.	Leguminosæ. J.			9.0	EF 21	Bot. mag. 1198.
2 frutescens. Ph.	shrubby.						Hort. angl. t. 15. 2/03
KENNEDIA. Vent.	KENNEDIA.	Leguminosæ. J.			0.01	, ,	110101 danger dr 101 0 0 0 0 0 0 0 0
1 rubicunda. V.	dingy-flowered.		N. S. W.	1788.	3.8.	G. h .	Bot. mag. 268.
2 coccinea. V.	many-flowered.		N. Holland.	1803.	5.8.	G.h.	Vent. malm. 105. 2600 Bot. mag. 270.
3 prostrata. H. K.	single-flowered.		N. S. W.	1790.	3.6.	G.h.	Bot. mag. 270.
4 Comptoniana. B. R.			N. Holland.	1803.		G.h.	Bot. rep. c. ic. Bot. mag. 263.
5 monophylla. V. CYLISTA. W.	simple-leaved.	Laguminasm	N. S. W.	1790.		G. h.	Bot. mag. 263.
1 villosa. H. K.	Cylista.	Leguminosæ. J.	C. B. S	1776	4.5	SL	Bot. rep. 446.
2 albiflora. B. M.	white-flowered.		Mauritius.				Bot. mag. 1859.
3 scariosa. W.	Coromandel.		E. Ind.				Rox. cor. 1. t. 92.
CLITORIA. W.	CLITORIA.	Leguminosæ. J.					
1 Ternatea. W.	wing-leaved.		E. Ind.	1739.	7.8.	S.h.	Bot. mag. 1542.
2 heterophylla. V.	various-leaved.		~	1812.		S.⊙.	Vent. choix. t. 26.
3 brasiliana. W.	Brazilian.		Diwaii.	1759.		S.⊙.	Breyn. cent. t. 32. Par. lond. 51.
4 virginica. W. 5 mariana. W.	small-flowered. Maryland.		America.	1732.	0	5. 4. H N	Par. lond. 51.
6 arborescens. H. K.	tree.		Trinidad.				
7 Plumieri. B. reg.	Plumier's.		W. Ind.				Bot. reg. 268.
GALACTIA. Mi.	GALACTIA.	Leguminosæ. J.				- ''	
pendula. B. reg.	pendulous.		Jamaica.		7.8.	S.h.	Bot. reg. 269.
PISUM. W.	PEA.	Leguminosæ. J.					
1 sativum. W.	common.	***************************************	S. Europe.	• • • •			Lam. ill. t. 633.
2 arvense, W. 3 matitimum, W.	field.		Fuglowi	• • • •		H.⊙.	The hot 1040
OCHRUS. P. S.	sea. Ochrus.	Leguminosæ. J.	England.	••••	7.	17.4.	Eng. bot. 1046.
pallida. P. S.		Leguminosæ. J.	S. Europe.	1633.	6.7.	н.⊙.	Schk.hand.2.t.280.
Pisum Ochrus. W.	Lathyrus Ochru	s. Dec.					-

(DROBUS. W.	BITTER-VETCH.	Leguminosæ. J.					
	1 lathyroides. W.	upright.		Siberia.	1758.	6.	H.4.	Amm. ruth. t. 7. f.2.
	2 luteus. W.	yellow.						Gmel. sib. 4. t. 4.
		spring.		Europe				
	3 vernus. W.							Bot. mag. 521.
	4 tuberosus. W.	tuberous.		Dritain.	• • • •	5.6.	11.4.	Eng. bot. 1153.
	5 albus. W.	white-flowered.		Austria.	1794.		н.4.	Jac. aust. 1. t. 39.
	6 varius. H. K.	parti-coloured.		Italy.	1759.	5.6.	H. 4.	Bot. mag. 675.
	7 angustifolius. W.	narrow-leaved.		Siberia.				Gmel. sib. 4. t. 5.
		black.		Europe	1506	67	HN	Flor. dan. t. 1170.
	8 niger. W.			Surface.				
	9 pyrenaicus. W.	Pyrenean.		Spain.				Pluk.alm.t.210.f.2.
1	0 sylvaticus. W.	wood.		Britain.		5.7.	н.4.	Eng. bot. 518.
1	1 ochroleucus. P. S.	sulphur-colourd.		Hungary.	1816.		H.4.	Pl.rar.hung.2.t.118
I	ATHYRUS. W.	LATHYRUS.	Leguminosæ. J.	•			•	•
	1 Aphaca. W.	YellowVetchling.		England		67	H O	Eng. bot. 1167.
				ingland.				
	2 Nissolia. W.	crimson.		_	• • • • •			112.
	3 amphicarpos. W.	Earth Pea.		Levant.	1680.	6.7.	H.⊙.	Mor.his. 2.t.23.f.1.
	4 Cicera. W.	flat-podded.		S. Europe.	1633.		-H.O.	Ger. emac. f. 3. Bot. mag. 115.
	5 sativus. W.	Chickling Vetch.			1640.		H.O.	Bot. mag. 115
		small-flowered.		Lovent	1720	7 0	H O	Ing wind 1 toc?
	6 inconspicuus. W.			e E				Jac. vind. 1. t. 86?
	7 setifolius. W.	bristle-leaved.		S. Europe.		6.7.	$H.\odot$	
	8 coccineus. P. S.	scarlet.		· Italy.	1800.		- H.⊙.	
	9 sphæricus. W.	round-seeded.		S. Europe.	1801.	-	-H.⊙.	
	0 angulatus. W.	angular-seeded.			1683.		-нŏ	Bux cent. 3. t.49.f.9
					1015		H	Bux.cent.3.t.42.f.2
	1 spurius. W. en.	bastard.		D				
	2 monanthos. W.	one-flowered.		Kussia.			H.⊙.	
1	3 articulatus. W.	joint-podded.		S. Europe.	1640.	7.8.	$H.\odot.$	Bot. mag. 253.
1	4 odoratus. W.	Sweet Pea.		Sicily.	1700.	6.7.	H.O.	 60.
	5 grandiflorus. B. M.			S. Europe.	1814	6.8	H 1/	 1938.
				o. narope.	1601	0.0.	11.4.	1300.
	6 annuns. W.	two-flowered.			1021.		. п . О.	Bot. mag. 100.
1	7 tingitanus. W.	Tangier.		Barbary.	1680.		· H.⊙.	Bot. mag. 100.
1	8 Clymenum. W.	various-flowered.		Levant.	1713.	6.7.	H.⊙.	Pluk.alm.t.114.f.6.
1	9 hirsutus. W.	rough-podded.		England.		7.	$H.\odot.$	Eng. bot. 1255.
	0 magellanicus. W.	Lord Anson's Pea.		Cape Horn.	1744.	6.7.	H.Õ.	o .
		tuberous.		Holland				
	1 tuberosus. W.			Tionanu.				Bot. mag. 111.
2	2 pratensis. W.	meadow.		Britain.	• • • •	6.8.	н.4.	Eng. bot. 670.
	3 sylvestris. W.	∫ Wood Ever- \				7.0	H M	805.
-	o sylvestris. W.	lasting Pea.			• • • • •	1.3.	11.4.	800:
		f broad-leaved						
2	4 latifolius. W.	everlasting.		England.		-	·н.4.	1108.
_	- 1 4 1 11 YY			T2			TT 21	
	5 heterophyllus. W.	various-leaved.		Europe.			. н. 4.	
2	6 palustris. W.	marsh.		Britain.		7.8.	H.4.	Eng. bot. 169.
2	7 incurvus. W.	curve-podded.		Russia.	1802.		H. 4.	Buxb. cent. 4. t. 46.
	8 pisiformis. W.	Siberian.		Siberia.				Lin. fil. dec. t. 20.
	ICIA. W.	VETCH.	Leguminosæ. J.	C. T. G. C. T. G.	.,	0.,.		21111 1111 1111 1111 1111
			0	A 4 . * .	1700		TT 3/	T
	1 pisiformis. W.	Pea-shaped.		Austria.				Jac. aust. 4. t. 364.
	2 dumetorum. W.	great wood.		France.	1752.	5.6.	н.4.	Spreng. fl. hal. t. 7.
	3 sylvatica. W.	common wood.		Britain.		7.8.	H.4.	Eng. bot. 79.
	4 cassubica. W.	Cassubian.		Germany.				Jac. aust. 3. t. 229.
	5 atropurpurea. W.	dark purple.		Algiers				
				Comment	1010.		TT (Vent. cels. t. 84.
	6 villosa. W.	villous.		Germany.				
	7 Cracca. W.	tufted.		Britain.				Eng. bot. 1168.
	8 tenuifolia. W.	slender-leaved.		Germany.	1799.	6.7.	H.4.	
	9 onobrychioides. W.			S. Europe.	1789.		H.O.	All. ped.1. t. 42. f. 1. 20
	0 biennis. W.	biennial.		Siberia	1759	7.0	H. 1	Gmel. sib. 4. t. 2.
				T	1,000	7.0.	11.0.	Ginera Sibration 2.
	1 nissoliana. W.	red-flowered.		Levant.	1773.	6.7.	H.⊙.	
	2 benghalensis. W.	Bengal.		E. Ind.				Herm. lugd. t. 625.
1.	3 canescens. W.	hoary.		Libanus.	1800.	6.8.	$H.\odot.$	Labill. syr. t. 7.
1.	4 capensis. W.	Cape.		C. B. S.			G. 4.	
	5 pellucida. W.	pellucid.			1819		G. 21	Jac.schæn.2.t.222.
				C Furana				
	6 Ervilia. W.	officinal.		S. Europe.				Blackw. t. 208. f. 3.
	7 biflora. W.	two-flowered.		Algiers.	1801.	6.8.	н.⊙.	Desf. atl. 2. t. 197.
1	8 globosa. W.	globular.					H.O.	
	9 sativa. W.	common.		Britain.				Eng. bot. 334.
-	β segetalis.	hedge.						9
		0						
	y nemoralis.	wood.		_			** ~	
	o angustifolia. P. S.	narrow-leaved.		Germany.	· · · · ·		H.⊙.	
2	1 amphicarpos. P. S.	subterraneous.		France.	1815.		н.⊙.	Clus. exot. t. 88.
	2 lathyroides. W.	spring.	·	Britain.				Eng. bot. 30.
	3 lutea. W.	yellow.						481.
	hybrida. W.			England				
Z	a my ortun tv .	hairy-flowered.		England.	• • • •		4.4	462.

	DIAD	THILIT I	JECHNI).	IIIA.	100
25 lævigata. W.	smooth-podded.	Leguminosæ. J.	England.	7.8. Н.4.	Eng. bot. 483.
26 megalosperma }	Taurian.			1798. — H.O.	
W. en.				_	
27 articulata. W. cn. 28 pannonica. W.	jointed. Hungarian.		Hungary	— H.⊙. 1658. 6.7. H.⊙.	Jac. aust. 1. t. 34.
29 sordida. W.	sordid.		Trungary.	1802. — H.O.	Pl.rar.hung.2.t.184
30 Michauxii. W. en.	white-flowered.			1803. 7.8. H.⊙.	
31 peregrina. W.	broad-podded.		France.	1779. — H. O.	Pluk.alm.t.233.f.6.
32 monantha. W.	single-flowered.		Barbary.		
33 sepium. W.	bush.		Britain.	5.6. H.4.	
34 bithynica. W.	purple.		Garmany		Jac. vind. 2. t. 147. Roth. abhand. t. 1.
35 platycarpos. W. 36 narbonensis. W.	flat-podded. broad-leaved.		France.		
37 serratifolia. W.	saw-leaved.		Hungary.	1723. — H.O.	Jac. aust. app. t. 8.
38 Faba. W.	Garden Bean.		Egypt.	— н.⊙.	Jac. aust. app. t. 8.
β equina.	Horse Bean.				
ERVUM. W.	TARE.	Leguminosæ. J.			
1 Lens. L.	Lentil.	7	· France.	1548. 5. H.⊙.	
Cicer Lens. W. Le. 2 tetraspermum. W.			- Britain.	е но	Eng. bot. 1223.
3 hirsutum. W.	smooth. hairy.				970.
4 dispermum. W. en.				1802. — H.⊙.	0, 0.7
CICER. W.	CHICK PEA.	Leguminosæ. J.			
arietinum. W.	common.		S. Europe.	1548. 7.8. H.⊙.	Schk.hand.2. t.202.
LIPARIA. W.	LIPARIA.	Leguminosæ. J.			
1 sphærica. W.	globe-flowered.		C. B. S.	1794. 7.8. G.h. 1812. — G.h.	Bot. mag. 1241.
2 capitata. W.	headed.			1812. — G. h.	
3 tomentosa. W. 4 vestita. W.	downy.			1800. 5.6 G h	Bot. rep. 382. % 222!
5 graminifolia. W.	narrow-leaved.			6.7. G.h.	Bott rept oozi arack 2,
				1774. — G. l ₂ .	Houtt. nat. his. 5.
6 villosa. W.	woolly.			1774. — G. n.	t. 29. f. 1.
7 hirsuta. W.	shaggy-stemmed.	 		1792. 12.4. G. h. 1794. 6.7. G. h.	Bot. reg. 8.
8 sericea. W.				1794. 6.7. G.h.	
CYTISUS. W.	CYTISUS.	Leguminosæ. J.			
1 Laburnum. W.	Laburnum.		Switzerland.	1596. 5.6. H.h.	Bot. mag. 176.
e oloinno W on	Scotch }		Eumana	e III.	,
2 alpinus. W. en.	\ Laburnum. \		Europe.	6. H.h.	
3 tomentosus. B. R.	tomentose.		C. B. S.	1798. 7.8. G.h.	
4 nigricans. W.	black-rooted.		Austria.	1730. 6.7. H. h.	
5 foliolosus. W. 6 divaricatus. W.	leafy.		Canaries.	1779. 7.8. G.h.	Bot. mag. 426.
7 sessilifolius. W.	clammy.		Italy.	1656. — F.h. 1629. 5.6. H.h.	255.
8 wolgaricus. W.	wing-leaved.		Siberia.		Pall. ross. 1. t. 47.
9 Cajan. W.	Pigeon Pea.		E. Ind.		Rheed.mal. 6.t. 13.
10 nanus. W. en.	dwarf.		Levant.	1816. 5.6. G.h.	
11 hirsutus. W.	hairy.		S. Europe.	1739. 6.8. H.h.	
12 capitatus. W. 13 austriacus. W.	cluster-flowered.		Austria.		Schmidtarb.1.t.29.
14 leucanthus. W.	Austrian.		Hungary	1741. 6.9. H. h. 1806. 6.7. H. h.	
15 purpureus. W.	purple-flowered.		Austria.	1792. 5.8. H.h.	
16 supinus. W.	trailing.		S. Europe.		Jac. aust. 1. t. 20.
17 biflorus. W.	two-flowered.		Hungary.		Pl.rar.hung.2.t.166
18 falcatus. W. en.	sickle-shaped.				3.t.238
19 triflorus. W.	three-flowered.		Spain.	1640. 6.7. H.h.	
20 elongatus. W. en.	long-branched.		Hungary.		Pl.rar.hung.2.t.183
21 rhombifolius. Ph. 22 proliferus. W.	rhomb-leaved.		Louisiana. Canaries.	1811 H.h.	Rot reg 101
23 argenteus. W.	silky. silver-leaved.		France.	1779. 4.5. G.h. 1739. 8. H.h.	Dot. 10g. 121.
MULLERA. W.	MULLERA.	Leguminosæ. J.			
moniliformis. W.	bracelet.		Guiana.	1792 S.h.	
GEOFFROYA. W.	BASTARD CAB-	Leguminosæ. J.			
	BAGE-TREE.				mi !!
inermis. W. ROBINIA. W.	smooth.	_	Jamaica.	1778 S.h.	Phil.tran.1777.t.10
1 Pseudacacia. W.	Robinia. Common Acacia.	Leguminosæ. J.	N. America.	1640. 56 H L	Schmidt arb.1.t.32.
β inermis.	smooth large-ld.		A	1040. 0.0. II. N.	Semmer ar J. 1. 0.0 Ze
2 viscosa. W.	clammy.			1797. 6.8. H.h.	Bot. mag. 560.
3 violacea. W.	Ash-leaved.	-	W. Ind.	1759 S.h.	•

DIADELPHIA DECANDRIA.

	4 hispida. W.	Rose-acacia.	Leguminosæ. J.	Carolina.	1743. 5.9. I	H. h.	Bot. mag. 311.
	β rosea.	vpright.		5.11			
	5 Caragana. W.	Caragana.		Siberia.	1752. 4.5. I	I.h.	Schmidt arb.1.t.33.
	6 arenaria.	sand.			1802. 6.7. I	1.h.	Bot. mag. 1886.
	7 Altagana. W.	nat-poadea.			1789. 4.6. I	1.12.	L'Her. stirp. t. 76.
	6 arenaria. 7 Altagana. W. 8 jubata. W. 9 tragacanthoides. W.	Dearded.	,		1796 I	1.12.	Pall.act. pet.10. t.6.
	9 tragacanthoides. W.	toat s-thorn-like			1816. ————————————————————————————————————	1. h.	10. t. 7.
	10 spinosa. W.	thorny.		*	1770 5 6 1	1. h.	Schmidt arb. 1.t. 36 Bot. mag. 1016.
	11 Halodendron. W.	Salt-tree.		China	1779. 5.6. 1	1.12.	Bot. mag. 1016.
	12 Chamlagu. W. 13 frutescens. W.	shrubby.		Sibaria	1759 45 T	1.12.	Sobmidt oub 1 t 24
	14 pygmæa. W.	dwarf.		Mocific.	1752. 4.5. I	1. 17.	L'Her. stirp. t. 77. Schmidt arb.1.t.34.
	15 candida. Rox.	white-leaved.		E. Ind.	1810	S. L.	1. 1. 3/.
	COLUTEA. H. K.	BLADDER-SENNA	Leguminosa, J.	20. 20.00	10101111	J. 17 .	
	1 arborescens. W. en.	common.		France.	1568, 6.8, I	I.b.	Bot. mag. 81.
	2 media. W. en.	smaller.				I.b.	_
	3 cruenta. W. en.	oriental.		Levant.	1710. 6.7. H	l.h.	Schmidt arb. t. 119.
	4 Pocockii. W. en.	Pocock's.			1752. 5.10. I	I.h.	
	SWAINSONA. H. K.		Leguminosæ. J.	Loxidium. Ver	ut.	Ť	
	1 galegifolia. H. K.	red-flowered.		N. S. W.	1800. 7.8.	3. h.	Bot. mag. 792.
	2 coronillifolia. H. K.	purple-flowered.			1802. —— (à. h.	1725.
	SUTHERLANDIA.	SUTHERLANDIA.	Leguminosæ. J.	Coluter sn. H	7.		
	H. K.			-			
	frutescens. H. K.	scarlet.				ř. Iz .	Bot. mag. 181.
	LESSERTIA. H. K.	LESSERTIA.	Leguminosæ. J.	Coluteæ sp. 11		2 0	0
	1 annua. H. K.	annual.	-	C. B. S.	1731. 6.7.		Comm.hort.2.t.44.
	2 diffusa. II. K.	procumbent.			1792. 7.8. (j.⊙.	Jac. ic. 3. t. 576. Jac. vind. 3. t. 3.
	3 perennans. H. K.	perennial.	7 agraminage 1		1753. 8. 0	3.4.	Jac. vind. 3. t. 3.
	GLYCYRRHIZA. W.		Leguminosæ. J.	Italy	1506 60 E	7 31	log wind 1 + 05 2/
	2 glandulifera. W.	prickly-headed. glandulous.		Hungary			Jac. vind. 1. t. 95. 2/3 Pl.rar.hung.1.t.21.
	3 lepidota. Ph.	silky-leaved.		Missouri			B. L. J.
	4 glabra. W.	common.		S. Eurone			Lam. ill. t. 625. f. 2.
	5 asperrima. W.	rough.		Siberia.	1795. — I	1.21.	Pall.it.app.t.M.f.3.
	6 hirsuta. W.	hairy.		Levant.	1739. —— I	1.21.	z unneupprenizition
	SESBANA. H. K.		Leguminosæ. J.				
	1 grandiflora. H. K.	great-flowered.		E. Ind		S.b.	Rheed.mal. 1. t. 51.
	2 ægyptiaca. H. K.	Egyptian.		Egypt.	1680	S. J.	Alp.ægypt.81. t. 82.
	3 aculeata. H. K.	prickly.		E. Ind.	1690. ——	S.⊙.	Jac. ic. 3. t. 564.
	4 cannabina. P. S.	Hemp.			1800. —	S.⊙.	
	CORONILLA. H. K.	CORONILLA.	Leguminosæ. J.				
	1 Emerus. W.	Scorpion Senna.		France.	1596. 4.6. H	I.h.	Bot. mag. 445.
	2 juncea. W.	Rush.			1656. 6.7. 0	3. h.	Barr. ic. 133.
	3 valentina. W.	nine-leaved.		S. Europe.			Bot. mag. 185.
	4 glauca. W.	seven-leaved.		France.			13.
Š,	5 viminalis. H. K.	slender.		Mogador.			Par. lond. 13.
		large-headed.		S. Europe.			Bot. mag. 907.
	7 minima. W.	least.		Croto			Jac. aust. 3. t. 271.2/
	8 argentea. W.	silvery-leaved. purple.		Europe			Mill.ic. 2.t. 289.f.1. Bot. mag. 258.
	10 cretica. W.	Cretan.		Candia			Jac. vind. 1. t. 25.
		Orctair.			1/01. 0.7. 1	1.0.	(Gært, de fr. 2, t.
	11 Securidaca. W.	Hatchet-vetch.		Spain.	1562. 7.8. H	Ι.⊙. ·	Gært, de fr. 2. t. 153. f. 3.
	ORNITHOPUS. W.	BIRD'S-FOOT.	Leguminosæ. J.				(
	1 perpusillus. W.	common.		Britain.	5.8. H	I.O.	Eng. bot. 369.
	2 ebracteatus. H. K.	round-podded.		Portugal.	5.6. I		
	3 compressus. W.	hairy.		S. Europe.	1730. 6.7. H		
	4 durus. W.	perennial.		Spain.	1805. —— I	I. 24 .	Cav. ic. 1. t. 41.
	5 scorpioides. W.	Purslane-leaved.		S. Europe.	1596. —— I	$1.\odot.$	Cav.ic. 1. t. 41.
	6 repandus. P. S.	repand.		Barbary.	1805. —— I	$1.\odot$.	Lam.ill.t.631.f.2.
	HIPPOCREPIS. W.	{Horseshor-}	Leguminosæ. J.				
	1 misilianosa W	VETCH. Single-podded		Italy.	1570. 67 %	LO	Lam. ill. t. 630.
	1 unisiliquosa. W. 2 multisiliquosa. W.	many-podded.		S. Europe			Schk.hand.2. t.206.
	3 balearica. W.	shrubby.		S. Europe. Minorea.			Bot. mag. 427.
	4 comosa. W.	tufted.		England.			Eng. bot. 31.
	SCORPIURUS. W.	CATERPILLAR.	Leguminosæ. J.				3
	1 vermiculata. W.	common.		S. Europe.	1621. 6.7. H	1.⊙.	Mor.hist.2.t.11.f.3.
	2 muricata. W.	two-flowered.					2.t.11.f.4.
					\$		

DIADELPHIA DECANDRIA.

	DIAL	minim i	BUCKIND.	IUI III			101
3 sulcata. W. 4 subvillosa. W.	three-flowered.	Leguminosæ. J.					Desf. atl. 2. f. 4. Mor.hist.2,t.11.f.2.
SMITHIA. W. sensitiva. W.	SMITHIA.	Leguminosæ. J.					Par. lond. 92.
ÆSCHYNOMENE. }	ÆSCHYNOMENE.		25. 2	.,,	,		
1 sensitiva. W.	shrubby.		W. Ind.	1733.		S.h.	Plum. ic. t. 149.
2 aspera. W.	rough-stemmed.		E. Ind.	1759.	6.7.	S.O.	Breyn. cent. t. 52.
3 hispida. W.	hispid.		N. America.	1803.	8.	$H.\widecheck{\odot}$.	
4 americana. W.	hairy.		Jamaica	1739 5	7.8.	S.(·).	Sloan.h.1.t.118.f.3.
5 indica. W.	Indian.		E. Ind.	1799.			Rheed. mal. 9. t. 18.
HALLIA. Th.	HALLIA.	Leguminosa, J.					
1 flaccida. W.	long-leaved.		C. B. S.	1789.	8.9.	G. đ.	
2 cordata. W.	heart-leaved.			1787.	8.	G. 4.	Jac.schon.3.t.296.
3 imbricata. W.	imbricated.			1812		G.b.	Jac. schoon. 3. t. 296. Bot. mag. 1850. 250
LESPEDEZA. Mich.	LESPEDEZA.	Leguminosæ. J.	Hedysari sp.	W.		٠	
1 fruticosa. P. S.	shrubby.					H.b.	Jac. vind. 3. t. 89.
2 sessiliflora. Ph.	sessile-flowered.		N. America.		7.	H.4.	Jac. vind. 3. t. 89.
3 juncea. P. S.	slender-brauch'd		India.	1776.	7.8.	S. 2L.	Linn. fil. dec. 1.t, 4.
A canitata Ph	headed		N America.	1789.	6.7.	H. 21 .	
5 polystachia. Ph. 6 violacea. Ph. 7 lagopodioides. P. S	hairy.				6.8.	H. 4.	Mich. amer. 2.t. 40.
6 violacea. Ph.	Violet-flowered.				7.8.	H. 24.	
7 lagopodioides. P. S	. Hare's-foot-like.		- China.	1790.	5.6.	G. 24.	Burm. ind. t.53.f.2.
HEDYSARUM, W.	HEDYSARUM.	Leguminosæ, J.					
1 Alhagi. W. 2 bupleurifolium. W.	prickly-stemm'd.		Levant.	1714.	7.8.	G.h.	Rauw. it. 94. t. 14.
2 bupleprifolium, W.	Hare's-ear-leave		India.	1793.		S. Z.	Roxb, cor. 2, t. 194,
3 nummularifolium.	24				_ ;	0.0	7
W. 4 styracifolium. W.	Moneywort-leas.		F Ind	1777.	7.9.	S.O.	Burm.zel.t. 49. f.2. Burm.ind.t.52. f.2. Dill.elt.t.141.f.168 Burm.zeyl.t.49.f.1. Jac. ic. 3. t. 566. Jac. schœn.3.t.297. Burm.zeyl.t.50.f.2. Jac. ic. 3. t. 565.
	oval leaved		. 17. 111d.	1780	70	8.0	Burm gal + 40 fo
5 gangeticum. W. 6 triquetrum. W.	triangular-stall		10	1900	7.0.	S. 7	Burn ind t 50 f 0
	coattad		India	1720	60	3.0.	Dill alt + 141 f 169
7 maculatum. W. 8 vaginale. W.	chapthod		F Ind	1702.	····	3.0.	Purm goel # 40 f 1
·	onnow loomed		· E. Illu.	1/90.	/.0.	S.O.	Durm.zeyi.c.49.1.1.
9 sagittatum. P. S.	hat-winged		Cochinchina	1700	- · · · ·	S.n.	Tag in 2 + 500
10 vespertilionis. W.	woolly		China	1700.	6.00	G. 31	Jac. 1c. 3. t. 500.
12 umbellatum. W.	umbal flavored		T Ind	1/02.	0.7.	G. 4.	Too solven 8 4 007
	ininted		E. Inu.	1000	• • • •	S.n.	Promo soul + 50 f 0
13 biarticulatum. W.	Maring plant			1000		S. 7.	Jon in 2 + 565
14 gyrans. W.	three-sided.		Inmeion	1770	7.3.	S. T.	Jac. ic. 3. t. 565. Corn. canad. t. 45: Dill.elt.t.144.f.171 Burm.ind.t.54.f.1. Slo jam.1.t.116.f.2. Pluk.alm.t.308.f.5. Pluk.anan.t.432.f.6
15 trigonum. W.	Canadian.		- Damaica.	1640		LIN.	Com annad + At.
17 canescens. Ph.	hoary.		- IV. America.	1700		LT 31	Com. canad. t. 45:
18 marilandicum. W.	Maryland.		•	1705	7 10	11.4.	Dill alt + 144 £ 171
19 obtusum. Ph.	obtuse.			1005	/ · I · G ·	H 3/	Diff.etc.c.144.1.171
20 capitatum. W.	headed.		Carlon	1000.	7.0.	C T.	Property and + 54 f 1
21 tortuosum. W.	twisted-podded.		- Veylon.	1791	7 8	S.T.	Slo iam 1 + 116 f 9
22 viridifiorum. W.	green-flowered.		- M America	1701.	7.0	1.1 N	Dluk alm + 208 f 5
23 paniculatum. W.	panicled.		- IV. America.	1707.	7.9.	H 1	Pluk men † 420 f &
24 tuberosum. W.	tuberous.		- F Ind	1906	7.	S T.	1 108.3060. 0.402.1.
25 cuspidatum. W.	sharp-pointed.		N America	1000.	70	H J	
26 glutinosum. W.	glutinous.		- Iv. Minerica.	1905	7.0.	H 21	
27 serotinum. W. en.	late-flowering.						
28 triflorum. W.	three-flowered.		- India	1706	6.7	8 7	Burm. ind. t.54.f. 2, Jac. ic. 3. t. 567. Pall. it. 2. t. 9.
29 pictum. W.	painted-leaved.		- F Ind	1750	0.7.	S.L	Inc ic 2 4 507
30 argenteum. W.	silver-leaved.		- Sibaria	1706	~ 0	H N	Pall it 0 t 0
31 fruticosum. W.	Siberian shrubby	/	- 51001761	1750.	6.7	11 L	9. t. 5. f. 1.
32 alpinum. W.	Alpine.			- 1798.		н.4.	∫ Gmel.sib.4.n.35,
			- Almoof Firm			-	Pot mag 002
33 obscurum. W.	creeping-rooted.		- Alps of Eur.				Bot. mag. 28?.
34 tauricum. W. 35 roseum. H. K.	Taurian. Rose-coloured.		- Tauria. - Caucasus.			H.4.	Rot mag 000
33 loseum. H. K.			- Caucasus.	1503.	7.8.	п. 4.	Bot. mag. 996.
36 coronarium. W.	French Honey- suckle.	}	- Italy.	1596.	6.7.	н.∂.	
37 flexuosum. W.	wave-podded.	<i></i>	- Asia.	1680.	7.8.	H.O.	Schk.hand.2.t.207.
38 humile. W.	dwarf.		- Spain.			н.4.	
39 muricatum. W.	prickly-podded.		- Patagonia.				Jac. ic. 3. t. 568.
40 spinosissimum. W.			- Spain.				Pluk. alm. t. 50. f. 2.
41 Onobrychis. W.	Saint-foin,		- Britain.				Eng. bot. 96.
42 saxatile. W.	rock.		- S. Europe.				All. ped. 1. t. 19. f. 1.
43 album. P. S.	white.						Pl.rar.hung.2.t.114
•			,				

```
Cock's-head.
                                                                         1731. 7.8. H.O.
44 Caput-galli, W.
                                         Leguminosæ. J.
                                                            France.
                                                                         1710. 6.8. H.J.
1780. 7.9. S.h. Burm. ind. t. 56.
45 Crista-galli. W.
                       Cock's-comb.
                                                            S. Europe.
46 crinitum. W.
                       crook-podded.
                                                           E. Ind.
                       ZORNIA.
                                         Leguminosæ. J.
                                                         Hedysari sp. IV.
ZORNIA. Mich.
                       neat Indian.
 1 pulchella. P. S.

    E. Ind.

                                                                         1799. 7.8. S.h. Burm. zeyl. t. 52.
                       two-leaved.
 2 diphylla. P. S.
                                                           India.
                                                                         1733. - S.O. Rheed.mal. 9. t. 82.
                                         Leguminosæ. J. Hedysari sp. W.
FLEMINGIA. Rox.
                       FLEMINGIA.
 1 stricta. H. K.
                       straight.
                                                           India.
                                                                         1798. 7.9.
                                                                                      S. 24 .
                                                                                      S.h.
 2 semialata. H. K.
                       many-spiked.
                                                           Nepaul.
                                                                         1805. 7.8.
 2 congesta. H. K.
                       crowded-spiked.
                                                                                      S. h.
                                                           India.
                                                                         1802. 7.9.
 4 nana. H. K.
                       dwarf.
                                                                                      S.h.
                                                                         1804. 8.
 5 lineata. H. K.
                       branch-spiked.
                                                                         1793. 7.8.
                                                                                     S. d. Burm. ind. t.53. f.1.
                       Beech-leaved.
 6 strobilifera. H. K.
                                                          E. Ind.
                                                                                     S. h. Linn. zeyl. t. 30 617
                                                                         1787. -
INDIGOFERA. W.
                                         Leguminosæ. J.
                       INDIGO.
 1 filifolia. W.
                       naked-stalked.
                                                           C. B. S.
                                                                         1812. 7.10. G.h. Bot. reg. 104.
 2 linifolia. W.
                       Flax-leaved.
                                                           E. Ind.
                                                                         1792. 7.8. S.O. Rox. cor. 2. t. 194.
 3 psoraloides. W.
                       long-spiked.
                                                           C. B. S.
                                                                         1758. 7.9. G. h. Bot. mag. 476.
                                                                         1774. 5.9. G.h.
 4 candicans. W.
                       white-leaved.
 5 amœna. W.
                       scarlet-flowered.
                                                                               3.4. G. h. Jac.schæn. 2. t. 234.
                                                                         1812. 5.7. G.h.
 6 incana. W.
                       hoary.
 7 sarmentosa. W.
                       dwarf.
                                                                         1786. 6.7. G. 24.
 8 denudata. W.
                       smooth-leaved.
                                                                         1790. 5.7. G. h. Jac.schæn. 2. t. 233.
 9 trita. W.
                       oval-leaved.
                                                           E. Ind.
                                                                         1802. 6.7. S. d.
10 microphylla. P. S.
                       small-leaved.
                                                           C. B. S.
                                                                         1812. 1.12. G.h.
                                                                         1774. 7.8. G.h.
11 coriacea. W.
                       leathery-leaved.
                                                         - E. Ind.
12 enneaphylla. W.
                       trailing.
                                                                         1776. -
                                                                                  - S.O. Burm.ind. t.55, f.1.
                       angular-stalked.
                                                           C. B. S.
                                                                         1774. - G. h. Bot. mag. 742.
13 cytisoides. W.
                                                                         1812. — G. h. Jac.schæn. 2. t. 236.
14 stricta. W.
                       upright.
15 hirsuta. W.
                       hairy-leaved.
                                                         - E. Ind.
                                                                         1759. . . . S. h . Burm. zeyl. t. 14.
                                                                         1774. 6.10. G. h. Bot. mag. 465.
1790. 3.6. G. h. Vent. malm. 45. 386
16 angustifolia. W.
                       narrow-leaved.
                                                           C. B. S.
                       Botany Bay.
                                                           N. S. W.
17 australis. W.
                                                       - E. Ind.
                                                                         1806. 6.7. S.O. Sert. han. 2. t. 12.
18 viscosa. W.
                       clammy.
19 Anil. W.
                       West Indian.
                                                           W. Ind.
                                                                         1731. 7.8. S. J.
                                                                                            Rheed.mal.1.t. 54.
20 tinctoria. W.
                       East Indian.
                                                           E. Ind.
                                                                                     S.h.
                       silver-leaved.
                                                           W. Ind.
                                                                         1776. - S. h. L'Her. stirp. t. 79.
21 argentea. W.
TEPHROSIA. P. S.
                       TEPHROSIA.
                                         Leguminosæ. J. Galegæ sp. IV.
 1 toxicaria. P. S.
                       Fish Poison.
                                                           S. America.
                                                                         1791. . . . S. h . Plum. ic. t. 135.
                                                           N. America. 1765. 6.8. H.4. Pluk.alm.t.23.f.2.
 2 virginiana. Ph.
                       Virginian.
                                                                         1774. 5.9. G.h.
                                                           C. B. S.
 3 grandiflora. P. S.
                       Rose-coloured.
 4 stricta. P. S.
                       upright.
                                                                         1774. 5.6.
                                                                                     G.h. Scop. insub.1. t. 3.
                       pale-flowered.
                                                                         1787. 6.8. G.h.
 5 pallens. P. S.
                       villous.
                                                           E. Ind.
                                                                         1779. 6.7. S. h. Pluk.alm.t. 59.f. 6.
 6 villosa. P. S.
 7 piscatoria. P. S.
                       woolly.
                                                           India.
                                                                         1778.
                                                                                    - S.J.
 9 purpurea. P. S.
                       purple.
                                                           E. Ind.
                                                                         1768. 7.8. S. 4. Burm. zeyl. t. 32.
                       GOAT'S RUE.
                                         Leguminosæ. J.
GALEGA, P. S.
 1 officinalis. W.
                                                           Spain.
                                                                         1568. 6.9. H. 4. Sch.hand.2.t.208.a.
                       officinal.
                       blue-flowered.
   a cærulea.
   B alba.
                       white-flowered.
                                                                        2 orientalis. W.
                       oriental.
                                                           Levant.
 3 caribæa. W.
                       Caribean.
                                                           Caribees.
                                                                         1799. . . . .
 4 ochroleuca. W.
                       sulphur-colour'd
                                                                                     S. h. Jac. ic. 1. t. 150.
                                                           E. Ind.
                                                                         1807. 7.
                                                                                     S. 3.
 5 Heyniana. Rox,
                       Heyne's.
PHACA. W.
                       BASTARD VETCH Leguminosæ. J.
                                                                         1640. 7. H.4. Moris. s. 2. t. 8. f.1.
 1 boetica. W.
                       hairy.
                                                           Spain.
                                                                         1795. — H.4. Jac. aust. t. 166.
1759. — H.4. Jac. ic. 1. t. 151.
                       small.
 2 frigida. W.
                                                           Austria.
 3 alpina. W.
                       smooth Alpine.
                                                                         1779. 5.6. H. 4. Jac. misc. 2. t. 3.
 4 australis. W.
                                                           S. Europe.
                       trailing.
 5 arenaria. W.
                                                                         1796. 7.8. H. 4. Pall.it. 3.t.Cc,f.1.2.
                       sand.
                                                           Siberia.
                       procumbent.
 6 astragalina. P. S.
                                                         - N. Europe.
                                                                         1771. 6.7. H. 4. Fl. dan. 51.
   Astragalus alpinus. IV.
OXYTROPIS, Dec.
                       OXYTROPIS.
                                        Leguminosæ. J. Astragali sp. W.
 1 montana. P. S.
                       mountain.
                                                           Austria.
                                                                         1581. 7.8. H. 4. Bot. mag. 843.
 2 Lambertii. Ph.
                       Lambert's.
                                                           Missouri.
                                                                         1811. 8.9. H.4.
                                                           Siberia.
                                                                                7. H. 4. Pall. astrag. t. 42.
3 uralensis. P. S.
                       silky.
                                                                         1800.
                                                                               5.8. H.4. Eng. bot. 466.
                       hairy mountain.
                                                           Scotland.
 4 sordida. P. S.
   Astragalus uralensis. E. B.
                                                                         1778. 6.7. H. 4. Pl.rar.hung.2.t.130
 5 campestris. P. S.
                       field.
                                                          Germany.
                                                                         1768. 7.8. H.⊙.
 6 uncata. P. S.
                       Aleppo.
                                                           Aleppo.
                                                                         1802. 7.9. H. 4. Pall. astrag. t. 45.
 7 altaica. P. S.
                       Altaic.
                                                           Siberia.
 8 cymbicarpos. P. S.
                       boat-podded.
                                                         - Portugal.
                                                                         1800. 7.8. H.⊙.
```

	DIA	DELFHIA	DECAN	DIMA.	109
9 pilosa. P. S.	pale-flowered.	Leguminosæ. J.	Siberia.	1732. 6.8. H. 24	Jac. aust. 1. t. 51. 24
10 dealbata. P. S.	mealy.		- Caucasus.		Pall.astra.t.23.f.2.3
11 deflexa. P. S.	small-flowered.		- Siberia.	1800. 6.7. H.4.	Jac. ic. 1. t. 153.
Astragalus pari				77 A	D 11 4 4 00
12 dichoptera. P. S.	pubescent.	7		· 1815. —— H.4.	Pall. astrag. t. 39.
ASTRAGALUS. De	c. Milk Vetch. great yellow.	Leguminosæ. J.	Armania	1787. 7. H.4.	Tourn. it. 2. t. 254.
2 tomentosus. W.	downy-leaved.		- Egynt.		Dec. astrag. t. 29.
3 alopecuroides. W.			- Spain.	1787. 6.7. H.4.	
4 vulpinus. W.	Fox-tail.		- Siberia.	1815. — H. 24.	
5 narbonensis. W.	French.			1789 H.4.	t. 10.
6 capitatus. W.	, headed.	<u> </u>	- Levant.	1759. 7.8. H.4.	
7 sulcatus. W.	furrowed.				Jac. vind. 3. t. 40.
8 melilotoides. W.	Melilot-like.			6.7. H.4.	Pail. astrag. t. 41.
9 virgatus. W. 10 tenuifolius. W.	twiggy. fine-leaved.	April 1997 - Control of the Control	-	- 1780. 7.8. H.4.	t. 18,
li asper. W.			Astracan	1796. — H. 4.	Jac. ic. t. 159.
12 galegiformis. W.					Pall. astrag. t. 29.
13 chinensis. W.	upright Chinese.		- China.		Linn. fil. dec. t. 3.
14 virescens. Dec.	green-flowered.	Manager Property and Control of the	- Siberia.	1737. — H.4.	
15 falcatus. Dec.	sickle-podded.			H. 24 .	Dec. astrag. t. 26.
16 uliginosus. W.	marsh.	-		- 1752. 6.8. H.4.	Pall. astrag. t. 26.
17 carolinianus, W.	Carolina.		- N. America.	1732. 7.8. H.4.	Dill. elt. t. 39. f.45.
18 canadensis. W.	woolly.	-		· ·	Dodart. mem. 4. 64.
19 semibilocularis.P. 20 Cicer. W.	bladdered.		- Siberia.		Dec. astrag. t. 23.
21 carnosus. Ph.	fleshy-podded.		- Europe.	1570. 6.7. H.4.	
22 caryocarpus. B. re				1811. — H. 4. — H. 4.	Bot. reg. 176.
23 glycyphyllos. W.	sweet.		- Britain.	— H.2	Eng. bot. 203.
24 microphyllus. W.		-	- Siberia.	— H.4. 1773. — H.4.	
25 trimestris. W.	Egyptian		Fount.	1739. —— H.⊙.	Jac. vind. 2. t. 174.
26 Buceras. W. en.	horned.		_	1816. —— H.⊙.	
27 hamosus. W.	hook-podded.		- Spain.	1633. −−− H.⊙.	Lam. ill. t. 622. f.4.
28 canaliculatus. W.				1816. —— H.⊙.	
29 contortuplicatus.		Formula de la constitución de la	- Siberia.	1764. 7.8. H.⊙.	- ·
30 bœticus. W.	triangular-podd.			1759. 6.7. H.⊙.	
32 sesameus. W.	star-podded. Sesama.			· 1658. 7.8. H.⊙. · 1616. 6.7. H.⊙.	
33 annularis. W.	ring-podded.		Tomerst	1800. — H.O.	Garras provi ti 12.
34 pentaglottis. W.	rough Spanish.		Snain		Cav. ic. 2. t. 188.
35 epiglottis. W.	heart-podded.	,	S. Europe.		Herm. lugd. t. 77.
36 hypoglottis. W.	purple mountain.		- Britain.	Н. 4.	Eng. bot. 274.
37 austriacus. W.	Austrian.		· Austria.		Jac. aus. 2. t. 195.
38 fruticosus. W.	woody.		· Siberia.	1804. — H.h.	Pall. astrag. t. 19. Retz. obs. 3. t. 3.
39 arenarius. W.	sand.		- Germany.	1798. — H. 4.	Retz. obs. 3. t. 3.
40 leucophæus. W. 41 depressus. W.	dwarf white.		Eumana		A!l ned 1 + 10 f 9
42 leontinus. Jac.	depressed. Lion's-tail.		- Europe. - Anstria	1816. — H.4.	All. ped.1 t.19. f.3.
43 Glaux. W.	small Spanish.		· Spain.	1596. 6.7. H.O.	040110111111111111
44 sinicus. W.	Chinese annual.			1763. 7.8. H.⊙.	Bot. mag. 1350.
45 albidus. W.	white Italian.		- Europe.		Pl. rar.hung. 1. t. 40.
46 Onobrychis. W.	purple-spiked.		· Austria.		Jac. aus. 1. t. 38.
47 Laxmanni. P. S.	Laxmann's.		· Siberia.	· ·	Jac. vind. 3. t. 37.
48 physodes. W.	inflated yellow.		A		Dec. astrag. t. 48.
49 halicacabus, P. S. <i>Phaca vesicaria</i> .	bladdered.		Armenia.	1806. 6. H.2.	Schreb. decad. t. 3.
50 caprinus, W.	scented.		Barbary.	1688, 67 H M	Mor. his. 2. t. 24. f. 3.
51 longiflorus. W.	long-flowered.		Tartary.		Pall. astrag. t. 60.
52 monspessulanus.V			France.	1710. 7.8. H.4.	_ "
53 incanus. W.	hoary.		Montpelier.	1759. 6.7. H.4.	0 .
54 exscapus. W.	hairy-podded.		Hungary.	1787. 5.7. H.24.	Jac. ic. 3. t. 581.
55 tragacanthoides.W	7. Armenian.		Armenia.		Bux.cent.3.t.38.f.2
56 aristatus. W.	awned.		Pyrenees.	——— H.h.	Pall. astrag. t. 3.
57 Tragacantha. W.	{ Great Goat's }		S. Europe.	1640. — H.h.	{ W. act. ber. 1794. } t. 1. f. 5.
	{ Thorn. } { Small Goat's }		•	•	(1. 1. 5.
58 Poterium. W.	Thorn.		Levant.	6.7. H.h.	Park. theat. f. 2.
DICEDDITE S TO	(HATCHET				4
BISERRULA. W.	{ Vetch. }	Leguminosæ. J.			
Pelecinus. W.	bastard.		S. Europe.	1640. 7.8. H.⊙.	Lam. ill, t. 622,
		\mathbf{z}			v

DIADELPHIA DECANDRIA.

-,0	371111	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	22322112	~~~~	15
DALEA. P. S.	DALEA.	Leguminosæ. J.	*** ~		·
1 Cliffortiana. W. 2 alopecuroides. Ph.	Vera Cruz. Fox-tail.	b	· Vera Cruz.		Linn.hort.clif.t.22. Mich.amer. 2. t.34.
3 aurea. Ph.	golden.		Louisiana.	1811. — H. 4.	Witch. anter. 2. t.34.
4 laxistora. Ph.	loose-flowered.			— — н. џ.	
5 enneaphylla. W.	nine-leaved.		· W. Ind.	1772. —— S.O.	
6 citriodora. W.	leafy.		N. Spain.		Cav. ic. 3. t. 271.
7 Lagopus. W. PSORALEA. W.	downy-spiked. Psoralea.	Leguminosæ. J.	· Mexico.	—— G.⊙.	1. t. 86.
1 pinnata. W.	wing-leaved.		C. B. S.	1690. 5.7. G.h.	Bot. rep. 474.
2 odoratissima. W.	fragrant.			1795 G. b.	Jac.scheen. 2. t. 229.
3 verrucosa. W.	warted.	·		1774. 5.8. G.b.	2.t.226.
4 aculeata. W. 5 bracteata. W.	prickly. oval-spiked.			6.7. G. h.	Bot. rep. 146. 2/6
6 spicata. W.	long-spiked.			1731. — G. h. 1774. 7.8. G. h.	Bot. ren. 411.
7 aphylla. W.	leafless.	b	C. B. S.	1790. 6.7. G.h.	Bot. mag. 1727. Jac.schæn.2. t.230.
8 multicaulis. W.	many-stalked.			1793. 8.10. G. h.	Jac.scheen.2. t.230.
9 tenuifolia. W.	fine-leaved.			5.7. (t.h.	- 2. t. 225.
10 decumbens. W.	trailing.			1774. 4.5. G.h.	Jac.scheen.2. t.228.
12 Stachydis. W.	Stachys-leaved.			1793. 4.5. G. b.	o acidence in 21 that of
13 repens. W.	creeping.			1774. 7.8. G. M.	
14 bituminosa. W.	bituminous.		S. Europe.	1570. 4.9. G. h.	Lam. ill. t. 614. f. 1.
15 glandulosa. W.	stripe-flowered.	(Peru	1770. 5.8. G. h.	Bot. mag. 990.
16 pedunculata. B. reg. 17 palæstina. W.	Palestine.		Lorent	1815. 10.8. G.h.	
18 americana. W.	Madeira.		Madeira.		Jac. vind. 2. t. 184. Jac.schæn. 2. t. 227.
19 capitata. W.	headed.		C. B. S.	1793. — G.h.	,
20 corylifolia. W.	Hazel-leaved.		India.	1739, 6.7, S. J.	Bot. mag. 665.
21 esculenta. Ph.	Bread-root.		Missouri.	1811. — H.4.	Pursh. amer. t. 22.
22 cuspidata. Ph. 23 Lupinellus. Ph.	large-rooted. small-flowered.		Louisiana.	H.4.	
MELILOTUS. J.	MELILOT.	Leguminosæ. J.	Trifolii sn. W	1812. — 11.4.	6) 1 0 0
1 cærulea. P. S.				1562. 8.9. H.O.	La Marchalla
2 indica. P. S.			Iudia.	1080. 6.8. H	Pluk. alm.t. 45.f.4.
3 rugulosa. W. en.	White Indian.		D 1	1810. — H.⊙.	
4 parviflora. P. S. 5 messanensis. P. S.	small-flowered. Sicilian.		Sigily	1798. — H.O.	
6 sulcata. P. S.	Barbary.		Barbary.	1680. — H. ⊙. 1798. — H. ⊙. 1778. — H. ⊙.	
7 polonica. P. S.	Polish.		Poland.	1778. — H.O.	
8 macrorrhiza. P. S.	loug-rooted.		Hungary.	1/801. 7.8. H.4.	Pl.rar.hung.1.t.26,
9 dentata. P. S.	toothed.		D.14-1-	1802. 6.8. H.4.	
10 officinalis. W. en. 11 vulgaris. W. en.	common. white-flowered.		Enrope	7.9. H.⊙. — H.♂.	Eng. bot. 1340.
12 Kochiana. W. en.				1816. 6.9. H. 3.	
13 Petitpierreana.W.en			<u>_</u>	— — н. д.	
14 italica. P. S.	Italian.		Italy.		Camer. hort. t. 29.
15 cretica. P. S.	Cretan.		Candia.	1713. — H.O.	Bauh.prodr. t. 142.
P. S.	Bird's-foot.		Britain.	6.7. H.⊙.	Eng. bot. 1047.
LUPINASTER. Ph.	BASTARDLUPINE	Legnminosæ. J.	Pentaphyllon.	P. S. Trifolii sp. I.	T.
pentaphyllus.	five-leaved.			1741. 7.8. H.4.	
TRIFOLIUM. J.	TREFOIL.	Leguminosæ. J.			
1 reflexum. W.	reflexed.		Virginia.	1794. 6.8. H.4.	Direction of 1 to7
2 angulatum. W. 3 strictum. W.	angular. upright.		· Hungary. · S. Europe.	1805. 7.8. H.O.	Pl.rar.hung.1.t.27.
4 hybridum. W.	mule.		· Europe.		Mich.gen.t.25.f.2.6
5 Michelianum. P. S.			. Italy.	1815. — H.①.	Mich. N. G. Pl. t.
			•		25. f. 2.
6 cæspitosum. W.	turfy.		- Switzerland.		Vill. delph. 3. t. 41.
7 repens. W. 8 comosum. W.	White Clover. tufted.			1798. 6.7. H.4.	Eng. bot. 1769.
9 alpinum. W.	Alpine.		Italy.	1775. 6.8. H.4.	
10 pallescens. P. S.	pale.		Carinthia.	1804. — H.4.	
11 subterraneum. W.	subterraneous.		England.		Eng. bot. 1048.
12 globosum. W.	globular.			1713. 6.8. H.O.	Barr ic. 850
13 Cherleri. W. 14 pictum. W.	hairy. painted.			1750. 5.6. H.⊙. 1800. 7.8. H.⊙.	J. (11. 10. 0074
15 lappaceum. W.	burr.		Montpelier.	1787. 6.8. H.O.	
16 diffusum. W.	diffuse.		Hungary.		Pl.rar.hung.1.t.50

DIADELPHIA DECANDRIA.

saxatile. W.	rock.	Leguminosæ. J.	Switzerland.	1816.	5.7.	н. д.	All. ped. t. 59. f. 3.
rubens. W.	long-spiked.		S. Europe.	1633.	6.9.	H.4.	Jac. aust. 4. t. 385.
pratense. W.			Britain.				Eng. bot. 1770.
pensylvanicum. Ph.			· N. America.			H.4.	
			England.				
			Europe.				Jac. aust. 5. t. 433.
			Morocco.				T
			Hungary.				
	gray.		Paitein				
	verious langed		Snain				
	flesh-coloured.		Italy.				
	pale-flowered.		Hungary.				
	sulphur-colour'd.		England.				
	Armenian.		Armenia.				
angustifolium. W.	narrow-leaved.		S. Europe.				Barr. ic. t. 698.
arvense. W.	Hare's-foot.		Britain.		7.8.	$H.\odot.$	Eng. bot. 944.
stellatum. W.	starry.		England.		7.	$H.\odot$.	
clypeatum. W.	oriental.		Levant.				Alp. exot. t. 306.
	white.						
	rough.		Britain.				Eng. bot. 903.
	round-headed.		England.				1063.
	soft-knotted.		Britain.				1843.
	rgypuan.		Egypt. England				Eng hot 1040
			France				Eng. 000. 1043.
	0-1		Commons				Barr. ic. t. 879.
	recurved.		Hungary.				
	woolly.		S. Europe.				
-	(Strawberry-)						
fragherum. W.	{ headed. ` }		England.	• • • •	7.8.	п. 4.	Eng. bot. 1050.
montanum. W.	mountain.		Europe.	1786.		н.4.	Flor. dan. t. 1172.
badium. P. S.	villous-stalked.		D				
spadiceum. P. S.	Bay-coloured.		Europe.	1778.		·н.4.	Bot. mag. 557.
•	large-flowered.		Candia.				
			Europe.	1815.		· H.⊙.	Flor. dan. t. 55%.
	Hop.		Britain.			∙н.⊙.	Bot. mag. 945
	lussay wallow					H O	Fra hot 1050
minus. ri. K.	lesser yellow.					n.	Eng. Dot. 1256.
mrommhade P C							
procumbens. P. S.	slandar vallow				5.7	но	Fug hot 1957
filiforme. W.	slender yellow.			• • • •	5.7.	н.⊙.	Eng. bot. 1257.
	SBIRD'S-FOOT	Leguminosæ. J.		••••	5.7.	н.⊙.	Eng. bot. 1257.
filiforme. W. TUS. W.	{BIRD'S-FOOT } TREFOIL.	_					
filiforme. W.	BIRD'S-FOOT TREFOIL. sea.		Europe.	1683.	5.10.	H.24.	Fl. dan. 800.
filiforme, W. TUS. W. maritimus. W.	BIRD'S-FOOT TREFOIL. sea.		Europe.	1683.	5.10. 7.8.	H.4. H.4.	Fl. dan. 800. Jac. aust. 4. t. 361.
filiforme. W. TUS. W. maritimus. W. siliquosus. W.	BIRD'S-FOOT TREFOIL. sea.		Europe.	1683. 1796.	5.10. 7.8.	H.4. H.4. -H.⊙.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W.	{BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent.		Europe. S. Europe. Sicily. Montpelier. Italy.	1683. 1796.	5.10. 7.8.	H.4. H.4. -H.⊙.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W.	{BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded.		Europe. S. Europe. Sicily. Montpelier. Italy.	1683. 1796. 1754. 1710. 1713.	5.10.	H.↓. H.↓. -H.⊙. -H.⊙. -H.⊙.	Fl. dan. 800. Jac. aust. 4. t. 361.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W.	{BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira.	1683. 1796. 1754. 1710. 1713. 1777.	5.10.	H. ¼. H. ¼. -H.⊙. -H.⊙. -H.⊙. G. ♂.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157.
filiforme, W. TUS, W. maritimus, W. siliquosus, W. tetragonolobus, W. conjugatus, W. edulis, W. peregrinus, W. glaucus, W. anthylloides, V.	{ BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S.	1683. 1796. 1754. 1710. 1713. 1777.	5.10. 7.8.	H. ¼. H. ¼. -H.⊙. -H.⊙. -H.⊙. G. ♂.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W.	{ BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683.	5.10. 7.8. 6.8. 7.8.	H.4. H.4. H.O. H.O. H.O. G.S. H.S.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W.	{ BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683.	5.10. 7.8. 6.8. 7.8. 5.6.	H.4. H.4. H.⊙. H.⊙. G.3. G.b. H.3.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W.	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 	5.10. 7.8. 6.8. 7.8. 5.6. 6.7.	H.4. H.4. H.O. H.O. H.O. G.S. G.S. H.S. H.O.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925.
filiforme, W. TUS, W. maritimus, W. siliquosus, W. tetragonolobus, W. conjugatus, W. edulis, W. peregrinus, W. glaucus, W. anthylloides, V. angustissimus, W. diffusus, W. coimbrensis, W. arabicus, W.	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9.	H.4. H.4. H.0. H.0. H.0. G.3. G.h. H.3. H.0. H.0.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist, 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155.
filiforme, W. TUS, W. maritimus, W. siliquosus, W. tetragonolobus, W. conjugatus, W. edulis, W. peregrinus, W. glaucus, W. anthylloides, V. angustissimus, W. diffusus, W. coimbrensis, W. avabicus, W. australis, H. K.	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 5.9.	H.4. H.4. H.O. H.O. H.O. G.S. G.S. H.O. H.O. H.O. H.O.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. anstralis. H. K. Dioscoridis. W.	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803. 1658.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 5.9. 6.7.	H.4. H.4. H.⊙. H.⊙. H.⊙. G.δ. H.δ. H.⊙. H.⊙. H.⊙.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped. 1. t. 59. f. 1.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. coimbrensis. W. avabicus. W. australis. H. K. Dioscoridis. W. cornthopodioides. \(\bar{\chi}\)	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803. 1658.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 5.9. 6.7.	H.4. H.4. H.⊙. H.⊙. H.⊙. G.δ. H.δ. H.⊙. H.⊙. H.⊙.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. anstralis. H. K. Dioscoridis. W. ornithopodioides. \ W.	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803. 1658.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 5.9. 6.7. 6.8.	H.4. H.9. H.0. H.0. H.0. H.0. H.0. H.0. H.0	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1865. Ail. ped.1. t. 59. f.1. Cav. ic. 2. t. 163.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. arrabicus. W. cornithopodioides. Y. y. jacobæus. W.	BIRD'S-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803. 1658. 1683.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 5.9. 6.7. 6.8.	H.4. H.9. H.9. H.9. H.9. H.9. H.9. H.9.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped. 1. t. 59. f. 1.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. australis. H. K. Dioscoridis. W. ornithopodioides. \ W. igaobæus. W. creticus. W. tenuis. W. en.	BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803. 1658. 1683.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 6.7. 6.8. 1.12. 6.9.	H.4. H.Φ. H.Θ. H.Θ. H.Θ. H.Θ. H.Θ. H.Θ. H.Θ	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped. 1. t. 59. f. 1. Cav. ic. 2. t. 163. Bot. mag. 79.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. coimbrensis. W. arabicus. W. australis. H. K. Dioscoridis. W. ornithopodioides. W. jacobæus. W. tenuis. W. en. hirsutus. W. en.	{ BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered. silver-leaved.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant. Hungary. S. Europe.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1800. 1773. 1803. 1658. 1683. 1714. 1680. 1816. 1816.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 5.9. 6.7. 6.8. 1.12. 6.8. 6.8.	H.4. H.\(\pi\). H.\(\phi\). H.\(\phi\). G.\(\phi\). H.\(\phi\). G.\(\phi\). H.\(\phi\).	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped.1. t. 59. f.1. Cav. ic. 2. t. 163. Bot. mag. 79. Cav. ic. 2. t. 156. Bot. mag. 336.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. corsticus. W. promithopodioides. W. promithopodioides. W. precticus. W. tenuis. W. en. hirsutus. W. en. hirsutus. W. rectus. W.	BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered. silver-leaved. slender. hairy. upright.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant. Hungary. S. Europe.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683 1800. 1773. 1658. 1648. 1640.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 5.9. 6.7. 6.8. 1.12. 6.8. 6.8.	H.4.4. H. \(\text{H.} \(\text{O} \). H. \(\text{O} \). H. \(\text{O} \). G. \(\text{h.} \(\text{O} \). G. \(\text{h.} \(\text{O} \). H. \(\text{O} \).	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped.1. t. 59. f. 1. Cav. ic. 2. t. 163. Bot. mag. 79. Cav. ic. 2. t. 156. Bot. mag. 336. Moriss. 2. t. 18. f. 13.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. corsticus. W. anstralis. H. K. Dioscoridis. W. piacobæus. W. tereticus. W. tenuis. W. en. hirsutus. W. rectus. W. cretcus. W. cretcus. W. cretcus. W. cretcus. W.	BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered. silver-leaved. slender. hairy. upright. sweet-scented.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant. Hungary. S. Europe. Barbary.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1900. 1803. 1658. 1714. 1680. 1816. 1683. 1640.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 6.7. 6.8. 1.12. 6.9. 6.8. 6.8.	H.4.4. H. \(\text{\tiny{\text{\tinit}\xintext{\texict{\texicr{\texict{\text{\texi\text{\text{\texi}\tint{\text{\ti}\text{\texict{\texit{\texi{\text{\texicr{\texiclex{\texi{\texiclex{\tet	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped.1. t. 59. f. 1. Cav. ic. 2. t. 163. Bot. mag. 79. Cav. ic. 2. t. 156. Bot. mag. 336. Moris.s. 2. t. 18. f. 13. Bot. mag. 1933.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. anstralis. H. K. Dioscoridis. W. ornithopodioides. \ W. jacobæus. W. creticus. W. tenuis. W. en, hirsutus. W. odoratus. W. pedunculatus. W.	BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered. silver-leaved. slender. hairy. upright. sweet-scented. long-peduncled.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant. Hungary. S. Europe. Barbary. Spain.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683 1800. 1773. 1658. 1683. 1714. 1680. 1816. 1683. 1640.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 6.7. 6.8. 1.12. 6.9. 6.8. 6.8.	H.4. H.Φ. H.Θ. H.Θ. G.β. H.Θ. G.β. H.Θ. H.Θ. H.Θ. H.Θ. H.Θ. H.Θ. H.Θ. H	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped.1. t. 59. f. 1. Cav. ic. 2. t. 163. Bot. mag. 79. Cav. ic. 2. t. 156. Bot. mag. 336. Moriss. 2. t. 18. f. 13. Bot. mag. 1233. Cav. ic. 2. t. 164.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. arabicus. W. preticus. W. tenuis. W. peddurculatus. W. major. E. B.	BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered. silver-leaved. slender. hairy. upright. sweet-scented. long-peduncled. greater.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant. Hungary. S. Europe. Barbary. Spain. Britain.	1683. 1796. 1754. 1710. 1713. 1777. 1812. 1683. 1803. 1658. 1683. 1714. 1680. 1816. 1683. 1640. 1814. 1814.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 6.8. 1.12. 6.9. 6.9. 6.8.	H.4.4.4.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bath. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1865. Ail. ped.1. t. 59. f.1. Cav. ic. 2. t. 163. Bot. mag. 79. Cav. ic. 2. t. 156. Bot. mag. 336. Moris.s. 2. t. 18. f. 13. Bot. mag. 1933. Cav. ic. 2. t. 164. Eng. bot. 2091.
filiforme. W. TUS. W. maritimus. W. siliquosus. W. tetragonolobus. W. conjugatus. W. edulis. W. peregrinus. W. glaucus. W. anthylloides. V. angustissimus. W. diffusus. W. coimbrensis. W. arabicus. W. arabicus. W. cornithopodioides. \{ W. preticus. W. tenuis. W. tenuis. W. tenuis. W. tenuis. W. coderatus. H. K. podunculatus. W. major. E. B. corniculatus. E. B.	BIRD's-FOOT TREFOIL. sea. square-podded. Winged Pea. twin-podded. esculent. flat-podded. glaucous. Anthyllis-like. narrow-podded. slender-podded. Portugal. red-flowered. New Holland. Dioscorides's. claw-podded. dark-flowered. silver-leaved. slender. hairy. upright. sweet-scented. long-peduncled.		Europe. S. Europe. Sicily. Montpelier. Italy. S. Europe. Madeira. C. B. S. France. England. Portugal. Arabia. N. S. W. Crete. Sicily. CapeVerdIsl. Levant. Hungary. S. Europe. Barbary. Spain. Britain.	1683. 1796. 1754. 1710. 1713. 1717. 1812. 1683. 1773. 1803. 1658. 1714. 1680. 1816. 1683. 1640. 1804.	5.10. 7.8. 6.8. 7.8. 5.6. 6.7. 7.9. 6.8. 1.12. 6.9. 6.8. 6.8.	H. ¼. ¼. H. ⊙. H. ⊙. G. h. & G. h. & H. ⊙. h. ⊙. h. ⊕. h. ⊕. h. ⊕. h. ⊕. h. ↓. h. ↓. ↓. ↓. ↓. ↓. ↓. ↓. ↓. ↓. ↓. ↓. ↓. ↓.	Fl. dan. 800. Jac. aust. 4. t. 361. Bot. mag. 151. Cav. ic. 2. t. 157. Vent. malm. t. 92. Bauh. hist. 2. f. 2. Eng. bot. 925. Jac. vind. 2. t. 155. Bot. mag. 1365. Ail. ped.1. t. 59. f. 1. Cav. ic. 2. t. 163. Bot. mag. 79. Cav. ic. 2. t. 156. Bot. mag. 336. Moriss. 2. t. 18. f. 13. Bot. mag. 1233. Cav. ic. 2. t. 164.
	pannonicum. W. canescens. W. maritimum. W. squarrosum. W. incarnatum. W. pallidum. W. ochroleucum. W. armenium. W. en. angustifolium. W. stellatum. W. clypeatum. W. albidum. W. scabrum. W. glomeratum. W. striatum. W. spumosum. W. resupinatum. W. resupinatum. W. fragiferum. W. montanum. W. badium. P. S. spadiceum. P. S. speciosum. W. agrarium. W.	alpestre. W. bracteatum. W. en. pannonicum. W. canescens. W. maritimum. W. squarrosum. W. incarnatum. W. pallidum. W. ochroleucum. W. armenium. W. en. angustifolium. W. arvense. W. talbidum. W. clypeatum. W. stellatum. W. scabrum. W. stellatum. W. stellatum. W. stellatum. W. stellatum. W. stellatum. W. striatum. W. striatum. W. striatum. W. striatum. W. spumosum. W. spadiceum. P. S. speciosum. W. spadiceum. P. S. speciosum. W. agrarium. W. procumbens. H. K. campestre. P. S.	alpestre, W. bracteatum, W. en. bracteatum, W. en. pannonicum, W. Hungarian. canescens, W. gray, maritimum, W. teasel-headed. squarrosum, W. various-leaved. incarnatum, W. pale-flowered. pallidum, W. ochroleucum, W. sulphur-colour'd. armenium, W. en. armenian. angustifolium, W. narrow-leaved. arvense, W. Hare's-foot. stellatum, W. oriental. albidum, W. oriental. albidum, W. scabrum, W. rough. glomeratum, W. soff-knoffed. glomeratum, W. suffocated. suffocatum, W. suffocated. spumosum, W. sladdered. spumosum, W. Salamanca. recurvum, P. S. recurved. tomentosum, W. woolly. fragiferum, W. Strawberry- headed. mountain. badium, P. S. spadiceum, P. S. Bay-coloured. speciosum, W. agrarium, W. golden. procumbens, H. K. campestre, P. S. minus, H. K. lesser yellow.	alpestre, W. bracteatum, W. en. bracteatum, W. en. bracteatum, W. en. pannonicum, W. canescens, W. gray, Gaucasus, teasel-headed, Britain, squarrosum, W. teasel-headed, Spain, incarnatum, W. pale-flowered, gray, armenium, W. en. armenium, W. en. armenium, W. en. armenium, W. en. arwense, W. tarellatum, W. clypeatum, W. oriental, delay, oriental, albidum, W. scabrum, W. scabrum, W. striatum, W. scabrum, W. striatum, W. striatum, W. striatum, W. soft-knoited, Britain, stepland, Striatum, W. suffocated, Britain, Egypt, suffocatum, W. suffocated, Britain, Striatum, W. suffocated, Britain, Egypt, Strawberry-headed, Germany, recurved, woolly, Strawberry-headed, Strawberry-headed, Britain, Europe, Strawberry-headed, Spadiceum, P. S. spadiceum, P. S. Bay-coloured, Britain, Europe, Spadiceum, W. spunosum, W. spadiceum, P. S. Bay-coloured, Europe, Spadiceum, P. S. Bay-coloured, Europe, Britain, Europe, B	alpestre, W. bracteatum, W. en. large-bracted. Morocco. 1804. Morocco. 1803. Morocco. Morocco. 1804. Morocco. 1803. Morocco. 1804. Morocco. 1	alpestre, W. bracteatum, W. en. canescens, W. gray. Caucasus. 1803. 5.6. Britain. 6.7. 6.	alpestre, W. bracteatum, W. en. bracteatum, W. en. paunonicum, W. Hungarian. paunonicum, W. Hungarian. paunonicum, W. teasel-headed. paunonicum, W. teasel-headed. principle paunonicum, W. teasel-headed. principle paunonicum, W. pallidum, W. pallidum, W. pallidum, W. ochroleucum, W. armeniam, W. atarry, britaniam, W. starry, britaniam, W. oriental. labidum, W. starry, britaniam, W. scabrum, W. glomeratum, W. spumosum, W. suffocated. prough. Britain, pround-headed. prough. proumbum, W. suffocated. prough. proumbum, W. suffocated. prough. prough. proumbum, W. spumosum, W. pladdered. prough. proumbum, W. suffocated. prough. prough. prough. proumbum, W. suffocated. prough. p

POLYADELPHIA DECANDRIA.

DORYCNIUM. W.	DORYCNIUM.	Leguminosæ. J.					
1 monspeliense. W.		negum.nosa.v.	S. Europe.	1640.	7.9.	G.b.	Park theat \$60, f.1.
2 herbaceum. W.	herbaceous.			1802.	6.9.	н.и.	Park.theat.360.f.1. Vill.dauph.3.t.41,
TRIGONELLA. W.	FENUGREEK.	Leguminosæ. J.	. 6		-		
1 rathenica. W.	small.		Siberia	1741.	6.7.	H.4.	Gmel. sib. 4. 1. 8.
2 platycarpos. W.	round-leaved.		·		6.9.	H. 3.	4. t. 9.
3 hybrida. P. S.	hybrid.	Be	· France.	1806.		- H.4.	
4 polycerata. W.	broad-leaved.		S Treese			$H.\odot$.	
5 hamosa. W.	Egyptian.		- Egypt.				Alp. ægypt. t. 124.
6 spinosa. W.	thorny.		- Candia.				Lam. ill. t. 611. f. 2.
7 corniculata. W.	horse-shoe.		S. Europe.	1597.			Moris.s.2.t.16.f.11.
8 monspeliaca. W.	Montpelier.		- Montpelier.	1710.			Pl.rar.hung.2.t.142
9 pinnatifida. W.	cut-leaved.			1801.	6.8.	$H.\odot.$	Cav. ic. 1. t. 38.
W.	common.		- Montpelier.	1597.		- H.⊙.	Schk.s.han.2.t.211.
11 esculenta. W. en.	esculent.		- E. Ind.	1815.		- S.⊙.	
12 indica. W.	Indian.			1793.		- S.⊙.	Pluk.2lm.t.200.f.7.
MEDICAGO. W.	MEDICK.	Leguminosæ. J.					
1 arborea. W.	Moon Trefoil.		- Italy.				Lob. ic. 2. p. 46. f. 2.
2 cretacea. W. en.	shrubby.		- Tauria.			H.h.	
3 radiata. W.	ray-podded.		- Italy.				Lob. ic.2. p. 38. f. 2.
4 circinnata. W.	kidney-podded.						Gært. sem. 2.t.155.
5 sativa. W.	Lucerne.	-	- England.				Eng. bot. 1749.
6 glomerata. W. en.	clustered.		- Italy.			- H. 4.	Jac. vind. 1. t. 89.
7 prostrata. W.	prostrate.		Vaclord				
8 falcata. W.	yellow.		Puitain	• • • •			Eng. bot. 1016.
9 Iupulina. W. 10 obscura. W.	doubtful.			1794	ე.ი. ო ი	н	971. Retz.obs.1.p.24.t.1.
11 orbicularis. W.	flat-podded.		S Europe.	1698	7.0.	н.б.	Moris.s. 2.t.15.f.1.
12 marginata. W. en.	margined.		- B. Huroper			- H.⊙.	110115.5.2.4.10.1.1.
13 elegans. W.	elegant.		- Sicily.				Moris. s. 2. t. 15. f. 4.
14 scutellata. W.	Snail.		S. Europe.	1569			2.t.15.f.3.
15 Helix. W.	many-flod Snail.			1816.	6.8.	$H.\odot$.	
16 tornata. W.	smooth-podded.		- S. Europe.	1658.		- H.⊙̃.	Moris. s. 2. t. 15. f. 5.
17 turbinata. W.	Turban.			1680.		- H.⊙.	Moris. s. 2. t. 15. f. 5.
18 tuberculata. W.	wart-podded.	-		165%		- H.⊙.	2.t. 15.f.6.
19 aculeata. W.	spiny.			1802.		- H.⊙.	
20 granadensis. W. en.	Spanish.		- Spain.	1816.		- H.⊙.	Jac. coll. t. 15. f. 2.
21 Murex. W.	Burdock -podded			1802.		- H.⊙.	Jac. coll. t. 15. f. 2. Moris. s. 2. t. 15. f. 7.
22 intertexta, W.			- S. Europe.	1629.		- H.⊙.	Moris.s. 2.t. 15. t.7.
23 ciliaris. W.	fringed.		- France.			H.⊙.	70.4
24 carstiensis. W.	creeping-rooted.		- Carinthia.				Bot. mag. 909.
25 maculata. W.	heart.		- England.				Eng. hot. 1616.
26 coronata. W.	crowned.		- S. Europe.	1000.	6.7.	H. ().	Moris.s.2, t.15.f.16.
27 apiculata. W. 28 denticulata. W.	tufted. toothed.			1800.		- H.⊙.	
29 muricata. W.	prickly.		- England				Moris.s.2.t.15.f.11.
30 Gerardi. W.	Gerard's.		- Hungary.				2.t.15.f.18.
31 marina. W.	sea.		- S. Europe.				Cav. ic. 2. t. 130.
32 Terebellum. W.	short-spined.			1798.		- H.⊙.	
33 tribuloides. W.	Caltrops-like.			1730.		- н. <u>о</u> .	
34 rigidala. W.	thorny-podded.					- H.⊙.	
35 minima. W.	least.		- England.				Fl. dan. 211.
36 nigra. W.	black.		- S. Europe.				Moris.s.2.t.15.f.19.
37 græca. W. en.	villous.		- Greece.	1804.		- H.⊙.	Breyn, cent. t. 34.
38 laciniata. W.	cut-leaved.		- S. Europe.	1683.	-	· H.⊙.	Breyn. cent. t. 34.

CLASS XVIII.

POLYADELPHIA DECANDRIA.

THEOBROMA. W.	CHOCOLATENUT	. Malvaceæ. J.			
1 Cacas. W.		S. America.			
2 guianensis. W.	woolly-leaved.	Guiana.	1803	S.h.	Aur. gui. 2. t. 275.

POLYADELPHIA POLYANDRIA. 173 DODECANDRIA. BUBROMA. W. BastardCedar, Malvaceæ. J. Guazuma. P. S. 1739. 8.9. S. h. Trew. ehret, t. 76. Guazuma. W. - Jamaica. Elm-leaved. ABROMA. W. Malyaceæ. J. ABROMA. 1 angusta. H. K. smooth-stalked. - E. Ind. 1770. 8. S. h . Jac. vind. 3. t. 1. 2 fastuosa. H. K. prickly-stalked. - N. S. W. 1800. 6.10. S.h. Par. lond. 102. ICOSANDRIA. MELALEUCA. H. K. MELALEUCA. Myrti. J. E. Ind. 1796. . . . S. J. Rumph.amb.2.t.16. 1 Leucadendron. W. Caju Puti Tree. __ N. S. W. green-flowered. 1798. . . . G. L. Cav. ic. 4. t. 333. 2 viridiflora. W. - N. Holland. 1803. 7.9. G. h. 3 paludosa. H. K. long-leaved red. globe-fruited. 4 globifera. H. K. - --- G. h. Diosma-leaved. 1794. 6.7. G. h. Bot. rep. 476. 5 diosmifolia. H. K. 6 stypheloides. H. K. Styphelia-leaved ----- N. S. W. 1793. 5.6. G.h. --- G.h. 7 genistifolia. H. K. Broom-leaved. striated. ---- N. Holland. 1803. . . . G. l2 . Lab.nov.ho.2.t.165 8 striata. H. K. 9 thymoides. H. K. yellow spear-led. -Van Diem. 10 squamea. H. K. scaly-branched. 11 nodosa, H. K. Whin-leaved. N. S. W. 1790. — G. h. Ex. bot. 1. t. 35. 12 ericifolia. H. K. Heath-leaved. 1788. 7.9. G.h. - 1.t. 34. pale-flowered. - 6.7. G.h. Bot. rep. 175. 13 armillaris. H. K. N. Holland. 1803. . . . G. h. 14 uncinata. H. K. hook-leaved. ----- 6.7. G. h. 15 scabra. H. K. rough-leaved. - 6.9. G.h. 16 pulchella. H. K. neat. ---- N. S. W. 17 thymifolia. H. K. Thyme-leaved. 1792. 2.9. G. h. Bot. mag. 1868. — N. Holland. 1803. 6.9. G. h. 18 decussata. H. K. decussate. 19 fulgens. H. K. splendid. - G. h. Bot. reg. 103. 20 linariifolia. H. K. Toad-Flax-leav^d. ----- N. S. W. 1793. 7.9. G. h. Exot. bot. 1. t. 56. 21 hypericifolia. H. K. Hypericum-lead. . 1792. - G. h. Bot. rep. 200. 22 squarrosa. H. K. Myrtle-leaved. - 1794. 6.8. G.h. Bot. mag. 1935. permanent-cupd. N. Holland. 1803. - G. h. 23 calycina. H. K. 24 densa. H. K. whorl-leaved. - G.h. Myrti. J. Melaleucæ sp. W. TRISTANIA. H. K. TRISTANIA. Oleander-leaved. ______ N. S. W. 1 nereifolia. H. K. 1804. 6.9. G.h. Bot. mag. 105 .. 2 laurina. H. K. 1798. G.h. Pittosporum-led. -3 conferta. H. K. - 1805. 7.9. G. 7. Pittosporum hirtum. W. en. CALOTHAMNUS.) CALOTHAMNUS. Myrti. J. H. K. 1 quadrifida. H. K. - N. Holland. 1803. 7.9. G. h. Bet. mag. 1506. four-cleft. 2 villosa, H. K. hairy. - - G.h. 3 gracilis. H. K. slender-leaved. - G. h. BEAUFORTIA. H.K. BEAUFORTIA. Myrti. J. - N. Holland. 1803. 7.5. G. h. Bot. reg. 18. 1 decussata. H. K. splendid. 2 sparsa. H. K. alternate-leaved. - G.h. POLYANDRIA. HOPEA. L. HOPEA. Ebenaceæ. J. tinctorial Ph. Laurel-leaved. - Carolina. 1780. . . . G. h . Cat. car. 1. t. 54. Symplocos tinctoria. IV. CITRUS. W. ORANGE-TREE. Aurantiæ. J. 1 acida. Rox. Lemon-Tree. 1648. 5.7. G. h. Gær.fru.2.t.121.f.2 - Asia. - G. h. Blackw. t. 362.

1595. — G. h. Lam.ill. t. 639. f. 2.
... — G. h. Tourn. inst. t. 390.
... — G. h. 2 limonia. Lime-Tree. 3 Aurantium. P. S. common. - India. - China. 4 sinensis. P. S. Myrtle-leaved. 5 buxifolia. P. S. Box-leaved. 1805. — G. h. Bot. rep. 608. — G. h. Bot. reg. 211. 1724. — G. h. Rum.am.2.t.24.f.2. 6 nobilis. H. K. Mandarin. B minor. smaller. 7 decumana. W. Shaddock-Tree. India. XANTHOCHY-XANTHO-MUS. Rox. CHYMUS. E. Ind. pictorius. H. K. painter's. 1796. . . . S.h. Roxb. cor. 2. t. 196. HYPERICUM. W. ST.John's Wort. Hypericinæ. J. — Majorca. 1714. 3.9. G. h. Bot. mag. 137. — N. America. 1759. 6.7. H. h. 1 balearicum. W. 2 Kalmianum. W. Kalmia-leaved.

- China.

N. America. 1819. 6.7. H. 4.

____ Ireland.

Siberia,

1753. 8.9. G. h. Bot. mag. 334.

.... 6.9. H. h. Eng. bot. 2017.

1774. 6.9. H. 2. Gmel. sib. 4, t. 69.

3 monogynum. W.

4 calycinum. W.

5 ascyroides. Ph.

6 Ascyron. W.

Chinese.

Siberian.

large-flowered.

large-capsuled.

				11	
7 pyramidatum.	W. pyramidal.	Hypericinæ. J.		1759. 7.8. H.4. Vent. malm. 113,	
3 Androsæmum.			- Britain.	7.9. H. 4. Eng. bot. 1225.	
9 olympicum. W			- Levant.	1706. — H. h. Exot. bot. 2. t. 96.	·
10 foliosum. H. K			- Azores.	1778. 8. G.h.	
11 floribundum. V			- Madeira.	1779. — G.h. Com. hort. 2. t. 68.	
12 canariense. W.			- Canaries.	1699. 7.9. G.h.	
13 ægypticum. W.	Egyptian.		- Egypt.	1787. 6.7. G. h. Bot. reg. 196.	
14 elatum. W.	tall.		- N. America.	1762. 7.8. H.h. { Juss. in ann. mus. 3. t. 17.	
15 frondosum. Ph	. green.			1806 — H L	
16 amœnum. Ph.	elegant.		- Carolina.	1806. — H. h. 1812. — H. h.	
17 hircinum. W.	stinking.	-	- S. Europe.	1640. 7.9. H.h. Dill.elt.t.151.f.182	
β minus.	small stinking.				
18 prolificum. W.	prolific.	A	 N. America. 	1758 68 H L Incephoun 3 + 200	
19 canadense. W.	Canadian.			1770. 7.9. H.4. 1812. 6.7. H.4.	
20 angulosum. Ph	 toothed-flowere 	d ———		1812, 6.7. H. 4.	
21 setosum. H. K.			- Carolina	1750 70 F M Dlul: alm + 045 f 6	
22 mutilum. H. K			- N. America.	6.9. F.4.	
23 virginicum. W.				1800. 7.9. H.4. Bot. rep. 552.	
Elodea campa					
24 lævigatum. H.			·	1772. — H.4.	
25 nudiflorum. Ph				1811. 9.10. F.h. 1812. 7.8. F.h.	
26 glaucum. Ph.	glaucous.	.1	Conclina	1812. 7.8. F.h.	
2/ rosmarinifoliui	W Assoluthus like	u,	- Caronna.	1812. 7.8. F. ½. 6.8. F. ½. 1811. — F. ½. 1806. 7. F. ½. 1778. 6.9. G. ½. 7.8. H. ¼. Eng. bot. 370. H. ¼. — E. ½.	
28 aspaintholdes.	b alustared		N America	1811. — F. h.	
29 rasciculatum. r	hanging-loaved		- Teneviffe	1770 60 G L	
St anadrangulare	W. canare-stalked.		- Britain	7.9 H.M. Eng bot 370	
39 dubium W	imperforate.		- Direction		
\$3 maculatum. M	. spotted.		- N. America.	1789. — F.4.	
corymbosum. I.	*			1700.	
34 perforatum. W		<u></u>	- Britain.	H. 4. Eng. bot. 295.	
35 humifusum. W				H. 4 1226.	
36 crispum. W.	curl-leaved.		- Greece.	H. 4. Bocc. mus. t. 12.	
37 undulatum, W	en. wave-leaved.		- Barbary.	1802. — F. 4.	
38 barbatum. W.	bearded.		- Scotland.	6.10. H. 4. Eng. bot. 1985.	
39 perfoliatum. W			- Italy.	1785. 5.6. F.4.	
	P.S. various-leaved.	***************************************	- Persia.	1812. 7.8. G.h. Vent. cels. t. 68.	
41 ciliatum. W.	fringe-flowered.		- Levant.	1739. 7. F.4. Bocc. mus. t. 127.	
42 montanum. W.			- Britain.	7.8. H. 4. Eng. bot. 371.	
43 glandulosum. V			- Madeira.	1777. 5.8. G.ħ.	
44 hirsutum. W.	hairy.		- bruain.	6.7. H.4. Eng. bot. 1156.	
45 elodes. W. 46 tomentosum. V	marsh. V. woolly.		- S Europe	7.8. H.4. —————————————————————————————————	
	small upright.		- Britain	7. H.4. Eng. bot. 1227.	
47 pulchrum. W. 48 serpyllifolium.			- Levant.	1688. 7.8. H. h. Mor.hi.2.s.5.t.6.f.	
49 Coris. W.	Heath-leaved.			1640. 5.9. G.h. Bot. mag. 178.	
50 verticillatum. V			- C. B. S.	1784. 6.8. G. 24.	
ASCYRUM. W.	Ascyrum.	Hypericinæ. J.		7.	
1 pumilum. Ph.	dwarf.		- Georgia.	1806. 6.8. G.4.	
•	St. Andrew's			1770 W C I	
2 Crux Andreæ.	rn. Cross.		- A. America.	1759. 7. G. h.	
3 hypericoides. P		2		7.9. G.h.	
4 stans. W.	large-flowered.		-	7.9. G. h. Vent. malm. 90.	
amplexicaule.	Ph.				

CLASS XIX.

geropogon. w.	OLD MAN'S BEARD.	Cichoraceæ.J.					. ~ -
1 glaber. W.	smooth.						Bot. mag. 479.
2 hirsutus. W.	hirsute.						Cel. esphr.1.7. 251.
3 calyculatus. W.	perennial.	Marian Andrews	A CONTRACTOR OF THE PROPERTY O	1774.	6.8.	H. 4.	Jac. vaid. 2. t. 106.

		,		C	
TRAGOPOGON. W.	GOAT'S BEARD.	Cichoraceæ. J.			. 1
1 pratensis. W.	yellow.		Britain.		Eng. bot. 434.
2 mutabilis. Jac.	changeable.		Siberia.	1816. — H.J. 1790. — H.J.	Jac. 1c. 1. t. 157.
3 undulatus. W.	wave-leaved,		Crimea.		1. (. 155.
4 orientalis. W.	oriental. great.		Austria	1787. 6.7. H. J. 1788. 5.6. H. J.	Jac aust 1 t 00.
5 major. W. 6 floccosus. W.	woolly.		Hungary.	1816. — H. J.	Pl.rar.hung.2.t.112
7 porrifolius, W.	purple.	, , , , , , , , , , , , , , , , , , , ,	England.	— H. &.	Eng. bot. 638.
8 crocifolius. W.	Crocus-leaved.	,	Italy.		Col. ecphr.1. t.230.
9 villosus. W.	hairy.		Spain.	1794. 5.6. H.J.	•
TROXIMON. Ph.	TROXIMON.	Cichoraceæ, J.			
1 glaucum. Ph.	glaucous-leaved.		· Missouri.	1811. 5.6. H.4. 1799. 7.8. H.4.	Bot. mag. 1667.
2 virginicum. Ph.	Virginian.		N. America.	1799. 7.8. H.4.	
ARNOPOGON. W.		Cichoraceæ. J. U			
1 Dalechampii. W.	great-flowered.		S. Europe.	1739. 6.10. H.4.	Rot. mag. 1623.
2 picroides. W.	prickly-cupped.		3.7 4 1'	1683. 7.8. H.⊙.	Lam.ill. t. 646. f.3.
3 asper. W.	rough.		wrontpener.	1774. — H.⊙.	
SCORZONERA. W, 1 tomentosa. W.	VIPER'S GRASS. white.	Cichoraceæ. J.	Armenia	1789. 6.7. H.4.	
2 humilis. Jac.	dwarf.	1.6	Eurone.		Jac. aust. 1. t. 36.
3 hispanica. W.	garden.		Snain.		Lam. ill. t. 647. f. 5.
4 glastifolia. W.	Woad-leaved.		- Germany.	1816. — H.4.	
5 caricifolia. W.	Carex-leaved.		· Siberia.		Pal.it.3. ap.t.J.i.f.1.
6 purpurea. W.	purple-flowered.		Austria.		Jac. aust. 1. t. 35.
7 rosea. W.	Rose-coloured.		Hungary.	1807. 7. H.4.	Pl.rar.hung.2.t.121
8 graminifolia. W.	Grass-leaved.		- Portugal.	1759. 6.8. H.4.	Jac. obs. 4. t. 100.
9 angustifolia. W.	narrow-leaved.	-	S. Europe.	— Н.4.	Pl.rar.hung.2.t.122
10 eriosperma. W.	woolly-seeded.		- Siberia.	1805. — H.4.	
11 resedifolia. W.	spreading.		Spain.		Bocc.sic.13. t.7.f.4.
12 laciniata. W.	cut-leaved.		S. Europe.		Jac. aust. 4. t. 356.
13 taraxacifolia. W.	Dandelion-leava.			1801. 6.8. H. 4.	Jac. 1c. 1. t. 106.
PICRIDIUM. P. S.	Picrinium. various-leaved.	Cicnoraceæ. J. I		h. Sonchi sp. W.	All. ped.1.t.16.f.1
1 vulgare. P. S. Sonchus picroides.			- Flance.	17/3. 0.o. H.O.	Aii. ped.1. t. 10.1.2
2 tingitanum. P. S.	Tangier.		Barbary.	1713. 6.9. H.O.	Bot. mag. 142.
3 albidum. P. S.	pale-flowered.		- France.	-	Jac. ic. 1. t. 164.
Crepis albida. W.					
SONCHUS. W.	Sow THISTLE.	Cichoraceæ. J.			
1 maritimus. W.	sea.		S. Europe.	1748. 7.9. H. 4.	All. ped.1.t.16, f. 2.
2 fruticosus. W.	shrubby.		- Madeira.	1777. 4.7. G.h.	Jac. ic. 1. t. 161.
3 pinnatus. W.	wing-leaved.			G.h.	
4 lævigatus. W. en.	smooth.			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 lyratus. W. en.	lyre-leaved.		~ :	G.h.	
6 radicatus. W.	long-rooted.		- Canaries.	1780. 7. G.h.	
7 palustris. W. 8 arvensis. W.	tall marsh.		- England.	7.8. H.4.	
9 oleraceus. W.	corn.		- Dittaili.	— H.¼. 6.8. H.⊙.	0/4.
10 tenerrimus. W.	clammy.		S Europe		Pluk.alm. t. 93. f. 3.
11 Plumieri. W.	Plumier's.		- Pyrenees.	1794. — H. 4.	
12 alpinus. W.	blue-flowered.		- Scotland.	T-I 2/	Eng. bot. 2425.
13 lapponicus. W.	Lapland.		- Lapland.	1804. — H. 1.	Eng. bot. 2425. Smith ic.ined.t. 21.
14 floridanus. W.	small-flowered.		- N. America.	1713. 7. H.J.	
15 acuminatus. W.	acuminate.			1812. 8.9. H.J.	
16 pallidus. Ph.	Canadian.		- Canada.		Rob. ic. 148 & 151.
17 sibiricus. W.	Siberian.		- Siberia.		Gmel. sib. 2. f. 3.
18 tataricus. W.	Tartarian.			1784. 6.7. H.4.	
LACTUCA. W.	LETTUCE.	Cichoraceæ. J.		1500 0 TIO	
1 sativa. W. 2 crispa. W.	garden. curled.		•	1562. 6.7. H.⊙.	
3 palmata. W.	Savoy.			1570. —— H.⊙. 1683. —— H.⊙.	
4 intybacea. W.	Endive-leaved.		S America.	1781 68 H Q	
5 quercina. W.	Oak-leaved.		- Sweden.	1686. 5.7. H.O.	
6 stricta. W.	upright.		- Hungary.	1805. 6.7. H. A	Pl.rar.hung.1.t.48.
7 elongata. W.	elongated.		- Pensylvania.	— — Н. д.	
8 Scariola. W.	prickly.		- England.	7.8. H. 3	
9 virosa. W.	strong-scented.		- Britain.	7.9. H. J	1957.
10 angustata. W.	entire-leaved.		- Italy.	1791. 7.8. H.O.	All. ped. 1. t.52.f.1.
11 sagittata. W.	arrow-leaved.		- Hungary.	1805. — H. J	Pl. rar. hung. 1.t. 1. Eng. bet. 707.
12 saligna. W.	least.		- England.	— Н. д	Eng. bet. 707.
13 indica. W.	Indian.	Water Street, and the street,	- E. Ind.	1784. — S.O.	•

14 tenerrima. W,	purple-flowered.		S. Europe.	1815.	7.8.	H.4.	
15 perennis. W.	perennial.		Germany.	1596.	6.8.	H.4.	Mill. ic. 2. t. 157. 21
CHONDRILLA. W.	Gum-Succory.	Cichoraceæ. J.					
juncea. W.	common.		France.	1633. 9	9.10.	H.4.	Jac. aust. 5. t. 427.
PRENANTHES. W.	PRENANTHES.	Cichoraceæ. J.					•
1 purpurea. W.	purple-flowered.		Germany.	1659.	7.9.	H.24.	Jac. aust. 4. t. 317
2 alba. W.	white-flowered.		N. America.	1769	78	T-T 21	Bot mag 1070
3 altissima. Ph.	tall.			1696	,	3-7 21	Pluk.alm.t.317.f.2.
4 cordata. Ph.	heart-leaved.			1916 -		TJ 71	1 1dd.dim.t.o 1 / . 1. 5.
5 spinosa. W.	prickly,		Rayberr				Dayle thank and 67
6 viminea. W.	rushy-twigged.		Austrio				Park.theat.804.f.7.
	wall.		Paitain				Jac. aust. 1. t. 9.
7 muralis. W.			Dritaiii.	• • • •	7.	Fa. 4.	Eng. bot. 457.
LEONTODON. W.	DANDELION.	Cichoraceæ. J.	T				-
1 Taraxacum. W.	common.	-	Britain.				Eng. bot. 510.
2 serotinum. W.	late-flowering.		Hungary.	1816.	7.9.	H. 24.	Pl.rar.hung.2.t.114
3 palustre. E. B.	marsh.	***************************************	Britain.	(6.7.	H.4.	Eng. bet. 553.
lividus. W.							
4 obovatum. W.	obovate-leaved.		Spain.	1805.	7.	H.4.	
APARGIA. W.	APARGIA.	Cichoraceæ. J. I	Tedypnoidis sp	E.B.			
1 aurantiaca. W.	Orange-coloured.	Cicioracca v. 1	Hungary.	1816.	5.6.	H.4.	
2 alpina. W.	Alvine.		Austria.				Jac. aust. 1. t. 93.
3 hastilis. W.	shining-leaved.		S. Enrope.				2. t. 164.
4 dubia. W.	tooth-leaved.		Germany				2. 1. 1011
5 tuberosa. W.	knotty-rooted.	-	Erance.				I ob 30 000 f 1
	hoons		& Europa				Lob. ic. 232. f. 1.
6 incana. W.	hoary.		S. Europe.				Jac. aust. 3. t. 287.
7 Taraxaci. W.	Dandelion-leav.		Britain.				Eng. bot. 1109.
s autumnalis. W.	autumnal.						830.
9 crispa. W.	curled.	-	France.	1803.	7.3.	H.4.	Vill. dauph. 3.t. 25.
10 hispida. W.	rough.		Britain.		7.9.	H.24.	Eng. bot. 554.
11 aspera. W.	hairy.		Hungary.	1805. 6	6.7.	H.24.	Pl.rar.hung.2.t.110
THRÎNCIA, W.	THRINCIA.	Cichoraceae. J. I					_
1 hirta. W.	simple-haired.		Britain		7.8.	H.71.	Eng. bot. 555.
2 hispida. W.	hispid.		S. Europe.	1815.			21191 2011 2011
3 maroccana. P. S.	Morocco.		Morocco	1799.			
Hyoseris hispida. I			112010000,	* 100.	,,,,,	11.00	
	Ox-Tongue.	Cichoraccæ. J.					
PICRIS. W.		Cicamiaccae. o.	77			** 0	Fire 2-4 100
1 hieracioides. W.	Hawkweed-like.	*	England.				Eng. bot. 196.
2 asplenioides. W.	Spleenwort-lead.		Barbary.	1805		H. 4.	L'Her. stirp. t. 82.
3 hispida. H. K.	hispid.		Levant.				
4 sprengeriana. P. S.			Portugal.	1783.	6.7.	H,⊙,	Moris. s. 7.t. 5.f. 17.
HIERACIUM. W.	HAWKWEED.	Cichoraceæ. J.					
1 aureum. W.	golden.		Italy.	1769. 3	5.7.	H.4.	Jac. aust. 3. t. 297.
2 eriophyllum. W. en.	villous.				6.8.	H. 24.	
3 alpinum. W.	Alpine.		Britain.		7.8.	H. 24.	Eng. bot. 1110.
4 pumilum. W.	small.		Germany.	1804			- 18
5 Pilosella. W.	Mouse-ear.		Britain.		5.7.	H. 21.	Eng. bot. 1093.
6 flagellare. W. en.	creeping.			1816		H. 21	23
7 dubium. W.	branching.		Britain				Eng. bot. 2332.
, dublain. w.	(Umbelled)			••••	7.0.	11.25.	Mig. 500. 2002.
8 Auricula. W.			England.			H.4.	236S.
a doventinum TIT	Mouse-car.			1796		LT 31	
9 florentinum. W.	Florentine.		Germany.				6.1 . 1 . 1 . 1 . 1
10 cymosum. W.	small-flowered.		Europe.	1739.	5.6.	11.4.	Col. ecphr. 1. t. 249.
11 staticifolium. W.	Thrift-leaved.						Vill. dauph. 3. t. 27,
12 incarnatum. W.	flesh-coloured.			1815		H.4.	Jac. ic. t. 578.
13 aurantiacum. W.	Orange.		Scotland.			H.4.	Eng. bot. 1469.
14 venosum. W.	veined.		N. America.	1790		H.4.	
15 Gronovii. W.	Gronovius's.			1798			
16 Gmelini. W.	Gmelin's.		Siberia.			H. 2.	Gmel. sib. 2.t. 8.f.2.
17 Lawsoni. W.	Lawson's.	-	Britain.			H. 2L.	Eng. bot. 2083.
18 pallescens. W. en.	pale.		Hungary				Pl.rar.hung.3.t.217
	1		Canada	1800		H. 21	
19 paniculatum. W.	panicled.		Austria	1000.		H 31	Jac. aust. 5. t. 429.
20 chondrilloides. W.	Gum-succory.		Austria.				
21 nigrescens. W.	dark-coloured.		0.77				W. hort. ber. 10.
22 montanum. W.	mountain.		S. Europe.				Jac. aust. 2. t. 190.
23 porrifolium. W.	Leek-leaved.		Austria.				3. t. 286.
24 saxatile. W.	rock.						Jac. ic. 1. t. 163.
25 glaucum. W.	glaucous.		S. Europe.	1807.	6.7.	H.4.	•
26 molle. W.	soft-leaved.		Scotland.				Eng. bot. 2210.
27 murorum. W.	wall.		Britain.				2082.
22 maculatum. E. B.	stained-leaved.		England.			H. 21.	2121.

29 pulmonarium. E.B.	Lungwort.	Cichoraceæ. J.	Scotland.		7.8.	H.4.	Eng. bot. 2307.
30 sylvaticum. W.	wood.		Britain.				2031.
31 ramosum. W.	branching.		Hungary.			H.4.	
32 paludosum. W.	Succory-leaved.		Britain.	• • • •	7.8.	H. 4.	Eng. bot. 1094.
33 lapsanoides. W.	Lapsana-like.		Pyrenees.	1812.		H.4.	Gouan. ill. t. 21. f.3. Gmel. sib. 2. t. 9.
34 lyratum. W.	Lyre-leaved.		Siberia.				
35 cerinthoides. W.	Honeywort-lead.		Scotland.				Eng. bot. 2378.
36 flexuosum. W.	bending-stalk'd.		Hungary.	1804.	7.8.	H.4.	
W. en.	Quince-leaved.		France.	1816.		н.4.	
38 amplexicaule. W.	heart-leaved.		Pyrenees	1780.	7.8.	T-T 2/	All.ped.1.t.15.f.1.
39 pyrenaicum. W.	Pyrenean.		Tyrenees.	1793.	7.0.	H.2/.	Herm.parad.t.184.
β pilosum.	pilose.		-			H. 24.	Herm.parad.t.184.
y austriacum.	Austrian.		-			Н. 2.	Jac. aust. 5. t. 441.
40 sibiricum. W.	Siberian.		Siberia.	1755.		H. 2.	Jac. aust. 5. t. 441. Gmel. sib. 2. t. 10.
41 grandiflorum. W.	great-flowered.		Switzerland.	1791.		H.4.	Pl.rar.hung.1.t.99. Jac.aust.5.t.app.43. Eng. bot. 2379.
42 intybaceum. W.	Endive-leaved.	0	Europe.	1794.		H.4.	Jac.aust.5.t.app.43.
43 villosum. W.	shaggy Alpine.		Scotland.			H.4.	Eng. bot. 2379.
44 Halleri. W.	Haller's.		Europe.	1802.		H.4.	Vill. dauph. 3. t. 26. Pl.rar.hung. 1. t. 85.
45 echioides. W.	Viper's-bugloss.	***************************************	Hungary.			н.4.	Pl.rar.hung.1.t.85.
46 undulatum. W.	wave-leaved.		Spain.	1778.		H.4.	
47 glutinosum. W.	clammy.	***************************************	S. Europe.	1796.		н.⊙.	
48 Kalmii. W.	Kalm's.		Pensylvania.	1794.	8.	H.4.	
49 fasiculatum. Ph.	bullulea.		Canada.		1.0.	11.4.	
56 foliosum. W.	leafy.		Hungary.	1805.			Pl.rar.hung.2.t.145
51 fallax. W. en.			70.17	1816.		H.4.	T 1 4 242
52 sabaudum. W.	shrubby.		Britain.	• • • •		H.4.	Eng. bot. 349.
58 denticulatum. E. B.			Scottana.	• • • •	<u> </u>	11.4.	2122.
54 prenanthoides. W. 55 umbellatum. W.	rough-bordered.		Daitain				
56 lævigatum. W.	smooth.		Diliain.	1504	0.0	H 1	Eng. bot. 1771. W. hort. ber. t. 16.
57 fruticosum. W.	shrubby.		Madeira	1795	6.7	G. h.	W. Hote. Det. t. 10.
CREPIS. W.	CREPIS.	Cichoraceæ. J.	Mauciia.	1700.	0.7.	0.12.	
1 nemausensis. W.	Palestine.	Cichoraccie. 6.	S. Europe.	1794.	6.7.	н.о.	All.ped.1.t.75.f.1.
2 leontodontoides.W.		,	Italy.			H. &.	2211 p au 11 au 7 au 11 au
3 alpina. W.	Alpine.						Gmel. sib. 2. t. 5.
4 pulchra. L. T.	small-flowered.		Scotland.				Eng. bot. 2325.
5 rigida. W.	rigid.		III and the same				Pl.rar.hung.1.t.19.
6 rigens. W.	bristle-leaved.		Azores.			G. 4.	
7 rubra. W.	purple.		Italy.	1632.	6.7.	H.⊙.	
8 aspera. W.	rough.		Sicily.			H.⊙.	
9 hieracioides. W.	Hawkweed-like.		Hungary.	1816.		- Н. 4.	Pl.rar.hung.1.t.70.
10 hispida. W.	hispid.		S. Europe.	1798.		H.⊙.	1. t. 43.
11 tectorum. P. S.	smooth.		Britain.				Eng. bot. 1111.
12 cinerea. P. S.	red-stalked.			• • • •			
13 agrestis. W.	field.	,	Hungary.			H.⊙.	
14 biennis. W.	biennial.		England.	• • • •	6.8.	н. д.	Eng. bot. 149.
15 virens. W.	green.		Switzerland.	1796.	6.7.	H	
16 intybacea. W. en.	Endive-leaved.		Portugal.	1816.		H. J.	0.11.1 10.4.00
17 Dioscoridis. W.	Dioscorides's.		France.	1772.		H	Schk.hand.3.t.222. Desf.act.par.38.t.9.
18 raphanifolia. W. en.			Madaina	1816.		11.4.	Doof out non 20 t 0
19 coronopifolia. W. 20 filiformis. W.	fleshy-leaved.		madeira.	1777.	8.9.	H	Desi.act.par.38.t.9.
HELMINTHIA. J.	HELMINTHIA.	Cichoraceæ. J. P	ioridie en I		0.7.	u. 8 .	
echioides. W.	bristly.	Cicioracca: 5. 1	Britain		67	HO	Eng. bot. 972.
TOLPIS. W.	Tolpis.	Cichoraceæ. J. C	renidic en I.	• • • •	0.7.	11.00.	Eng. 000. 972.
barbata. W.	purple-eyed.			1690	67	но	Bot. mag. 35.
ANDRYALA. W.	Andryala.	Cichoraceæ. J.	_ lunce.	1020.	0.7.	11.0.	Don mag. oo.
1 cheiranthifolia. W.	various-leaved.		Madeira.	1777.	5.10.	G. 21.	L'Her.stirp.35.t.18
2 pinnatifida. W.	wing-leaved.			1778.			- Living Product o
3 crithmifolia. W.	Samphire-leav'd.				6.8.	G. J.	
4 nigricans. W.	dark-flowered.		Barbary.	1804.		H.O.	
5 ragusina. W.	downy.		Archipelago.	1753.		G. 1.	Mill.ic.1.t.146.f.2.
6 lanata. W.	woolly.		S. Europe.	1732.	5.6.	H.4.	1.t.146.f.1.
Hieracium verbascij							
ROTHIA. W.	ROTHIA.	Cichoraceæ. J. A	'ndryalæ sp . F				
1 andryaloides. W.	Andryala-like.		Spain.	1810.			Gært. sem.2. t.174.
2 cheiranthifolia. W.						$H.\odot$.	
3 runcinata. W.	hoary.			1711.		H. 3.	
		Aa					

KPICIA W	KRIGIA	Cichoraceæ. J. Hyoseridis s	, P S
KRIGIA. W.	Krigia.		
virginica. W.	Virginian. (Swine's-	N. Americ	a. 1811. 5.7. H Lam. journ. his nat. 1. t. 12.
HYOSERIS. W.	SUCCORY.	Cichoraceæ. J.	
1 radiata. W.	starry.	S. Europe. Levant. Sicily. Morocco.	1640. 6.7. H.4. Pluk.alm.t.37.f.
2 lucida. W.	shining.	Levant.	1770. 6.8. H. 4. Schmid.ic.t.39.41
3 scabra. W.	rugged.	Sicily.	1789. 7.8. H.O. Boc.mus.146.t.10
4 arenaria. W. HEDYPNOIS. W.	sand. Hedypnois.	Cicherneem I	1800. —— H.O.
1 monspeliensis. W.	branching.	Cichoraceæ. J. S. Europe	. 16\$3. 6.7. H.⊙.
2 rhagadioloides. W.			- 1773. 7.8. H.O. Cav. ic. 1. t. 43.
3 cretica. W.	Cretan.	Candia.	1731. 6.7. H.⊙.
SERIOLA. W.	SERIOLA.	Cichoraceæ. J.	6
1 lævigata. W.	smooth.	Candia.	1772. 7.8. H.⊙. Desf. atl. 2. t. 216
2 æthuensis. W. 8 urens. W.	rough.	Italy S. Europe.	1763. — H.O. Jac. obs. 4. t. 79.
HYPOCHÆRIS. W.	stinging. Cat's-Ear.	Cichoraceæ. J.	1773. — H Schmid. ic. t. 32.
1 helvetica. W.	one-flowered.		id. 1799. 6.7. H.4. Jac. ic. 1. t. 165.
2 maculata. W.	spotted.	England.	H. 4. Eng. bot. 225.
3 minima. W.	least.	Barbary.	179 7. 7.8. H.⊙.
4 hispida. W. en.	bristly.	S. Europe	H. 2. W. hort. ber.1.t.4. H. ⊙. Eng. bot. 575.
5 glabra. W.	smooth.	S. Europe Britain.	H.O. Eng. bot. 575.
6 radicata. W. LAPSANA. W.	long-rooted. Nipplewort.	Cichoraceæ. J.	6.9. H.4 881.
1 fœtida. W.	stinking.	Italy.	1722. 7.8. H. 1. Pl.rar.hung.1.t.4
Hyoseris fætida.			
2 pusilla. W.	least.	Britain.	5.6. H.O. Eng. bot. 95.
Hyoseris minima.			
3 communis. W.	common.	Britain.	6.7. H.O. Eng. bot. 844.
4 crispa. W.	curled. lyrate.	Caspian S	1799. 7.8. H.O.
5 lyrata. W. en. ZACINTHA. W.	ZACINTHA.	Cichoraceæ. J. Lapsanæ sp.	L.
verrucosa. W.	warted.	S. Europe	- (15/. 1. /.
RHAGADIOLUS. W		Cichoraceæ. J. Lapsanæ sp.	
1 stellatus. W. 2 edulis. W.	starry. heart-leaved.	S. Europe	. 1633. 6.7. H.⊙. Schk.hand.3 t.22.
3 Kælpinia. W.	small.	Deviano.	- 1788. 7. H. O. Pall. it. 3. t. Ll. f.
CATANANCHE. W.		Cichoraceæ. J.	1,101 // 21/01
1 cærulea. W.	blue.	S. Europe.	1596. 7.10. H.4. Bot. mag. 293.
2 lutea. W.	yellow.		1640. 6.7. H.⊙. Alp. exot. t. 236.
CICHORIUM. W.	Succory.	Cichoraceæ. J.	an Hat English 500
1 Intybus. W.	wild. dwarf.	Britain.	6.8. H.4. Eng. bot. 539. 1799. 7.8. H Jac. obs. 4. t. 80.
2 pumilum. W. 3 Endivia. W.	Endive.	E. Ind.	1548. — H
4 divaricatum. W.	branching.	E. Ind. Barbary.	1798. — H.O.
5 spinosum. W.	prickly.		1638 F. J. Bauh. prodr. 1.62
SCOLYMUS. W.	GOLDEN-	Cichoraceæ. J.	
	THISTLE.		1000 #0 HO Tam III + 000
1 maculatus. W.	annual.	S. Europe	. 1633. 7.8. H Lam. ill. t. 659. 1658. 7.9. H. 4.
2 hispanicus. W. ARCTIUM. W.	Burdock.	Cynarocephalæ. J.	1036. 7. 3 . 11.4.
1 Lappa. W.	smooth-headed.	Britain.	7.8. H. J. Eng. bot. 1228.
2 Bardana. W.	woolly-headed.		7.8. H.J. Eng. bot. 1228 H.J. 2478.
SERRATULA. W.	SAW-WORT.	Cynarocephalæ. J.	
1 tinctoria. W.	common.	Britain. Siberia.	7.10. H. 4. Eng. bot. 38.
2 coronata. W.	Siberian.	Siberia.	1789. 7.8. H.4. Gmel. sib. 2. t. 20
2 quinquefolia. W.	five-leaved. Pigmy.	Austria.	1804. — H. 4. Bot. mag. 1871. 1816. — H. 4. Jac. aust. t. 440.
4 pygmæa. W. 5 alpina. W.	Alpine.	Britain.	H. M. Eng. bot. 599.
6 angustifolia. W.	narrow-'e .ved.	Siberia.	1816. — H. 4. Gmel. sib. 2. t. 33
7 salicifolia. W.	Willow-leaved.)	1816. — H.4. Gmel. sib. 2. t. 33 — 1796. — H.4. — 2. t. 27 — 1804. — H.4. — 2.n.38.t.1
8 centaproides. W.	Centaury-like.	the second secon	- 1804 H. 4 2.n.38.t.1
CARDUUS. W.	THISTLE.	Cynarocephalæ. J.	
1 leucographus. W.	white-spotted. thick-leaved.	Italy.	1752. 6.7. H.⊙. Jac. vind. 3. t. 23. 1805. 7. Ы.↓.
2 crassifolius. W. en. 3 arabicus. W.	Arabian.	Arabia.	1789. 7.8. H Jac. ic. 1. t. 166.
4 nutans. W.	musk.	Britain.	H.O. Eng. bot. 1112.
carlinoides. W.	Pyrenean.	Pyrenees.	1784 H. J. Gouan. ill. t. 23.

	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~						1
6 carlina folius. W.	Carline-leaved.	Cynarocephalæ. J.	Pyrenees.	1804.	7.8.	н. д.	
7 acanthoides. W.	welted.		Britain.		6.8.	$H.\odot.$	Eng. bot. 973.
8 tenuislorus. W.	slender-flower'd.						412.
9 crispus. W.	curled.		Europe.				Flor. dan. t. 621.
10 bamulosus, W.	spiny-hooked.		Hungary.			H. &.	701 1 4 4 4 4 4
11 candicans. W.	hoary.		Hungary.				Pl.rar.hung.1. t.83.
12 personata. W.	cut-leaved.						Jac. aust. 4. t. 348.
13 polyanthemos. W. 14 orientalis. W. en.	oriental.						Triumf, obs. t. 103,
15 paniculatus. W.	panicled.		S Furone			H.4.	
16 pyenocephalus. W.			S. Europe.				Jac. vind. 1. t. 44.
17 argentatus. W.	White Egyptian.		Egypt.				2. t. 192.
18 cyanoides. W.	blue-bottle-lead.		Siberia				Gmel. sib. 2. t. 15.
19 arctioides. W.	pinnated.		Carniola.				
20 alpestris. W.	Alpine.		Croatia.	1805.		н.4. н.4.	
21 defloratus. W.	various-leaved.		Austria.				Jac. aust. 1. t. 89.
22 pannonicus. W.	Hungarian.			1816.		H.4.	3.t.5.
23 parviflorus, W.	small-flowered.		S. Europe.	1781.	6.7.	H.4.	
24 radiatus. W.	rayed.		Hungary.				Pl.rar.hung.1.t.11.
25 marianus. W.	milk.		Britain.	• • • •		·н. д.	Eng. bot. 976. Pl.rar.hung.1.t.52.
26 nitidus. W.	glossy.		Hungary.				
27 cerinthoides. W.					7.8.	H.4.	Cav. ic. 3. t. 226.
CNICUS. W.		Cynarocephalæ. J.				TT 4	T 1 . 4 . 0 . 4
1 palustris. W. 2 canus. W.	marsh.		Britain.				Eng. bot. 974.
3 Acarna. W.	hoary. yellow.		Austria.				Jac. aust. 1. t. 42. 3.
4 monspessulanus.W.			Montrolion	1506			Cav. ic. 1. t. 53.
5 lanceolatus. W.	common.		Britain				Eng. bot. 107.
6 ferox. W.	prickly.		S. Europe.				All. ped. 1. t. 50.
7 ciliatus. W.	fringed.		Siberia.				Mur.com.got.6.t.3.
8 criophorus. W.	woolly-headed.		Britain.		78.	H. A.	Eng. bot. 386.
9 discolor. W.	two-coloured.		N. America.	1803.		H. 3.	/
10 altissimus. W.	giant.			1726.	3.9.	H.4.	Dil. elt. t. 69. f. 80.
11 pratensis. W.	meadow.		Britain.				Eng. bot. 177.
12 heterophyllus. W.	melancholy.	***************************************			7.8.	H.4.	
13 helenioides. W.	Elecampane-led.		Siberia.	1804.	-,	H.4.	
14 serratuloides. W.	Saw-wort-like.			1752.	6.10.	H.4.	Jac. aust. 2. t. 127.
15 arvensis. Ph.	corn or way.		Britain.	• • • •	7.	H.4.	Eng. bot. 975.
Serratula arvensis.							
16 rivularis. W.	river.						Jac. aust. 1. t. 91.
17 pauciflorus. W. 18 tataricus. W.	few-flowered.		Cilente	1816.		н.б.	Pl.rar hung.2.t.161 Jac. aust. 1. t. 90.
10 tatalicus, w.	Tartarian.						
19 rigens. W.	upright Alpine.		Switzerland.	1775.	7.8.	H.4.	La Chen. act. helv.
							} Scop.carn.n.1005.
20 carniolicus. W.	Carniola.		Carniola.	1792.		H.4.	t. 54.
21 oleraceus. W.	pale-flowered.		Europe.	1570.		H.2/.	Fl. dan. 860.
22 munitus. W. en.	armed.		Caucasus.	1816.		H.21.	1 1 dans 500;
23 obvallatus. W. en,	crowded-flowerd,					H.4. H.4.	
24 Erisithales, W.	clammy.		France.	1752.	6.8.	H.4.	Jac. aust. 4. t. 310.
25 ochroleucus. W.	pale yellow.		Switzerland,	1801.	7.	H.4.	
26 tuberosus. W.	tuberous.		England.				Lob. ic. t. 10. f. 2.
27 acaulis. W.	dwarf.		Britain.				Eng. bot. 161.
28 Casabonæ, W.	Fish-bone.		S. Europe.	1714.	6.8.	F. 3.	Schmid. ic.t.51.52.
29 afer. W.	Barbary.		Barbary.	1800.	6.7.	F. 3.	Jac.scheen.2.t.145. 2
30 diacanthus. Lab.	two-spined.		Syria.			F. 8.	Lab. ic. pl.syr.1.t.3.
31 stellatus. W.	starry.		Italy.				Triumf. obs. t. 96.
32 syriacus. W. 33 spinosissimus. W.	Syrian.		Levant.				Camer. hort. t. 10.
34 centauroides. W.	feathery-headed.						Bot. mag. 1366.
35 uniflorus. W.	Artichoke-leav ^d .		Pyrenees.				Moris. s. 7. t. 25. f. 2.
36 cernuus. W.	nodding.		Siberia.				Gmel. sib. 2. t. 38.
	(Cotton)	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1/00.	0.7.	11.4.	Mill. ic. 2. t. 248.
ONOPORDUM. W.	THISTLE.	Cynarocephalæ. J.					
1 Acanthium. W.	woolly.		Britain.		7 8	H. A	Eng. bot. 977.
2 tauricum. W.	Taurian.		Tauria.	1800	7.0.	H. A.	Zing. 1000 3776
3 macrocanthum. W.	long-spined.		Barbary.	1798.		H.O.	Schous, maroc, t s
4 illyricum. W.	Illyrian.		S. Europe.	1648.		H. Z.	Schous. maroc. t.5. Jac. vind. 2. t. 148.
5 deltoides. W.	Siberian.		Siberia,	1784.	8,	н.4.	74 2.100
& græcum. W.	Grecian.		Levant.				Gouan. ill. t. 25.
		Aa	2				

```
7 arabicum. W.
                       Arabian.
                                        Cynarocephalæ. J. S. Europe.
                                                                       1686. 7. H. J. Jac. vind. 2. t. 149.
                       dwarf.
                                                                       1739. 7.8. H.J. Jac. ic. 1. t. 167.
 8 acaulon. W.
                                        Cynarocephalæ. J. Onopordi sp. W.
BERARDIA. Vill.
                       BERARDIA.
                       round-leaved.
   subacaulis. P. S.
                                                        - Italy.
                                                                       1791. 7.8. H. 4. Vill.dauph. 3. t. 22,
   Arctium lanuginosum. Dec. Onopordum rotundifolium. IV
CYNARA. W.
                       ARTICHOKE.
                                        Cynarocephalæ. J.
 1 Scolymus. W.
                       garden.
                                                          S. Europe.
                                                                        1548. 8.9. H. 4. Blackw. t. 458.
                                                                       1778. — G.4.
1658. — H.4. Tabern. ic. 696.
 2 horrida. W.
                       Madeira.
                                                          Madeira.
 3 Cardunculus. W.
                       Cardoon.
                                                          Candia.
 4 humilis, W.
                       dwarf.
                                                                        1613. 7.8. H. 2. Pluk. alm. t. 81.f. 2.
                                                          Spain.
 5 acaulis. W.
                       stemless.
                                                                        1799. 7. H. 1. Desf. alt. 2. t. 223.
                                                          Barbary.
 6 glomerata. Th.
                       Cape.
                                                          C.B.S.
                                                                        1816. 7.8. G. 4.
                       CARLINE
CARLINA. W.
                                        Cynarocephalæ. J.
                         THISTLE.
 1 acaulis. W.
                       dwarf.
                                                                        1640. 6. H. 4. Knorr.thes.2.t.c.t.
                                                          Italy.
 2 simplex. P. S.
                       single-flowered.
                                                                        1816. 6.7. H. 4. Pl.rar.hung.2.t.152
                                                          Hungary.
 3 aggregata. W.
                       clustered.
                                                                        1804. 6.9. H.4.
                                                                        1683. 6.7. H.⊙. Garid. aix. t. 21.
 4 lanata. W.
                       woolly.
                                                          S. Europe.
 5 corymbosa. W.
                       corymbed.
                                                                        1640. 7.8. H. 4. Col.ecphr.1.t.27.f.1
                                                                              6.9. H. &. Eng. bot. 1144.
 6 vulgaris. W.
                       common.
                                                         · Britain.
                                                                        1658. 6.8. H.O.
 7 racemosa. W.
                       racemed.
                                                          Spain.
 8 pyrenaica. W.
                       Pyrencan.
                                                         - Pyrenees.
                                                                        1788. 6. H. 4.
ATRACTYLIS. W.
                       ATRACTYLIS.
                                         Cynarocephalæ. J.
                                                                        1759. 6.7. H. 4. Cav. ic. 1. t. 54.
   humilis. W.
                       dwarf.
                                                         - Spain.
ACARNA. W.
                       ACARNA.
                                         Cynarocephalæ. J. Atractylidis sp. Cav.
                                                                        1640. 6.8. H.4. Cav. ic. 3. t. 228.
 1 gummifera. W.
                       gummy-rooted.
                                                         - S. Europe.
 2 cancellata. W.
                       netted.
                                                                               6.7. H.O. Lam. ill. t. 662. f. 1.
STOKESIA. W.
                       STOKESIA.
                                         Cynarocephalæ. J.
    cyanea. W.
                        blue-flowered.
                                                           Carolina.
                                                                        1766. 8. G. 4. L'Her.sert.27.t.38,
STOBÆA. Th.
                       STOBÆA.
                                         Cynarocephalæ, J.
    pinnata. Th.
                       Carthamus-like.
                                                           C. B. S.
                                                                        1812. 1.12. G. h. Bot. mag. 1788.
CARTHAMUS. W.
                       CARTHAMUS.
                                         Cynarocephalæ. J.
  1 tinctorius. W.
                       officinal.
                                                           Egypt.
                                                                        1551. 6.7. H.O. Bot. reg. 170.
                                                                        1596. 7.8. H.O. Schk.hand.3.t.233. 2142
 2 lanatus. W.
                       woolly.
                                                           S. Europe.
  3 creticus. W.
                        Cretan.
                                                           Candia.
                                                                        1781. 6.7. H.O.
  4 tingitanus. W.
                        Tangier.
                                                           Barbary.
                                                                        1759. - H. 4. Cav. ic. 2. t. 128.
                       blue-flowered.
                                                           Spain.
                                                                        1640. — H.4.
1776. — H.2.
  5 cœruleus. W.
  6 mitissimus. W.
                        small.
                                                           France.
  7 Carduncellus. W.
                        mountain.
                                                                        1734. 5.6. H.4.
  8 arborescens. W.
                                                           Spain.
                        tree.
                                                                        1731. 7.8. G.h.
  9 salicifolius. W.
                        Willow-leaved.
                                                           Madeira.
                                                                        1784. 8. G. In .
 STÆHELINA. W.
                        STÆHELINA.
                                         Cynarocephalæ. J.
  1 dubia, W.
                        Rosemary-leaved.
                                                           S. Europe.
                                                                         1640. 6.7. H. h. Lam. ill. t. 666. f. 4.
  2 arborescens. W.
                        Storax-leaved.
                                                                         1739. 7.9. O. h. Schreb. dec. 1. t. 1.
                                                           Candia.
                                                                        1640. 7.11. G. h. Pluk.alm. t. 94. f. 3.
  3 Chamæpeuce. W.
                        Pine-leaved.
 PTERONIA. W.
                        PTERONIA.
                                         Cynarocephalæ. J.
  1 camphorata. W.
                        aromatic.
                                                           C. B. S.
                                                                         1774. 6.7. G.h. Pluk.man.t.345.f.2
                        cluster-flowered.
  2 stricta. W.
                                                                               4.6. G. h.
  3 flexicaulis. W.
                        bending-stalked.
                                                                        1812. 6.8.
                                                                                    G.h.
                                                                                     G. h. Lam. ill.t. 667.f. 2.
  4 oppositifolia. W.
                        opposite-leaved.
                                                                        1774.
                                                                                7.
  5 scariosa. W.
                        Window-calyxed.
                                                                       - 1815. 6.8. G.h.
 VERNONIA. W.
                        VERNONIA.
                                         Corymbiferæ. J.
  1 noveboracensis. W. long-leaved.
                                                           N. America. 1710. 9.11. H. 4. Dil.elt.t.263.f.342.
                                                                        1732. — H. 4. —
1817. — H. 4.
                                                                                               - t. 264. f. 343.
  2 præalta. W.
                        tall.
  3 angustifolia. Ph.
                        narrow-leaved.
                                                                                   - H. 4. Dill.elt.t.262.f.341
  4 glauca. W.
                        glaucous-leaved.
                                                                         1710. -
  5 anthelmintica. W.
                        purple.
                                                                         1770. 8.9. S.J. Rheed.mal. 2. t. 24.
                                                           E. Ind.
 LIATRIS. W.
                                         Corymbiferæ. J.
                        LIATRIS.
  1 squarrosa. W.
                                                                        1732. 7.8. H. 4. Dill. elt. t. 71. f. 82.
                        rough-cupped.
                                                           N. America.
  2 scariosa. W.
                        scarious-cupped.
                                                                        1739. 9.10. H.4. Bot. mag. 1709. 560
  3 sphæroidea. Ph.
                        globular-cupped.
                                                                        1817. 8.10. H. 4.
                                                                        1787. 9.10. H.4. Bot. reg. 267.
  4 elegans. W.
                        hairy-cupped.
  5 pilosa. W.
                        hairy-leaved.
                                                                       - 1783. — H. 4.
                        cylindrical-cupd.
                                                                        1811. 8.10. H.4.
  6 cylindracea. Ph.
  7 heterophylla. Ph.
                        various-leaved.
                                                                        1790. 7.8. H.4.
  8 pycnostachya. Ph.
                        pubescent-leavd.
                                                                       - 1732. 8.10. H.4. Dill. elt. t. 72. f. $3.
                                                                       - 1732. — H. 4. Bot. rep. 401.
  3 spicata. W.
                        long-spiked.
 10 odoratissima. W.
                        sweet-scented.
                                                           Carolina.
                                                                         1786. -
                                                                                   - G. 24.
 MIKANIA. W.
                        MIKANIA.
                                         Corymbiferæ. J.
                                                                        1733. 7.8. S.h.
  1 Houstoni. W.
                        Houstoun's.
                                                           Jamaica.
```

				•			
2 hastata. W.	halbert-leaved.	Corymbiferæ. J.					Brown.jam.t.34.f.3
3 scandens. W.	climbing.		N. America.	1714.	8.9.	G. 4.	Jac. ic. 1. t. 169.
EUPATORIUM. W.	Eupatorium.	Corymbiferæ. J.					
1 Dalea. W.	shrabby.		Jamaica.	1773.	8.	S.h.	Jac. scheen.2.t.146
2 fœniculaceum. Ph.	Fennel-leaved.		N. America.	1807.	6.9.	H.4.	Dill .16 6 11 7 6 140
3 hyssopifolium. W.	Hyssop-leaved.			1699.	8.9.	H. 4.	Dill.elt.t.115. f.140
4 sessilifolium. W.	sessile-leaved.			1777.	9.10.	11.4.	W. hort. ber. 32.
5 teucrifolium. W.				1810.	7.0	H 21	Pluk.alm.t. 88.f.4.
6 rotundifolium. W. 7 altissimum. W.	round-leaved.	,		1699.	7.8.	H 21	Jac. vind. 2. t. 164.
8 trifoliatum. W.	three leaved			1769	Q 10	H 2/	
9 cannabinum. W.	Hann Agrimony		Britain	1700.	7 10.	H. 2/	Eng. hot. 428.
10 syriacum. W.	Syrian.		Svria.	1807.	7.9.	H. 2.	Jac. ic. 1. t. 170.
11 purpureum. W.	purple-stalked.		N. America.	1640.	9.10.	H.24.	Corn. canad. t. 72.
12 maculatum. Ph.	spotted-stalked.			1656.	8.9.	H. 24.	Corn. canad. t. 72. Herm.parad.t.158.
13 punctatum. Ph.	punctated.			1815.		H.4.	
14 verticillatum. W.	whorl-leaved.			1811.		H. 4.	
15 perfoliatum. Ph.	Feverwort.			1699.	8.10.	H.4.	Pluk.alm.t. 87.f. 6.
16 cœlestinum. W.	blue-flowered.			1790	7 11	LI M	Dill alt t 114 f 120
17 urticæfelium. W.	Nettle-leaved.		S. America.	1803.	7.8.	F.4.	Smith ined. t. 68.
18 aromaticum. W.	aromatic.		N. America.	1739.		H. 21.	Pluk.alm. t. 88. f. 3.
19 ageratoides, W.	Ageratum-like.			1640.	8.10.	H.4.	Corn. canad. t. 21. Pluk.alm.t.177.f.3.
20 odoratum. W.	sweet-scented.	Complified I	Jamaica.	1752.		· S. h.	Pluk.alm.t.177.f.3.
21 ivæfolium. W.	Iva-leaved.			1794.	6.7.	S.4.	
AGERATUM. W.	AGERATUM.	Corymonera. J.					
1 conyzoides. W.	bairy.		America.	1714.	7.8.	H	Schk.hand.3.t.23%. Cav. ic. 4. t. 357. Bot. mag. 1730.
2 latifolium. W.	broad-leaved.		· Peru.	1800.		H	Cav. ic. 4. t. 357.
	blue-flowered.	C I'C I		• • • •	7.10.	G. n.	Bot. mag. 1730.
STEVIA. W.	STEVIA.						
1 purpurea. W. en.	purple.		Mexico.	1812.	8.9.	H.4.	Pot. reg. 93.
2 Eupatoria. W.	entire-leaved.			1798.	7.9.	11.4.	Bot. mag. 1849.
3 hyssopifolia. B. M. 4 salicifolia. W.	Hyssop-leaved. Willow-leaved.			1009	8.9.	E 21	Cav. ic. 4. t. 354.
5 serrata. W.	saw-leaved.			1700	7.0	- F.4.	Jac cohon 2 + 200
6 ivæfolia. W. en.	Iva-leaved.			1916	7.3.	. H 21	Jac. schæn.3.t.300.
7 ovata. W. en.	oval-leaved.			1010.	8 0	H 2/	
8 pedata. W.	multifid.			1803.	7.9.	H.O.	Cav. ic. 4. t. 356. 20
CEPHALOPHORA.) _			1000.		22.0	Carrier II ti 900. Ap
CEPHALOPHORA.	CEPHALOPHORA.	Corymbiferæ. J.					
glauca. W.	glaucous		Chili.	1798.	7.8.	F. 24.	Cav. ic. 6. t. 599.
HYMENOPAPPUS.J.				210-1			
tenuifolius. Ph.	slender-leaved.		Louisiana.	1811.	6.8.	F. 3.	
MELANANTHERA Mi.	\	C	D:1	***		·	
Mi.	MIELANANTHERA	.Corymoneræ.J.	Biaentis sp.	<i>,</i> ,			
1 hastata. Ph.	snowy.		N. America.	1732.	6.7.	G. 4.	Dill. elt. t. 47. f. 55.
β pandurata.	fiddle-leaved.					- G. 4.	
2 deltoidea. Mi.	rough-leaved.		S. America.	1799.	7.8.	S. 3.	Jac. ic. 3. t. 583.
Calea aspera. W.							,
MARSHALLIA. Ph.	MARSHALLIA.	Corymbiferæ. J.	Persoonia. M	i. Trat	tenic	kia. P.	S.
1 lanceolata. Ph.	spear-leaved.		Carolina.	1812.	6.7.	F. 4.	
2 latifolia. Ph.	broad-leaved.			1806.		· F.4.	Mich. amer. 2. t.43.
SPILANTHES. W.	SPILANTHES.	Corymbiferæ. J.				~ ~	
1 Pseudo-Acmella.W			Ceylon.			_	Pluk.alm.t.159.f.4.
2 alba. W.	white-flowered.		Peru.				L'Her. stirp. 7. t.4.
3 oleracea. W.	esculent.		E. Ind.	1770.	7.9.	8.6.	Jac. vind. 2. t. 135.
4 crocata. B. M.	saffron-coloured.	O 1'C T	· S. America.	1812.	1.3.	8.4.	Bot. mag. 1627.
BIDENS, W.	BIDENS.	Corymbiferæ. J.	72 Y 1		- ^	0.0	D''II II I I I I I I I
1 nodiflora. W. 2 tripartita. W.	sessile-flowered.		· E. Ind.				Dill. elt. t. 44. f. 52.
3 cernua. W.	trifid. nodding.		- Britain.				Eng. bot. 1113.
4 heterophylla. W.	various-leaved.		Movies				Ortor dec 8 t 12
5 frondosa. W.	smooth-stalked.		· Mexico. · N America				Orteg. dec. 8. t. 12. Moris. s. 6. t. 5. f. 21.
6 leucantha. W.	white-flowered.		S America.	1710.	7.0.	н.	440113.3.0.1.0.1.21.
	*						(D. 1 1 0)
7 chinensis. W.	Oliman		China	1001	67	H	
	Chinese.		· Cillia.	1001.	0.7.	11.0.	15, f, 2,
8 pilosa. W.		Name	N. America.	1732.	7.	н.о.	Dill. elt. t. 43. f. 51.
8 pilosa. W. 9 sambucifolia. W.	hairy. Elder-leaved.	Name	N. America.	1732.	7.	н.о.	Dill. elt. t. 43. f. 51.
	hairy.	Name	N. America.	1732.	7.	н.о.	Dill. elt. t. 43. f. 51.
9 sambucifolia. W.	hairy. Elder-leaved.		N. America. S. America. N. America.	1732. 1801. 1687.	7. 7.8.	H.⊙. H.4. H.⊙.	(10.1. 2.

LAGASCA. Cav.	LAGASCA.	Corymbiferæ. J.			
mollis. Cav.	soft.		S. America.	1815. 6.9. S.O	. Bot. mag. 1804.
LAVENIA. W.	LAVENIA.	Corymbiferæ. J.			
erecta. W.	upright.		E. Ind.	1739. 7.9. S.O	Burm. zeyl. t. 42.
CACALIA. W.	CACALIA.	Corymbifers, J.	_		· ·
1 papillaris. W.	rough-stalked.	-	C. B. S.	1727 G. h	Dill.elt.t.55.f.63.
2 Anteuphorbium. W.	ovel-leaved	*************		1506. 23 G L	
3 Kleinia. W.	Oleander-leaved		Caparias	1720 010 C. L	Plant. grass. 12. Plant. grass. 42.
	Ant learned	-	C D C	1732. 9.10. G.n	. Flam. grass. 12.
4 Ficoides. W.	nat-reaved.		С. Б. S.	1710. 6.11. G. h	90.
5 carnosa. W.	narrow-leaved.			1757. 6. G.h	
6 repens. W.	glaucous-leaved.			1759. 6.10. G. h	. Plant. grass. 42.
7 Haworthii.	woolly-leaved.			1795 G.h	
tomentosa. M. n. not	t of Thunberg.				
8 articulata. W.	jointed.			1775. 9.11. G. h 1795 G. h	Plant. grass. 18.
9 tomentosa. Th.	tomentose.			1795 G. h	
10 appendiculata. W.	appendaged.		Tanariffa	1015 C. T.	
11 bicolor. W.	two-coloured.		E Ind	1804. 9.5. S. h	Bot rew 110
	oval-leaved.		13. Ind.	1004. 3.0. 5. η	. Dot. leg. 110.
12 ovalis. B. reg.	0		D 1 1	5.—	102.
13 sonchifolia. W.	Sow-thistie-lea".		E. Ind.	1768. 7. 8.0	Rheed.mal.10.t.68.
14 coccinea. H. K.	scarlet-flowered.		• • • • • • • • • •	1799. 6.7. H.⊙	. Bot. mag. 564.
15 sarraceniaca. W.	creeping-rooted.	·	France.	1772. 8.10. H. 4	
16 hastata. W.	spear-leaved.		Siberia.	1780. —— H. 14	Gmel. sib. 2. t. 66.
17 rhombifolia. W.	rhomb-leaved.			1816. — H. 21	Rheed.mal.10.t.68. Bot. mag. 564. Gmel. sib. 2. t. 66.
13 suaveolens. W.	sweet-scented.				
19 atriplicifolia. W.	Orache-leaved.	-		1699. 8. H M	Pluk.alm.t.101.f.2.
				1000 7 C LI M	1 101. 2110. (.101.1.2,
20 reniformis. W.	kidney-leaved. Alpine.		A	1500 /.8. 11.4	Ten aunt 2 t 201
21 alpina. W.			Austria.	1739. —— H. 4	Jac. aust. 3. t. 234.
22 albifrons. W.	white-leaved.			— — н. 4	3, t. 235.
23 scandens. W.	climbing.		C. B. S.	1774. 4. G.4	
24 pinnata. W. en.	wing-leaved.		Iberia.	1816. 7.8. H.4	
KLEINIA. W.	KLEINIA.	Corymbiferæ. J.			*7 /
porophyllum. W.	perforated.		N. America.	1699. 6.10. S.O	Cav. ic. 3. t. 222.7
ETHULIA. W.	ETHULIA.	Corymbiferæ, J.			
1 convzoides. W.	panicled.		India.	1776, 7.8, S.O.	Linn. fil. dec. t. 1.
2 divaricata. W.	spreading.			1776. 7.8. S.⊙ 1815. —— S.⊙	Lam. ill. t. 699.
PIQUERIA. W.	PIQUERIA.	Corymbiferæ. J.		.01	444444
	three-nerved.		Movino	1700 70 GN	Cav. ic. 3. t. 235,
trinervia. W.			MEXICO.	1/90. /.0. 4.4	2650
CHRYSOCOMA. W.	GOLDY-LOCKS.	Corymbiferæ. J.	CRC	1801 00 CT	
1 Comaurea. W.	great-shrubby.		С. В. S.	1731. 6.8. G.h.	Volk. norib. t. 148.
2 cernua. W.	small-shrubby.			1712. 5.9. G.h.	Comm.hort.2.t.45.
3 ciliaris. W.	Heath-leaved.			1759. 7.10. G. h.	2. t. 48.
4 scabra. W.	rngged.			1732. 8.9. G.h.	Dill.elt.t.88.f.103.
5 denticulata. W.	toothed.			G. h	Jac.schæn.3.t.368. Schk.hand.3.t.238.
6 Linosyris. W.	German.		Europe.	1596. 9.10. H. 24	Schk.hand.3. t.238.
7 dracunculoides. W.	Siberian.		Siberia.	H.4	
	two-flowered.				Gmet.sib.2.t.82.f.1
	hairy-leaved.				Pl.rar.hung.1.t.58.
			rzangarj.	1,000	1 man mang 11 to 201
	AFRICANFLEA-	Corymbiferæ. J.			
THUS. W.	BANE.		C. B. S.	1000 C10 C T	Tam 211 4 C71
camphoratus. W.	shrubby.		C. D. S.	1690. 6.10. G. h	Lam. III. C. 0/1.
CALEA. W.	CALEA.	Corymbiferæ. J.	XX7 X 1	1800 CT CT	Claire at are Ca
1 Jamaicensis. W.	purple-flowered.		W. Ind.	1739. 6.7. S. h	Slo.jam.1.t.151.f.3,
2 oppositifolia. W.	opposite-leaved.			7.8. S. d	Slo.jam.1.t.151.f.3, Bot. mag. 1734.
3 lobata. W.	Halberd-weed.			1733. 6.7. S.h	Bot. mag. 1734.
HUMEA. Sm.	HUMEA.	Corymbiferæ. J.	Calomeria. V	ent. malm. 73.	
elegans. H. K.	rose-coloured.		N. S. W.	1800. 6.10. G. d.	Exot. bot. 1. t. 1.
CÆSULIA. W.	CÆSULIA.	Corynibiferæ. J.			
axillaris. W.	axillary-flower'd.		E. Ind.	1804. 7.9. S. 24.	Bot. rep. 431.
	Ixodia.	Corymbiferæ. J.			1
IXODIA. H. K.	Milfoil-like.		N Holland	1803. 3.9. G.h	Bot. mag. 1534
			14. Honaiu.	1000. 0.9. 0.1	Dott mag. 1004.
	{LAVENDER-}	Corymbiferæ. J.			
	COTTON.				
1 Chamæ-Cyparis- }	common.		S. Europe.	1573. 7. H.h.	Lam. ill. t. 671.f.3.
sus. W.				_	
2 squarrosa. W.	hoary.				Moris. s. 6. t.3. f.17.
3 viridis. W.	dark-green.			1727. 7. H.h.	
4 rosmarinifolia. W.	Rosemary-leavd.			1683. 7.9. H.h.	Exot. bot. 2.t. 62.
5 maritima. W.	sea.				
6 alpina. W.	Alpine.		Italy.	1798 H. 2.	Eng. bot. 141. Barr. rar. t. 522.
7 anthemoides. W.	Chamomile-lead.			1727. 7.8. H.4	
1 metricorroration in a					

SYNGENESIA POLYGAMIA SUPERFLUA,

3	INGENESI.	A PULYGE	IMIA SU	JELRELUA	, 109
ATHANASIA. W.	ATHANASIA.	Corynibiferæ. J.			
1 capitata. W.	hairy.		C. B. S.	1774. 1.3. G.h	Moris.s. 6. t. 3. f. 48. Comm.hort. 2. t. 47. Sch. hand 3. t. 239.
2 pubescens. W.	villous-leaved.			1768. 6.8. G.h	Comm.hort.2.t.47.
3 annua. W.	annual.		Barbary.	1686. 7.8. H.O	Sch. hand. 3. t. 239. Comm. rar. t. 41. Comm.hort. 2. t. 49. Jac.schæn. 2. t. 148.
4 dentata. W.	tooth-leaved.		C. B. S.	1759 G. h	. Cómm. rar. t. 41.
5 trifurcata. W.	trifid-leaved.			1710 G. h	. Comm.hort.2.t.49.
6 virgata. W.	twiggy.			1815 G.h	Jac.schœn. 2. t. 148.
7 tomentosa. W.	Y A. I land d			1774. 5.6. G.h	•
s filiformis. W.	fine-leaved.			1787. 8. G.h	. Comm.hort. 2.t. 50. Jac.schæn. 2.t. 149.
9 crithmifolia. W.	Samphire-leav'd.			1723. 7.8. G.h	. Comm.hort. 2.t. 50.
10 parviflora. W.	small-flowered.			1731. 4. G.h	. Jac.schæn.2.t.149.
11 pectinata. W.	pectinated.			1774. 5.6. G.h	•
BALSAMITA. W.	COSTMARY.	Corymbiferæ. J.			
1 virgata. W.	twiggy.		Italy.	1791. 6.7. H.4	. Jac. obs. 4. t. 81.
2 ageratifolia. W.	Ageratum-leavd.		Candia.	1605. 6.10. G. h	. Alp. exot. t. 326.
3 vulgaris. W.	common.		Italy.		. Schk.hand.3.t.240.
PENTZIA. Th.	PENTZIA.	Corymbiferæ. J.	Tanaceti sp. L	. ·	
flabelliformis. W.	fan-leaved.		C. B. S.	1774. 5.8. G.h	. Bot. mag. 212.
			•		
•		SUPERFLU	JA.		
TANACETUM. W.	TANSY.	Corymbiferæ. J.			
I linifolium. W.	Flax-leaved.		. C. B. S.	1774. 8. G.h	• 471
2 suffruticosum. W.	shrubby.				. Comm.hort.2.t.100
3 argenteum. W.	silvery.		Levant.	1812. — H.4	
4 annuum. W.	annual.		Spain.		. Mill.ic.2. t.227.f.1.
5 vulgare. W.	common.		Britain.	— Н.4	. Eng. bot. 1229.
β crispum.	curled.				
ARTEMISIA. W.	Wormwood.	Corymbiferæ. J.			
1 judaica. W.	Judean.		Levant.	1688. 8. G.h	. Pluk. alm. t. 73. f. 2.
2 valentina. W.	Spanish.	**************************************	Spain.	1739. 7.8. F. h	. Barr. ic. t. 485.
3 subcanescens. W.en	hoary-leaved.		S. Europe.	F.h	•
4 Abrotanum. W.	Southernwood.			1548. 8.10. H. h	. Blackw. t. 555.
5 liumilis. W. en.	dwarf.		Carniola.	H. h	Blackw. t. 555. Dill.elt.t.33. f. 37. Lob. ic. 753.
6 tenuifolia. W.	slender-leaved.			1732. 9.12. G. h	. Dill.elt.t.33. f. 37.
7 arborescens. W.	tree.		· Levant.	1640. 6.8. H.h	. Lob. ic. 753.
8 argentea. W.	silvery.		Madeira.	1777. 6.7. G.h	. Lob. ic. 753 Jac. aus. 5. t. ap. 35 Vill. daup. 3. t. 35 Jac. aust. 5. t. ap. 34.
9 glacialis. W.	silky.	·	· Switzerland.	1739. 7.8. H.4	. Jac. aus. 5. t. ap. 35.
10 mutellina. W.	Alpine.		· Alps of Eur.	1815 H. 4	. Vill. daup. 3. t. 35.
11 caucasica. W.	Caucasian.		- Caucasus.	1804. 6.7. H.24	•
12 spicata. W.	spiked.		- Switzerland.	1790 H. 2	Jac.aust.5.t.ap.34.
13 pectinata. W.	comb-leaved.	p	Dauria.	1806 H.C	. Pall. it .3. t. Hh. f. 2.
14 tanacetifolia. W.	Tansy-leaved.		· Siberia.		. All.ped.1.t.10.f.3.
15 Santonica. W.	Tartarian.				. Gmel. sib. 2. t. 51.
16 scoparia. W.	besom.		· Hungary.		. Pl.rar.hung.1.t.65,
17 campestris. W.	field.		England.		. Eng. bot. 338.
18 pauciflora. W.	few-flowered.			1800 H. 2	
19 palustris. W.	marsh.				. Gmel. sib. 2. t. 55.
20 neglecta. W. en.	neglected.			1815. — H. 4	
21 crithmifolia. W.	Samphire-leav'd,		- Portugal.	1739. 8.10. H.h	
22 saxatilis. W.	rock.		- Hungary.	1816. 6.8. H. 2	•
23 glauca. W.	glaucous.		- Siberia.	1806 H. 2	. Pl.rar.hung.1.t.75.
24 monogyna. W.	one-styled.		- Hungary.	1816 H. 2	. Pl.rar.hung.1.t.75.
25 palmata. W.	palmated.		S. Europe.	1739. 6.7. G. h	
26 nivea. W. en.	snowy.		Siberia.	1815. — H. 2	
27 maritima. W.	drooping-flowd		. Britain	8.9. H.2	. Eng. bot. 1706.
28 gallica. W.	upright-flower'd.			— Н. 2	- 1001.
29 fragrans. W.	Lavender-leaved.		- Armenia.	1739. 6.7. H.2	
30 austriaca. W.	Austrian.		Austria.	•	. Jac. aust. 1. t. 100.
31 vallesiaca. W.	downy.		- Italy.	1739. 7.8. H.2	
32 rupestris. W.	nodding-flow'rd.		- Siberia.		. Flor. dan. t. 801.
33 sericea. W.	silky-leaved.				. Gmel. sib. t.64. f. 1.
34 repens. W.	creeping.			· 1805. 6.7. H.2	
35 balsamica. W. en.	Balsam-scented.			1816. — H. 2	
36 pontica. W.	Roman.		- Austria.		. Jac. aust. 1. t. 99.
27 chanæmelifolia. W.			S. Europe.		. Vill. dauph. 3. t. 35.
38 annua. W.	annual.		Siberia.	1741. — H G	Am.rutl.t 196 f 02
39 biennis. Ph.	biennial.		- Missouri,	1804. — H	. Am.rutli.t.196.f.23 . Jac. ic. 1. t. 172.
40 Absinthium. W.	common.		- Britain.	7 10 F	Eng. bot. 1230.
41 Siversiana. W.	Sivers's.		- Siberia.	1800. 7.8. H. a	
42 vulgaris, W.	Mugwort.		- Britain.		. Eng. bot. 978.
	e. w rie 11 Oz 01	6	T T T T T T T T T T T T T T T T T T T		

SYNGENESIA POLYGAMIA SUPERFLUA.

			-		-
43 indica. W.	Indian.	Corymbiferæ. J.	E. Ind.	1796, 9.10, F :	4. Rheed.mal.10.t.45.
44 integrifolia. W.	entire-leaved.				4. Gm.sib.2.t.48.f.1.2.
45 japonica. W.	Japanese.		Janan	1804. 10.11. H.	
46 cærulescens. W.	blueish.		England		
40 Cærtilescens. W	orucisii.		Engiana.	· · · · · · · · · · · · · · · · · · ·	. Eng. bot. 2426.
47 inodora. W. en.	inodorous.		Siberia.	1548. 7.8. H.2	4. { Gmel. sib. 2. t. 59 & 60. f. 1.
	an a		0.77	— — Н. 2	60. f. 1.
48 Dracunculus. W.	Tarragon.		S. Europe.	—— H.2	4.
GNAPHALIUM. W.	EVERLASTING.	Corymbiferæ. J.			1 50 30 49.53
1 eximium. W.	giant.		C. B. S.	1793. 7.8. G.1	Bot. rep. 654. 2 3 4
2 crispum. W.	curled.			1809 G.	7 •
3 arboreum. W.	tree.				
4 grandiflorum. W.	great-flowered.			1731, 6.8, G.1	2. Bot. rep. 489. 2. Bot. mag. 18024 2. Bot. reg. 243. 3. Burm.afr.t.97.f.4. 4. Pluk.phyt.t.410.f.2 Pet. gaz.12.t.7.f.3.
5 fruticans. W.	shrubby.		-	1779. — G I	Bot mar 1909
6 congestum. W.	close-headed.			1773. G. F	Dut non 049
	crose-ricadeu.			1791. 0.0. G.	. Bot. reg. 243.
7 patulum. W.	spreading.			1771. 8.1. G.	2 •
8 discolorum. W.	two-coloured.			1815. 5.8. G.	2. Burm.afr. t. 97. 1.4.
9 cephalotes. W.	large-headed.			1789. 11.1. G. J	. Pluk.phyt. t.410.f.2
10 fastigiatum. W.	close-flowered.			1812. 5.8. G. J	. Pet. gaz.12. t.7.f.3.
11 milleflorum. W.	many-flowered.			1802. 6.9. G. J	
12 diosmæfolium. P.S.	Diosma-leaved.			1812. 3.8. G. J	Vent. malm. t. 74.
13 ericoides. W.	Heath-leaved.			1774 G. I	Bot. mag. 435.
14 teretifolia. W.	round-leaved.			1812. — G L	. Burm. afr 1 77. f 2
15 Stochas. W.	common chenhhe		Europe	1600 6 10 11 1	2. Pet. gaz.12. t.7.f.3. 2. Vent. malm. t. 74. 2. Bot. mag. 435. 3. Burm. afr. t.77. f.3. 4. Barr. ic. 410.
	rad-flowers 1		C B c	1701	. Dan. 10. 410.
16 ignescens. W.	reu-nowered.	***************************************	U. D. S.	1/31 G.	2 •
17 crassifolium. W.	thick icarcu.			1774. 7.9. 0.1	2 • _
18 maritimum. W.	sea.		C. B. S.	1772, 6.8. G. H	Burm. afr. t.77. f. 2.
19 dasyanthum. W.en.	hairy-flowered.			1812. — G. F.	•
20 orientale. W.	eastern.		Africa.	1629. 4.8. G.F	. Comm. hort, 2. t. 55.
21 cymosum. W.	branching.				Dill.elt.t.107.f.128
22 rutilans. W.	shining-flowered		C. B. S	1781 67 G 2	1107 f 127
23 arenarium. W.	cand		Enrope	1701. U.7. U.2	1.2159
	5diiu.		Europe.	1/39. /.9. 11.2	T. T. VIOO
24 luteo-album. W.	Jersey.	,	England.). Eng. bot. 1002.
25 albescens. W.	white Jamaica.		Jamaica.	1793 S. F	
26 apiculatum. H.K.	New Holland.		VanDiem.Isl	1804. 1.12. G.2	. Bot. reg. 240. 10 36
27 odoratissimum. W.	sweet-scented.		C. B. S.	1691. 4.8. G. J	. Mill.ic.1.t.1317f.2.
28 sanguineum. W.	bloody.		Egypt.		. Rauw. it. 285. t. 37.
29 fœtidum. W.	strong-scented.		C. B. S.		. Comm. hort.2. t.56./
30 undulatum. W.	wave-leaved.		Africa.). Dill.elt.t.108.f.130
31 helianthemifo-				17021). Dimentino
	Sun-rose-leaved.		C. B. S.	1774. 7.10. G. h	. Volck.norib.t.194.
lium. W.				1010 CT	Y 6 - 4 0 6 4
32 squarrosum. W.	squarrose.				. Jac. frag. t. 3. f. 4.
33 obtusifolium. W.	blunt-leaved.		N. America.). Dill.elt.t.108.f.131
34 margaritaceum. W.	pearly.		England.		L. Eng. bot. 2018.
35 plantaginifolium.W.	. Plantain-leaved.		Virginia.	1759. 6.7. H. 2	. Pluk.alm. t.348.f.9.
36 dioicum. W.	diœcious.		Britain.	5.7. H.2	L. Eng. bot. 267.
37 alpinum. W.	Alpine.		Alps of Eur.	1775. 6.7. H.2	. Flor. dan. t. 332.
38 purpureum. W.			S. America.	1732, 6.9, G. a	Dill.elt.t.109.f.132
39 americanum. W.en.			Januaica	1815 S.2	
	O thirtiercus		o tankto ctiv	1010 5.2	•
40 pensylvanicum.	American.		N. America.	7.9. H.G)•
W. en.	highland.		Britain	8. H.2	. Eng. bot. 913.
41 sylvaticum. W.					
42 rectum. W.	upright wood.		0 11 1	H.2	124.
43 supinum. W.	dwarf.		Scotland.		1193.
44 declinatum. W.	creeping.		C. B. S.	1787. 7.9. G.2	
45 uliginosum. W.	marsh.	·	Britain.	8. H.G). Eng. bot. 1194.
46 glomeratum. W.	cluster-flowered.		C. B. S.	1774. 3.9. G.2	
47 Leontopodium. W.	Lion's-foot,				. Bot. mag. 1958.
*			Britain		
48 germanicum. W.	common.		England	11.0). Eng. bot. 948.
49 gallicum. W.	narrow-leaved.		England.	H.(e	2369.
50 pyramidatum. W.	pyramidal.		S. Europe.	1/79. — H.(Franchista
51 minimum. W.	least.		Britain.). Eng. bot. 1157.
52 arvense. W.	corn.		Europe.	1804. — H.G)•
XERANTHEMUM \	Vantamara				
w. }	XERANTHEMUM	Corymoneræ. J.			
1 annuum. W.	annual.		S. Europe.	1570. 7.8. H.G). Jac. aust. 4. t. 388.
2 inapertum. W.	small-flowered.			1620. — H.G). Moris. s. 6. t. 12. f. 1.
3 orientale. W.	oriental.	7	Levant	1713. — H.O).
		Corymbiferæ. J. X			
					Burm ofr t cc f1
	upright.				Burm. afr. t. 66. f.1.
2 spirale. W.	spiral-leaved.			1801. 7.10. G. h	. дос. тер. жож.
		5			

5	INGENESI	A PULIGA	AMIA S	UPERFLUA.	189
3 speciosissimum. W	. showy.	Corymbiferæ. J.	C. B. S.	1691. 7.9. G.h.	Bot. rep. 51.
4 dealbatum. P. S.	herbaceous.		Van Diem Isl.		Lab.nov.ho.2.t.190
5 fulgidum. W.	great yellow.		C. B. S.	1774. 2.10. G. h.	Bot. mag. 414.
6 variegatum. W.				1801. 5.6. G.h.	21 20000
7 proliferum. W.	proliferous.			1789. 5.11. G. h.	Bot. reg. 21. 23 85
8 canescens. W.	elegant.			1794. 8.4. G.h. 1800. 4.7. G.h.	Bot. mag. 420.
9 argenteum. W.	silvery. trailing.			1732. 7.8. G.h.	Dill alt 4 222 f 41 5
11 humile, B. R.	low.			1819. 69. Gh.	Bet ren e ic
12 sesamoides. W.	superb.			1812. 6.9. G.h. 1739. 4.6. G.h.	Bot. mag. 425.
13 fasciculatum. W.	bundle-leaved.			1799, 3.9, G.h.	Bot. rep. 242
β album.	white-flowered.			- G.h.	279.
y rubrum.	red-flowered.			G. h.	650.
14 rigidum. H. K.	rigid-leaved.			1801. 5.6. G.h.	387.
15 ericoides. P. S.	filiform.			1796. 4.6. G.h.	Lam.ill. t. 693. f. 2.
16 Stæhelina. W.	Stæhelina-like.			1801. 12.1. G. h.	650. 387. Lam.ill. t. 693. f. 2. Bot. rep. 428. c. ic. Bot. rep. 487
17 fragrans. B. R.	fragrant.	10		1802. 7.9. G. 4.	Pot non 407
18 herbaceum. B. R. splendens. B. M.	1773.		-	1802. 7.9. G. 4.	Бот. гер. 487.
19 paniculatum. W.	corymb-flowered.			1800. 6.9. G h	Burm afr t 67 f 1
20 bracteatum. W.	wave-leaved.		N. Holland.	1799. 7.10. H.⊙.	Burm. afr. t.67. f.1. Bot. rep. 375.
CARPESIUM. W.	CARPESIUM.	Corymbiferæ. J.		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1 cernuum. W.	drooping.		Austria.	1739. 7.8. H.4.	Jac. aust. 3. t. 204.
2 abrotanoides. W.	Southern- ?		China	1768. — H.4.	Och it t 10
2 autotanoides, W.	\ wood-like. \		Cillisa.	1705. —— 11.4.	050. 11. 1. 10.
BACCHARIS, W.	SPLOWMAN'S	Corymbiferæ. J.			
	SPIKENARD.				
1 angustifolia. Ph.	narrow-leaved.		N. America.	1812. 7.9. G. h. 1696. 7.8. G. h.	A
2 ivæfolia. W.	Peruvian.		America.	1696. 7.8. G. h.	Schk.hand.3. t,244,
3 neriifolia. W. 4 halimifolia. W.	Oleander-leaved. Groundsel Tree.		V. D. S.	1752. 8.11. G.h.	Schmidt arb. t. 82.
CONYZA. W.	FLEA-BANE.	Corymbiferæ. J.	N. America.	1083.10.11.11.η.	schillet aro. 1.82.
1 squarrosa. W.	great.		Britain.	7.8. H. Z.	Eng. bot. 1195.
2 marylandica. Ph.	Maryland.		N. America	8.10. H.O.	Dill.elt.t.88.f.104.
3 camphorata. Ph.	Camphor-scentd.			1704. — G. 4.	t. 89. f.105.
4 patula. W.	spreading.		China.	1758, 7.9, H.O.	Mill. ic. 2. t. 947.
5 bifrons. W.	oval-leaved.		N America	1739. 8.9. H.4.	Pluk. alm. t.87. f.4.
6 candida. W.	woolly.		Condia	1714. 6.7. F.h.	Barr. ic. t. 217.
7 chinensis. W.	Chinese.		China,		Rum.am.6. t.14.f.2.
8 verbascifolia. W.	Mullein-leaved.		Sicily.		Bocc. sic. t. 31. f.2.
9 hirsuta. W.	shaggy. Egyptian.		Fount	1767. 8.9. G. J.	To add to the
10 ægyptiaca. W. 11 Gouani. W.	Gouan's.		Courries		Jac. vind. 3. t. 19.
12 sicula. W.	red-stalked.		Sicily	1772. 7.8. G. J.	Bocc. sic. t. 31. f.4.
13 fœtida. W.	stinking.		A Cultura		Mill. ic. 2. t. 233.
14 sordida. W.	small-flowered.		S. Europe.	1570. 7.9. G.h.	
15 saxatilis. W.	stone.				Schk.hand.3. t.241.
16 rupestris. W.	rock.		Arabia.		Schmidel. ic. t. 36.
17 sericca. W.	snowy.		Canaries.	1779 G. h.	
18 inuloides. W.	cluster-flowered.		Teneriffe.	1780. 7.8. G.h.	
19 odorata. W.	swect-scented.		India.	1759. 6.8. S.h.	Plum. ic. t. 97.
20 arborescens. W.	tree.		Jamaica.	1733. 11.12. S. h.	
21 incisa. W. 22 thapsoides. W.	ear-leaved.		Coming Cas	1774. 6.8. G.h. 1806. 7.9. H.h.	
23 virgata. W.	wing-stalked.		America	1783 90 G 21	Slo.hist.1.t.152.f.5.
24 rugosa. H. K.	St. Helena.		St. Helena.	1772. 11. G.h.	510.0151.1.1.152.1.5.
MADIA. W.	MADIA.	Corymbiferæ. J.	201011111	1772. 11. 0.17.	
viscosa. W.	clammy.		Chili.	1794. 7.8. H.⊙.	Jac.scheen.3.t.302.
ERIGERON. W.	ERIGERON.	Corymbiferæ. J,		_	
1 graveolens. W.	strong-smelling.		S. Europe.	1633. 7.8. H.⊙. 1811. — H.↓.	Ger.emac.481. f.2.
2 compositum. Ph.	Daisy-flowcred.		N. America.	1811. — H.4.	
3 carolinianum. W.	Hyssop-leaved.			1727. — H. 4.	Dill.elt.t.306.f.394
4 canadense. W.	Canada.		England.	8.9. H.⊙.	Eng. bot. 2019.
5 bonariense. W. 6 linifolium. W.	Buck's-horn. Flax-leaved.		5. America.	1732. 7.8. H.O.	Dull.elt.t.257.f.334
7 philadelphicum. W.			N America	— H.⊙. 1778. — H. ¥.	
8 nudicaule. Ph.	naked-stalked.			1812. 7. H. 4.	
9 purpureum. W.	purple.		Huds,'s Bay,	1776, 7.8, H.M.	17 A D
10 bellidifolium. Ph.	Plantain-leaved.		N. America.	1790. — H. 24.	5-0 2402
11 heterophyllum. Ph.		-		1640. 7.9. H.J.	Fl. dan. 486.
•		R b		•	

150 51	NGENESIA	LULIUM	MIA SC	LEE	rt T	UA.	
12 Villarsii. W.	Villars's.	Corymbiferæ. J.	Piedmont.	1804.	7.8.	H.24.	Bellar.ap.fl.ped. t.7.58
13 acre. W.	blue.		Britain.			H. 2.	Eng. bot. 1158.
14 alpinum. W.	Alpine.				7.	н.и.	464.
15 uniflorum. W.	dwarf.	***************************************			8.9.	H.21.	
16 glaucum. B. reg.	shrubby.			1812.	1.12.	G.b.	Bot, reg. 10.
17 delphinifolium.			~				2000
W. en.	Larkspur-leaved.		S. America.	1816.	7.9.	G. 3.	•
TUSSILAGO. W.	COLT'S FOOT.	Corymbiferæ. J.					
1 nutans. W.	drooping-flowd.		W. Ind.	1708.	6.7.	S 2.	Plum. ic. t. 41. f. 1,
2 alpina. W.	Alpine.						Bot. mag. 84.
3 discolor. W.	two-coloured.		Austra.	1622	4.5	LY 21	Jac. aust. 3. t. 247.
4 sylvestris. W.	wood.			1016	4.0.	11,4.	5.ap.t.12.
			Dulasia	1810.		TI. 4.	Eng bot 400
5 Farfara. W.	common.		Britain.				Eng. bot. 429.
6 frigida. W.	Lapland.	·	Lapiano.				Fl. dan. t. 61.
7 fragrans. W.	sweet-scented.		Italy.				Bot. mag. 1388.
8 alba. W.		, 	Europe.	1683.	1.4.	H.4.	Fl. dan. 524.
9 nivea. W.	downy-leaved.		Switzerland.	1713.	4.	н.4.	Retz. obs. 2. t. 3.
10 Petasites. E. B.	{ Common }		Britain.		3.4.	H. 2/.	Eng. bot. 431.
To Tematest B. D.	Butter Bur.		Diracii.			-	
11 hybrida. E. B.	hybrid.	**************************************		• • • •			430.
12 spuria. W.	lobe-leaved.		Germany.	1790.			Retz. obs. 1. t. 2.
13 palmata. W.	cut-leaved.		Labrador.	1778.	4,	H.4.	Hort. Kew. 3. t.11.
SENECIO. W.	GROUNDSEL.	Corymbiferæ. J.					
1 reclinatus. W.	Grass-leaved.		C.B.S.	1774.	6.8.	G. 3.	Jac. ic. 1. t. 174.
2 hieracifolius. W.	Hawkweed.		N. America.	1699.	8.	H.O.	Herm.parad. t.226,
3 purpureus. W.	purple.		CBS				Jac. ic. 3. t. 580.
4 cernuus. W.	drooping.		E. Ind.	1780.	7.8.	H.O.	Jac. vind. 3. t. 98.
5 erubescens. W.	blush-coloured.		C. B. S.			G. 3.	
6 divaricatus. W.	straddling.		China			G. 3.	
7 croaticus. W.	Croatian.		Hungary.				Pl.rar.hun.2. t.143,
8 Pseudo-China. W.			E. Ind				Dill.elt.t.258. f.335
9 hæmatophyllus.			D. Inu.	1702.	0.0.		P11101010100011000
W. en.	purple-leaved.			1789.	4.	S. 4.	
10 japonicus. W.	jagged-leaved.		Japan	1774	Q	H.4,	
11 vulgaris. W.	common.		Duitain	1//4.			Eng. bot. 747.
12 arabicus. W.	Arabian.		Dillain.	1004			
			Egypt.	1004.	7.0.	H. &.	Ing wind 1 t 2
13 verbenæfolius. W.	Vervain-leaved.			1803.	0.7.	п.б.	Jac. vind. 1. t. 3.
14 triflorus. W.	three-flowered.						
15 ægyptius. W.	Egyptian.	(a	0.7	1771.	7.8.	H.O.	
16 crassifolius. W.	thick-leaved.		S. Europe.	1815.	-	- н.⊙.	G 11 1 1 0 4 0 4 .
17 lividus. W.	livid.		Spain.	1801.		- н.⊙.	Schk.hand.3,t.245,
18 trilobus. W.	three-lobed.			1/20.	0.0.	11.00	
19 cinerascens. W.	gray.		C. B. S.				Jac.scheen.2.t.150.
20 viscosus. W.	stinking.						Eng. bot. 32.
21 sylvaticus. W.	mountain.						 748.
22 nebrodensis. W.	Nebrodes.		S. Europe.	1704.	6.8.	H.⊙,	Barr. rar. 401.
23 glaucus. W.	sea-green.		Egypt.	1739.	6.8.	$\mathbf{H}.\odot$	
24 hastatus. W.	halberd-leaved.		C.B.S.	1722.	5.8.	G. 4.	Dil.elt.t.152.f.184,
25 vernalis. W.	spring.		Hungary.	1803.	4.6.	$H.\odot.$	Pl.rar.hung.1. t.24.
26 rupestris. W.	rock.			1805.	6.7.	H. 4.	2.t.128
27 venustus. W.	wing-leaved.		C. B. S.	1774.	7.9.	G.A.	Aca ant
28 elegans. W.	elegant.			1700.	6.8.	H.O.	Bot. mag. 238.
B flore pleno.	double-flowered.				1.12	. G. h .	Bot. mag. 238.
29 squalidus. W.	inelegant.		England.		6.10	. H.O.	Eng. bot. 600.
30 speciosus. W.	red-flowered.						Bot. reg. 41.
31 erucæfolius. W.	Eruca-leaved.		Europe.	1816.		- H. W.	
32 uniflorus. W.	Alpine.		Alos of Eur	1799		- H. M.	All. ped. t. 17. f. 8.
33 incanus. W.	downy.		· Inpo or man	1750		-H.1	Pluk.alm. t. 39, f. 6.
34 abrotanifolius. W.	Southernwood-l	1		1640	7 10	H.7/	Pluk.alm. t.39. f. 6. Jac. aust. 1. t. 79.
35 tenuifolius. W.	slender-leaved.		Britain	• • • •	7.10	H 2/	Eng. bot. 574.
	(Common						
36 Jacobæa. W.	Ragwort.					- H.4	1130.
37 aquaticus. W.	marsh.				5.6	H 21	1131.
•							
38 aureus. W.	golden.		N. America.	1758	7.8	G 1	Jac ic 3 + 587
39 rosmarinifolius. W.			C. B. S.			- G. n.	patritro tropi
40 asper. W.	rough.			1774.		- G. n.	Jac. coll. 5. t. 6. f. 1.
41 rigescens. W.	stiff-leaved.			1815.	-	- G. h.	Fra hot CEO
42 paludosus. W.	bird's-tongue.		England.	• • • •	6.8	11.4.	Eng. bot. 650.
43 nemorensis. W.	branching.			1785.	7.8.	н.4.	Jac. aust. 2. t. 184.
44 sarracenicus. W.	creeping-rooted.		Britain.		7.10	. н. 4.	Eng. bot. 2211.

SYNGENESIA POLYGAMIA SUPERFLUA.

						•
45	umbrosus. W. en.	various-leaved.	Corymbiferæ. J.	Hungary.	1815. 7.8. H.4.	
46	coriaceus. W.	leathery-leaved.		Levant.	1728. — H.4.	Dill.elt.t.105.f.125
47	Doria. W.	broad-leaved.		Austria.	1570. 7.9. H.4.	Jac. aust. 2. t. 185.
48	Doronicum. W.	Leopard's Bane.		S. Europe.	1705. — H.4,	5. t.ap.45.
49	lanceus. W.	spear-leaved.		C. B. S.	1774. 7.10. G.h.	
50	longifolius. W.	long-leaved.			1775. 8.11. G.h.	Comm.hort. 2. t.71.
	halimifolius. W.	succulent-leav'd.			1723. 7. G.h.	Dill.elt. t. 104.f. 124
	ilicifolius. W.	Ilex-leaved.			1791 67 G L	Comm rer t 49
	rigidus. W.	hard-leaved.			1704, 6.9, G.h.	Com. hort. 2. t. 75.
	TER. W.	STARWORT	Corymbiferæ. J.		.,	00
	reflexus. W.	reflexed-leaved.		CRS	1759. 2.9. G.h.	Rot mar esa
				N. S. W.	1793. 5.7. G.h.	
	tomentosus. W.	tooth-leaved.		Missossai	1802. 5.11. G.h.	Vent ed es
	sericeus. W.	silky-leaved.			1502. 3.11. G. n.	Vent. cel. 33.
	Cymbalariæ. W.	Ivy-leaved.			1786. — G.h.	
	liratus. B. M.	fluted-stemmed.		N. S. W.	1812. 5.7. G.h.	Bot. mag. 1509.
	argophyllus. H. K.	Musk-scented.		Van Diem Isl	1804. 5.7. G.h.	1563.
	angustifolius. W.	narrow-leaved.		C. B. S.	G.h.	Jac.schæn.3.t.370.
8	villosus. Th.	villous.			1812. — $G.h.$	
9	obtusatus. W.	obtuse-leaved.			1793. — G.h.	
10	fruticulosus. W.	shrubby.			1759. 3.7. G.h.	Jac. frag. 9. t.5. f. 4. 25 Vent. malm. t. 82.
11	filifolius. V.	thread-leaved.			1812. — G.h.	Vent. malm. t. 82.
	alpinus. W.	Alpine.		Alps of Eur.	1658. 5.8. H.4.	Bot. mag. 199.
	caucasicus. W.	Caucasian.		Cancasus.	1804. 7.8. H. 4.	3
	altaicus. W. en.	dwarf.		Cibaria	5.8. H.4.	
	tenellus. W.	slender.		C B S	1769. 4.10. G. J.	Bot mag 33
	nemoralis. H. K.	wood.		N. America	1778. 8.9. H.4.	Dott mag. oo.
10		woou.		M. America.	1770. 0.3. 11.4.	
	ledifolius. Ph.	** , ,			TT 31	D 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	hyssopifolius. W.	Hyssop-leaved.		~~		Dodart. mem. t. 60.
	punctatus. W.	dotted.		Hungary.		Pl.rar.hung.2.t.109
	acris. W.	acrid.		> Hurone	1731. —— H. 4.	Pluk. alm.t.271.f.3
	canus. W.	hoary-leaved.		Hungary.	1816. — H.4.	Pl.rar.hung.1. t. 30. Pluk. alm. t. 79. f. 2.
21	solidaginoides. W.	Solidago-like.		N. America.	1699. — H.4.	Pluk. alm. t. 79. f. 2.
22	rigidus. Ph.	stiff-leaved.			1759. 8.10. H.4.	
23	linariifolius. Ph.	Toad-flax-leav'd.			1699. 9.10. H. 4.	- t. 14. f. 7.
24	linifolius. W.	Flax-leaved.			1739. 7.8. H. 1.	4
25	pilosus. W.	hairy.			1812. 8.10. H. 1.	
	foliolosus. W.	leafy.			1732, 10, H.M.	Dil. elt. t. 35. f. 39. Pluk. alm. t. 78. f. 5.
	tenuifolius. W.	slender-leaved.			1795, 9.10, H. 7/.	Pluk alm. +.78. f. 5.
	dumosus. W.	bushy.				
	ericoides. W.	Heath-leaved.			1758. 9. H.4.	Herm. parad. 30.
					1700. 9. H.4.	Dill. elt. t. 36. f.40.
	multiflorus. W.	many-flowered.			1732. 9.10. 11.4.	Din. ett. t. 30. 1.40.
	ciliatus. W.	ciliated.			— н. 4.	
	canescens. Ph.	canescent.			1812. — H. 4. 1798. 9.11. H. 4.	
	sparsiflorus. Ph.				1798. 9.11. H.4.	
34	coridifolius. W.	Coris-leaved.		-	8.11. H.24.	
35	squarrosus. W.	ragged.			1801. 6.7. H.4.	
36	argenteus. H. K.	silver-leaved.			70 H 3/	1
37	concolor. W.	self-coloured.			1759 8 11 H 2/ .	
38	reticulatus. Ph.	netted-leaved.			1910 9 10 H N	
39	cornifolius. W.	Cornus-leaved.			1811. — H. 21.	
	humilis. Ph.	low.			1000 TI 31	Willd.hort.ber.67.
41	amygdalinus. Ph.	Almond-leaved.			1759. 7.9. H.4.	
	umbellatus. IV.					
49	salicifolius. W.	Willow-leaved.		-	1760.9.10. H.4.	Reh. ic. 307
	æstivus. W.				1776. 7.8. H, 4.	100.10.00,.
		summer.		Hungary.	1815. — H.4.	Too wind 1 4 0
	pannonicus. W.	Hungarian.		rangary.		
	Amellus. W.	Italian.		Italy.	1596. 8.9. H. 4.	Jac. aust. 5. t. 425.
46	novæ angliæ. W.	New England.	· · · · · · · · · · · · · · · · · · ·	N. America.	1710. 9.10. H. 4.	Bot. reg. 183.
	β rubrus.	red-flowered.		***************************************	1812. — H.4.	183. f.inf.
47	spurius. W.	beautiful blue.			1789. — H.4.	Hoff.phyt.1.t.B.f.1.
	cyaneus. Ph. rubri					
	paludosus. W.	marsh.	***************************************	-	1784. — H.4.	
49	carolinianus. W.	tall.		Carolina.	8.9. H.4.	
	grandiflorus. W.	great-flowered.		N. America.	1790.10.11 H.N.	Bot. reg. 273.
	phlogifolius. W.	Phlox-leaved.			1797. 7.10. H. 1.	•
	patens. W.	spreading-hairy.		-	1797. 7.10. H. 4. 1773. 9.11. H. 4.	
	undulatus. W.	wave-leaved,	<u></u>		1699, 8.10, H. 2/	Herm, parad, oc.
	paniculatus. W.	panicled.			1640 9 10 H 2	Herm. parad. 96. Corn. canad. t. 65.
	cordifolius. W.	heart-leaved.			1759. 7.8. H.4.	COLAI. CALIAN. L. DUS
	corymbosus. W.	corymbed.	` `			
00	vorjinovaus. W.	corymbeu,	Bbs		1765. 9. H.4.	

E 67 mm o man 1 11 1 177	lames last d	Communities T	NY A.	1800 80 TT 5	
57 macrophyllus. W. 58 heterophyllus.	large-leaved.			1739. 7.9. H. 4.	
W. en.	various-leaved.			1811. — H.4.	
59 chineusis. W.	Chinese.		China.	1731. 7.9. H.⊙.	Dill. elt. t. 34. f. 38.
60 Tripolium. W.	sea.		Britain.	8.9. H.4.	Eng. bot. 87. Herm. lugd. t.651. Ic. Kiempf, t. 29.
61 salignus W.	Sallow-leaved.		Germany.	1815. — H.4.	TT 1 1 4 0 5 3
62 puniceus. W.	red-stalked.	P	N. America.	1710. 7.10. H. 4.	Herm. lugd. t.651.
63 hispidus. W. 64 sibiricus. W.	rough-stalked. Siberian.			1001. 0.10. 11. 4.	Gmel.sib.2.t.80.f.1.
65 elegans. W.	elegant			1700 9 10 H 3/	
66 amplexicaulis. W.	stem-clasping.		N. America.	9.11. H.4. 8.10. H.4. 1794. 9.11. H.4.	
67 adulterinus. W. en.	bastard.			8.10. H.4.	
68 lævigatus. W.	smooth-stemm'd		-	1794. 9.11. H.4.	
69 longifolius. P. S.	long-leaved.			1798. 10. H. 2/.	
70 versicolor. W.				1790. 8.9. H.4.	** 1 1 4 0=
71 mutabilis. W. 72 lævis. W.	changeable.			1710. 9.10. H. 4. 1758. —— H. 4.	Herm. lugd. t. 67.
72 lævis. W. 78 concinuus. W. en.	smooth.	***	d	1758. — H. 4. 1800. — H. 4.	
74 floribundus. W. en.	ahundant-flow'rs			H.4.	
75 pallens. W. en.	pale-flowered.			— H.4.	
76 novi-belgii. W.	New York.			1710 H. 2.	Herm. lugd. t. 69.
77 bellidiflorus. W. en.	Daisy-flowered.			H. 24.	
78 præcox. W. en.	early-flowering.			1800. 7.8. H.4.	
79 spectabilis. W.	showy.		N. America.	1777. 8.9. H.4.	
80 serotinus. W.	late-flowering.			9.11. Н. 4.	
81 tardiflorus, W.	spear-leaved.			1775. 7.9. H. 4.	
82 blandus. Ph. 83 acuminatus. Ph.	acuminate.			1806. 8.10. H. 4.	
84 conyzoides. W.	Conyza-like.			. 1778 80 H 7/.	
85 Radula. W.	rasp-leaved.			1785 0 11 H 3/	
86 strictus. Ph.	upright dwarf.			1806 H. 4.	
87 Tradescanti. W.	MichaelmasDaisy			1633. 7.9. H. M.	Moris. s. 7. t. 21. f. 42
88 recurvatus. W.	recurved.	-		1800. 8.9. H.4.	
89 eminens. Ph.	eminent.			9.11. H. 4.	
90 laxus. Ph.	loose-stalked.			H.4.	
91 simplex. W. en. 92 polyphyllus. W. en.	single-stalked.		-	8.10. F1.4.	
-93 junceus. W.	slender-stalked.			1758 9 10 H. 2/	
94 lanceolatus. W.	lanceolate.			1758. 9.10. H. 4. 1811. 8.11. H. 4.	
95 dracunculoides. W.				9.11. H. 24.	
96 fragilis. W.	brittle.		-	1800 9. H.7/.	
97 miser. W.	meager-flower'd.	**************************************	*	1759. 9.10. H. 4.	
98 divergens. W.			•	1758. — H. 24	
99 diffusus. W.	diffuse.		-	1777. — H.24	
100 pendulus, W. SOLIDAGO, W.	pendulous. Golden-Rod.	Corembiform I		1758. — H. 2	
1 canadensis, W.	Canadian.	Corymbiferæ. J.	- N. America.	1648. 7.9. H.M.	Schk.handb.8, f. 246.
2 fragrans. W. en.	fragrant		-	H 2/	
3 procera. W.	great.		,	- 1758. 9.10. H.4 - 7.8. H.4 - 1758. 8.9. H.4	
4 serotina. W.	upright smooth.			7.8. H.4	
5 gigantea. W.	gigantic.			- 1758. 8.9. H.4	•
6 ciliaris. W.	ciliated.		-	- 1811. — H. 2L	
7 reflexa. W. 8 lateriflora. W.	hanging-leaved.	*		- 1758. — H. 4 — H. 4	
9 aspera. W.	rough-leaved.			1790 O H N	Dill.elt.t.305.f.392
10 altissima. Ph.	tall.			- 1686. 8.9. H.4	Mart. cent. 14.
11 rugosa. Ph.	wrinkle-leaved.			- 1739 H. 1	. Dill.elt.t.308, f.396
12 villosa. Ph.	villous.			H. 24	
13 scabra. W.	rough.			- 1811 H.4	. 1
14 nemoralis. W.	woolly-stalked.		-	- 1769. 9. H.4	
15 patula. W.	spreading.			- 1805. 9.10. H. 4	•
16 ulmifolia. W.	Elm-leaved.			8.10. H. 4	•
17 arguta. W.	sharp-notched.			- 1758. 7.8. H.4	•
18 juncea. W.	Rush-stalked. oval-leaved.			- 1769. 8.9. H.4 - 1759. — H.4	1 2
19 elliptica. W. 20 recurvata. W. en.	recurved.			- 1759. — H. 4 9.11. H. 4	
21 sempervirens. W.	evergreen.			- 1699, 9.10, H. 4	. Corn. canad.t. 169.
22 odora. W.	sweet-smelling.			7.8. H. 24	. Pluk.alm.t.116.f.6.
23 pauciflosculosa. Ph				- 1811. 8.10. H. 4	•
24 bicolor. W.	two-coloured.			- 1759. 8.9. H.4	. Pluk.alm.t.114.f.8.
	2				

				0	
25 petiolaris. W.	late-flowered.	Corymbiferæ. J.	N. America.	1758.10.12.H.4.	
26 stricta. W.	Willow-leaved.			9. H.4. 10. H.4.	1 44
27 lanceolata. Ph.	Grass-leaved.			10, H.4. 9.10, H.4.	19 2 9 1 2
28 tenuifolia. Ph.	slender-leaved.			9.10. H. 4.	11:11 ale + 205 f 205
29 cæsia. W. 30 livida. W. en.	Maryland.			1/32. — H.4.	Dill.elt.t.307.f.395
31 hirta. W. en.	livid. Itairy.			— H.4.	
32 lithospermifolia Ph	Gromwell-leav'd.			1811. 8.10. H.2/.	
32 lithospermifolia.Ph. 33 lævigata. W.	fleshy-leaved.			1699.10.11. H. 24.	
34 mexicana. W.	Mexican.			1683, 7.10, H.24,	Dodart.act.4.t.219.
35 viminea. W.	twiggy.			1759. 9. H. 7/.	
36 erecta. Ph.	upright.			9 10 14 2/	
37 macrophylla. Ph.	large-leaved.			H.4.	
38 flexicaulis. W.	crook-stalked.			1725. 9. H. 4.	Herm. parad. 244. Pluk.alm.t.235.f.4.
39 latifolia.	broad-leaved.				Pluk.alm.t.235.f.4.
40 ambigua. W.	angular-stalked.		N Amoriae	1759. 7.8. II. 4.	
41 axillaris. Ph. 42 Virgaurea. W.	axillary.		Pritain	1811. 8.10. H. 4. 7.9. H. 4. 7.8. H. 4.	End hot 801
43 cambrica. W.	Welch.		Wales	7.8 H 1	Dill.elt.t.306.f.398
	Labrador.		Labrador.	1776. — H.21.	2111.010.000011.000
45 minuta. W.	least.		Pyrenees.	1772. — H. 1.	Herm. parad. 245.
46 humilis. Ph.	dwarf.				
47 elata. Ph.	tall hairy.			8.10. H.4.	Herm. parad. 243.
48 rigida. W.	hard-leaved.			1710. 9. H.4.	Herm. parad. 243.
CINERARIA. W.	CINERARIA.	Corymbiteræ. J.			
1 geifolia. W.	Kidney-leaved.		C. B. S.		Comm.hort.2.t.73.
2 parviflora. H. K.	small-flowered.		37.11	1790. — G.h.	
3 aurita. W.	purple-flowered.		Madeira.	1777. 6.7. G.h.	Bot. mag. 1786.
4 lactea. W. en. 5 cruenta. W.	milk-coloured.		Conories	1816. — G.h. 1777. 2.5. G.h.	Pot mor 406
6 hybrida. W. en.	purple-leaved. hybrid.		Canaries.	1777. 2.5. G.h.	Bot. mag. 400.
7 populifolia. H. K.	Poplar-leaved.		Canaries.	1780. 6.9. G.h. 1774. 6.8. G.h.	Vent. malm. 100.
8 lobata. W.	lohed		C. B. S.	1774. 6.8. G.b.	V C. 10 12 12 12 12 12 12 12 12 12 12 12 12 12
9 malvæfolia. W.	Mallow-leaved.		Azores.	1777. 8. G.4.	
10 petasites. B. M.	Butter-bur-leavd.		Mexico.	1812. 12.2. G.h.	Bot. mag. 1536.
11 discolor. W.	white-leaved.		Jamaica.	1804. 7.8. S.h.	
12 sibirica. W.	Siberian.		Siberia.	1784. 6.8. H.4.	Bot. mag. 1869. Exot. bot. 2. t. 65. Gmel. sib. 2. t. 74.
13 gigantea. H. K.	gigantic.		Cape Horn.	1801. 7.8. H.4.	Exot. bot. 2. t. 65.
14 glauca. W.	glaucous-leav'd.		Siberia.	1790. 6.7. H.4.	Gmel. sib. 2. t. 74.
15 palustris. W.	marsh.		England.	—— н. 4.	Eng. bot. 151.
16 campestris. W.	mountain.			5.6. Н.4.	152.
integrifolia. E. B. 17 longifolia. W.	long-leaved.		Austria	1700 68 H M	Jac. aust. 2. t. 181.
18 cordifolia. W.	heart-leaved.				
19 alpina. W.	Alpine.			1683, 6.8, H.74.	2. t. 176. 2. t. 177.
20 maritima. W.	Sea Ragwort.		S. Europe.		Lob. ic. t. 227. f. 2.
21 canadensis. W.	Canadian.		Canada.	1739. 6.8. H. 4.	
22 linifolia. W.	Flax-leaved.		CBS	G.h.	Jac.schæn.3.t.308.
23 humifusa. W.	trailing.			1704. 7.8. G. 4.	
24 viscosa. W.	clammy.			1774. 6.8. G.J.	Jac.frag.12.t.7.f. 2.
25 lanata. W.	woolly.		Canaries.	1780. 5.9. G.h.	Bot. mag. 53.
26 amelloides. W.	blue-flowered.		C. B. S.	1753. 2.9. G.h.	249.
INULA. W. 1 Helenium. W.	INULA.	Corymbiferæ. J.	Duitain	CO TT N	For bot 1540
2 Oculus-Christi. W.	Elecampane.		Anetrio		Eng. bot. 1546. Jac. aust. 3. t. 223.
3 britannica. W.	creeping-rooted.			W. 7 - 4	***
4 dysenterica. W.	meadow.		England.	8.9. H.4.	
5 undulata. W.	wave-leaved.		Ecvet	1739. 7.10. H.⊙.	
6 indica. W.	Indian.		E. Ind.		Burm.zeyl.t.55.f.2.
7 Pulicaria. W.	Small Fleawort.		England.	8.9. H.O.	
8 squarrosa. W.	net-leaved.		Italy.		Pluk.alm.t.16.f.1.
9 viscosa. W.	clammy.		S. Europe.	1596. 7.8. G.4.	Jac. vind. 2. t. 165.
10 tuberosa. P. S.			·	1640. 7.8. H.4.	Moris.s.7.t.19.f.20.
Erigeron tuberosun			N. T.	-0.0	771 7
11 salicina. W. 12 glandulosa. W.	Willow-leaved.		N. Europe.	1648. 8.9. H. 4.	
12 glandulosa. W. 13 Bubonium. W.	glandůlous. Austrian.		Georgia.		Bot. mag. 1907. 4 Jac.aust.5.app. t.19
14 hirta. W.	hairy.				4. t. 358.
15 suaveolens. W.	woolly-leaved.		S. Europe.		Jac. vind. 3. t. 51.
16 Vaillantii, W.	Vaillant's.		France.	1739. 6.8. H.4.	

230	I I G LI I L	L LONLOI		O 1. 11.	LOLI	1011.	
17 mariana. W.	American.			1742.	7.8.	H.24.	Mill. ic. 1.t. 57.f.1.
18 germanica. W.	German.		Germany.				Jac. aust. 2. t. 134.
19 ensifolia. W.	sword-leaved.		· Austria.				2. t. 162.
20 crithmifolia. W.	Samphire-leav'd.		England.				Eng. bot. 63.
21 provincialis. W.	oval-leaved.		France.			H.24.	Could alm 4 10
22 montana. W.	mountain.		S. Europe.				Garid aix t. 10.
23 bifrons. W. 24 saturejoides. W.	Italian. Savory-leaved.		Vera Cruz	1713.	0.8.	F1.4.	Herm.parad. t.127. Reliq.Houst. 8. t.19
25 fœtida. W.	stinking.		Malta.	1688.	6.8.	H.O.	Boc. sic. 26. t. 13.
GRINDELIA. W. en.		Corymbiferæ. J.	Donia. H. K.		0.0.	11.0.	Doc. sic. 20. t. 10.
1 glutinosa. H. K.	glutinous.				1.12.	G.b.	Bot. reg. 187.
2 inuloides. W. en.	Inula-like.						243.
3 squarrosa. Ph.	Snakes-headed.		Missouri.				Bot. mag. 1706.
PODOLEPIS. H. K.	Podoleris.	Corymbiferæ. J.	Scalia. B.M.				
1 rugata. H. K.	wrinkle-scaled.		N. Holland.	1803.	7.8.	G.4.	Lab.no.hol.2.t.208
2 acuminata. H. K.	sharp-scaled.		N. S. W.		5.8.	G. 4.	Bot. mag. 956.
ARNICA. W.	ARNICA.	Corymbiferæ. J.	-				
1 montana. W.	mountain.			1731.	7.8.	11.24.	Bot. mag. 1749.
2 scorpioides. W.			· Austria.	1710.	***************************************	H. 4.	Jac. aust. 4. t. 349
3 Doronicum. W.	Alpine.			1570	60	н. 4.	Bot. mag. 1196.
4 Bellidiastrum. W. DORONICUM. W.	Daisy-leaved. LEOPARD'S-BANE			10/0.	0.0.	11.4.	Dot. mag. 1190.
1 Pardalianches. W.	great.		Britain.		5.	H.24.	Eng. bot. 630.
2 scorpioides. W.	mountain.		Germany.			H. 4.	23.19. 300. 300.
3 austriacum. W.	Austrian.		Austria.	1816.		TH. 21	Jac. aust. t. 130.
				1.000	0.0	TT 31	{ Pall.act.pet.1779. t. 16.
4 altaicum. W.	Siberian.			1783.	6.8.	н. 4.	t. 16.
5 orientale. W. en.	oriental.		· Caucasus.			H.4.	•
6 plantagineum. W.	Plantain-leaved.		S. Europe.	1570.	5.	н.4.	
PERDICIUM. H. K.	Perdicium.	Corymbiferæ. J.					
Anandria. H. K.	Siberian.		Siberia.	1759.	3.	H.4.	Gmcl.sib.2.t.68.f.1.
	TETRAGONO-	Corymbiferæ. J.					
THECA. W.			Tringints.	1500	0.10	TT at	Cable band 0 4 000
helianthoides. W.	Sunflower-like.		virginia.	1720.	8.10.	п. 4.	Schk.hand.3.1.263.
XIMENESIA. W.	XIMENESIA. Mexican.	Corymbiferæ. J.	Mexico	1705	6 11	G A	Cav. ic. 2. t. 178.
encelioides. W. HELENIUM. W.	Helenium.	Corymbiferæ. J.	MICARCO.	1750.	0.11.		Cav. IC. 2. t. 170.
1 autumnale. W.	smooth.	-	N. America.	1729.	8.10.	н.ч.	Sck. hand. 3. t. 250
2 pubescens. W.	downy.			1776.			,
3 quadridentatum. W			Louisiana.				Jac. ic. 3. t. 593. 50
BELLIS. W.	DAISY.	Corymbiferæ. J.					
1 perennis. W.	common.				3.8.	H.4.	Eng. bot. 424.
β hortensis.	large double.	-			_	H.71.	Bot., mag. 228;
y fistulosa.	double quilled.			• • • •	-	H. 4.	,
8 prolifera.			75 / 7			H.4.	0.7 0.4.12
2 sylvestris. W.	large Portugal.	and the contract of the second	· Portugai.	1797.	5.7.	H. 4.	Cyril. neap. 2. t. 4.7 Bocc. mus. t. 35.
3 annua. W.	annual.	Corymbiferæ. J.	s. Europe.	1759.	3.7.	n	Docc. mus. t. 35. 27
BELLIUM. W. 1 bellidioides. W.	Bellium.	Corymoneræ. o.	Italy.	1796	60	HO.	Lam. ill. t. 684.
1 beindioides. W.	-		-	1,000	0.0.	22.00	(Schreb.act.ups. 1.
2 minutum. W.	dwarf.		- Levant.	1772.	6.10.	H.4.	{Schreb.act.ups. 1. t. 5. f. 2.
DAHLIA. Cav.	DAHLIA.	Corymbiferæ. J.	Georgina. W.				10
1 superflua. H. K.	fertile-rayed.	-	- Mexico.	1789.	7.11	H.4.	Cav. ic. 1. t. 80.
& purpurea.	purple-flowered.			a description (a)	****	· H.4.	Ann.mus.3.t.37.f.1
B lilacina.	rose-coloured.		-	-			Par. lond. 16.
y pallida.	pale-flowered.			-		-H.4.	
alba.	white-flowered.			-		H.4.	
e ochroleuea.	sulphur-coloured					H.4.	
ξ flava.	yellow-flowered.					H.4.	
n fulva.	copper-coloured.					- H. 4. • H. 4.	•
i cuprea.	brick-coloured.					H.4.	
* rubra.	red-flowered.	Y					Bot. mag. 1885. A.
λ atro-rubra.	dark-red.		• ••••			H. 24.	0
	[Pomegranate-]						Rot vom EE
μ. punicea.	{ coloured. }		6 Applications are a processors		-	· II. 4 ·	Bot. reg. 55.
* atro-purpurea.	dark-purple.					-H.4.	
🟅 nigra.	very dark.					-H.24.	
o variegata.	stripe-flowered.			- FOLDMAN TOWNS		-H.4.	
π nana.	double-lilac.	<u> </u>				-H.4.	
e purpureo-plena.	double-purple.		the second second	C Spatial courses	Sand-and	- M. 4.	Bot. mag. 1885. B.

51	NGENESL	A PULYGE	AMIA SU	PERFL	UA.	191
2 frustranea. H. K.	barren-rayed.	Corymbiferæ. J.	Mexico.	1802. 9.11.	н.и.	Cav. ic. t. 266.
a coccinea.	scarlet.				H. 4.	Bot. mag, 762.
B fulgens.	bright scarlet.				H.4.	
y aurantia.	Orange-coloured.				H.4.	, - N .
S crocea.	Saffron-coloured.				H.4.	
s lutea.	(D	C				
TAGETES. W.	TAGETES.	Corymbiferæ. J.	S America	1708 7.11	G 21	Bot mar 740.
2 patula. W.	FrenchMarvgold.		Mexico.	1578. 7.10.	н.О.	150.
3 erecta. W.	AfricanMarygold	Corymoneræ. J.		1596. 6.9.	H.O.	Lam. ill. t. 684.
4 minuta. W.	small-flowered.		Chili.	1728. 8.10.	н.⊙.	Dill.elt.t.280.1.362
5 tenuifolia. W,	fine-leaved.		Peru.	1797. 7.10.	н.⊙.	Cav. ic. 2. t. 169.
	HETEROSPER-}	Corymbiferæ. J.	•			
	MUM.		New Spain.	1780 90	HO	Cav. ic. 3. t. 267.
pinnatum. W. SCHKUHRIA. W.	wing-leaved, Schkuhria.	Corymbiferæ. J.	New Spanis	1/33. 6.5.	11,0,	Cav. IC. 5. t. 207.
abrotanoides. W.	Wormwood-lead.		Mexico.	1798. 7.9.	H.O.	Schk.han.8. t.250.b
PECTIS. W.	PECTIS.	Corymbiferæ. J.				A
1 ciliaris. W.	ciliated.		Hispaniola.	1793. 7.		Plum. ic. 151. f. 2.
2 linifolia. W.	Flax-leaved.		Jamaica.	1.732. 7.8.	s.⊙.	Slo.jam.1.t.149.f.3.
LEYSERA. W.	Leysera.	Corymbiferæ. J.	a n c		<i>a</i> •	T 1- 0 4 700
1 gnaphalodes. W.	woolly.					Jac. ic. 3. t. 588. Pluk.alm.t.302.f.3.
2 squarrosa. W. RELHANIA. W.	squarrose. Relhania.	Corymbiferæ. J.		1813. ——	G.n.	r 11.8100.3.1111.4.111
squarrosa. W.	cross-leaved.	Corymonera. 6.	C. B. S.	1774. 5.6.	G.b.	
ZINNIA. W.	ZINNIA.	Corymbiferæ, J.			_	
1 pauciflora. W.	yellow-flowered,		Peru.	1753. 7.8.	н.⊙.	Mill. ic. 1. t. 64.
2 multiflora. W.	red-flowered.		N. America.	1770. 6.10.	H.⊙.	Bot. mag. 149.
3 verticillata. W.	whorl-leaved.		Mayico	1780 78	H (.)	Rot ren 190
4 elegans. W.	purple-flowered.			1796. 6.9.	н.⊙.	Bot. mag. 527.
5 tenuifiora. W. CHRYSANTHE-) (slender-flower'd. CHRYSANTHE-			1799. 7.8.	н.б.	999•
5 2	MUM.	Corymbiferæ. J.				
1 pinnatifidum. W.	cut-leaved.		Madeira.	1777. 5.8.	G.h.	
2 atratum. W.	fleshy-leaved.		Austria.	1731. 7.8.		
3 heterophyllum, }	various-leaved.		Switzerland.	1806	14 N	
W. en.						
4 Leucanthemum, W.			Britain.	6.7.	H.4.	Eng. bot. 601.
5 montanum. W.	mountain. Buck's-horn.		Prance.			Jac. obs. 4. t. 91.
6 ceratophylloides, 7 graminifolium. W,			Montpelier.	1739. 5.7.	H.21.	All. ped. 1. t. 37. f. 1. Jac. obs. 4. t. 92.
8 monspeliense. W.	Montpelier.					4. t. 93.
9 Achiller. W.	Milfoil-leaved.		Ttoler			Mich. gen. 34. t. 29.
10 argenteum. W.	silver-leaved.		Levant.	1731. 7.8.	H.4.	
11 arcticum. W.	northern.		Kamtschatka			W. hort. ber. 33.
12 carinatum. W.	three-coloured.		Barbary.	1796. 7.10.	н.⊙.	Bot. mag. 508.
13 pumilum. W. en,	small. field.		• • • • • • • • • •	1806,	H.⊙.	
14 sylvestre. W. en. 15 segetum. W.	corn.		Ruitain	1804. 6.7.	H.4.	Eng. bot. 540.
16 Myconis. W.	tongue-leaved.		Italy.	1775. 7 8.	H.O.	Jac. obs. 4. t. 94.
17 italicum. W.	Italian.		Toury.	1796. 6.7.		040, 000, 4, 0, 040
18 coronarium. W.	garden.		Sicily.			Lam. ill. t. 678. f.6.
PYRETHRUM. W.	Feverfew.	Corymbiferæ. J.	Chrysanthemi			
1 fœniculaceum.W.en			Tenerisse.	1815. 1.12.	G.h.	Bot. reg. 272.
2 crithmifolium.W.en.					G.h.	
3 anethifolium.W.en. 4 frutescens. W. en.			Conorios		G.h.	
5 coronopifolium.	shrubby.			1699. —	-	
W. en.	Buckshorn-leava					
6 grandiflorum.W.en.	great-flowered.			1815	G.h.	
7 speciosum. W. en.	large-flowered.					
8 ptarmicæfolium.W.		<u> </u>	Cancasus.	1803. 7.8	IX. 21 .	
9 serotinum. W.	creeping-rooted.		N. America.	1731. 9.10.	H. 4.	Jac. obs. 4. t. 94.
10 uliginosum. W. 11 alpinum. W.	marsh. Alpine.		Hungary.	1816. 7.9.	H.4.	
12 Balsamita. W.	various-leaved.		Levant	1779	H. 11	Jac. obs. 4. 4. 80
13 macrophyllum. W.			Hungary.	1803. —	H. 1.	Jac. obs. 4. t. 89. Pl.rar.hung.1. t.94.
14 roseum. W. en.			Caucasus.	1804. 8.9.	H. 4.	Bot. mag/1080.
Chrysanthemum co					•	· * * *
15 corymbosum. W.	mountain.		Germany.	1596. 6.8.	H.4.	Jac. aust. 4. t. 379.

							`
16 pulverulentum.	powdered.	Corymbiferæ. J.	Iberia.	1806.	6.8.	н.4.	ė
17 Parthenium. W.	common.		- Britain.	• • • •	6.9.	н.4.	Eng. bot. 1231.
β flore pleno. 18 parthenifolium. W.	double-flowered. Parthenium-le ^d .		- Cancasus	1804	67	HN	Vent. cels. t. 43.
19 caucasicum. W.	Caucasian.			1004.	7.8.	H. 24.	vent. cers. t. 43.
20 tenuifolium. W. en				1806.		- Н. 4.	
21 inodorum. W.	scentless.		- Britain.		8.9.	H.(•).	Eng. bot. 676.
22 maritimum. W. 23 millefoliatum. W.	sea. Milfoil-leaved.		- Siberia.	1701			979. Mill. ic. 1, t. 9.
24 bipinnatum. W.	wing-leaved.			1796.	6.7.	H. 4.	Gmel.sib.2.t.85.f.1.
25 indicum. H. K.	Indian.		- E. Ind.	1810.	6.9.	H.⊙.	Bot. mag. 1521.
MATRICARIA. W.	MATRICARIA.	Corymbiferæ. J.	**				
1 suaveolens. W. 2 Chamomilla. W.	Wild Chamamile		- Europe. - Britain	1781.	6.8. 5.7	H.O.	Eng. bot. 1232. Seb.thes.1. t.16.f.2.
3 capensis. W.	Cape.	·	- C. B. S.	1699.	7.9.	G. 3.	Seb.thes.1. t.16.f.2.
4 pusilla. W. en.	small.					· H.⊙.	
BOLTONIA. W.	ROTTONIA	(orum bitomo l					
1 asteroides. W. 2 glastifolia. W.	Starwort-flowerd.		N. America.	1758.	8.10.	H.71.	A . 1301
LIDBECKIA. W.	LIDBECKIA.	Corymbiferæ. J.	•		٠.	11.4.	
pectinata. W.	silver-leaved.			1774.	5.6.	G.h.	Ber.cap.306.t.5.f.9.
CENIA. J.	CENIA.	Corymbiferæ. J.				** ^	T
turbinata. P. S. COTULA. W.	turbinated.	Corymbiferæ. J.	C. B. S.	1713.	7.8.	H.O.	Lam.ill. t. 701. f. 1.
1 anthemoides. W.	Anthemis-like.	Corymonera. 5.	St. Helena.	1696.	7.8.	s.o.	Dill. elt. t. 23. f. 25
2 coronopifolia. W.	Buck's Horn.		C. B. S.				Lam. ill. t. 700. f. 1
3 viscosa. W.	clammy.		Vera Cruz.			S.4.	
4 tanacetifolia. W. GRANGEA. J.	Tansy-leaved.			1780.	6.8.	H.⊙.	Pluk,man,t.430.f.7,
1 cuneifolia. Lam.	Grangea. wedge-leaved.	Corymbiferæ. J.		1816.	7.9.	н.⊙.	Lam, ill. t. 699. f. 2.
2 minima. W.	least.						Burm.ind. t.58. f.3.
3 maderaspatana. }	Madras.		E. Ind.	1780.	7.8.	s.⊙.	Lam. ill. t. 699. f. 3.
4 latifolia. Desf.	two-coloured.			1804.		s,⊙.	t, 699. f. 1,
Cotula bicolor. IF. ANACYCLUS. W.	Anacyclus.	Corymbiferæ. J.					
1 creticus. W.	trailing.		Candia.				Ann. mus.11. t. 22.
2 orientalis. W.	oriental, golden-flowered.		Levant.				Boer.lugd.1.t.110.
3 aureus. W. 4 valentinus. W.	fine-leaved.		Spain.				Lam. ill. t.700.f. 2. Schk.han.3. t.254.b
ANTHEMIS. W.	CHAMOMILE.	Corvmbiferæ. J.					
1 rigescens. W. en.	rigid.		Caucasus.				W.hort.ber.1. t.62.
2 Cota. W.	Venetian.		Italy.				Pluk.alm. t.17. f.5.
3 altissima. W. 4 maritima. W.	tall.	-	S. Europe.	1731.			Eng. bot. 2370.
5 clavata. W.	clubbed.		Barbary.	1801.			11.6. 201. 207.01
6 tomentosa. W.	downy.		Levant.	1795.			
7 pubescens. W.	pubescent.		S. Europe.	1803.	7.8.	н. 4.	M. 1 400 f 1
8 mixta. W. 9 saxatilis. W. en.	simple-leaved.		France.	1731.		F1.⊙.	Mich. gen. t.30. f.1.
10 Chamomilla. W.en.	various-leaved.		S. Europe.	1807.		H.4.	
11 chia, W.	cut-leaved.		Chio.	1731.	6.10.	$H.\odot$.	
12 nobilis. W.	common.						Eng. bot. 980.
13 arvensis. W.	Austrian		Austria.			_	Jac. aust. 5. t. 444,
14 austriaca, W. 15 Cotula. W.	Austrian. stinking.		Britain.	1709.			Eng. bot. 1772.
16 fuscata. W.	brown-scaled.		Portugal.	1805.	7.8.	$H.\odot$.	
17 montana. W.	mountain.		Italy.	1759.	7.10.	H.4.	Ger. prov. t. 8.
18 Pyrethrum. W.	Pellitory of Spain.		S. Europe.	1570.	6.7.	H. 4.	Bot. mag. 462. Jac.scheen.3.4.371,
19 globosa. W. 20 valentina. W.	globe. purple-stalked.		S. Europe	1596.	7.8.	H. ·).	Breyn. cent. t. 75.
21 tinctoria. W.	Ox Eye.		Britain.				Eng. bot. 1472.
22 discoidea. W.	saw-leaved.		Italy.	1800.	7.8.	H.O.	
23 arabica. W.	Arabian.						Smith. spic. 9. t.10.
24 artemisiæfolia. W. Chrysanthemum inc	Indian.		China.	1764. 9	9.11.	п. 4.	
a aurea.	golden yellow					H.4.	
β flava.	straw-coloured			• • • • •		н.4.	

SYNGENESIA POLYGAMIA SUPERFLUA.

9	$\left\{ \begin{array}{l} quilled \ straw- \\ coloured. \end{array} \right\}$	Corymbiferæ. J.	China.	9.11. Н.4.	Bot. reg. 4.
S alba.	white.			— н.4.	. 3a - 1
£	quilled white.			— н. 4.	Bot. reg. 4.
	{ semi-double }				•
ζ purpurea.	{ purple. }			— Н. 4.	
η ——	quilled purple.			H.4.	Bot. mag. 327.
€ lilacina.	Lilac-coloured.				
· cuprea.	copper-coloured.			— Н.4.	
x fulva.	brown.			н.4.	
SANVITALIA. Cav.	SANVITALIA.	Corymbiferæ. J.	Mania	1500 50 H O	Cav. ic. 4. t. 351. 70
procumbens. W. ACHILLEA. W.	trailing. Milroil.	Corymbiferæ. J.	Mexico.	1/95. 7.5. 11.0.	Cav. 1c. 4. t. 331.
1 lingulata. W.	tongue-leaved.		Hungary.	1815, 7.8, H.M.	Pl. rar. hung. 1. t.2.
2 Herba-rota. W.	Herbarota.		France.		Ali. ped.1.t.9. f. 3.
3 grandiflora. M. B.	great-flowered.	N-3	Caneasus.	1815. 7.8. H. 4.	
4 Ptarmica. W.	Sneezewort.		Britain.	7.11. H.4.	Eng. bot. 757.
\$ flore pleno.	double-flowered.				
5 cristata. W.	slender-branchd.		Italy.	1784. 7.8. H.4.	
6 Ageratum. W.	Sweet Maudlin.		S. Europe.	1570. 8.10. H. 4.	
7 decolorans. W. en.	* , *,			1798. 6.8. H.4.	
8 speciosa. W. en. 9 alpina. W.	spear-leaved. Alpine.		Siberia	1804. 7.9. H.4.	Boc.mus.144.t.101
10 serrata. W.	saw-leaved.		Switzerland.	1686. 8.9. H.4.	Documus,144.0.101
11 Clavennæ. W.	silver-leaved.		Austria.	1656. 6.7. H.2.	Bot. mag. 1287.
12 impatiens. W.	impatient.		Siberia.		Gmel.sib.2.t.83.f.1.
13 pectinata. W.	comb-leaved.		· Hungary.	1801. 8.9. H.4.	Pl.rar.hung. 1.t.34.
ochroleuca. Walds	t.				
14 squarrosa. W.	rough-headed.			1775. 7.8. H.4.	
15 falcata. W.	sickle-leaved.		Levant.		Lam. ill. t.683. f. 3.
16 tenuifolia. W.	slender-leaved.			1733. 6.8. H.h.	
17 Santolina. W.	{ Lavender } cotton-lead. }	,		1759. — H.4.	
18 anthemoides. W.	Chamomile-like.			— н. 4.	
19 atrata. W.	black-cupped.		- Austria.	1596. 7.9. H. 24.	Jac. aust. 1. t. 77.
20 moschata. W.	musk.		· Italy.		5.t.ap.33.
21 nana. W.	dwarf.				All. ped.1. t.9. f. 3.
22 cretica. W.	Cretan.		- Candia.	1739. 7.8. H.4.	Bocc. mus. t. 34.
23 ægyptiaca. W.	Egyptian.				Tourn. it. 1. t. 87.
24 macrophylla. W.	large-leaved.		· Italy.		Triumf. obs. t. 23.
25 aurea. W.	golden-flowered.		- Levant.	1739. 6.9. H.4. .1803. 7.8. H.4.	
26 Eupatorium. W. 27 compacta. W.	Caspian. compact.			— — Н. 4.	
28 pubescens. W.	downy.		Levant.	1739, 6.9. H. 2/	
29 crithmifolia. W.	Samphire-leavd.		- Hungary.	1804. 7.8. H. 24.	Pl.rar.hung.1.t.66. Moris.s.6.t.11.f.14.
30 tanacetifolia. W.	Tansy-leaved.		- Switzerland.	1658. — H.4.	Moris.s.6.t.11.f.14.
31 distans. W.	branching.		- Italy.	1804. 7.8. H. 2.	Aii. ped. t. 53. I. I.
32 lanata. W. en.	woolly.			— H. 2.	
33 magna. W.	great.		- S. Europe.	1683. 6.11. H. 4.	
34 Millefolium. W.	Yarrow.		- Britain.	6.10. Н. 4.	Eng. bot. 758.
β rubra. 35 asplenifolia. P. S.	red-flowered. Rose-coloured.		M America	1803. 6.8. H.4.	Vent cale t 00
36 micrantha. W.	small-flowered.		Levant.	1805. 6.10. H. 4.	
37 tomentosa. W.	tomentose.		S Europe.	1648 5 10 H 2/	Bot mag 408
38 ochroleuca. W.	cream-coloured.			1804. 7.9. H. 4	g
39 microphylla. W.	small-leaved.		- Spain.	1800. — H. 4.	Barr. ic. 1114.
40 ligustica. W.	Ligurian.		- Italy.	1791. 6.8. H.4.	Ail.ped.1.t.53.f.2,
41 nobilis. W.	showy.		- Germany.		Schk.hand.3.t.255.
42 myriophylla. W. er				1798. 7.9. H. 4.	
43 odorata. W. 44 setacea. W.	sweet-scented.		- Spain. · Hungary.	1729. 6.8. H.4.	
45 abrotanifolia. W.	bristly. Southernwood-l		Levant.	1730 H 2	Pl.rar.hung.1.t.80
BALBISIA. W.	BALBISIA.	Corymbiferæ, J.	Devaile,	11.4	
elongata. W.	long-stalked.		- Mexico.	1804. 7.8. H.⊙.	
AMELLUS. W.	Amellus.	Corymbiferæ. J.			
1 Lychnitis. W.	trailing.		- C.B.S.	1768. 6.7. G.h.	Jac.col.sup.t.10.f.1
2 villosus. Ph.	villous.		- Missouri.	1811. 8.9. H. 24	
3 spinulosus. Ph.	spiny.	C 110 -		H.4	
STARKEA. W.	STARKEA.	Corymbiferæ. J.	- Inmetes	1760 6 - 2 34	I am :11 + coo f o
umbellata. W.	umbel-flowered.	Cc	- Jamaica.	1/05. 0./. 2.4	. Lam. ill. t. 682. f. 2.

102	THULLINI	1 IOLI GI	MILL LIC	COLIUI	LALLE	•
ECLIPTA. W.	ECLIPTA.	Corymbiferæ. J.		1000 -	** ~	70/01 14 / 4 - 5
1 erecta. W. 2 prostrata. W.	upright. trailing.		America. E. Ind			Dill.elt.t.113.f.137
CHRYSANTHEL-					5.0.	0.110.1.10
LUM. P. S.	THELLUM.	Corymbiferæ. J		ingles.		
procumbens. P. S.			W. Ind.	1768. 6.7.	S.⊙.	Swa.obs.314.t.8.f.1
Verbesina mutica. SIEGESBECKIA. W.		Corymbiferæ. J.				
1 orientalis. W.	oriental.		India.	1730. 8.10.	н.⊙.	Schk.hand.8.t.256.
2 flosculosa. W.	small-flowered.		Peru.	1784. 6.7.	H.O.	L'Her. stirp. t. 19.
VERBESINA. W.	VERBESINA. wing-stalked.	Corymbiferæ. J.	S America	1600 510	GN	Bot. mag. 1716.
2 virginica. W.	white-flowered.		N. America.	1812. 7.9.		Dot. mag. 1710.
3 gigantea. W.	tree.		W. Ind.	1758		Jac. ic. 1. t. 175.
4 Siegesbeckia. W.	American.		Virginia.	1731.10.11.		Terraria di ole ano
5 Coreopsis. Ph. Coreopsis alternifol	Coreopsis-like.		N. America.	1040. 9.11.	н. 4.	Jac. vind. 2. t. 110.
6 serrata. W.	saw-leaved.		Mexico.	1803. 7.10.	G.4.	Cav. ic. 3. t. 214.
7 sativa. H. K.	Oil-seed.		E. Ind.			Bot. mag. 1017.
8 calendulacea. W.	Ceylon.			1739. 7.9.	s. ₀ .	Burm.zeyl.t.22.f.l.
9 dichotoma. W.	forked.			1789. 6.7.	$s.\odot.$	{ Murr. com. goet. 1779. t. 4.
10 fruticosa. W.	shrubby.			1759. 6.8.	S.h.	Plum. ic. t. 52.
SYNEDRELLA. P. S. nodiflora. P. S.	SYNEDRELLA. sessile-flowered.	Corymbiferæ. J.			80	Dill alt + 45 F so
GALINSOGEA. W.	GALINSO GEA.	Corymbiferæ. J.	w. Ind.	1720. 6.7.	s. ₀ .	Dill.elt. t. 45. f. 53.
1 parviflora. W.	small-flowered.		S. America.	1796. 5.9.	н.⊙.	Cav. ic. 3. t. 281. Bot. mag. 1895.
2 trilobata. W.	three-lobed.					Bot. mag. 1895.
ACMELLA. P. S. 1 mauritiana. P. S.	Acmella. Balm-leaved.	Corymbiferæ. J.	Spilanthi et A: Mauritius.			Rumph.am. 6.t.65.
Spilanthes Acmella					_	•
2 buphthalmoides.P.S	oval-leaved.				н.⊙.	Jac.scheen.2.t.151,
ZALUZANIA. P. S.	ZALUZANIA. three-lobed.	Corymbiferæ. J.			12.31	
triloba. P. S. PASCALIA. W.	PASCALIA.	Corymbiferæ. J.	Mexico.	1798. 7.9.	r.4.	
glauca. W.			Chili.	1799. 6.8.	н.4.	Bot. rep. 549.
HELIOPSIS. P. S.	Heliopsis.	Corymbiferæ. J.	NT 6	1-14 -16	** **	T 7TY 4.
lævis. P. S. Buphthalmum helie	anthoides. W. H	elianthus lævis. L.		1714. 7.10.	н.4.	L'Her. stirp. t. 45.
BUPHTHALMUM	Ox Eye.					
w. <i>S</i>		Corymbiferæ. J.				D.11. 14. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4
1 frutescens. W. 2 arborescens. W.	shrubby. tree.					Dill. elt. t. 28. f. 44.
3 sericeum. W.	silky.		Canaries.			Bot. mag. 1836.
4 spinosum. W.	prickly.		Spain.	1570. 6.9.	H.⊙.	
5 aquaticum. W.	sweet-scented.		S. Europe.			Breyn. cent. t. 77.
6 maritimum. W. 7 salicifolium. W.	sea. Willow-leaved.		· Austria.			Bocc. mus. t. 129. Jac. aust. 4. t. 370.
8 grandiflorum. W.	great-flowered.			1722. —	H.4.	Moris. s.6. t.7.f. 52.
9 cordifolium. W.	heart-leaved.		Hungary.	1739. 6.3.	н.4.	Pl.rar.hung.2.t.113
		FRUSTRANEA				
HELIANTHUS. W	SUN FLOWER.	Corymbiferæ. J.	•			
1 annuus. W.	annual.		S. America.	1596. 6.10.	H.O.	m t
2 indicus. W. 3 tubæformis. W.	dwarf annual. tube-flowered.					Tabern. ic. 764. Jac.schæn.3.t.375.
4 dentatus. W.	tooth-leaved.		Mexico.			Cav. ic. 3. t. 220.
5 multiflorus. W.	many-flowered.		N. America.			Bot. mag. 227.
& plenus.	double-flowered.					•
6 tuberosus. W.	{ Jerusalem } Artichoke. }		· Brazil.	1617. 9.10	н.4.	Jac. vind. 2. t. 161.
7 augustifolius. Pb.	narrow-leaved.		N. America.	1789. ——	H. 24.	Meerb. ic. 1. t. 49. 205
8 macrophyllus. Ph.	large-leaved.			1800. 8.10.	H. 24.	W.hort.ber.t.70.
9 moilis. Ph.	soft.			1805. 7.10.	H.4.	Pob is 025
10 decapetalus. Ph. 11 prostratus. Ph.	ten-petalled. rough.			1800, 7.9,	H. 24 .	Rob. ic. 235.
12 strumosus. Ph	Carrot-rooted.			1710. —	H.4.	Bocc. sic. t. 27.f. 4. Jac. vind. 2. t. 160.
13 altissimus. Ph.	tall.			1731	H.4.	Jac. vind. 2. t. 160.
14 giganteus. Ph. 15 longifolius. Ph	gigantic. long-leaved.		Georgia.	1714. 9.10. 1812. 8.10.		Moris.s. 6. t.7.f.66.
10 toughonds vit	avis-icurcus		Georgia.	4012. 0.10.	44.4.	•

51	MGENESIA	A PULIGA	MIA PA	USI	RANEA	. 199
16 divaricatus. Ph.	divaricate.	Corymbiferæ, J.	N. America.	.1759.	8.10. H. 24.	9.
17 pubescens. Ph.	downy.	-		1795.	7.10. H. 24	Ash a feet a
18 atrorubens. Ph.	dark-purple-eyed			1732.	H.4.	Dill.elt.t.94.f.110.
GALARDIA. W.	GALARDIA.	Corymbiferæ. J.				2 3 2
bicolor. W.	two-coloured.		- Carolina.	1787.	7.10. H. 4.	Bot. mag. 1602.
RUDBECKIA. W. 1 pinnata. Ph.	RUDBECKIA.	Corymbiferæ. J.	NT Amonino	1000		F h-+ 1 + 00
2 digitata. Ph.	fragrant. narrow jagged-l ^d			1050	T1 3/	Exot. bot. 1. t. 38. Moris. s.6.t.6.f. 54.
3 laciniata. Ph.	broad ingged led			1640.	7.9. H.2/.	s.6.t.6.f.53.
4 columnaris. Ph.	high-crowned.			1811.	8.9. H. 1.	s.6.t.6, f.53. Bot. mag. 1601.
5 subtomentosa. Ph.	downy-lobed.			1802.	— H.4,	
6 triloba. Ph.	three-lobed.			1699.	— H, &.	Pluk.alm. t. 22. f.2.
7 hirta. Ph.	great hairy.	Commence of the Commence of th		1714	611 14 3/	111111111111111111111111111111111111111
8 fulgida. Ph. 9 lævigata. Ph.	small hairy.	***************************************	Carolina.	1760.	7.8. H, 4.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10 amplexifolia. Ph.	stem-clasping.		Louisiana	1793	— F. 4,	Jac. ic. 3. t. 592.
11 purpurea. Ph.	purple.	-	N. America.	1699.	7.10. H. 1.	Bot. mag. 2.
COSMEA. W.	COSMEA.	Corymbiferæ. J.	Cosmos, Cav. ic	2.		
1 lutea. B. M.	yellow-flowered.		Mexico.	1811.	10.11.G.⊙.	Bot. mag. 1689.
2 sulphurea. W.	Southernwood-ld.	,		1799.	7.8. H.⊙.	Jac. ic. 3. t. 595.
3 bipinnata. W,	purple-flowered.				— G. 4.	Bot. mag. 1535.
4 parviflora. W. COREOPSIS, W.	white-flowered. Coreopsis.	Corymbiferæ. J.		1800.	—,— H.⊙.	Jac.schen.3.t.374.
1 ferulæfclia. W.	Fennel-leaved.	Corymoneræ. 5.	Mexico.	1799. 1	10.11 F.2/	Jac.schen.3.t.373. 2000
2 verticillata. W.	whorl-leaved.		N. America.	1759.	7.10. H. 2/.	Bot. mag. 156.
3 tenuifolia. W.	slender-leaved.			1780.	7.8. H.4.	Fluk.man.t.344.f.4.
4 chrysantha. W.	Angelica-leav'd.		W. Ind.	1752.	7.9. S. Z.	Plum. ic. 53. f. 1.
5 aurea. W.	Hemp-leaved.		N. America.	1785.	8.9. H. 4.	
6 tripteris. Ph.	three-leaved.			1737.8	3.10. H.4.	Moris. s. 6. t.3. f.44.
7 senifolia. Ph. 8 amplexicaulis. Cav,	sessile-leaved.					
9 fœtida. W.	stinking.		Mexico	1700	7,8. H.4.	Can in 1 + 27
10 alba. W.	climbing.		Jamaica.	1699.	6.7. S.21.	Herm parad 194
11 incisa. B. reg.	jagged-leaved.		W. Ind.	• • • • •	9.12. S. 4.	Bot. reg. 7.
12 reptans. W.	trailing.			1792.	7.9. S.O.	Cav. ic. 1. t. 77, Herm. parad. 124. Bot. reg. 7. Smith spic. t. 22.
13 auriculata. W.	ear-leaved.		A. America.	1099.0	3.10. 11.4.	Schk. han.3. t. 260.
14 latifolia. W.	broad-leaved.		- ·			
15 arguta. Ph. 16 lanceolata. W.	sharp-notched,		Carolina.	1704	—— H.4.	Dill.elt.t.48.f. 56.
17 crassifolia. W.	spear-leaved. thick-leaved.			1796 6	L LI OL 2	Diff. e.t. t. 48. f. 56.
18 angustifolia. W.	narrow-leaved.		N. America.	1778.	6.8. H.2/.	
19 alata. W.	wing-stalked.		Mexico.	1803.	7.8. H. 11.	Cav. ic. 3. t. 260.
20 procera. W.	tall,		N. America.	1765.9	0.10. H. 4.	
OSMITES. W.	OSMITES.	Corymbiferæ. J.				
camphorina. W.				1794.	4.7. G.h.	Seb.mus.1.t.90.f.2.
PALLASIA. W. halimifolia. W.	PALLASIA.	Corymbiferæ. J.			~ C I	Y :- 0 4 704
SCLEROCARPUS. W.	downy-leaved.	Corymbiferæ. J.	Peru.	1786,	7. G.n.	Jac. ic. 3. t. 594.
africanus. W.	African.		Guinea.	1812.	7.8. G.O.	Jac. ic. 1. t. 176.
CULLUMIA. H. K.		Corymbiferæ. J.			,	0 10 10 10 17 0
1 ciliaris. H. K.	ciliated.				5.6. G.h.	Burm. afr, t.54. f.1. 384.
	{recurved }			1780.	6.8. G.h.	
	smooth-lead.					
3 squarrosa. H. K. BERCKHEYA. H. K.	recurv'd awl-lead.				G. h.	Th.act.hafn.3.t.5.
1 cynaroides. W,	Artichoke-cupp ^d .	Corymbiferæ. J.			6. G.4.	
2 obovata. W.	smooth shrubby.		C. D. 15.	1794.	6.8. G.h.	Hout n h 6 t 34 f o
3 incana. W.	hoary.			1739.	7.8. G. h.	Hout.n.h.6.t.34.f.2 Jac. ic. 3. t. 591.
4 cuncata. W.	wedge-leaved.			1810 6	CO CIL	The nest horizon a + 10
5 palmata. W.	palmated.			1800	— G. h.	3. t. 13. Bot. mag. 1844. Th. act. hafn. 3. t. 7. 204.
6 grandiflora. W.	large-flowered.			1812	G.h.	Bot. mag. 1844.
7 uniflora. W. 8 cernua. H. K.	single-flowered. drooping-flowerd.			1815	G.4.	Mann is 1 4 13
DIDELTA. H. K.	Didelta.	Corymbiferæ. J.		1//4.	J./. G. 6.	Meerb. ic. 1. t. 40.
1 carnosum. H. K.	alternate-leaved.		C. B. S.	1774.	6.7. G.h.	L'Her. stirp. t. 28.
2 spinosum. H. K.	opposite-leaved.					Wendl.obs.t.4.f.32.
GORTERIA. H. K.	GORTERIA.	Corymbiferæ. J.				
personata. H. K.	procumbent.				7.8. G.⊙.	Jac. coll.4.t.21.f.1.
GAZANIA. H. K.	GAZANIA.	Corymbiferæ. J.			50 CT	That man on
GAMMA WAL WELL	great-flowered.	Cc2		1/00.	0.9. G.n.	Bot. mag. 90.

```
2 Pavonia. H. K.
                                         Corymbiferæ. J.
                                                           C. B. S.
                       Peacock.
                                                                         1804. 6.7. G. 4. Bot. reg. 35.
                        awl-leaved.
 3 subulata. H. K.
                                                                         1792. 7.8. G. 24.
CRYPTOSTEMMA )
                        CRYPTOSTEMMA. Corymbiferæ. J. Arctotidis sp. W.
     H. K.
  1 calendulaceum.
                        Marygold-flowd.
                                                      -- C. B. S.
                                                                         1752. 6.8. H. O. Jac.scheen. 2. t. 157. 22 52
     H.K.
 2 hypochondria-
                        divided-rayed.
                                                                        - 1731. 7.8. H.⊙.
     cum. H. K.
 3 runcinatum. H. K.
                       Dandelion-leavd.
                                                                       - 1794. --- H.O.
ARCTOTHECA. W.
                                         Corymbiferæ. J. Arctotidis sp. Jac.
                       ARCTOTHECA.
   repens. W.
                        creeping.
                                                          - C. B. S.
                                                                         1793. 7.8. G.4. Jac.schen.3.t.306.
SPHĖNOGYNE.H.K.
                       SPHENOGYNE.
                                         Corymbiferæ. J. Arctotidis sp. W.
 1 anthemoides. H. K. white-crowned.
                                                          - C. B. S.
                                                                         1774. 7.9. H.O. Bot. mag. 544.
 2 crithmifolia. H. K.
                       Samphire-leav'd.
                                                                         1768. 4.8. G. J. Burm. afr. t. 65 .f.1.
 3 scariosa. H. K.
                        scaly-cupped.
                                                                        - 1774. -
                                                                                    - G.h.
 4 abrotanifolia. H. K. Southernwood-1d.
                                                                         1789. 5.8. G.h.
                        small-leaved.
 5 dentata. H. K.
                                                                          1787. 6.7. G. h. Burm. afr. t. 64.
                        smooth-seeded.
 6 odorata. H. K.
                                                                        - 1774. 4.6. G.h.
ZŒGEA. W.
                        ZŒGEA.
                                          Cynarocephalæ. J.
   Leptaurea. W.
                        yellow-flowered.
                                                           Levant.
                                                                          1779. 7.8. H.⊙. Jac. ic. 1. t. 177.
CENTAUREA. W.
                        CENTAURY.
                                         Cynarocephalæ. J.
                        black-seeded.
 1 Crupina. W.
                                                            Italy.
                                                                          1596. 6.7. H.O. Col. ecphr. 1. t. 34.
                                                                          1739. — H.⊙. Isn.a.par.1719.t.10
 2 Lippii. W.
                        Lippi's.
                                                            Egypt.
                        Sweet Sultan.
 3 moschata. W.
                                                           Persia.
                                                                          1629. 7.10. H.O. Knor. thes. 2. t. C.4.
 4 glauca. W.
                        glaucous.
                                                            Caucasus.
                                                                          1805. 6.7. H.4.
 5 suaveolens. W.
                        Yellow Sultan.
                                                            Levant.
                                                                          1683. 7.10. H,⊙.
                                                                                             Moris.s. 7. t.25. f.9.
 6 alpina. W.
                        Alpine.
                                                            Italy.
                                                                          1640. 7.8. H. 2. Corn.can. 69. t. 70.
 7 Centaurium. W.
                        great.
                                                                          1596. — H.4.
1806. — H.4. Gmel. sib. 2. t. 41.
 8 ruthenica. W.
                        Russian.
                                                            Russia.
 9 phrygia. W.
                        feathery-calyx'd.
                                                            Switzerland. 1633. 6.10. H. 4. Fl. dan. 520.
                                                          - Portugal.
10 rivularis. P. S.
                        river-side.
                                                                          1812. 7.9. H, 4.
                                                                          1815. 6.10. H. 21.
11 austriaca. W.
                        Austrian.
                                                            Austria.
12 pectinata. W.
                        pectinated.
                                                            France.
                                                                          1727. 7.10. H. 4.
13 nervosa. W. en.
                        nerved.
                                                            S. Europe.
                                                                          1815. 6.9. H.4.
14 trichocephala. W.
                        downy-calyxed.
                                                            Siberia.
                                                                          1805. 7.8. H. 4. Gmel.s.2.t.45.f.1.2.
                                                                          1812. - F. h. Barr. ic. 306.
15 hyssopifolia. W.
                        Hyssop-leaved.
                                                            Spain.
                                                                          1739. 6.7. H.O. .... 5.8. H.4. Eng. bot. 278.
16 coronopifolia. W.
                        Buck's-horn.
                                                            Levant.
17 nigra. W.
                        Black Knapweed.
                                                            Britain.
                                                                          1805. 6.8. H.4.
18 nigrescens. W.
                        dark.

    Hungary.

19 ochroleuca. W.
                        Caucasian.
                                                            Caucasus.
                                                                          1801. 7.8. H.4. Bot. mag. 1175.
                        mountain.
                                                            Austria.
20 montana. W.
                                                                          1596. 6.8. H. 4.
21 Cyanus. W.
                        Blue-bottle.
                                                          - Britain.
                                                                          .... H. O. Eng. bot. 277.
                                                                                   - н. 4.
                                                                          1759. —
22 pullata. W.
                        various-coloured.
                                                           S. Europe.
                                                                                             Lob. ic. t. 542. f. 2,
                        small-flowered.
                                                            Caucasus.
                                                                          1802. 7.11. H. 4.
23 ovina. W.
24 paniculata. W.
                        panicled.
                                                            Europe.
                                                                          1640. 7.8. H. J. Jac. aus. 4. t. 320.
                                                            S. Europe.
25 intybacea. H. K.
                        Succory-leaved.
                                                                          1778. 7.9. H.4.
                                                                          1640. — F. 4. Alp. exot. t. 162. 244

1710. 6.7. G. h. Bot. mag. 494.

7.8. F. 4. Moris.s.7.t.26.f.20,
                        prickly-branched.
26 spinosa. W.
                                                            Candia.
27 ragusina. W.
                        white-leaved.
                        hoary-leaved.
                                                           - Italy.
28 Cineraria. W.
29 cinerea. W.
                                                                                6.7. H. 24. Jac. vind. 1. t. 92.
                        gray.
30 dealbata. W.
                        mealy.
                                                            Caucasus.
                                                                          1804. 7.8. H.4.
                                                                          1739. — F. h. Barr. ic. t. 218.
1816. — H. 4. Gmel.s. 2. t. 44. f. 1. 2
31 argentea. W.
                        silver-leaved.
                                                            Candia.
                                                            Siberia.
32 maculosa. P. S.
                        spotted-calyxed.
                                                                          1683. - F. 4. Bocc. sic. t. 39. f. 3.
33 sempervirens. W.
                        evergreen.
                                                            Spain.
                        leathery-leaved.
                                                                          1804. 6.7. H. 4. Pl.rar.hung.2.t.195
34 coriacea. W.
                                                            Hungary,
                        GreaterKnap-
35 Scabiosa. W.
                                                            Britain.
                                                                                6.8. H. 4. Eng. bot. 56.
                         weed.
36 tatarica. W.
                        Tartarian.
                                                            Tartary.
                                                                          1801. 7.8. H. 4.
                        wing-leaved.
                                                            Austria?
                                                                          1759. 6.7. H. 4.
37 Steebe. W.
                                                                                   - H. 4.
38 Fischeri. W. en.
                        Fischer's.
                                                            Siberia.
                                                                          1816. -
39 macrocephala. W.
                        large-headed.
                                                            Caucasus.
                                                                          1805. 6.8. H. 4. Bot. mag. 1248.
 40 atropurpurea. W.
                        dark-purple.
                                                            Hungary.
                                                                          1802. — H.4. Pl.rar.hung.2.t.116
1816. — H.4.
 41 calocephala. W. en.
                        smooth-stalked.
                                                            Levant.
                                                                          1815. .... G.h.
 42 canariensis. W. en.
                                                            Teneriffe.
                        Canary.
                                                                          1759. 7.8. H.4.
                        oriental.
                                                            Siberia.
 43 orientalis. W.
44 sibirica. W.
                        Siberian.
                                                                          1782. — H. 4. Gmel.sib.2.t.42.f.2.
                                                            S. Europe.
45 diluta. H. K.
                        pale-flowered.
                                                                                    - H.4.
                        winged-stalked.
                                                            Tartary.
                                                                             - 8.9. H. 4. Vent. cels. 80.
46 alata. W.
47 Behen. W.
                        saw-leaved.
                                                            Levant.
                                                                          1797. 7.8. H.O.
                        creeping.
48 repens. W.
                                                                          1739. 6.8. H.4.
```

49 Jacea. W.	BrownKnapweed.	Cynarocephalæ. J.	England.	7.9. Н.4.	Eng. bot. 1678.
50 decumbens. P. S.	decumbent.			1815. — H.4.	
51 amara. W.	bitter.		Italy.	7.8. H.4.	Bocc.mus.31.t.17.
52 alba. W.	white-flowered.		Spain.	1597. 6.9. H.4.	
53 splendens. W.	shining.			— 7.8. H.∂.	
54 tagana. W.	Portugal.		Portugal.	1640. — H.4. — H.4.	Brot. phyt. lus. t. 3.
55 Rhapontica. W.	Swiss,		Switzerland.	— — Н.4.	Bot. mag. 1752.
56 babylonica. W.	Babylonian.		Levant.	1710. 6.9. H. 4.	Alp. exot. t. 282.
57 glastifolia. W.	Woad-leaved.		Sihania	1731. — H.4.	Bot. mag. 62.
58 conifera. W.	cone.		S. Europe.	1683. —— H.4.	Ann. mus. 16. t. 14.
59 sonchifolia. W.	Sow-thistle-lead.		Mediterran.		Pluk. phyt. 39. f. 1.
60 seridis. W.	purple-flowered.		Spain.		Pluk. alm. t. 38. f.1.
61 cruenta. W. en.	obovate-leaved.			1816. — H.4.	
62 romana. W.	Roman.		Rome.	1739. 7.9. H.J.	
63 ferox. W.	hedgehog.		Barbary.	1790. — F.4.	Desf. atl. 2. t. 242.
64 solstitialis. W.) St. Darnaby S		England.	7.8. H.O.	Eng. bot. 243.
	Thistle.		2008		
65 sulphurea. W. en.	sulphur-colour'd.			1815. —— H	
66 melitensis. W.	cluster-headed.		Malta.	1815. — H. ⊙. 1710. — H. ⊙. 1804. — H. ⊙.	Bocc. sic. t. 35.
67 Adami. W.	Adam's.		· Siberia.	1804. —— H.⊙.	
68 sicula. W.	Sicilian.	,	Sicily.	1710. — H.⊙.	Bocc. sic. t. 8. f. 1. Cyril. neap. 1. t. 8.
69 sphærocephala. W.			S. Europe.	1683. — H. 4.	Cyril. neap. 1. t. 8.
70 Isnardi. W.	Jersey.		Jersey.	— н. 4.	Eng. bot. 2256.
71 polyacantha. W.	many-spined.		Portugal.	1804. — H.⊙. 1801. — H.⊙.	W. 1 / 1 - 20
72 straminea. W.	straw-coloured.		Egypt.	1801. — H	W. hort. ber. 26.
73 napifolia. W.	Turnip-leaved.		Candia.		Herm.parad.t.189.
74 aspera. W.	rough.		S. Europe.		Bocc. mus. 35. t.26.
75 benedicta. W.	Blessed Thistle.		Spain.	1548. —— H.O.	Zorn. 1c. 122.
76 eriophora. W.	woonly-neaded.	·	Portugal.	1714. — H.O.	
77 ægyptiaca. W.	Egyptian.		Egypt.	1790. 6.9. F.4.	T 1 4 404
78 Calcitrapa. W.	Star-thistle.		England.	7.8. H.O.	Eng. bot. 125.
79 calcitrapoides. W.	Phœnician.		Levant.	1683. 6.7. H.⊙.	
80 reflexa. W.	crook-spined.		Deria.	1801. 7.8. H.4.	Cal and a 4 as
81 centauroides. W.	lyre-leaved.		S. Europe.		Col. ecphr. 1. t. 35.
82 collina. W.	hill.		Italia	1596. 6.7. H. 4.	Calconbult off
83 rupestris. W.	rock.		italy.		Col.ecphr.1.t.et f.2.
84 pubescens. W.	downy.		T	— Н.4.	Ten :- 1 6 180
85 verutum. W.	dwarf. Ragwort-leaved.		E Europe	1780. 8.9. H.O.	
86 salmantica. W. 87 aurea. W.			S. Europe.		Jac. vind. 1. t. 64.
88 muricata. W.	great golden. muricated.		Coalo	1758. 7.9. H.4.	Dot. mag. 421.
89 peregrina. W.	soft-leaved.		S Enrope	1621. 7.8. H.⊙.	
90 radiata, W.	rayed.		Sibaria	1749. — H. J.	Gmel.sib.2.t.47.f.1.
91 Crocodylium. W,	blush-flowered.		Lavant	1777. — H.O.	
GALACTITES. P. S.	GALACTITES.	Cynarocephalæ. J	Centaurea	en III	Dan. 1al. 6. 503.
tomentosa, P. S.	woolly,				Ann. mus. 16.t. 16.
00210100024, 2 1 2,			эт дагорет	17001 7101 11101	772111 21 to 1 to 1 to 1 to 1
		MEGECCADI			
		NECESSARIA	1.		
MILLERIA. P. S.	MILLERIA.	Corymbiferæ. J.			
1 quinqueflora. W.	five-flowered.		Vera Cruz.	1731. 7.10. S.O.	Cav. ic. 1. t. 32. Mart. dec. 47. f. 1.
2 biflora. W.	two-flowered.		Campeachy.	1730. — S.O.	Mart. dec. 47. f. 1.
FLAVERIA. J.	FLAVERIA.	Corymbiferæ. J.	Milleriæ sp. l	W.	
Contrayerba. W.en.			Peru.	1794. 7.9. S.J.	Cav. ic. 1. t. 4.
BALTIMORA. W.	BALTIMORA.	Corymbiferæ. J.			
recta. W.	upright.		Vera Cruz.	1699. 6.7. H.⊙.	Schk.ha.3.t.261.C.
SILPHIUM. W.	SILPHIUM.	Corymbiferæ. J.			
1 laciniatum. W.	jagged-leaved.		N. America.	1781. 7.9. H.4.	Lin. fil. fas. 1. t. 3.
2 compositum. W.	scollop-leaved.			1789. — H.4.	
3 therebinthina- \	broad-leaved.			1765. 8.9. H.4.	Jac vind 1 t 43.
ceum. W.					0 act vinus 1 * 0 * 40 *
4 perfoliatum. W.	perfoliate.			1766. 7.10. H.4.	
5 conjunctum. W. en.				1765. — H.4. 1765. — H.4.	
6 connatum. W.	round-stalked.			1765. — H. 4.	
7 Asteriscus. W.	hairy-stalked.			1732. 7.9. H.4.	Dill. elt. t. 37.f. 42.
8 trifoliatum. W.	three-leaved.	~		1755. 7.10. H.4.	Moris.s. 6.t. 3.f. 68.
9 ternatum. W.	various-leaved.			1806. — H.4.	Dill. elt. t. 37.f. 42. Moris. s. 6.t. 3.f. 68.
10 atropurpureum. W.				1812. — H. 4.	
ALCINA. Cav.	ALCINA.	Corymbiferæ. J.			
perfoliata. P. S.	perfoliate.		Mexico.	1796. 7.8. G.⊙.	Cav. ic. 1. t. 15.

	400	OTIODIANO	III I OIII U	TIMETAL IA	ECESSANIA	L.
	POLYMNIA. W.	POLYMNIA.	Corymbiferæ. J.			
	1 canadensis. W.	Canadian.		- N. America.	1768. 7.8. H.4	Lin.am.ae.3.t.1.f.5,
	2 Uvedalia. W.	broad-leaved.	-		· 1699. 8.10. H. 4	. Cav. ic. 3. t. 227.
	3 abyssinica. W. MELAMPODIUM. W	upright.	Commbisery I	- Africa.	1775. 4.5. S. J	•
	1 americanum. W.	American.	Corymonera. J.	- Vera Cruz	1722 0 10 6	. Reliq.Houst.9.t.21
	2 humile. W.	dwarf.	*	- Jamaica.	1782. 6.10. S.O.	
	CHAPTALIA. Vent.	CHAPTALIA.	Corymbifera, J.		· ·	
	tomentosa. Ph.	woolly.		- N. America.	1806. 5.6. H.4	B.M. 2256
	Tussilago integrife					
	CALENDULA. W.	Marygold, field.	Corymbiferæ. J.	•		
	2 sicula. W. en.	Sicilian.	b	- Europe.	1597. 5.9. H.⊙	
	3 stellata. W.	starry.		- Barbary.	1816. — H.O.	Schk.hand.3. t.265.
	4 officinalis. W.	common.		- S. Europe.	1573. — H.O.	
	β plena.	double-flowered.		-	7.(
	5 sancta. W.	pale-flowered.		- Levant.	1731. 5.9. H.⊙.	
	6 incana. W.	hoary.	6	- Barbary.	1796. 6.8. H.⊙.	Desf. alt. 2. t. 245,
	7 pluvialis. W. 8 hybrida. W.	Small Cape. Great Cape.	*	- C. B. S.	1699. — H.O.	Desf. alt. 2. t. 245, Mill. ic. t. 75. f. 2, Schk.hand.3. t. 264, Comm. hort. 2. t. 33, Mill. ic. 1. t. 76. f. 1,
	9 nudicaulis. W.	naked-stalked.			1731 68 H 🔾	Comm. bort 2 t 22
	10 graminifolia. W.				5.9. G.21.	Mill ic 1 t 76 f. 1.
	11 Tragus. W.	bending-stalked.			1774. 5.6. G.h.	Bot. mag. 408.
	β flaccida. V.	flaccid.		-	G. h.	Bot. reg. 28. 1081
	12 viscosa. H. K.	viscous.		-	1790. 6.9. G.h.	Bot. rep. 412.
	13 dentata. B. R.	tooth-leaved.		· ———	1790. 5.6. G.h.	Mill. ic. 1. t. 76.f. 1, 2 Bot. mag. 408. Bot. reg. 28. 7081 Bot. rep. 412. Bot. rep. 412. Mill. ic. 2. t. 288. Bot. reg. 40. 22/4
	14 oppositifolia. W. 15 fruticosa. W.	glaucous-leaved.		·	1774. 8. G.h.	NETT 1
	16 chrysanthemifolia.V	large-flowered			1752. 6.7. G.h.	Mill. 1c. 2. t. 283.
	17 arborescens. W.	rough-leaved.			1774. 12. G.h.	Jac ic 3 t 596.
	ARCTOTIS. H. K,	ARCTOTIS.	Corymbiferæ. J.		11111 121 01721	buć. ic. o. r. o.o.
	1 acaulis. W.	dwarf.		C. B. S.	1759. 4.7. G. 4.	Bot. reg. 122.
	2 tricolor. W.	three-coloured.	***************************************	T	1794. 5.7. G.4.	131. Jac.schœn.2.t.166.
	3 undulata. W.	wave-leaved.			1795. 4.6. G.4.	Jac.scheen.2.t.160.
	4 grandiflora. H. K. 5 glaucophylla. W.	great-flowered. Sea-green-leav ^d .		· · · · · · · · · · · · · · · · · · ·	1774. 3.5. G. G.	Jac,schæn.2.t.170.
	6 plantaginea. W.	Plantain-leaved.			1760 C 0 C 31	Jac,schen.2.t.170.
	7 argentea. W.	silver-leaved.			1774. 8. G. A.	
	8 rosea. W.	Rose.			1799. 79 G M	Jac.schæn. 2.t.162.
	9 decumbens. W.	decumbent.			1790. — G.4.	3. t. 381. Jac.schæn. 2. t. 163.
	10 angustifolia. W.	narrow-leaved.			1739. — G. h.	
	11 flaccida. W. 12 decurrens. W.					
	13 melanocicla. W. en.	various-colour'd			1819 — G. h	2. t. 165,
1	14 reptans. W.	creening			1705 70 G 3/	Too cale on a 4 000
	5 auriculata. W.	ear-leaved.			6.8. G.h.	2. t. 169.
	16 fastuosa. W.	Orange-flowered.			— 5.7. G.♂.	2. t. 166,
	7 spinulosa. W.	thorny-leaved.			5.8. G.⊙.	2. t. 167,
	18 maculata. W.	spotted.		9	1812. —— G.h.	Bot. reg. 130.
	19 aspera. B. reg. 20 aureola. B. reg.	narrow rough-1d			1/10. /.g. G.h.	34.
	1 bicolor. W. en.	two-coloured.			1812. — G. h.	2. t. 166, ———————————————————————————————————
	OSTEOSPERMUM \				٠٠,٠٠	
	w. (OSTEOSPERMUM.	•			
	1 spinosum. H. K.					Com. hort. 2. t. 43.
	2 spinescens. H. K.	smooth-leaved.			1793. 3.6. G.h.	Jac. scheen. 3. t. 377.
	3 pisiferum. W.	smooth.			1757. 3.5. G.h.	Mill.ic.2.t.194.f.1. Dill.elt.t.68.f.79.
	4 moniliferum. W. 5 ilicifolium. W.	Poplar-leaved. Holly-leaved.			1816. — Gh	Burm.afr.172.t.62.
	6 rigidum. W.	rigid.			1774. 4.7. G.h.	Dulm.an.1/2.0.02.
	7 cœruleum. W.	blue-flowered.			1774. 4.7. G.h. 6.9. G.h.	Jac. ic. 1. t. 179.
	8 polygaloides. W.	Milkwort-leav'd.			1759. — G. h.	Pluk. mant. t. 382.
(THONNA. W.	RAGWORT.	Corvmbiferæ. J.			
	1 pinnata. W.	wing-leaved.		C. B. S.	1759. 4.6. G.4. 1731. — G.h.	Bot. mag. 768.
	2 pectinata. W.	Wormwood-la.			1731. — G.h.	Jac schopp 0 + 040
	3 Athanasiæ. W. 4 abrotanifolia. W.	Southernwood-1d			1692. 1.3. G.h.	Bot. reg. 108.
	5 retrofracta. W.	bending-stalked.			1812. 3.8. G.h.	Jac.schœn.3.t.376.
	6 coronopifolia. W.	Buckshorn-leavd.			1731. 7.9. G.h.	Jac.schœn.2, t.242. Bot. reg. 108. Jac.schœn.3. t.376. Comm.hort.2. t.70.
	7 cheirifolia. W.	Stuck-leaved,		Barbary.	1752, 4.6. F.h.	Bot. reg. 266.

		AIULIUA				193
8 crassifolia. W.	thick-leaved.	Corymbiferæ, J.	C. B. S.	1710, 9.10	. G. h .	Mill.ic.2.t. 245.f.2.
9 denticulata. W.	tooth-leaved.			1774. 4.7	G. h.	1 3 m. A. J. A.
10 heterophylla. W.	various-leaved.			1812	– G. ի .	
11 Lingua. W.	tongue-leaved.			1707 50	G 21	Jac schoon 9 t 938
12 filicaulis. W.	Yam-rooted.			1791. 4.5	. G.4.	2. t. 241.
13 bulbosa. W.	bulbous.			1774. 5.6.	. G.4.	
14 perfoliata. Jac.	perfoliate.			1789. 5.7.	G.4.	Bot. mag. 1312.
15 parviflora. W.	small-flowered.			1704. 7.8.	G. h.	Volk. norib. t. 226.
16 ericoides. W.	Heath-leaved.			1815. —	- G.n.	Jac.schen.2.t.239. Dil.elt.t.103.f.123.
17 tenuissima. W.	fine-leaved.			1759. 4.7	. G.η.	Dil alt + 102 f 102
18 arborescens. W.	tree.			1723. 7.8.	. G.n.	Dif.ett.t.103.1.123.
19 cacalioides. W. HIPPIA. W.	HIPPIA.	Corymbiferæ. J,		1//4. 5.5	. 0.4.	
1 frutescens, W.	shrubby.		C. B. S.	1710. 9.8.	G. b.	Bot. mag. 1855.
2 integrifolia. W.	annual.		E. Ind.	1777. 7.8.	S.O.	Hout.nat.h.t.67.f.2
GYMNOSTYLES. J.	GYMNOSTYLES.	Corymbiferæ. J.	20 21140	27777	. ~	
anthemifolia. J.	Chamomile-lead.		S. America.	1812. 4.19	2. G.⊙.	J.ann.mus.t.61.f.1.
PSIADIA. W.	PSIADIA.	Corymbiferæ. J.			Ü	
glutinosa. W.	glutinous.		Mauritius.	1796. 6.8.	S. h.	Jac.schæn.2.t.152.
ERIOCEPHALUS.W.		Corymbiferæ. J.			•	
1 africanus. W.	cluster-leaved.		C. B. S.	1732. 1.3	. G.h.	Bot. mag. 833.
2 racemosus. W.	silver-leaved.			1739. 3.4	. G. ի .	
FILAGO. W.	COTTON-Rose.	Corymbiferæ. J.	Evax. Gært.			
pygniæa. W.	pigmy.		S. Europe.	1629. 7.8.	. н.⊙.	Cav. ic. 1. t. 36.
MICROPUS. W.	Micropus.	Corymbiferæ. J.	0.70		** 0	0.11.1
1 supinus. W.	trailing.		S. Europe.			Schk.hand.3.t.267.
2 erectus. W.	upright.			1683. 6.9	. н.⊙.	Lœf. hisp. t. 1. f. 3.
PARTHENIUM. W.	PARTHENIUM.	Corymbiferæ? J.		1500 5 10	11.0	Com :- 4 4 000
1 Hysterophorus. W. 2 integrifolium. W.	entire-leaved.		Virginia			Cav. ic. 4. t. 378. W. hort. ber. 4.
IVA. W.	Iva.	Corymbiferæ? J.		1001. 0.10	J. 11. 4 ·	W. Holt. Del. 4.
1 annua. W.	annual.			1768. 7.8.	S.O.	Schmidel, ic. t. 16
2 frutescens. W.	shrubby.		N. America.	1711. 8.	н.ь.	Schmidel. ic. t. 16. Pluk. alm. t.27.f. 1.
				.,	420,60	
		erenre ama				
FIEDHANTODIIC)	(Frentasm's)	SEGREGATA				
ELEPHANTOPUS.	ELEPHANT'S	Corymbiferæ. J.				
w. <i>f</i>	FOOT.	Corymbiferæ. J.	E. Ind.	1605. 6 0	S 21	Rheed mal 10 + 7
W. 1 scaber. W.	Foor. frough-leaved.	Corymbiferæ. J.	E. Ind.			Rheed.mal. 10. t.7.
W. 1 scaber. W. 2 carolinianus. W.	Foor. frough-leaved. Carolina.	Corymbiferæ. J.	E. Ind.	1732. 7.9	. G. 4.	Rheed. mal. 10. t.7. Dill.elt.t.106.f.126
W. 1 scaber. W.	Foor. frough-leaved.	Corymbiferæ. J.	E. Ind. America. W. Ind.		. G. 4.	
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W.	Foot. frough-leaved. Carolina. woolly.	Corymbiferæ. J.	E. Ind. America. W. Ind.	1732. 7.9. 1733. 7.8	. G. 4. . G. 4.	Dill.elt.t.106.f.126
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. CEDERA. W.	Foot. rough-leaved. Carolina. woolly. ŒDERA.	Corymbiferæ. J.	E. Ind. America. W. Ind.	1732. 7.9. 1733. 7.8 1789. 5.6.	. G. 4. . G. 4.	
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. GEDERA. W. prolifera. W. STGEBE. W. 1 æthiopica. W.	Foot. rough-leaved. Carolina. woolly. ŒDERA. proliferous.	Corymbiferæ. J. Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium. P.	1732. 7.9. 1733. 7.8 1789. 5.6. S.	G.4. G.4. G.4.	Dill.elt.t.106.f.126 Bot. mag. 1637.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W.	Foot. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved.	Corymbiferæ. J. Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium. P.	1732. 7.9. 1733. 7.8 1789. 5.6. S.	G.4. G.4. G.4.	Dill.elt.t.106.f.126 Bot. mag. 1637.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. GEDERA. W. prolifera. W. STGEBE. W. 1 æthiopica. W.	Foot. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S.	1732. 7.9. 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9.	G. 4. G. 4. G. h. G. h. G. h.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S.	1732. 7.9. 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9.	G. 4. G. 4. G. h. G. h. G. h.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W.	Foot. rough-leaved. Carolina. woolly. CEDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America.	1732. 7.9. 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9.	G. ¼. G. ¼. G. ħ. G. ħ. G. ħ.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America.	1732. 7.9. 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9.	G. ¼. G. ¼. G. ħ. G. ħ. G. ħ.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K.	FOOT. rougi-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. P.	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland.	1732. 7.9. 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9.	G. ¼. G. ¼. G. ħ. G. ħ. G. ħ.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J.	1732. 7.9 1733. 7.8 1789. 5.6 S. 1759. 8. 1774. 7.9 1799. 7.8.	G. ¼. G. ¼. G. ħ. G. ħ. G. ħ.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8	G. 4. G. 4. G. 4. G. 6. G. 6. H. O.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8	G. 4. G. 4. G. 4. G. 6. G. 6. H. O.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8 1699. 8.19 1759. 7.8	. G. ¼. . G. ¼. . G. ħ. . G. ħ. . H.⊙. . G. ¼. . G. ¼.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 { Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus, W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8 1803. 7.8 1699. 8.19 1759. 7.8	G. ½. G. ½. G. ½. G. ħ. G. ħ. G. ħ. G. ħ. G. ½. H. ⊙. G. ½. G. ½.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800. 2. t. 5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 spinærocephalus, W. 2 spinosus. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. Austria. Egypt.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8 1803. 7.8 1699. 8.19 1759. 7.8 1596. 7.8	G. ½. H. ⊙. G. ½. G. ½. G. ½. H. ✓.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800. 2.t. 5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris. s.7.t.35.f.4.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus, W. 2 spinosus. W. 3 Ritro. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHERANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. Totera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8 1699. 8.19 1759. 7.8 1596. 7.8 1597. 7.9	G. ¼. G. ½. G. ħ. G. ħ. G. ħ. G. ħ. G. ¼. G. ¾. G. Q. H. ¼. H. ¼.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris.s.7.t.35.f.4. Bot. mag. 932.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus, W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus, W. 2 spinosus. W. 8 Ritro. W. 4 strigosus. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8 1699. 8.19 1759. 7.8 1596. 7.8 1597. 7.9 1729. 7.9	G. ½. H. ⊙. G. ½. G. Ų. H. ¼. H. ¼. H. ¼.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800. 2.t. 5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris. s.7.t.35.f.4.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus, W. 2 spinosus. W. 3 Ritro. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHERANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8 1699. 8.19 1759. 7.8 1596. 7.8 1597. 7.9	G. ½. H. ⊙. G. ½. G. Ų. H. ¼. H. ¼. H. ¼.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris.s.7.t.35.f.4. Bot. mag. 932.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus. W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ? Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8 1803. 7.8 1699. 8.16 1759. 7.8 1596. 7.8 1597. 7.9 1729. 7.9 1736. 6.7	G. ½. H. ⊙. G. ½. G. Ų. H. ¼. H. Ų. H. ¼. H. ¼.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800. 2.t. 5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris. s.7.t.35.f.4. Bot. mag. 932. Herm. parad.t.224.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. GEDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus, W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ? Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. Totera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. W. Ind.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8 1699. 8.12 1759. 7.8 1596. 7.8 1597. 7.9 1729. 7.9 1736. 6.7	G. ½. H. ⊙. G. ½. G. Ų. H. ¼. H. Ų. H. ¼. H. ¼.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris.s.7.t.35.f.4. Bot. mag. 932.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus. W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W. corymbosa. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA. umbelled.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ? Cynarocephalæ? Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. Totera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. W. Ind.	1732. 7.9 1733. 7.8 1789. 5.6 .S. 1759. 8. 1774. 7.9 1799. 7.8 1803. 7.8 1699. 8.1 1759. 7.8 1596. 7.8 1597. 7.9 1729. 7.9 1736. 6.7	G. ½.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800. 2.t. 5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris. s.7.t.35.f.4. Bot. mag. 932. Herm. parad.t.224.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus, W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W. corymbosa. W. GUNDELIA. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA. umbelled. GUNDELIA.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ? Cynarocephalæ? Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. W. Ind. J. Cardopatus S. Europe.	1732. 7.9 1733. 7.8 1789. 5.6 .S. 1759. 8. 1774. 7.9 1799. 7.8 1803. 7.8 1699. 8.1 1759. 7.8 1596. 7.8 1597. 7.9 1729. 7.9 1736. 6.7	G. ½.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris.s.7.t.35.f.4. Bot. mag. 932. Herm.parad.t.224. Sloan.jam.1.t.7.f.3.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 splærocephalus. W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W. corymbosa. W.	FOOT. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA. umbelled.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ? B Cynarocephalæ? Cynarocephalæ? Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. U. Ind. J. Cardopatus S. Europe. J. Cardopatus S. Europe. J.	1732. 7.9 1733. 7.8 1789. 5.6. S. 1759. 8. 1774. 7.9 1799. 7.8. 1803. 7.8 1699. 8.16 1759. 7.8 1596. 7.8 1596. 7.8 1597. 7.9 1714. 7. m. P. S. 1640. 6.7.	G. ½.	Dill.elt.t.106.f.126 Bot. mag. 1637. Pluk.man.t.297.f.1 Schrad. bot. j. 1800.2.t.5. Burm.zeyl.t.94.f.3. Pluk.man.t.108.f.7 Moris.s.7.t.35.f.4. Bot. mag. 932. Herm.parad.t.224. Sloan.jam.1.t.7.f.3.

CLASS XX.

GYNANDRIA MONANDRIA.

ORCHIS. B. P.	ORCHIS.	Orchideæ. B. P.					
1 Morio. W.	meadow.		Britain.		5.6.	H.4.	Eng. bot. 2059.
2 longicornu. P. S.	flat-spurred.		Barbary.				Bot. reg. 202.
3 mascula. W.	early purple.		Britain.	• • • •		H.4.	Eng. bot. 631.
4 ustulata. W.	dwarf.		England.	• • • •	5.6.	H.4.	
5 fusca. W.	brown.			• • • •		H.4.	16.
6 militaris. W.	military.					H.4.	16. 1873.
7 acuminata. W.	pointed-flower'd.		Barbary.	1815.	4.5.	G. 4.	Bot. mag. 1932. 367 Jac. aust. 3. t. 265.
8 globosa. W.	round-spiked.		Austria.	1792.	6.7.	H.4.	Jac. aust. 3. t. 265.
9 pyramidalis. W.	pyramidal.		Britain.			H.4.	Eng. bot. 110. ———————————————————————————————————
10 hircina. W.	Lizard.		England.			н.4.	34.
11 latifolia. W.	marsh.		Britain.		5.6.	H.4.	2308.
12 maculata. W.	spotted palmate.				6.7.	н. 4.	632.
13 spectabilis. W.	showy.		N. America.	1801.		H.4.	•
14 papilionacea. W.	papilionaceous.	Orobidom B. D.	S. Europe.	1788.		н.4.	
GYMNADENIA. H.K	GYMNADENIA.	Orchideæ. B. P.	Orchidis sp. 1	\mathcal{V} .			
conopsea. H. K.	fragrant.		Britain.		6.7.	н. 4.	Eng. bot. 10.
ACERAS. H. K.	Aceras.	Orchideæ. B. P.					
anthropophora.	Greenman.				6.	н.4.	Eng. bot. 29.
HERMINIUM. H. K.		Orchideæ. B. P.					
Monorchis. H. K.	musk.				6.7.	H.4.	Eng. bot. 71.
HABENARIA, B. P.	HABENARIA.	Orchideæ. B. P.		V.			
1 nigra. H. K.	dark-flowered.		Austria.	1759.	6.7.	н.4.	Flor. dan. t. 998.
2 viridis. H. K.	Frog.		Britain.			н.4.	Eng. bot. 94.
3 bracteata. H. K.	long-bracted.		N. America.	1805.	5.6.	H.4.	Par. lond. 110.
4 albida. H. K.	small white.		Britain.		6.7.	H.4.	Eng. bot. 505.
5 hyperborea. H. K.	northern.		Iceland.	1805.		H.4.	
6 bifolia. H. K.	Butterfly.		Britain.		5.6.	H.4.	Eng. bot. 22.
7 herbiola. H. K.	American.		N. America.	1789.	6.7.	н.4.	0 1 - 4
8 fimbriata. H. K.	purple-fringed.		Canada.			H.4.	12 My 305
9 cristata. H. K.	yellow-crested.		N. America.	1806.	9.	H.4.	C.
10 ciliaris. H. K.	yellow-fringed.			1796.	6.7.	H.4.	Bot. mag. 1668.
BARTHOLINA. H.K.		Orchideæ. B. P.	Orchidis sp.				Eng. bot. 22. Bot. mag. 1668.
BARTHOLINA. H.K.	BARTHOLINA.		•				
			C. B. S.	1787.	10.		Bot. mag, 1668. Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K.	BARTHOLINA. pectinated. SERAPIAS.	Orchideæ, B. P.	C.B.S. Helleborinis si	1787. o. P. S.	10.	G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K. pectinata. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped.	Orchideæ, B. P.	C.B.S. Helleborinis si	1787. o. P. S.	10.	G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped.	Orchideæ. B. P.	C.B.S. Helleborinis si	1787. o. P. S.	10.	G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe.	1787. p. P. S. 1786. 1806.	5.6. 7.8.	G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe.	1787. p. P. S. 1786. 1806.	10. 5.6. 7.8. 6.7.	G.4. G.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe.	1787. o. P. S. 1786. 1806.	10. 5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 39. 1036
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe.	1787. p. P. S. 1786. 1806.	5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 37.1036 Eng. bot. 65.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly.	Orchideæ. B. P.	C. B. S. Helleborinis sy S. Europe. England. Barbary. England.	1787. p. P. S. 1786. 1806.	5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 39. 1036
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. Englaud.	1787. p. P. S. 1786. 1806 1815.	5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4. H.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate.	Orchideæ. B. P.	C. B. S. Hellcborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806. 1815. P. S.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 37. 1936 Eng. bot. 65. 64. Bot. rep. 315.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Hellcborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806. 1815. P. S.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 37.1036 Eng. bot. 65.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. H.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingna. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1936 Eng. bot. 65. 64. Bot. rep. 315. 20. 1036 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1936 Eng. bot. 65. 64. Bot. rep. 315. 20. 1036 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingna. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806. P. S. 1787. 1805.	5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1033 Eng. bot. 65. 64. Bot. rep. 315. 20. 1033 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806. P. S. 1787. 1805.	5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1936 Eng. bot. 65. 64. Bot. rep. 315. 20. 1036 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingna. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806 1815 1787. 1805. 1815.	5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1033 Eng. bot. 65. 64. Bot. rep. 315. 20. 1033 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806 1815 1787. 1805. 1815.	5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1033 Eng. bot. 65. 64. Bot. rep. 315. 20. 1033 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787 1805 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. G.4. G.4. H.4. G.4. H.4. G.4. G	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1033 Eng. bot. 65. 64. Bot. rep. 315. 20. 1033 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787. 1805. 1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 20. 1033 Eng. bot. 65. 64. Bot. rep. 315. 20. 1033 Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787. 1805. 1797. 1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787. 1805. 1797. 1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787. 1805. 1797. 1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingna. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy. purple-leaved.	Orchideæ. B. P.	C. B. S. Helleborinis sp. S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J.	1787. 2. P. S. 1786. 1806 1815 P. S. 1787. 1805. 1797. 1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7.	G.4. G.4. G.4. G.4. H.4. G.4. H.4. G.4. G	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. N. Cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy. purple-leaved.	Orchideæ. B. P.	C. B. S. Helleborinis sy S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J. Scotland. N. America. S. America.	1787. 2. P. S. 1786. 1806 1815 1787. 1805. 1797. 1797. 1802. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 7.8. 7.11.12	G.4. G.4. G.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P. 1 speciosa. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy. purple-leaved.	Orchideæ. B. P.	C. B. S. Helleborinis sy S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J. Scotland. N. America. S. America.	1787. 2. P. S. 1786. 1806 1815 1787. 1805. 1797. 1797. 1802. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 7.8. 7.11.12	G.4. G.4. G.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P. 1 speciosa. W. 2 orchioides. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy. purple-leaved.	Orchideæ. B. P.	C. B. S. Helleborinis sy S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J. Scotland. N. America. S. America.	1787. 2. P. S. 1786. 1806 1815 1787. 1805. 1797. 1797. 1802. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 7.8. 7.11.12	G.4. G.4. G.4. G.4. H.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P. 1 speciosa. W.	BARTHOLINA. pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy. purple-leaved.	Orchideæ. B. P.	C. B. S. Helleborinis sy S. Europe. England. Barbary. England. Diplecthrum. C. B. S. C. B. S. C. B. S. Neottiæ sp. J. Scotland. N. America. S. America.	1787. 2. P. S. 1786. 1806 1815 1787. 1805. 1797. 1802. 1815. 1790. 1806.	10. 5.6. 7.8. 6.7. 5.6. 6.9. 6.7. 7.8. 7.8. 4.6. 5.4.6.	G.4. G.4. G.4. G.4. G.4. G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 36. 1936 Eng. bot. 65. ————————————————————————————————————

		01111	1111220112	201121120				
	5 cernua. W,		Orchideæ. B. P.	N. America.	1796.	7.	H.4.	Bot. mag. 1568.
	6 spiralis. W. PONTHIEVA. H. K.	Ladies-traces.	Orchideæ. B. P.	 Britain. Neottiæ sn. B. 		8.9.	H.4.	Eng. bot. 541.
	glandulosa. H. K.	glandular.	- Cremaca: D.T.			1.3.	S.4.	Bot. mag. 842.
	DIURUS. B. P.	Diurus.	Orchideæ. B. P.	NY C XII	1010		Cal	Evet het 1 4 0
	aurea. B. P. THELYMITRA. B. P.	golden-flowered.	Orchideæ. B. P.	N. S. W.	1810.	• • • •	Ст. Д.	Exot. bot. 1. t. 9.
	ixioides. B. P.	spotted blue.		N. S. W.	1810.		G. 4.	Exot. bot. 1. t. 29.
	LISTERA. H. K.	LISTERA.	Orchideæ. B. P.	Ophrydis sp. 1		F C	TT 51	Eng hat 1540
	1 ovata. H. K. 2 cordata. H. K.	Twayblade. heart-leaved.		- Britain.				Eng. bot. 1548.
	EPIPACTIS. Sw.	EPIPACTIS.	Orchideæ. B. P.	Serapias. E. B				
	1 Nidus-avis. W.	bird's nest.		- Britain.	• • • •	5.	H. 4.	Eng. bot. 48.
	2 latifolia. W. 3 palustris. W.	broad-leaved.				7.8.	H. 4.	269. 270.
	4 pallens. W.	white.				6.	H.24.	269.
	5 ensifolia. W.	narrow-leaved.			• • • •	C. F.	H.4.	494.
	6 rubra. W., POGONIA. H. K.	purple. Pogonia.	Orchideæ. B. P.			6.7.	11.4.	437.
	1 ophioglossoides. }	Adder's-tongue.		N. America.		67	G 21	
	B. reg.							Lam, ill. t, 729.f.3.
	2 divaricata, H. K. CALADENIA. B. P.	Caladenia.	Orchideæ. B. P.		1787.		H.4.	Lam. III. t. 729.1.3.
	alba. B. P.	white.		- N. S. W.	1810.	7.8.	G.4.	
	GLOSSODIA. B. P.	GLOSSODIA.	Orchideæ. B. P.	NT C 317	1010		CN	
	major, B. P. PTEROSTYLIS, B. P.	larger. PTEROSTYLIS.	Orchideæ. B. P.	- 18. S. W.	1810.		G. 4.	
	obtusa. B. P.	blunt-lipped.		- N. S. W.	1810.	7.8.	G.4.	
	CALEYA. H. K.	CALEYA.	Orchideæ. B. P.				C 11	
	major. H. K. CALOPOGON. H. K.	Smooth-lipped.	Orchideæ. B. P.			• • • •	G. 4.	
	pulchellus. H. K.	tuberous-rooted.				7.8.	F. 4.	Bot. mag. 116.
	Limodorum tuberosi		0 111 70 70					
	ARETHUSA. H. K. bulbosa. H. K.	ARETHUSA.	Orchideæ. B. P.	- N. America.		5.6.	G. 21 .	Pluk.man.t.348.f.7
	BLETIA. H. K.	BLETIA.	Orchideæ. B. P.					2 2444444444444444444444444444444444444
	1 Tankervilliæ. H. K.			- China.	1778.	3.4.	S. 4.	Bot. mag. 1924.
	2 verecunda. H. K. 3 florida. H. K.	tall.		- W. Ind.	1786.	7.8.	S.4.	930. Redouté lil. 83.
	4 hyacinthina. H. K.			- China.	1802.	3.6.	8.4.	Bot. mag. 1492.
	5 capitata. H. K.	headed.	0 111 0 0	- W. Ind.		6.7.	S. 24.	_
	GEODORUM. H.K.	GEODORUM.	Orchideæ. B. P.	Limodori sp. 1	Roxb.	6.8	8 21	Royh cor 1 t 40
	2 citrinum. H. K.	Lemon-colour'd.		- 13, Ind.		10.12	. S. 4.	Roxb. cor. 1. t. 40. Bot. rep. 626. Roxb. cor. 1. t. 39.
	3 dilatatum. H. K.	shovel-lipped.		-		5.8.	S. 4.	Roxb. cor. 1. t. 39.
1	CALYPSO. P. L. americana. H. K.	Calypso. American.	Orchideæ. B. P.	N. America.	1905	5.6	T-1 21	Par land 80
	MALAXIS. H. K.	MALAXIS.	Orchideæ. B. P.		1000.	0.0.	11.4.	Tar. iona. og.
	1 paludosa. W.	marsh.		- England.	• • • •			Eng. bot. 72.
	2 Loeselii. W. 3 lilifolia. W.	Loesel's. Lily-leaved.		N America				Bot. rep. 65.
	CORALLORRHI-					0.7.	12.25	Bott rep. oo. 4: (7)
	ZA. H. K.		.Orchideæ. B. P.					
	innata. H. K. ISGCHILUS. H. K.	spurless. Isochilus.	Orchideæ. B. P.		v	6.7.	н.4.	Eng. bot. 1547.
	1 linearis. H. K.	linear.	Ofchaca. B. 1.	- W. Ind.		5.7.	S. 4.	Jac.amer.t.131.f.1.
	2 prolifer. H. K.	proliferous.			1793.			A. 220
	ORNITHIDIUM.H.K.	Scarlet-flowered.	Orchideæ. B. P.	- W. Ind.		1 10	S 21	Bot. mag. 1437.
	STELIS. H. K.	STELIS.	Orchideæ. B. P.	- w. mu.	1780.	1.12.	0.4.	Bot. mag. 1437.
		Adder's-		- W. Ind.	1791	5.6.	S. 21	Jac.amer.t.133.f. 2.
	2 micrantha. W.	tongue-lead. small-flowered.		- Jamaica.			_	
	PLEUROTHAL- }					11.12	· 17.4 ·	Exot. bot. 2. t. 75.
	LIS. H. K.		Orchideæ. B. P.	Epiaenari sp.	Jac.			
	ruscifolia. H. K.	Butcher's- broom-leavd		- W. Ind.	1791.	5.6.	S. 4.	Jac.amer.t.133.f.3.
	OCTOMERIA. H. K.	OCTOMERIA.	Orchideæ. B. P.	Dendrobii sp.	W.			
	graminifolia. H. K.			- W. Ind.		6.7.	S.4.	Plum. ic. 176. f. 1.
			/ D (

AERIDES. Sw.	AIR-PLANT.	Orchideæ. B. P.	Epidendri sp.	L.			
i paniculatum. B.reg. 2 odoratum. H. K.	fragrant.		China.	1000	5.8.	8.4.	Bot. reg. 220.
3 arachnites. Sw.	common.		Japan.	1793.			
CRYPTARRHENA B. reg.	CRYPTARRHENA.					•	
lunata. B. reg.	crescent-lipped.	r	W. Ind.	1815.	5.8.	5.21.	Bot. reg. 153.
DENDROBIUM. H.K.		Orchideæ. B. P.		1010.	0.0.	J. 4.	,
1 speciosum. B. P.	showy.			1801.	6.8.	G. 24.	Exot. bot. 1. t. 10.
2 linguiforme. B. P.	tongue-leaved.						1. t. 11.
3 Barringtoniæ. W. GOMESA. B. M.	large-flowered. Gomesa.	Orchideæ. B. P.	W. Ind.	1790.	6.8.	5.4.	Smith ic. pict-25.
recurva. B. M.	recurved.	Orthuca. D. F.	Brazil.	1814.	5.6.	S. 2L.	Bot. mag. 1748.
CYMBIDIUM. H. K.	CYMBIDIUM.	Orchideæ. B. P.	Epidendri sp.		0.0.	0.4.	2000 2220 27 100
1 aloifolium. W.	Aloe-leaved.		E. Ind.				Bot. mag. 387.
2 ensifolium. W.	sword-leaved.		China.	1780.	6.10.	S.4.	1751:
3 sinense. W. 4 præmorsum. W.	Chinese. snip-leaved.		F Ind	1793.			
5 tripterum. W.	triangular-fruitd.		Jamaica.	1790.			Smith ic. pict. 14.
BRÁSSIA. H. K.	BRASSIA.	Orchideæ. B. P.	,	1,000	.,,,	~,	
maculata. H. K.				1806.	6.7.	S.4.	Bot. mag. 1691.
ONCIDIUM. Sw.	ONCIDIUM.	Orchideæ. B. P.				6 24	Ta 4 1 4 1
1 altissimum. W. 2 carthagenense. W.	sharp-petaled. Spread-eagle.			1793.			Jac. amer. t. 141. Bot. mag. 777.
3 bifolium. H. K.	two-leaved.		S. America.	1811.	7.		1491.
4 triquetrum. H. K.	triangular-leavd.		Jamaica.	1793.		S. 24 .	
CYRTOPODIUM. }	CYRTOPODIUM.	Orchideæ. B. P.					
H. K. S	Anderson's.		117 T 3	1004	- 0	C 31	That man 1000
1 Andersonii. H. K. 2 Woodfordii. B. M.	Woodford's.		W. Ind.	1814.			Bot. mag. 1800.
BRASSAVOLA. H.K.		Orchideæ. B. P.	Cymbidii sp. I		10.	0.4.	10111
cucullata. H. K.	single-flowered.				6.9.	S. 4.	Bot. mag. 543.
BROUGHTONIA. }	BROUGHTONIA.	Orchideæ. B. P.	Dendrobii sp.	w.			
H. K.	blood-coloured.		•			C 21	Cl. tow 1 4 101 f d
sanguinea. H. K. ÉPIDENDRUM. H. K.		Orchideæ. B. P.	Jamaica.	1793.	0.7.	5.4.	Slo.jam.1.t.121.f.2.
1 cochleatum. W.	dark nurnle		W. Ind.	1786.	12.2.	S. 24.	Bot. mag. 572.
2 fragrans. W.	sweet-scented.		Jamaica.				1669.
3 secundum. W.			W. Ind.	1793.	6.7.	S. 4.	Jac. amer. t. 137.
4 fuscatum. W.	brown.			1790.		S.4.	Bot. reg. 67.
	long-stalked. umbelled.		Jamaica.	1798.	6.7.	S. 21.	Bot. reg. 80. 2030
7 nutans. W.	nodding.						17.
8 conopseum. H. K.	Florida.		Florida.	1775.	8.	S. 2L.	1
9 ciliare. W.	fringed.	0 111 0 0	W. Ind.	1790.	3.8.	S.4.	Bot. mag. 463. 70
VANILLA. Sw. 1 aromatica. H. K.		Orchideæ. B. P.			6.8	S L	Plum.ic.183.t.188.
	fragrant.		W. Ind.				Bot. rep. 538.
1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
		DIANDRIA					
CYPRÍPEDIUM. W.	LADIES-SLIPPER.	Orchidea, B. P.					
1 Calceolus. W.	common		England.		5.7.	H.4.	Eng. bot. 1.
2 parviflorum. W.	small-flowered.		N. America.	1759.	5.6.	H. 4.	Bot. mag. 911.
3 pubescens. W.	yellow-downy.			1790.	0	H.4.	W. hort. ber. 13.
4 spectabile. W. 5 humile. W.	white petalled. two-leaved.			1786	5.6	H 21.	Bot. mag. 216.
6 arietinum. H. K.	Ram's-head.						1569.
STYLIDIUM. B. P.	STYLIDIUM.	Stylideæ. B. P. V	Tentenatia, Ex	. B. Ca	indoll	ea. Lab	
1 graminifolium. B.P.							Bot. reg. 90. 01 191
2 fruticosum. B. P. 3 scandens. B. P.	shrubby.		N. Holland.				rar. 10nd. 77.
GUNNERA. W.		Urticeæ? J.			7.0.	0.4.	
	Marsh-mary-		C. B. S.	1600		G 2	Pluk. alm. t. 18. f.2.
perpensa. W. {	gold-leaved.		o. b. s.	1009.	• • • •	0.4.	2376
		LIEV ANIDITA					
A DISMOTO CITY A TIT	D	HEXANDRIA					
ARISTOLOCHIA.W.		Aristolochiæ. J.	S. America.	1775	67	SL	
1 trilobata. W. 2 maxima. W.	three-lobed.		New Spain.				Jac. amer. t. 146.

MONŒCIA MONANDRIA.

3 Sipho. W.	hroad-leaved.	Aristolochiæ. J.	N. America.	1763. 6.7. H.h.	Bot. mag. 534.
4 tomentosa. B. M.	downy-leaved.			1799. — H. h.	
5 odoratissima. W.	sweet-scented.	·	Jamaica.	1737. 7. S.h.	Slo.jam. t.t. 104.f. 1.
6 barbata, W.	bearded.		Caracas.	1796 S. 4.	Jac. ic. 3. t. 608.
7 indica. W.	Indian.		E. Ind.	1780. 6.7. S. L.	Rheed. mal 8.1.25.
8 boetica. W.	Spanish.		Spain.	1596. 5.6. H.4.	Moris.s.12.t.17.f.6
9 glauca. W.	glaucous-leaved.		Barbary.	1785. 7. G.h.	Bot. mag. 1115.
10 sempervirens. W.	evergreen.		Candia.	1727. 5.6. G.h.	1116.
11 longa. W.	long-rooted.		S. Europe.	1548. 6.10. H. 4.	Mill. ic. t. 51. f. 2.
12 Serpentaria. W.	Snake-root.		N. America.	1632. 6.7. H.4.	Jac.schen.3.t,385,
13 bracteata. W.	bracteated.		E. Ind.	1793. 7. S.2.	
14 Pistolochia. W.	small.		S. Europe.	1597. 6.7. H.4.	
15 rotunda. W.	round-rooted.			1596. 3.10. G. 4.	
16 pallida. W.	pale-flowered.		Italy.	1640. 5.8. H. 4.	Moris.s.12.t.18.f.2,
17 hirta. W.	ĥairy.		Chio.	1759. 5.6. G. 4.	Tourn. it. 1. t. 147,
18 Clematitis. W.	common.		England.	5.8. H.4.	Eng. bot. 398,
19 arborescens. W,	tree.		America.	1737, 6.7. G. h.	

CLASS XXI.

MONŒCIA MONANDRIA.

ZANNICHELLIA.W.		Naiades. J.					
palustris. W.	horned.		Britain.	• • • •	7.	$H.\odot$.	Eng. bot. 1844.
CHARA. W.	CHARA.	Naiades. J.					
1 yulgaris. W.	common.		Britain.	• • • •			Eng. bot. 336.
2 gracilis. H. K.	slender.		England.				
3 hispida. W.	prickly.		Britain.	• • • •			463.
4 tomentosa. W.	tomentose.						Moris. s. 15. t. 4. f.9,
5 flexilis. W.	smooth.			• • • •			Eng. bot. 1070.
6 translucens. H. K.				• • • •		-н.⊙.	
7 nidifica. H. K.	proliferous.			• • • •		.н.⊙.	
CERATOCARPUS.W		Chenopodeæ. B. P				** 0	
arenarius. W.	sand.		Tartary.	1757.	6.7,	н.⊙.	Bux.in act.pet.1.t.9
ARTOCARPUS. W.	BREAD FRUIT.	Urticeæ. J.					
1 incisa. W.	true.		S. Sea Isl.				Rumph.amb.1.t.33
2 integrifolia. W.	Jaca Tree.		E. Ind.	1778.	6.	S. b .	{ Rheed. mal. 3. t. 26-28.
· · ·						,	26-28,
CASUARINA. W.	CASUARINA.	Coniferæ. J.				O: T	
1 equisetifolia. W.	Horse-tail.						Rumph.amb.3. t.57
2 stricta, W.	upright.		N, S. W.	1775.	11.2.	G.h.	Bot, rep. 346.
3 distyla. W.	two-styled.		N. Holland.	1812.		G.ħ.	{ Vent.desc.pl, nov. t. 62.
4 torulosa. W.	Cork-barked.		N. S. W.	1772.		G.h.	
6 and drive late D 6	C l			1010		C I	{ Lab. nov. holl. 2. t, 218.
5 quadrivalvis. P. S.	four-valved.	***************************************		1812.	••••	G. n.	t, 218.
		DIANDRIA			4		
*********			•				
ANGURIA. W.	Anguria.	Cucurbitaceæ. J,	0 0			0	
trilobata. W,	three-lobed.		· Carthagena.	1793.	6.7.	8.4.	Jac. amer. t. 156.
LEMNA. W.	DUCK WEED.	Naiades. J.	TO 14 1			** 0	7 1
1 trisulca. W.	Ivy-leaved.		Britain.	,			Eng. bot. 926.
2 minor. W.	lesser.				6.7.	H.O.	1095. 1233.
3 gibba. W.	gibbous.						
4 polyrhiza, W.	greater.			• • • •	5.9.	н.⊙.	2458,
		TRIANDRIA	.,				
TYPHA. W.	CAT'S-TAIL.	Aroideæ, B. P.					
1 latifolia. W.	great.		Britain.		7.	H. 14.	Eng. bot. 1455.
2 minor. W.	dwarf.		England.				
3 angustifolia. W.	lesser.		- Britain.				1456.
SPARGANIUM. W.	BUR REED.	Aroideæ, B. P.	251104111		0.,.		
1 ramosum. W.	branched.	Ziroidea: D. I.	- Britain.		7.8.	H.24.	Eng. hot. 744.
2 simplex. W.	unbranched.						745.
3 natans. W.	floating.	Annual Control of the	- England.				273.
	4	Dd	2			22.27	
		, , ,					

MONGECIA TRIANDRIA.

2213 A 747							
ZEA. W.	Indian Corn.	Gramineæ. J.				**	
Mays. W. TRIPSACUM. W.	Common. Tripsacum.	Gramineæ, J.	America.	1562.	5.7.	H	Lam. ill. t. 749.
1 dactyloides. W.	rough-seeded.	Grammea, e.	Tirrinia	1640	0	TUT SI	Lam. ill. t. 750.
2 monostachyon. W.			N. America.				W. hort. ber. t. 1.
3 hermaphrodi-	hermaphrodite.						11 1 110111 0011 11 11
tum. W.			Jamaica.			$s.\odot.$	
COIX. W.	JoB's TEARS.	Gramineæ. J.					2479
1 Lachryma. W.	common.	Physical Principles of Control of	E. Ind.	1596.	6.7.	S. 24.	Rumph.am. t.75.f.2
2 agrestis. W. OLYRA. W.	round-fruited. OLYRA.	Gramineæ. J.		1812.		- 5.24.	6.t.9.f.1.
paniculata. W.	broad-leaved.	Grammeæ. 3.	W Ind	1783.	177	8 21	Sloa.jam.1.t.64.f.2
CAREX. W.	CAREX.	Cyperaccæ. B. P.	W. Alida	1,00.	/ ·	13.4.	S10a. jam. 1.0.04.1.2
1 dioica. W.	diœcious.		Britain.		5.6.	H.24.	Eng. bot. 543.
2 Davalliana. W.	Davall's.					- H. 31 .	9193.
3 Fraseriana. H. K.	Fraser's.		N. America.	1809.	4.6	H.4.	Bot. mag. 1391.
4 pauciflora. W. 5 pulicaris. W.	few-flowered. Flea.			• • • •			Eng. bot. 2041.
6 cyperoides. W.	Bohemian.		Rohamia				
							C + T.T.
7 fœtida. W.	stinking.		 Switzerland. 	1791.	7.8	н.4.	f. 96.
8 incurva. W.	curved.		- Scotland.			- H.4.	Eng. bot. 927.
9 atrata. W.	black.		- Britain.		6.7	H.4.	2044.
10 aremaria. W.	sand.		-			- H.4.	928.
11 intermedia. W. 12 Schreberi. W.	soft brown.						2042.
13 ovalis. W.	Schreber's. oval-spiked.		- Germany.				Host.gram.1.t.46
14 lagopodioides. W.	Hare's Foot.		- Dritain. - N America	1905		- 11.4.	Eng. bot. 306. Sch.car.t.Yyy.f.177
15 scoparia. W.	Broom.			. 1812.		- H. 1.	
16 vulpina. W.	great-spiked.		- Britain.		5.8	. н.ч.	Eng. bot. 307.
17 appressa. B. P.	close-spiked.		- N. S. W.			- G. 4.	
18 divisa. W.	bracteated.		Rvitain				Eng. bot. 1096.
19 brizoides. W.	Briza-like.		- Germany.				Host.gram.36.t.47
20 muricata. W. 21 divulsa. W.	greater prickly. gray.		- Britain.	• • • •			Eng. bot. 1097.
22 stelluluta. W.	little prickly.				5.6	H 2/	
23 rosea. W.	Rose.		N America	1812.		– H. 21.	Sch.car.t.Zzz.f.179
24 axillaris. W.	axillary.		- England	• • • •	-	- H.4.	Eng. bot. 993.
25 remota. W.	remote.		- Britain.			-H.4.	832.
26 elongata. W.	elongated.		- England.		5.6	. н.ч.	1920.
27 curta. W.	white.		- Britain.	• • • •	6.	H.4.	1386.
28 straminea. W.	slender-stalked.		- N. America.	1803.	6.7	. H. 24.	Schk. car. t. Xxx f. 174.
29 teretiuscula. W.	lesser-panicled.		- Britain.		5.6	H.31.	Eng. bot. 1065.
30 paniculata. W.	great-panicled.		- England.				
31 clandestina. W.	dwarf silvery.				15	. H.4.	2124.
32 digitata. W.	fingered.		-		5.6	. T.T. 2/ .	615.
33 plantaginea. W.	broad-leaved.	1	- N. America.	1805.		- H.4.	Schk. car.t. U. f.70.
34 pilulifera. W. 35 præcox. W.	round-headed. vernal.		- Britain.	• • • •	4.6	. 11.24.	Eng. bot. 885.
36 tomentosa. W.	downy-fruited.		- England.		6	14.21	2046.
37 extensa. W.	long-bracted.		- Britain				
38 flava. W.	yellow.						1294.
39 (Ederi. E. B.	Œderian.		- England.				
40 fulva. W.	tawny.	·- ·	- Britain.				
41 distans. W.	loose.			• • • • •	6.	H.4.	1234.
42 binervis. W. 43 rigida. W.	green-ribbed. rigid.		*		-	- H. 4.	
44 pulla. W.	russet.		Scotland		6.7	H 71	2047.
45 alpestris. W.	Alpine.		- Europe.		5.6	. H. 2.	Schk. car. t.G.f. 35.
46 nitida. W.	glossy.		- Austria.	1805.		- H. 4.	Host. gram.1.t.71.
47 Mielichhoferi. W.	loose-spiked.		- Scotland.				Eng. bot. 2293.
48 depauperata. W.	starved wood.		- England				1098.
49 granularis. W.	grain-seeded.		N. America.				Sch.car.t.Vvv.f.169
50 anceps. W.	two-edged.		Duita'-				t.Fff.f.128.
51 panicea. W. 52 cæspitosa. W.	Pink-leaved. tufted bog.		oriain.				Eng. bot. 1505.
53 stricta. W.	straight-leaved.		-				914.
54 pendula. W.	great pendulous.						2315.
55 strigosa. W.	loose pendulous.		- England.				994.

MONŒCIA TETRANDRIA.

	AVI OI	dictil 111	1 1011112	02220			.,,,,
56 capillaris. W.	capillary.	Cyperaceæ. B. P.	Britain.				Eng. bot. 2069.
57 pallescens. W.	pale.		C 41 1	• • • •			2185.
58 ustulata. W.	mount and mald		Pritain		6.7.	H 2/	2404. 2043.
59 limosa, W.	loose-flowered.		Scotland.				
61 lævigata. W.	smooth-stalked.		Britain.				1387. 242.
60 rariflora. E. B. 61 lævigata. W. 62 Pseudo-Cyperus.W.	BastardCyperus.		Britain.		6.7.		
63 flexuosa. W.	bending.		N. America.	1807.		H.4.	Schk. car. t. Ddd.
64 sylvatica. E. B.	wood.						et Aaaa. f. 124. Eng. bot. 995.
65 recurva. W.	glaucous Heath.		72 1 2			TT N	1.500
66 nutans. W.	nodding.		Austria.	1815.	6.7.	H.24.	Host. gram.1. t.83. Eng. bot. 904. Sch.car.t.Eee f.125 Eng. bot. 580.
67 salina. W.	salt marsh.		Norway.	• • • •	6.	H.4.	
68 filiformis. W.	slender-leaved.	***************************************	Britain.	1007	6.7.	H.4.	Eng. bot. 904.
69 crinita. W.	haired. slender-spiked.		Britain.	1007.	5.6.	H. 24.	Eng. hot. 580.
71 paludosa. W.	lesser common.					H.4.	807.
72 riparia. W.	great common.				4.6.	H.24.	579.
73 ambleocarpa. W.	short-fruited.				6.7.	H.24.	Mich. gen. 62. t.
74 vesicaria. W.	short-spiked.				5.6.	H 21	Eng. bot. 779.
75 ampullacea. W.	slender-beaked.					T.I 21	
76 bullata. W.	blistered.		N. America.		6	T-T 21	Schk. car. t. Uuu.
•							•
77 hordeiformis. W.	Barley-form.		· France.				
78 hirta. W, COMPTONIA. W.	hairy.	Amentaceæ. J.	Dittain.	• • • •	0.0.	11.4.	Eng. bot. 685.
asplenifolia. W.	Fern-leaved.		N. America.	1714.	3.5.	н. ь.	Plu.alm.t.100.f.6.7
AXYRIS. W.	ANYRIS.	Chenopodeæ. B.	Ρ.				
1 amaranthoides. W.							Gmel. sib. t. 2. f. 2.
2 hybrida. W.	bastard. trailing.			1780.	6.8.	H.O.	
3 prostrata. W. TRAGIA. W.	TRAGIA.	Euphorbiaceæ. J.		1/30.	7.0.	11.0.	1. 4. 1. 2.
1 volubilis. W.	twining.	•	W Ind	1739.	6.7.	S.h.	Trew.pl.rar. 2.t.15.
2 involucrata. W.	involucred.		E. Ind.				Jac. ic. 1. t. 190.
3 urens. W.	stinging.		Virginia.				Pluk.alm.t.107.f.5.
4 Chamælea. W. 5 cannabina. W.	lance-leaved. Hemp-leaved.		E. Ind.				Rheed. mal. 2. t. 34. Burm. ind. t. 63. f. 1.
HERNANDIA. W.	JACK IN A BOX.	Laurinæ? J.		1000.		D. 25	Darm. ma. 6.00. 1.1.
sonora. W.	peltate-leaved.		· W. Ind.	1693.		S.h.	Rumph.amb.2.t.35
		ENERTH AND DIA					
ATTOTTO A 337	Aucuba.	TETRANDRIA Rhamni? J. Eu					
AUCUBA. W. japonica. W.	blotch-leaved.	mamm. J. Ea		1783.	5.7.	H. b.	Bot. mag. 1197.
EMPLEURUM. W.	EMPLEURUM.	Diosmaceæ.			0.,.		2000 111000
serrulatum. W.	Cape.		C. B. S.	1774.	6.7.	G.h.	Exot. bot. 2. t. 63.
SERPICULA. W.	SERPICULA.	Onagrariæ. J.	O.P. C	1500		0.01	7
repens. W. LITTORELLA. W.	creeping. Shore Weed.	Plantagineæ. B. P		1789.	7.8.	G. 4.	Lam. ill. t. 758.
lacustris. W.	Plantain-leaved.	2 Acongricus Di I			6.8.	H.4.	Eng. bot. 468.
ALNUS. W.	ALDER.	Amentaceæ. J. B				•	0
1 glutinosa. W.	common.		- Britain.				Eng. bot. 1508.
β laciniata.	oblong-leaved.		S Europe				Willd. arb. 44.
2 oblongata. W. β elliptica.	elliptic-leaved.	-	. 15. Europe.	1/30.	1.	н. ь.	
3 incana. W.	hoary-leaved.		- Europe.	1780.	6.	н. 7.	
β angulata.	Elm-leaved.						
4 undulata. W.	curl-leaved.		· N. America.				411
5 serrulata. W.	notch-leaved.	Euphorbiaceæ. J.	,	1759.	3.	H.h.	Abb. ins. 2. t. 92.
CICCA. W. disticha. W.	long-leaved.		E. Ind.	1796.		S.h.	Jac.scheen.2.t.194.
BUXUS. W.	Box Trée.	Euphorbiaceæ. J.					
1 balearica. W.	Minorea.		Minorca.	1780.		H.h.	
2 sempervirens. W.	common.		England.	• • • •	4.	H.h.	Eng. bot. 1341.
β angustifolia. y suffruticosa.	narrow-leaved. dwarf.						
PACHYSANDRA.Mi.		Euphorbiaceæ. J.					
procumbens. W.	trailing.	01	N. America.	1800.	3.4.	H.4.	Bot. reg. 33.
DIOTIS. W.	Dioris.	Chenopodeæ. B. l				LI T	Too in 7 4 and
ceratoides. W.	shrubby.		· Siberia.	1/50.	ō.	11.12.	Jac. ic. 1. t. 189.

MONŒCIA PENTANDRIA.

				•	
URTICA. W.	NETTLE.	Urticeæ. J.			
1 pilulifera. W.	Roman.	-	England.	6.8. H.O.	Eng. bot. 148.
2 balearica. W.	Balearic.	***************************************	Balearic Isl.	1731. 6.7. H.O.	Eng. bot. 148. Blackw. t. 321. f. 1.
3 Dodartii. W.	Dodart's.		S. Europe.	1683. 7.8. H.O.	D.M.C. W. 1. 0.2 1 1 .
4 grandifolia. W.	great-leaved.		Jamaica.		Sloa.jam.1.t.83.f.2.
5 reticulata. W.	net-leaved.		Jamaica.	1709 6 9 S.L	510a.jam.1.t.03.1.2.
6 rufa. W.	rusty.			1793. 6.8. S.h.	2 21/
7 urens. W.	small.		Duitain	6.9. S.h.	F 1
8 dioica. W.	common.		Dritain.	6.10. H.O.	
9 cannabina. W.			0.1		
	Hemp-leaved.	· · · · · · · · · · · · · · · · · · ·	Siberia.		Am.ruth.249.t.25.
10 rugosa. W.	rough-leaved.	***************************************	Jamaica.	1793. 5.7. S. 3.	
11 nudicaulis. W.	naked-stalked.			— S.h.	
12 gracilis. W.	slender-stalked.		Huds.'s Bay.	1782. 6.8. H.4. 1793. 7.9. S.h. 1815. — S.h.	
13 Parietaria. W.	Pellitory-leaved.		Jamaica.	1793. 7.9. S.h.	Sloa.jam.1.t.93.f.1.
· 14 ciliata. W.	ciliated.			1815 S.h.	•
15 microphylla. W.	small-leaved.		W. Ind.	1793, 4.5, S.2L.	Sloa.jam.1.t.93.f.2.
16 scabrella. Rox.	rough.		E. Ind.	1815 S.h.	21000,000000000000000000000000000000000
17 æstuans. W.	Surinam.		Springer		Jac.scheen.3.t.388.
18 canadensis. W.	Canada.		Canada		
19 nivea. W.	white-leaved.		China		Plu.alm.t.239.f.2.
			Cillia.		Jac. vind, 2. t. 166,
20 baccifera. W.	berry-bearing.	Y7 .1 Y	S. America.	1793. 7.8. S.h.	Bot. rep. 454.
BŒHMERIA. W.	Всенмевіл.	Urticeæ. J.			
1 cylindrica. W.	cylindrical.	h.,	Virginia.	1759. 6.8. H.4.	Sloa.jam.1.t.82.f.2.
2 rubescens. W.	tree.		Canaries.	1779. 2.5. G.h.	Jac. frag. t. 5. f. 1.
MORUS. W.	MULBERRY.	Urticeæ. J.		•	· ·
1 alba. W.	white.		China.	1596, 6, H.b.	Schk.hand.3.t.290.
2 tatarica. W.	Tartarian,		Tartary.		
3 nigra. W.	common.		Italy	1784. — H.h. 1548. — H.h.	1 411. 103. 2. 0. 02.
4 rubra. W.	red.		N. America		
5 tinctoria. W.	Fustick-wood.		W. America.	1629. 6.7. H.h.	Til 1. 004
a tilictoria. W.	rustick-wood.		w.ina.	1739 S.h.	Plum. 1c. t. 204.
	_	PENTANDRIA.			•
SCHISANDRA. W.	SCHISANDRA.	Menispermeæ? I			
- coccinea. W.	scarlet-flowered.		N. America.	1806. 6.7. G.h.	Bot. mag. 1413.
NEPHELIUM. W.	Nephelium.				_
	A ADI II DDI C MI.	Corymonera: 5.			
	Bur-seeded.	Corymbiferæ? J.	E. Ind.	1809 S. b .	Lam. ill. t. 764.
lappaceum. W.	Bur-seeded.		E. Ind.	1809 S. h.	Lam. ill. t. 764.
lappaceum. W. XANTHIUM. W.	Bur-seeded. Xanthium.	Corymbiferæ? J.			
lappaceum. W. XANTHIUM. W. 1 Strumarium. W.	Bur-seeded. XANTHIUM. Small Burdock.	Corymbiferæ? J.		7.9. H.⊙.	Eng. bot, 2544.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental.	Corymbiferæ? J.		7.9. H.⊙. 1685. — H.⊙.	Eng. bot, 2544. Sch. hand. 3.1.291.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny.	Corymbiferæ? J.		7.9. H.⊙. 1685. — H.⊙.	Eng. bot, 2544.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA.	Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙.	Eng. bot, 2544. Sch. hand. 3.1.291.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙.	Eng. bot. 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea.	Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot. 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J,	England. China. S. Europe. N. America. Italy,	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J,	England. China. S. Europe. N. America. Italy,	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk. hand. 3. t. 292, W. hort. ber. 2.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Mugwort-leav'd. Ambrosia-leav'd.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J,	England. China. S. Europe. N. America. Italy,	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk. hand. 3. t. 292, W. hort. ber. 2.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. LUFFA.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J.	England. China. S. Europe. N. America. Italy. Peru. Mexico.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G.ħ. 1796. — G.ħ.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. foctida. P. S.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. LUFFA. stinking.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J.	England. China. S. Europe. N. America. Italy, Peru. Mexico. India.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. k. 1796. — G. k. 1812. 6.10. F.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. foctida. P. S.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. LUFFA. stinking.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J, Cucurbitaceæ. J.	England, China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. G. h. 1812. 6.10. F.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J, Cucurbitaceæ. J.	England, China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. G. h. 1812. 6.10. F.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panieled. sea. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J, Cucurbitaceæ. J.	England, China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. G. h. 1812. 6.10. F.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 2 angustifolius. W. 3 albus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. Amaranth. fine-leaved. narrow-leaved. white.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England, China. S. Europe. N. America. Italy, Peru. Mexico. India. P, E. Ind. Levant. N. America.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1778. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Luffa. stinking. Ambrosia-leav'd. Luffa. stinking. Amarath. fine-leaved. marrow-leaved. white. Pellitory-leaved.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England, China. S. Europe. N. America. Italy, Peru. Mexico. India. P, E. Ind. Levant. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1759. — H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1778. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. ——————————————————————————————————
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1778. — H.⊙.	Eng. bot. 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. ——————————————————————————————————
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. feetida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J, Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1778. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. ——————————————————————————————————
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy, Peru. Mexico. India. p. E. Ind. Levant. N. America.	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1696. 7.8. H.O. 1759. H.O. 1570. 7.8. H.O. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.O. 1723. H.O. 1723. H.O. 1759. 7.9. H.O. 1751. 6.9. H.O. 1548. S.O. 1802. 7.9. H.O.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. ——————————————————————————————————
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1750. 7.8. H.⊙. 1750. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1731. 6.9. H.⊙. 1548. — S.⊙. 1802. 7.9. H.⊙. 1780. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 8. t. 4. f. 7. 15. t. 9. f. 18. Knor. the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England, China. S. Europe. N. America. Italy, Peru. Mexico. India. P, E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1778. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. T.9. H.⊙. 1759. T.9. H.⊙. 1759. H.⊙. 1759. H.⊙. 1759. H.⊙. 1760. H.⊙. 1760. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 3. t. 4. f. 7. 15. t. 9. f. 18. Knor.the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panieled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. hermaphrodite. oval-spiked. rhomb-leaved.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England, China. S. Europe. N. America. Italy, Peru. Mexico. India. P, E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1778. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. T.9. H.⊙. 1759. T.9. H.⊙. 1759. H.⊙. 1759. H.⊙. 1759. H.⊙. 1760. H.⊙. 1760. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 3. t. 4. f. 7. 15. t. 9. f. 18. Knor.the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 8 polygamus. W. 10 mangostanus. W. 11 polystachyus. W. 11 polystachyus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1750. 7.8. H.⊙. 1750. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1731. 6.9. H.⊙. 1548. — S.⊙. 1802. 7.9. H.⊙. 1780. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 3. t. 4. f. 7. 15. t. 9. f. 18. Knor.the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W. 10 mangostanus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panieled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. hermaphrodite. oval-spiked. rhomb-leaved.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1781. 6.9. H.⊙. 1780. — H.⊙. 1781. — H.⊙. 1778. — H.⊙. 1780. — H.⊙. 1780. — H.⊙. 1781. — H.⊙. 1781. — H.⊙. 1778. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 8. t. 4. f. 7. 15. t. 9. f. 18. Knor. the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11 13. t. 12. W. amar. 21. t. 5. f. 10
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 8 polygamus. W. 10 mangostanus. W. 11 polystachyus. W. 11 polystachyus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Frankseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1781. 6.9. H.⊙. 1780. — H.⊙. 1781. — H.⊙. 1778. — H.⊙. 1780. — H.⊙. 1780. — H.⊙. 1781. — H.⊙. 1781. — H.⊙. 1778. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 8. t. 4. f. 7. 15. t. 9. f. 18. Knor. the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11 13. t. 12. W. amar. 21. t. 5. f. 10
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 9 polygamus. W. 9 gangeticus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. harrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked. round-headed.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England, China. S. Europe. N. America. Italy, Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind. China. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1781. 6.9. H.⊙. 1780. — H.⊙. 1781. — H.⊙. 1778. — H.⊙. 1779. 6.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 8. t. 4. f. 7. 15. t. 9. f. 18. Knor. the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11 13. t. 12. W. amar. 21. t. 5. f. 10 20. t. 1. f. 1.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panieled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked. round-headed. livid. eatable.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England, China. S. Europe. N. America. Italy, Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind. China. N. America. E. Ind.	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1699. H.O. 1759. H.O. 1811. 7.9. H.O. 1570. 7.8. H.O. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.O. 1823. H.O. 1723. H.O. 1724. H.O. 1725. 7.9. H.O. 1721. G.9. H.O. 1731. 6.9. H.O. 1731. 6.9. H.O. 1731. H.O. 1759. 7.9. H.O. 1759. H.O. 1780. H.O. 1780. H.O. 1780. H.O. 1778. H.O. 1778. H.O. 1778. H.O. 1779. H.O. 1779. H.O. 1779. H.O. 1779. H.O. 1779. H.O. 1779. H.O.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638. W. amar. 9. t. 1. f. 2. ——————————————————————————————————
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritina. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 9 polygamus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W. 14 oleraceus. W. 15 Blitum. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. AMARANTH. fine-leaved. marrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked. round-headed. livid. eatable. wild.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind. China. N. America. E. Ind. England, Errange.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1699. H.⊙. 1570. 7.8. H.⊙. 1570. 7.8. H.⊙. 1759. G. h. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1723. H.⊙. 1778. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. T.9. H.⊙. 1801. H.⊙. 1801. H.⊙. 1769. H.⊙. 1780. H.⊙. 1780. H.⊙. 1799. 6.8. H.⊙. 1769. 6.8. H.⊙. 1764. 7.8. H.⊙. 1764. 7.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638. W. amar. 9. t. 1. f. 2. 8. t. 4. f. 7. 15. t. 9. f. 18. Knor. the. 2. t. A. 3. 5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11 13. t. 12. W. amar. 21. t. 5. f. 10 20. t. 1. f. 1.
lappaceum. W. XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W.	Bur-seeded. XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panieled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked. round-headed. livid. eatable.	Corymbiferæ? J. Corymbiferæ? J. Corymbiferæ? J. Cucurbitaceæ. J. Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind. China. N. America. E. Ind. England, Errange.	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1699. H.O. 1759. H.O. 1811. 7.9. H.O. 1570. 7.8. H.O. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.O. 1823. H.O. 1723. H.O. 1724. H.O. 1725. 7.9. H.O. 1721. G.9. H.O. 1731. 6.9. H.O. 1731. 6.9. H.O. 1731. H.O. 1759. 7.9. H.O. 1759. H.O. 1780. H.O. 1780. H.O. 1780. H.O. 1778. H.O. 1778. H.O. 1778. H.O. 1779. H.O. 1779. H.O. 1779. H.O. 1779. H.O. 1779. H.O. 1779. H.O.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638. W. amar. 9. t. 1. f. 2. ——————————————————————————————————

18 viridis. W.		Amaranthaceæ.B.P			W.amar.18.t.8.f.16
19 scandens, W.	climbing.		America.	1796. 7.8. H.⊙.	W am 10 + 10 f 00
20 deflexus. W.	bending.		T	1805. —— H.O.	W.am.10.t.10.f.20.
21 polygonoides. W.	spotted-lcaved.		Jamaica.		
22 hybridus. W. 23 hecticus. W.	clustcred. oval-leaved.			1796. 8. H.O.	25.t.7.f.13.
24 strictus. W.	upright.			1793. 7.9. H.O.	27. t. 3. f. 5.
25 paniculatus. W.	panicled.		N. America.		32. t. 2. f. 4.
26 sanguineus. W.	spreading.		Bahama Isl.	1775. — H.O.	31.t.2.f.3.
27 rctroflexus. W.	hairy.		Pensylvania.	1759. H.⊙.	33.t.11.f.21.
28 lætus. W.	blunt-leaved.			1799. —— H.⊙.	28. t.8. f. 15.\
29 flavus. W.	pale.		India.	1759. —— H.⊙.	35. t. 3. f. 6.
30 chlorostachys. W.	nodding.			1796. —— H.⊙.	34.t.10.f.19.
31 hypochondriacus.W	. Prince's Feather.		Virginia.	1684. — H	
32 cruentus. W.	various-leaved.		China.	1728. 6.8. H.⊙.	
33 candatus. W.			E. Ind.	1596. 8.9. H.⊙.	
β maximus.	tree.		T . P .	1000 TO II O	TIT 00 4 4 5 0
34 spinosus. W.	prickly.		India.	1683. 7.9. H.O.	W.amar.38, t.4, f.8.
***	,				
		HEXANDRIA	١.		
ZIZANIA. W.	ZIZANIA.	Gramineæ. J.			
aquatica. H. K.	Canada Rice.		N. America.	1790. 7.9. H.⊙.	Linn. trans. 7. t. 13.
PHARUS. W.	PHARUS.	Gramineæ. J.			
latifolius. W.	broad-leaved.		Jamaica.	1793. 7.8. S.4.	Br. jam. t. 38. f. 3.
GUETTARDA. W.	GUETTARDA.	Rubiaceæ. J.			
1 speciosa. W.	great-flowered.		E. Ind.	1771 S.h.	
2 rugosa. W.	rough-leaved.		W. Ind.	1793 S.h.	
cocos. w.	{ Cocoa-Nut-}	Palmæ. B. P.			
	TREE.		Y1 Y 1		D 1
1 nucifera. W.	common.		E. Ind.		Roxb. cor. 1. t. 73.
2 aculeata. W.	prickly.		w.ina.	1796 5. h.	Jac.amer.278.t.169
3 fusiformis. W.	Great Ma-		Jamaica.	1731 S.h.	
BACTRIS. W.	BACTRIS.	Palmæ. B. P.			
1 minor. W.	lesser.		S. America.	1691 S.h.	Jac.amer.t.171.f.1.
2 major. W.	greater.		Carthagena.		
ELATE. W.	ELATE.	Palmæ. B. P.			
sylvestris. W.	prickly-leaved.		E. Ind.	1763. 4.6. S.h.	Reed.mal.3.t.22-25
SAGUS. G.	SAGO-PALM.	Palmæ. B. P.			
Rumphii. W.	Rumphius's.		E. Ind.	1800 S. h.	Rum.amb.1.t.17.18
• .		POLYANDRIA			
CERATOPHYL-)	**				
LUM. W.	Hornwort.	Naiades. J.			
1 demersum. W.	common.		Britain.	7.9. Н.4.	Eng. bot. 947.
2 submersum. W.	unarmed.			Н. 4.	679.
MYRIOPHYLLUM \	S WATER-	Naiades. J.			
	MILTOIL.				
1 spicatum. W.	spiked.		Britain.	6.8. H.2.	
2 verticillatum. W.	verticillate.		England.	7. H.4.	218.
SAGITTARIA. W.	Arrow-Head.	Alismaceæ. B. P.	England	CO TT N	Enm hat 04
1 sagittifolia. W.	common.		England.	6.8. H.4.	
2 sinensis. B. M. 3 obtusifolia. W.	Chinese.			1812. 9.11. G. 4.	
4 lancifolia. W.	blunt-lcaved.		W Ind	1787. 6.7. G.4.	Rheed.mal.11.t.45
5 rigida. B. M.	brittle-leaved.		N. America.	1806. — H. 4.	1620
6 graminea. Ph.	Grass-leaved.		Carolina.	1812. 7.8. G.4.	
BEGONIA. W.	BEGONIA.	Hydrocharideæ. I		10121 1101 01241	
1 nitida. W.	shining-leaved.	•	Jamaica.	1777. 5.12. S.h.	Par. lond. 72.
2 dichotoma. W.	forked.		Caracas.	1800. 7.8. S.h.	
3 Evansiana. B. R.	two-coloured.		China.	1804. 5.9. S.4.	
discolor. H. K.					-
4 macrophylla. W.	large-leaved.		Jamaica.	1793. — S.h.	Plum.ic.34.t.45.f.1.
5 tuberosa, W,	tuberous.		Amboyna.	1810. 7.9. S.4.	Rumph. amb. 5. t.
					169. f. 2.
6 acuminata. W.	pointed-leaved.		Jamaica.	1790. 5.12. S.h.	Linn.trans.1.t.14. f. 5. 6.
	•				
7 humilis. W.	small.		W. Ind.		1. t. 15.
8 hirsuta. W.	shaggy-leaved.		,	1789. 5.6. 5.6.	Aub. gui. 2. t. 348.

MONŒCIA POLYANDRIA.

ACIDOTON. W.	ACIDOTON.				
urens. W.	stinging.		Jamaica.	1793 S.b.	Sloa.jam.1.t.83.f.1.
THELYGONUM. W.		Urticeæ. J.		2,001	Siougum: 1.000
Cynocrambe. W.	Dog's-cabbage.		S. Europe.	1710. 7. H.⊙.	Schk, hand. 3. t. 299.
POTERIUM. W.	BURNET.	Rosaceæ. J.			
1 Sanguisorba. W.	common.		England.		Eng. bot. 860.
2 polygamum. W.	Hungarian,		Hungary.		Pl.rar.hung.2.t.198
3 hybridum. W. 4 caudatum. W.	sweet.		France.	1683. 6.7. H.4.	
5 spinosum. W.	prickly shrubby	***	Lavant	1779. 1.4. G.h.	Moris. s. 8. t. 18. f.5.
JUGLANS. W.	WALNUT.	Terebintaceæ? J		10001 4.01 0177.	, 110116. 3. 0. C. 1 0. 1. O.
1 regia. W.	common.		Persia.	1562. 4.5. H, h.	Lam. ill. 781.
2 nigra. W.	black.		N. America.	1629. — H. h.	Jac. ic. 1. t. 191.
3 cinerea. W.	shell-bark.			1656 H b	1 t 100
4 olivæformis. H. K.		-		1766. — H.h. 1804. — H.h.	Mich. arb. 1. t. 3.
5 angustifolia. H. K. 6 sulcata. W.	narrow-leaved.			1766. — H.h.	3.C.)l. 3. 4. 6
7 alba. W.	white				
8 compressa. W.	flat-fruited.			1730. — H. h.	Micharb.1.t.9.f.3.4
9 amara. Ph.	bitter.	-		1800. 5. H.b.	2. 0. 7.
10 obcordata.	obcordate.			1812. — H.h.	Mich.arb.1.t.9.f.3.4
11 glabra. W.	smooth.			1799. — H. h.	1. t. 9. f. 1.2.
QUERCUS. W.	OAK.	Amentaceæ. J.			
1 Phellos. Ph.	Willow-leaved.		N. America.	1723. 5.6. H.h.	Mich. arb. 1. t. 12,
2 maritima. Ph.	sea.		-	1811. —— H.h.	Mich.querc.t.13.f.1 Mich. arb. 2. t. 15.
3 sericea. Ph. 4 virens. Ph.	running. live.			1724. — H.h.	Mich. arb. 2. t. 15.
5 cinerea. Ph.	ash-coloured.			1789 56 H L	2. t. 11.
6 imbricaria. Ph.	tile-counsed			1786. — H. h.	2. t. 14. 2. t. 13.
7 laurifolia. Ph.	Laurel-leaved.		,	5. H.h. — H.h.	Mich. querc. t. 17.
B obtusa.	blunt-leaved.	**		H.h.	t. 18,
8 gramuntia. W.	Holly-leaved.		France.	1730. 6. H.b.	
9 Ilex. W.	evergreen.	·	S. France.	1581. 5.6. H.h.	
a integrifolia.	common.			** *	D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
B serrata.	notched-leaved.			H.h.	Duham.arb.1.t.123
y oblonga. 10 Suber. W.	long-leaved. Cork-tree.			1600 6 H h	1. t. 124,
11 coccifera. W.	Kermes.			1683. 5. H.h.	2. 6. 90.
12 Prinus. Ph.			N. America.	1730, 5.6, H.b.	Mich. arb. 2. t. 7.
13 bicolor. Ph.	white swamp.			1811. 5. H.b.	2. t. 6.
14 montana. Ph.	Rock Chesnut.			1800 H.h.	2. t. 8. 2. t. 16,
15 heterophylla. Ph.	various-leaved.			\dots H.h.	2. t. 16,
16 aquatica. Ph.	water.			1723. — H.h.	2. t. 17.
17 nana. Ph.	dwarf.			1738. — H.h. 1800. — H.h.	Abb. ins. 2. t. 59.
18 triloba. Ph. 19 nigra. Ph.	three-lobed. black.			1790 5 H L	Mich orb 0 t 18
20 tinctoria. Ph.	dyer's.			1800. — H. h.	Mich. querc. t. 24.
21 discolor. Ph.	two-coloured.			1763. — H. h.	Mich. arb. 2. t. 16, Mich. querc. t. 24. t. 25. Mich. arb. 2. t. 23. 2. t. 24.
22 coccinea. Ph.	scarlet.			1691. — H.h.	Mich. arb. 2. t. 23.
23 ambigua. Ph.	gray.	,	•	1800. — H.h.	2. t. 24.
24 rubra. Ph.	champion.		-,	1739. — H. h.	2. t. 26. 2. t. 21. 2. t. 25. 2. t. 19.
25 falcata. Ph.	downy-leaved.	-		1763. — H.h.	2. t. 21.
26 palustris. Ph.	marsh.			1800. — H.h.	2. t. 25.
27 Banisteri. Ph.	Banister's. Velanida.		Lawart		Mill.dict.n.7.t.215.
28 Ægilops. W. 29 Esculus. W.	Italian.		Levant. S. Europe.	1739. 5. H.h.	MIII.uict.ii./.t.210,
30 Robur. W.	sessile-fruited.		Britain.	4.5. H.h.	Eng. hot. 1845.
31 pedunculata. W.	common.		2711001111	H.h.	1342.
32 pubescens. W.	durmast.			Н. h.	Sec.du chen.p.3.t.5
33 obtusiloba. Ph.	starred.		N. America.	1800. 5. H. h.	Mich. arb. 2. t. 4.
34 olivæformis. Ph.	mossy-cup.			1811. — H.h.	2. t. 2.
35 lyrata. Ph.	lyre-leaved.			1786. — H.h.	2. t. 2. 2. t. 5. 2. t. 1. 2. t. 3. Du Roi. 2. t. 5. f. 1.
36 alba. Ph.	white.		-	1724. — H. h.	2. t. 1.
37 macrocarpa. Ph.	over-cup white.		S Furana	1800. — H. h.	Du Roi 2 + 5 f 1
38 Cerris. W. ß bullata.	Turkey.		S. Europe.	1700. Ti.h.	17 d 1101, 2, 1, 9, 1, 1,
y sinuata.	narrow-leaved.				
δ exoniensis.	Lucombe.				
* sempervirens.	Fulham.				

MONŒCIA POLYANDRIA.

							,
FAGUS. W.	Веесн.	Amentaceæ. J.				** *	T 1.4
1 sylvatica. W. β purpurea.	common.		Britain.	• • • •	4.5.	H.h.	Eng. bot. 1846.
y asplenifolia.	purple-leaved. Fern-leaved.						
2 ferruginea. W.	American.		N. America.	1766.	5.6.	H.h.	Mich. arb. 2. t. 9.
CASTANEA. W. 1 vesca. W.	CHESNUT.	Amentaceæ. J.	Fuctord		5.6	нь	Eng. bot. 886.
2 pumila. W.	dwarf.		N. America.	1699.	7.	H.h.	Mich. arb. 2. t. 7.
BETULA. W.	Вікси.	Amentaceæ. J.					
1 alba. W.	common.		Britain.	• • • •	4.6.	H.h.	Eng. bot. 2198.
β pendula. 2 populifolia. W.	weeping. Poplar-leaved.		N. America.	1750.	7.	н.ь.	Mich. arb. 2. t. 2.
3 excelsa. W.	tall.	debarane		1767.	5.	H.b.	Willd, arb, t. 2, f. 2,
4 daurica. W. 5 nigra. W.	Daurian. black.		Siberia.	1786.	7.	H.h.	Pall. ross. 1. t. 39. Willd. arb. t. 2. f. 6.
6 papyracea. W.	paper.			1750.	6.	H.h.	t. 2. f. 1.
7 lenta. W.	soft.			1759.	7.	Н. Ь.	Mich.arb.2.p.145. t. 4. Eng. bot. 2326.
8 nana. W.	smooth dwarf.		Scotland		5.	H.h.	L 1.4.
9 punila/ W.	hairy dwarf.		N. America.	1762.	4.5.	H. h.	Jac. vind. 2. t. 122.
CARPINUS. W.	Hornbeam.	Amentaceæ. J.	9				
1 Betulus. W. β incisa.	common.		· Britain.	• • • •	3.5.	H.h.	Eng. bot. 2032.
2 americana. W.	American.		N. America.	1812.		н.ь.	Mich. arb. 3. t. 8.
3 orientalis. W.	eastern.		Levant.	1739.	• • • •	H.h.	Mich. arb. 3. t. 8. Scop. carn. 2. t. 60.
OSTRYA. W.	Hop-Hornbeam						(Mich gen t 104
1 vulgaris. W.	common.		Italy.	1724.	5.	H.h.	Mich. gen. t. 104. f. 1. 2.
2 virginica. W.	American.		N. America.	1692.	5.6.	н. р.	Abb. ins. 2. t. 75.
CORYLUS. W. 1 Avellana. W.	NUT-TREE. Common Hazel.	Amentaceæ. J.	. Britain		9 4	HL	Fig. hot 793
β alba.	White Filbert.	•	Diritani.	••••	2.7	11.12.	1118. 000. 720.
y rubra.	Red Filbert.			,			
ð grandis. ₹ glomerata.	Cob. clustered.						
2 tubulosa. W.	Lambert's.		S. Europe.	1759.	3.4.	н.ь.	Lam. ill. t. 780.
3 americana. W.	Dwarf Cuckold.	***************************************	N. America.	1798.		н.ь.	\{\begin{aligned} \text{Wang.amer.t.29.} \\ \frac{1}{6} \text{63.} \\ \text{Will.} \\ \frac{1}{6} \text{1.63.} \\ \text{Will.} \\ \text{1.63.} \\ \text{Will.} \\ \text{1.63.}
4 rostrata. W.	CommonCuckold			1745.		нь	(1, 63, Willd, arb f, 1, f 2,
5 Colurna. W.	Constantinople.		Constantin ^{ple}	. 1665.		H. h.	Willd. arb. t. 1. f. 2.
PLATANUS. W.	PLANE-TREE.	Amentaceæ. J.					
1 orientalis. W. 2 cuneata. W.	oriental. wave-leaved.		Levant.	1548.	4.5.	H.h.	Lam. III. t. 783.
3 acerifolia. W.	Maple-leaved.			1724.		-H. h.	
4 occidentalis. W.	American.	A T	N. America.	1640.		- H. ħ.	Cat. car. 1. t. 56.
LIQUIDAMBAR. W.		muniacea, o.					
1 Styraciflua. W.	Sweet-gum.		N. America.	1683.	3.4.	H.h.	Mich.arb.3.p.194. t. 4.
2 imberbe. W.	oriental.		Levant.	1759.	• • • •	н. р.	
SALISBURIA. L. T. adiantifolia. L. T.	Salisburia. Maiden-hair-ld.	• • • • • • • • • • • • • • • • • • • •			4.5.	н.ь.	Kæmp.amæn.t.813
ARUM. W.	ARUM.	Aroideæ, B. P.	_				
1 crinitum. W. 2 Dracunculus. W.	hairy-sheathed.		Minorca.	1777.	3.4.	F. 4.	Moris.s.13.t,5.f.46.
3 Dracontium. W.	Green Dragon.		N. America.	1759.	6.	H.2.	Moris.s.13.1.3.1.40.
4 venosum. W.	purple-flowered.			1774.			Application for
5 triphyllum. W. 6 atrorubens. W.	three-leaved.		N. America.				Bot. mag. 950.
7 ternatum. W.	purple-stalked. Japan.		Japan.			F. 4.	Pluk.alm. t. 77. f. 5.
8 Colocasia. W.	Egyptian.		Levant.			S. 24.	-
9 macrorhizon. W.	long-rooted.		E. Ind.				Herm. parad. 73.
10 divaricatum. W. 11 trilobatum. W.	divaricated. three-lobed.		Ceylon.				Rheed.mal.11.t.20. Bot. mag. 339.
12 maculatum. W.	common.		Britain.				Eng. bot. 1298.
13 orixense. B. P. 14 italicum. W.	Orixian.		E. Ind.		8.10	S.4.	Bot. rep. 356.
15 minutum. W.	Italian. small.		E. Ind.				Rheed.mal.11.t.17.
16 virginicum. W.	Virginian.		N. America.	1759.	6.7.	H.4.	
17 Arisarum. W.	Friar's Cowl.	-	- S. Europe.	1596.	4.6.	F. 4.	Jac.scheen.2.t.192.
18 tenuifolium. W.	Grass-leaved.	F	e e	1570.		- H. 4.	Moris.s.13.t.6.f.21.
		r					

MONŒCIA MONADELPHIA.

19 hederaceum. W.	Ivy-leaved.	Aroideæ. B. P.	W. Ind.	1793.	5.6.	S. h.	Jac. amer. t. 152.
20 lingulatum. W.	tongue-leaved.	A'd D. D.	·				Plum. ic. 26. t. 37.
CALADIUM, W.	CALADIUM.	Aroideæ. B. P.	Caracas	1706	67	S 21	Inc in 2 + 612
1 helleborifolium. W. 2 bicolor. W. 3 nymphæifolium. W.	two-coloured.		Madeira.				Jac. ic. 3. t. 613. Bot. mag. 820.
2 nymphæifolium. W.	Water-Lily-lead.		E. Ind.				Rheed.nial.11.t.22.
4 esculentum. W.	esculent.		America.				Slo.jam.1.t.106.f.1.
5 sagittifolium. W.	arrow-leaved.		W Lad				Jac. vind. 2. t. 157.
6 pinnatifidum. W.	pinnatifid.		Caracas.				Jac.scheen.2.t.187.
7 seguinum. W.	Dumb-Cane.		America.				Mill. ic. 2. t. 295. 36
8 grandifolium. W.	great-leaved.		Caracas.	1803.	5.7.	S.h.	Jac.scheen.2.t.189.
9 arborescens. W.	tree.		W. Ind.	1759.	6.7.	S. h.	Plum.amer.44.t.60
10 tripartitum. W.	ternate-leaved.	~~~~	Caracas.				Jac.schæn.2. t.190.
11 auritum. W.	ear-leaved.		America.	1739.	• • • •	S.h.	2. t. 191.
PARIANA. W.	PARIANA.	• • • • • • • • • • • • • • • •					
campestris. W.	Cayenne.	D.1 D.D.	Cayenne.	1803.	• • • •	S.h.	Aub. gui. 2. t. 337.
CARYOTA. W.	CARYOTA.	Palmæ. B. P.	T. T., J	1500		G T	Dhard mal 1 4 vs
urens. W.	torn-leaved.		E. Ind.	1788.	• • • •	3.n.	Rheed. mal. 1. t. 71.
		MONADELI	PHIA.				
ARECA. W.	CABBAGE-TREE.	Palmæ. B. P.					
1 Catechu. W.	medicinal.		E. Ind.	1690.		S.b.	Rox. cor. 1. t. 75.
2 humilis. W.	dwarf.						Rumph.amb.1.t.7.
3 oleracea. W.	esculent.		W. Ind.				Jac. amer. t. 170.
PINUS. W.	PINE OF FIR.	Coniferæ. J.					
1 sylvestris. W.	Scotch.		Scotland.		5.	H. b .	Lamb. pin. 1. t. 1.
2 Pumilio. W.	Mugho.		Carniola.				5. t. 2.
3 Laricio. P. S.	Corsican.		. Corsica.	1814.		H.b.	
4 pungens. Ph.	pungent.		N. America.	1804.		H.h.	Mich.arb.1.p.61.t.5
5 Banksiana. Ph.	Hudson's Bay.		Hudson's Bay	.1785.	5.6.	H.b.	Lamb. pin. 7. t. 3.
6 Pinaster. W.	cluster.		S. Europe.	1596.	4.5.	H.b.	Lamb. pin. 7. t. 3. ———————————————————————————————————
7 Pinea. W.	stone.			1548.	5.	H. b.	
8 maritima. W.	maritime.			1759.	5.6.	H.b.	13. t. 9. 10.
9 halepensis. W.	Aleppo.		Levant.	1683.	5.	H.h.	15. t. 11.
10 inops. Ph.	Jersey.		N. America.	1739.		H.h.	18. t. 13.
11 resinosa. Ph.	pitch.			1756.	<u> </u>	H.h.	
12 variabilis. Ph.	two and three-ld.			1739.	5.6.	H.h.	22. t. 15.
13 Tæda. Ph.	frankincense.			1713.		H.h.	23. t. 16. 17.
14 serotina. Ph.	Fox-tail.					H.h.	Mich.arb.1.p.86.t.7
15 rigida. Ph.	three-leaved.			1759.		H.h.	Lam.pin.25.t.18.19 27. t. 20.
16 palustris. Pb.	swamp.			1730.		H.h.	27. t. 20.
17 canariensis.	Canary.	t	('onomoe	1015		(- 1-	
18 longifolia. W.	long-leaved.		E. Ind.	1801.	• • • •	G.h.	29. t. 21.
19 Strobus. W.	Weymouth.		N. America.	1705.	4.	H.h.	31.t.22.
20 Cembra. W.	Siberian.		Siberia.	1746.	5.	H.h.	34. t. 23. 24.
21 Abies. W.	Norway Spruce.		N. Europe.	1548.	4.	H. h.	37. t. 25.
22 alba. Ph.	White Spruce.		N. America.	1700.	5.6.	H.h.	39. t. 26.
23 rubra. Ph.	Rea Spruce.			1755.	5.	H.h.	43. t. 28.
24 nigra. Ph.	Black Spruce.			1790.	9.	11. h.	41. 1. 27.
25 canadensis. Ph.	HemlockSpruce.		Company	1700.		H.h.	46 t 20
26 Picea. W.	Silver Fir.		N America	1606	100	H.n.	40. 1. 30.
27 Balsamea. W. 28 Fraseri. Ph.	Balm of Gilead. Double Balsam.		Deneylvania	1030		H. L.	40. 1. 51.
29 lanceolata. H. K.	lance-leaved.		China China	1804		G L	Lamb. pin.52. t. 34.
	Common Lavab		Cormany	1600	2.4	LI L	53. t. 35.
30 Larix. W. 31 pendula. W.	Common Larch. Black Larch.		Germany. N. America.				
32 microcarpa. W.	Red Larch.		IV. America.				56, t. 36. 58, t. 37.
33 Cedrus. W.	Cedar of Lebanon		Levant.				59. t. 37.
34 Dammara. W.	Dammar.		Amboyna.				61. t. 38.
THUJA. W.	ARBOR-VITÆ.	Coniferæ. J.	22110071140	209%		~. 17 .	32 000
1 occidentalis. W.	American.	•	N. America.	1596.	5.	H.b.	Mich.arb.3.p.29.t.3
2 orientalis. W.	Chinese.	,	China.				Lam. ill. t.787.f.2.
3 articulata. W.	jointed.		Barbary.				Vahl. symb. 2. t. 43.
4 cupressoides. W.	African.		C. B. S.			G.h.	
CUPRESSUS. W.	Cypress.	Coniferæ. J.					
1 sempervirens. W.	common.		Candia.	1548.	5.	Н. Ь.	Pall. ros. 2. t. 53.
a stricta.	upright.						
B horizontalis.	spreading.						
2 lusitanica. W.	Cedar of Goa.		Goa.	1683.	4.5.	F. h.	Lamb. pin.95. t. 42.
						•	-

	MON	MOIH MOI	ADELL	HIA.		~11
3 disticha. W.	deciduous.	Coniferæ. J.	N. America.	1640. 5	. н. h.	Mich.arb.3.p.4.t.1.
β nutans.	long-leaved.			.=00		0 - 00 4 0
4 thyoides. W.	White Cedar.		C. P. C	1736. 4.	5. H. h.	3.p.20.t.2.
5 juniperoides. W. 6 australis. P. S.	slender-branch'd	,	N Holland	1/50.	— G. h.	
PODOCARPUS.L'Her	Ponocarpus.	Coniferæ. J. Tax			u. n.	
1 macrophyllus. W.	long-leaved.			1804. 7.	8. G.b.	Kæmpf. ic. t. 24,
2 verticillatus. W.	whorl-leaved.	0	Japan.			
3 elongatus. P. S.	African.		C. B. S.	1774. 7		
PLUKENETIA. W.	PLUKENETIA.	Euphorbiaceæ. J.			_	
volubilis. W.	twining.		W. Ind.	1739. 7.	8. S.h.	Plum.ic. 220. t. 226.
DALECHAMPIA. W.		Euphorbiaceæ. J.				
scandens. W.	climbing.		W. Ind.	1739. 6.7	7. S.h.	Jac.amer.252.t.160
ACALYPHA. W.	ACALYPHA.	Euphorbiaceæ. J.	NT America	1750 7	· u o	Sald hand 9 + 911
1 virginica. W. 2 caroliniana. W.	Virginian. Carolina.		N. America.	1759. 7.	- H O	Schk.hand.3. t.311.
3 ciliata. W.	ciliated.		E. Ind.	1799	— S.O.	Lam. ill. t. 780. f. 2. Vahl. symb. 1. t. 20.
4 pauciflora. W. en.	few-flowered.		China.	1816	— H.O.	* ann symbol 1. c. 20*
5 brachystachya.W.en					— H.O.	
6 indica. W.	Indian.		E. Ind.			Rheed.mal.10.t.81.
7 alopecuroidea. W.	Fox-tail.		Venezuela.	1804	— H.⊙.	Jac. ic. 3. t. 620.
CROTON, W.	CROTON.	Euphorbiaceæ. J.				
1 variegatum. W.	variegated.		E. Ind.			Rheed.mal. 6.t. 61.
2 lineare. Jac.	Willow-leaved.		W. Ind.			Jac.amer.t.162.f.4.
3 maritimum. W.	sea-side.		Carolina.	1786		Mont don 4 t 00
A palustre. W.	marsh. Laurel-leaved.		Vera Cruz.			Mart. dec. 4. t. 38.
5 glabellum. W.	Laurer-leaved.	·	o amaica.		_	Slo.jam.2.t.174.f.2. Nis.act. par. 1712.
6 tinctorium. W.	officinal.		S. Europe.	1570. 7	. н.о.	t. 17.
7 argenteum. W.	silver-leaved,		S. America.	1733. 7.		
9 Tiglium. W.	purging.		E. Ind.			Rheed. mal. 2. t. 33.
9 Eluteria. W.	Sea-side Balsam.		Jamaica.	1748		m! ! !
10 micans, Sw.	glittering.					Pluk.alm.t.220.f.5.
11 pungens. W.	pungent.		Caracas,		S.h.	Jac. ic. 3. t. 622. Vent. choix. 12.
12 penicillatum. W. 13 aromaticum. W.	pencilled.		Caylon			Rumph.am.3.t.126
14 humile, W.	humble.		Jamaica.		S.h.	reampinamio xo
15 moluccanum. W.	Molucca.		Cevlon.	1803		
Alearites ambinux,			00,000			
46 Astroites. W.	svoolly.		W. Ind.	1782. 7	.8. S.h.	
17 lobatum. W.	various-leaved.	+	Vera Cruz.	1730	— s.⊙.	Mart. dec. 5. t. 46.
JATROPHA. W.	PHYSIC-NUT.	Euphorbiaceæ. J.				
1 gossypifolia. W.	Cotton-leaved.		W. Ind.	1690. 5.	8. S.4.	Sloan. jam. 1.t. 84.
2 integerrima. W.	spicy.			1809	- S.h.	Bot. mag. 1464.
3 panduræfolia. W. 4 Curcas. W.	fiddle-leaved.		C Amorian	1800	S. n.	Jac. vind. 3. t. 63.
5 multifida. W.	angular-leaved.		S. America.	1696. 6.	8. S.h	Par land 01
6 Manihot. W.	Cassava.			1739. 7	8. S.h.	Par. lond. 91. Sloan. jam. 1. t. 85.
7 urens. W.	stinging.		Brazil.	1690. 5	7. S.b.	Jac. vind. 1. t. 21.
8 herbacea. W.	annual.		Vera Cruz.	1759. 7.	8. S.O.	Jac. vind. 1. t. 21. Reliq. hous. 6.t. 15.
RICINUS. W.	PALMA-CHRISTI.	Euphorbiaceæ. J.				-
1 communis. W.	Castor-oil plant.		E. Ind.	1548. 7.	8. S.J.	Lam. ill. t. 792.
2 viridis. W.	green.					W. hort. ber. 49.
3 africanus. W.	African.		Africa.		8. G.h.	
4 lividus. W.	livid-leaved.		C. B. S.	1795. 7	7. G.h.	Jac. ic. 1. t. 196.
5 inermis. W. 6 armatus. B. R.	rough-capsuled.		Malta.			Pot non 420
7 Tanarius. W.	scollop-leaved.					Bot. rep. 430. Rumph.am.3.t.121
OMPHALEA. W.	OMPHALEA.	Euphorbiaceæ. J.	Lip III a	1010. —	3.0	Kumpu.am.o. 0.121
triandra. W.	long-leaved.		Jamaica.	1763. 6	.7. S.h.	
HIPPOMANE. W.	MANCHINEEL.	Euphorbiaceæ. J.	O CALLETON O	.,		
Mancinella. W.	common.		W. Ind.	1690	S.h.	Cat. car. 2. t. 95.
SAPIUM. W.	SAPIUM.	Euphorbiaceæ. J.				
aucuparium. W.	two-glanded.					Jac. amer. t. 158.
PHYLLANTHUS. W.		Euphorbiaceæ. J.				p. L.
1 obovatus. W.	annual.					*
2 maderaspatensis. W.					7. S.h.	
3 grandifolius.	great-leaved.				S.h.	
4 virosus. W. 5 turbinatus. B. M.	venomous. shining-leaved.		E. Ind. China.		S.h.	Bot, mag. 1862.
~ **** *******************************	omming-reaven.	E e 2		, 7	. D. 7.	2004 may 10024

MONŒCIA MONADELPHIA.

6 Conami. W.	Brazilian.	Euphorbiaceæ. J.	W. Ind.	1791. 7.	S, h,	Aub. gui. 2. t. 354. Rheed.mal.10.t.15.
7 racemosus. W.	racemed.		E. Ind.	1793. 7.8	. S.h.	
8 Niruri. W.	Indian annual.			1692. 6.9	. §.⊙.	Rheed.mal.10.t.15.
9 polyphyllus. W.	many-leaved.			1805. 7.9	. S.h.	
10 Emblica. W.	shrubby.		· ·	1768	. S.h.	Rheed. mal. 1. t.38.
11 latifolius. W. en.	Sea-side Laurel.		Jamaica.	1783. 8.10	5. h.	Bot. mag. 1021.
12 angustifolius. W.en.			Palama Ial	1789. 7.8	. S.n.	Bot. rep. 331. 373
14 falcatus. W. en. STILLINGIA. W.	sickle-leaved. Stillingia.	Euphorbiaceæ. J.	Danama Isi.	1099. 7.8	. s.n.	Бот. гер. 331. 37.5
1 sylvatica. W.	wood.	Euphororacea. 3.	Carolina	1797 7 9	GN	
2 ligustrina. W.	Privet-leaved.		N. America.	1812	H.b.	
3 sebifera. W.	Tallow-tree.		China.	1703. 9.	S.b.	Plu.amal.t.390.f.2.
ALEURITES. W.	ALEURITES.	Euphorbiaceæ. J.				
triloba, W.	three-lobed.		Society Isl.	1793	. S.h.	
HURA. W.	SANDBOX-TREE.	Euphorbiaceæ. J.	•			
1 strepens. W. en.	unequal-toothed.		S. America.		. S.h.	
2 crepitans. W. en.	equal-toothed.	-	-	1733	. S. h.	Lam. ill. t. 793.
STERCULIA. W.	STERCULIA.	Sterculiaceæ. Ven				_
1 Balanghas. W.	coronet-flowered.		E. Ind.			Bot. reg. 185.
2 crinita. W.			W. Ind.			Aub. gui. 2. t. 279.
3 urens. W.	stinging.		E. Ind.			Rox. cor. 1. t. 24.
4 platanifolia. W.			China.			Cav. diss. 5. t. 145.
5 fœtida. W.	fetid.		E. Ind.	1690	. s.n.	Rheed.mal.4.t.36.
	LOOKING- GLASSPLANT.					
littoralis. W.	Laurel-leaved.		T Ind	1700	S L	Rheed.mal.6.t.21.
TRICHOSAN-	Laurer-leaveu.		r. Inu.	1/00	. s.n.	Ithecu. mai. u. t. 21.
THES. W.	SNAKE-GOURD.	Cucurbitaceæ. J.				
1 Anguina. W.	common.		China.	1755. 5.6	F.O.	Bot. mag. 722.
2 cucumerina. W.	Cucumber-like.					Rheed.mal. 8. t. 15.
3 tuberosa. W.	tuberous.		W. Ind.			Plum. ic. t. 24. 3
MOMORDICA. W.	Momordica.	Cucurbitaceæ. J.				or & &
1 Balsamina. W.	Balsam Apple.		India.	1568. 6.7	. F.O.	/
2 Charantia. W.	hairy.		E. Ind.	1710	- F.⊙.	Rheed. mal. 8. t. 9. 2
3 operculata. W.	rough-fruited.		W. Ind.			Comm. rar. t. 22.
4 Luffa. W.	Egyptian.		E. Ind.	1739. 7.8	. F.⊙.	Rumph.am.5.t.147
5 Elaterium. W.	Squirting }		S. Europe.	1548. 6.7	н.4.	Bot. mag. 1914.
	Cucumber.		*:	r.		, •
CUCURBITA. W.	Gourb.	Cucurbitaceæ. J.	Todio	1507 70	ио	Dummh om 5 t 1/A
1 lagenaria. W. 2 aurantia. W.	bottle. Orange-fruited.	Cucurhitacen I	India.	1997. 7.9	F (2)	Rumph.am.5.t.144
3 Pepo. W.	Pumpkin.		Levent	1570.	-H.O.	
4 verrucosa. W.	warted.		Levant.	1658. 67	H.O.	*
5 Melopepo. W.	squash.			1597. 5.9.	H.O.	Moris, s. 1, t. 8.
6 Citrullus. W.	Water Melon.		S. Europe.		- F.O.	Rumph.am.5. t.146
CUCUMIS. W.	CUCUMBER.	Cucurbitaceæ. J.				
1 Colocynthis. W.	bitter.		C. B. S.	1551. 5.8	F.O.	•
2 prophetarum. W.	globe.		Levant.			Jac. vind. 1. t. 9.
3 Anguria W.	round prickly.		Jamaica.	1692. 7.8	. F.O.	Mill. ic. 1. t. 33.
4 acutangulus. W.	acute-angled.		India.	6.9	H.⊙.	Jac.vind.3.t.73.74.
5 Melo. W.	Melon.			1570. 5.9	. F.⊙.	
6 Dudaim. W.	Apple-shaped.		Levant.	1705. 7.8.	$\mathbf{F}.\odot$.	Bot. rep. 548.
7 Chate. W.	hairy.			1759. 6.	$\mathbf{F}.\odot.$	Alp. ægypt. t. 117.
8 pubescens. W.	pubescent.			1815. 6.9.	F.⊙.	
9 sativus. W.	common.		E. Ind.	1573. 7.9.	H.O.	G 1 1 700 CO
10 flexuosus. W.	Snake.					Ger. herb. 763. f. 3.
11 maderaspatanus.W.		C 114 7	V = 1	1805. 7.8.	F.O.	Pluk.alm.t.170.f.2.
BRYONIA. W.	BRYONY.	Cucurbitaceæ. J.	O. D. C	1774 016	0 31	
1 scabra. W.	globe-fruited.		C. B. S.	1774. 9.10		
2 verrucosa. W.	rough.		Canaries.		~	Rumph. amb. 5. t.
3 grandis. W.	great-flowered.		E. Ind.	1783. 5.8.		166. f. 1.
4 epigæa. W.	umbel-flowered.			1815		
5 scabrella. W.	bristly.			1781. 5.7		
6 latebrosa. W.	hairy.		Canaries.	1779. 6.	G.4.	T 1.4 100
7 dioica: W.	red-berried.		Britain.		н.4.	
8 alba. W.	white.		Europe.	1807. 6.7.	н.4.	Lam. ill. t. 796.
9 cretica. W.	Cretan.		Candia.	1759. 7.9.	G. 4.	Des.an.mus.12.t.17
10 quinqueloba. Th.	five-lobed.		C. B. S.	6.10	G.4.	Bot. reg. 82. 7
11 ficifolia, W.	Fig-leaved.		BuenosAyres	1726,	0.4.	Dill, elt, t, 50. f. 58.

12 palmata. W.		Cucurbitaceæ. J.		1778.			
13 laciniosa. W.	laciniated.		E. Ind.	1710.		S.4.	Herm. ludg. t. 97.
14 africana. W.	African.	-	C. B. S.	1759.	7.8.	G. 24.	Herm. parad. t.708.
15 dissecta. W.	smooth-leaved.			1710.		G. 4.	
SICYOS. W.	SINGLE-SEED- EDCUCUMBER	Cucurbitaceæ. J.					
angulata. W.	angular-leaved.		N. America.	1710.	7.9.	н.⊙.	Lam. ill. t. 796.
		GYNANDRIA	•				
ANDRACHNE. W.	BASTARDORPINE	.Euphorbiacea. J.					
telephioides. W.	annual.		Italy.	1732.	7.8.	H.O.	Lam. ill. t. 797.

CLASS XXII.

DIŒCIA MONANDRIA.

PANDANUS. W.	SCREW-PINE.	Pandaneæ. B. P.					
1 odoratissimus. W.	green-spined.						Roxb.cor.1.t.94-6.
2 utilis. W. en.	red-spined.						Jac.frag.t.13.14.f.1
3 spiralis. B. P.	spiral.		N. S. W.			S.h.	
4 humilis. W.	dwarf.	Na i	Mauritius.		• • • •	S.h.	Jac. frag. t. 14. f. 2.
		D7111DD7					
CECHODIA W	Carre Wasa	DIANDRIA	1.				
CECROPIA. W.	SNAKE-WOOD.	Urticeæ. J.	Jamaica.	1770		e t.	Tom :11 4 000
peltata. W.	peltated.		o amaica.	1//0.		s.n.	Lam. ill. t. 800.
SALIX. W.	WILLOW.	Amentaceæ. J.	Duitain		= 0	TT T.	Fam bet 1405
1 triandra. W.	long-leaved.		England				Eng. bot. 1435.
2 lanceolata. E. B.	sharp-leaved.		Daidain.	• • • •	4.0.	II. n.	1436.
3 amygdalina. W.	Almond-leaved.		England			n.n.	1936.
4 decipiens, E. B.	varnished.		England.	• • • •			1937.
5 Russelliana. W.	Bedford.		E 1-1				1808.
6 tetrasperma, W.	four-seeded.			1796.		5. n.	Rox. cor. 1. t. 97.
7 nigra. Ph.	black.		N. America.	1811.	э.	H.n.	Ann. bot. 2. t. 5. f. 5.
8 lucida. Ph.	shining.		72 14 1				2.t.5.f.7.
9 pentandra. W.	Bay-leaved.		Britain.	• • • •			Eng. bot. 1805.
10 nigricans. W.	dark broad-lead.		England.		4.	H. h.	1213.
11 phylicifolia. W.	Tea-leaved.		Scotland.	• • • •	5.	H.h.	1958.
12 laurina. W.	two-coloured.				4.5.	H.h.	
13 tenuifolia. W.	thin-leaved.		Britain.	• • • •			2186.
14 hastata. W.	halbert-leaved.		Lapland.	1780.	5.	H.h.	L.fl.lap.354.t.8.f.g.
15 petiolaris. Ph.	dark long-leav ^d .		· N. America.	• • • •	4.	H.h.	Eng. bot. 1147.
16 myricoides. Ph.	Gale-like.			1811.	4.	H.h.	Eng. bot. 1147. Ann. bot. 2.t. 5. f. 2.
17 prinoides. Ph.	Prinos-like.				3.4.	H.h.	
18 discolor. Ph.	brown-branch'd.				4.	H.h.	Ann. bot. 2. t. 5. f.1.
19 angustata. Ph.	narrow-leaved.		· Pensylvania.		3.4.	H.h.	
20 cordata. Ph.	heart-leaved.		N. America.		4.5.	H.h.	Ann. bot. 2. t. 5. f. 8.
21 rigida. Ph.	rigid.					-H.h.	
22 vitellina. W.	yellow.		· England.		3.5.	H.h.	Eng. bot. 1389.
23 fragilis. W.	crack.		 Britain. 				1807.
24 babylonica. W.	weeping.		- Levant.	1692.	5.	H.h.	Rauw.it.183.t.25.
25 pupurea. W.	bitter purple.		· England.				Eng. bot. 1388.
26 Helix. W.	Rose.		Britain.		3.4.	H.h.	1343.
27 Lambertiana. W.	Boyton.		· England.			H.h.	 1359.
28 Forbyana. W.	Basket Osier.				4.	H.h.	1344.
29 rubra. W.	Green Osier.				4.5.		1145.
30 Croweana. W.	Crowe's.					H.4.	1146.
31 malifolia. W.	Apple-leaved.				4.	H.h.	1617.
32 prunifolia. W.	Plum-leaved.		· Scotland.				1361.
33 vacciniifolia. E. B.	Bilberry-leaved.					н.Б.	2341.
34 venulosa. E. B.	veiny-leaved.					Н.Б.	1362-
35 mysinites. W.	Whortle-leaved.				4.6.	H.L.	1360.
36 carinata. W.	folded-leaved.				4.5.	H.h.	1363.
37 arbuscula. W.	little-tree.				4.	H.h.	1366
38 Houstoniana. Ph.	Houstoun's.		Virginia.		4.5.	H.b.	
39 falcata. Ph.	sickle-leaved.	-	N. America.	1811.		H.h.	
40 pedicellaris, Ph.	pedicellated.	hinter constitution of the second				H.h.	

DIŒCIA TRIANDRIA.

×14	4.5.	IGCIA III	IMIVIDIU.	£%•			
41 planifolia. Ph.	flat-leaved.	Amentaceæ. J.	Labrador.	1811.		H.h.	
42 rupestris. E. B.	silky-rock.		Scotland		1	LI L	Eng. bot. 2342.
43 Andersoniana. E. B					4.5.	H. b.	2343.
44 Forsteriana. E. B.	Forster's.					H.b.	2344.
45 Stuartiana. E. B.	Stuart's.		*		7.8.	H. b.	2586.
46 fuscata. Ph.	brown-stemmed.			1811.	4.	н.ь.	2000,
47 herbacea. W.	least.		Britain.				Eng. bot. 1907.
48 Uva-ursi. Ph.	Bearberry-like.		Labrador.			H. h.	
49 retusa. W.	blunt-leaved.		Italy.	1763.			
50 reticulata. W.	wrinkled.		Britain.				Eng. bot. 1908.
51 myrtilloides. W.	Myrtle-leaved.		Sweden.	1779.	5.	HL	Vil.dau.3.t.50.f.11.
52 recurvata. Ph.	recurved-flowd.		N. America.	1811.	4.	H.b.	
53 cordifolia. Ph.	cordate-leaved.					H.h.	
54 glauca. W.	glaucous.		Scotland		5	HIL	Eng. bot. 1810.
55 arenaria. W.	downy mountain.						
56 cinerea. W.	grav.		Britain.		5.	H.b.	1897.
57 tristis. Ph.	linear-leaved.		N. America.	1765.	4.	Н. h.	,
58 Muhlenbergiana ?							
Ph.	Muhlenberg's.			1311.		H.h.	Ann. bot. 2. t.5.f.9,
59 argentea. W.	silky sand.		Britain.	,	5.	H.b.	Eng. bot. 1364.
60 parvifolia. E. B.	small-leaved.		England.		4.5.	H.h.	1961.
61 adscendens. E. B.	ascending.		23.514.44			H. b.	1962.
62 repens. W.	creeping.		Britain.		5.	H.h.	183.
63 fusca. W.	brown.		Director			H L	1961. ————————————————————————————————————
64 prostrata. W.	prostrate.					HL	1959
65 hirta. W.	hairy-branched.		England		15	H L	1959. 1404.
66 Dicksoniana. W.	Dickson's.		Scotland			H b	1390,
67 incubacea. W.	trailing.		Europe			H.h.	1000,
68 rosmarinifolia. W.	Rosemary-leavd.		Britain	1770.			Eng. bot. 1365.
69 aurita. W. en.	eared.		Europe				Hoff. sal.1.t.22.f.1,
70 uliginosa. W. en.	marsh.		Britain.				Eng. bot. 1487.
aurita. E. B.	maisu.	7	Diftani.	• • • •	4.0.	11. η.	1211g. 00t. 1407.
71 aquatica. W.	water.					TJ T.	
72 oleifolia. W.	Olive-leaved.						1437.
73 cotinifolia. W.	Quince-leaved.			• • • •	بي.	LI L	1402,
			Scotland		4.	II. n.	0222
74 sphacelata. W.	withered-pointed		Duitain.	• • • •	4.0.	n.n.	2333. 1488.
75 caprea. W.	great round-led.		Diltain.	• • • •	_	·11. h ·	1488.
76 acuminata. W.	acuminate.		NY America	1000	4.		——————————————————————————————————————
77 conifera. Ph.	Cone-bearing.		N. America.	1800.	5.	H. h.	Wan.ame.t.31.f.72,
78 viminalis. W.	Common Osier.		Britain.	• • • •			Eng. bot. 1898.
79 Smithiana. W. en.	Smith's.	***************************************	England.	• • • •		Π.η.	1509.
mollissima. E. B.	* 7. 7						
80 stipularis. W.	auricled.		N		3.4.	H, h.	1214.
81 candida. Ph.	hoary.	-	N. America.	1811.	4.5.	H.h.	
\$2 alba. W.	common white.		Britain.	• • • •		H.h.	2430,
83 cærulea. E. B.	blue.	~	England.			H.h.	2431,
BORYA. W.	BORYA.	Euphorbiaceæ. J.					
1 porulosa. W.	Florida.		Florida.	1806.	• • • •	н. ь.	
2 ligustrina. W.	Privet-leaved.		N. America.	1812.	• • • •	H.h.	
3 acuminata. W.	pointed.	-		*		H.h.	Mich. amer. 2. t. 28
0.88							
		TRIANDRIA,	P				
EMPETRUM. W.	CROW BERRY.	Ericeæ? J.					
1 album. W.	white-berried.		Portugal.	1774.	4.6.	G.h.	
2 nigrum. W.	black-berried.		Britain.		4.5.	H.h.	Eng. bot. 526.
STILAGO. W.	STILAGO.			-			
1 Bunius. W.	Laurel-leaved.		E. Ind.	1757.	8.	S.h.	Rheed. mal. 4. t.56.
2 diandra. W.	diandrous.			1800.		S.h.	Rox. cor. 2. t. 166.
OSYRIS. W.	POET'S CASSIA.	Santalaceæ? B. P				_	
alba. W.	white.		S. Europe.	1739.		G.b.	Lam. ill. t. 802.
WILLDENOVIA. Th.		Restiaceæ. B. P.	-1				
			0.70.0			~ ~	(Th. in act. holm.
teres. W.	round-stalked.		C. B. S.	1790.	6.7.	G. 4.	Th. in act. holm. 1790. t. 2. f. 2.
RESTIO. W.	ROPE GRASS.	Restiaceæ. B. P.					
tectorum. W.	thatch.		C. B. S.	1793.	5.6.	G. 4.	Rot.gram.10.t.3.f.2
ELEGIA. W.	ELEGIA.	Restiaceæ. B. P.					
1 juncéa. W.	Rush-like.		C. B. S.	1789.	7.8.	G. 24.	Rott.gram.8.t.3.f.4
2 racemosa. W.	racemed.			1804.	5.6.	G. 24.	Lam.ill. t. 884. f. 4.

DIŒCIA TETRANDRIA.

PHŒNIX. W.	DATE PALM.	Palmæ. B. P.					C** 0
1 dactylifera. W.	common.		Levant.	1597	• • •	G.h.	{ Kæmpf. amæn. 686. t. 1. 2.
2 reclinata. W.	reclining.		C. B. S.	1792		G.b.	Jac. frag. 27. t. 24.
3 farmifera. W.	small.		E. Ind.	1800	• • •	S. h.	Rox. cor. 1. t. 74.
	r	TETRANDRIA.					
ANTHOSPER-							
MUM. W.	AMBER TREE.	Rubiaceæ. J.					
æthiopicum. W.	Ethiopian.		C. B. S.	1692. 6	5.7.	G. h.	Pluk.alm.t.183.f.1.
TROPHIS. W.	RAMOON TREE. American.		W. Ind.	1789. 4	1.5.	S. b.	Brown.jam. t.37.f.1
2 aspera. W.	rough-leaved.		E. Ind.	1802			•
MONTINIA. W.	MONTINIA.	Onagrariæ. J.					CC '11
caryophyllacea. H. K.	{Sea-Purslane } leaved.		C. B. S.	1774.	7.	G.h.	Smith spic. 14. t. 15.
VISCUM. W.	Misseltoe.	Caprifoliæ. J.					(10.
album. W.	common.		England.	• • • •	5.	H. h.	Eng. bot. 1470.
SCHÆFFERIA. W.	SCHÆFFERIA.	• • • • • • • • • • • • • • • • • • • •	777 Y., J	1500		e 1	T am :11 4 000
BRUCEA. W.	white-flowered. Brucea.	Terebintaceæ. J.	W. Ind.	1793	• • •	3. n.	Lam. ill. t. 809.
ferruginea. W.	Ash-leaved.		Abyssinia.	1775.	4.5.	S.h.	Lam. ill. t. 810.
BROUSSONETIA. W	BROUSSONETIA.	Urticeæ. J.					n 0 =
papyrifera. W.		Elmani I	Japan.	1751. 9	2.9.	H.h.	Bot. rep. 488.
HIPPOPHAE. W. 1 rhamnoides. W.	SEABUCKTHORN.		England.		4.5.	н.ь.	Eng. bot. 425.
2 canadensis. W.	Canadian.		N. America.	1759		H. h.	3
MYRICA. W.	[CANDLEBER-]	Amentaceæ. J.					
1 Gale. W.	RY MYRTLE.		Ruitain		5	HL	For hot 560
2 cerifera. W.	Sweet Gale.		N. America.	1699. 5	5.6.	H.b.	Eng. bot. 562. Cat. car. 1. t. 69.
3 carolinensis. Ph.	broad-leaved.			1730.	5.	Н. ħ.	——————————————————————————————————————
4 pensylvanica. Ph.	Pensylvanian.					H.h.	Duh.arb.e.n.2.t.55.
5 Faya. W. 6 æthiopica. W.	Azorian. African.		Azores.	1777. (5.7.	G. h.	Pluk alm t 48 f 8
7 serrata. W.	saw-leaved.			1793.	8.	G. h.	Burm. afr.t. 98.f. 1.
8 laciniata. W. en.	smooth Oak-led.			1752. 6	3.7.	G. h.	2. t. 56. Pluk. alm. t. 48. f. 8. Burm. afr. t. 98. f. 1. Jac. frag. 2. t. 1. f. 4.
9 quercifolia. W. en.	hairy Oak-leavd.			1560 5		G.h.	Pluk.alm.t.319.f.7.
10 cordifolia. W. AULAX. L. T.	heart-leaved.	Proteaceæ. B. P.		1759. 6	0.7.	G.n.	Piuk.aim, t.319.1.7.
1 pinifolia. L. T.	Pinc-leaved.		C. B. S.	1780. 7	7.9.	G. h.	Bot. rep. 76.
2 umbellata. L. T.	umbelled.			1774. 6	3.8.	G.h.	248.
LEUCADEN-	LEUCADENDRON.	Proteaceæ. B. P.	Protea. Eury	yspermur	m, &	c. Kn. I	Р.
DRON. L. T. 3	Silver Tree.		C. B. S.	1693.	8.	G. b.	Lam. ill. t. 53. f.1.
2 plumosum. L. T.	feather-flowered.			1774.	6.8.	G.h.	2.0
3 imbricatum. L. T.	imbricated.			1790	• • •	G.h.	
4 buxifolium. L. T. 5 Levisanus. L. T.	Box-leaved. short-leaved.			1812	1.6	G.h.	Burm.afr.t.100.f.2.
6 linifolium. L. T.	Flax-leaved.				*.0.	G. h.	Jac. schæn. 1. t. 26,
7 stellatum.	starred.			5	5.6.	G.h.	Jac. schæn. 1. t. 26. Bot. mag. 881.
*	Kn. P. Protea s	stellaris, H. M.					
8 tortum. L. T. 9 cinereum. L. T.	twisted-leaved.			1790. 3	7.8.	G. h.	unt one to
10 corymbosum. L. T.				1790. 4	1.7.	G. h.	Bot. rep. 495.
11 decorum. L. T.	decorous.						
12 concolor. L. T.	one-coloured.	-		1774. 8	3.6.	G.h.	Bot. rep. 307.
13 grandiflorum. L. T. 14 decurrens. L. T.	decurrent.			1819. 4	r.6.	G.h.	Par. 10nd. 105.
15 strictum. L. T.	upright.			1795. 4	1.6.	G.h.	Par. lond. 75.
16 virgatum. L. T.	slender.					62 12	
17 adscendens. L. T. 18 concinnum. L. T.	pale.			1774. 6	.8.	G. h.	Pluk.man.t.229.f.6 Boer.lugd.2.t.204. Breyn.cent.21.t.9, Bot.rep. 572.
19 salignum. L. T.	neat. Willow-leaved.			1774. 4	1.6.	G. h.	Boer, lugd. 2. t. 204.
20 uliginosum. L. T.	swamp.			1795		G.h.	Breyn. cent. 21.t.9.
21 floridum. L. T.	florid.					G.h.	Bot. rep. 572.
22 æmulum. L. T. 23 abietinum. L. T.	incurved. Pine-leaved.			1789.	7.0	G.h.	429.
24 scabrum. L. T.	rough.			1812.	• • •	G. h.	401.
	9	11					

PENTANDRIA.

		PENTANDRIA				
PISTACIA. W.	PISTACHIATREE	. Tcrebintaceæ. J.			'	
1 officinarum. H. K.	officinal.		Levant.	1570, 4.5.	H.h.	Rauw. it. 72. t. 9.
2 reticulata. W.	net-leaved.			1752. 4.	HL	1(44.16. / 2. 6. 3.
3 Terebinthus. W.	TurnentineTree.		S. Europe	1656. 6.7.		
4 atlantica. W.	Atlantic.		Barbary	1700		
5 Lentiscus. W.	Mactick Tree		S. Europe	1790	G.n.	70
	Mastick Tree,		S. Europe.	1664. 5.	G.h.	Bot. mag. 1967.
β massiliensis.	marrow reaction					
ZANTHOXYLUM.V)		
 emarginatum. W. Clava Herculis. W 	notch-leaved.		Jamaica.	1739	S.h.	Slo.jam.2.t.168.f.4.
2 Clava Herculis. W	. Lentiscus-leav'd.		W. Ind.	15	CIT	Cat can 1 t ac
3 fraxineum. W.	common.		N. America.	1759. 3.4.	H.h.	Duham. arb.1. t.97.
4 tricarpum. H. K.	three-capsuled.			1806	H.h.	
SECURÎNEGA. J.	SECURINEGA.	Euphorbiaceæ. J.			22.17.	
nitida. P. S.				1793. 3.8.	e T	
PICRAMNIA. W.	Pickamnia.			1/90. 0.0.	D. 17 .	
Antidesma. W.	Ash-leaved.			1000	0 1	01
			Jamaica.	1793	S.h.	Slo.jam.2.t.208.f.2.
ANTIDESMA. W.	Antidesma.	• • • • • • • • • • • • • •				
1 alexiteria. W.	Laurel-leaved.		E. Ind.	1793. 5.6.	S.h.	Rheed. mal. 5. t. 11.
2 paniculata. W.	panicled.			1800		
IRESINE. W.	IRESINE.	Amaranthaceæ.B.				
celosioides. W.	Florida.		America.	1733. 7.8.	F.2/.	Lam. ill. t. 813.
SPINACIA. W.	SPINAGE.	Chenopodeæ. B. 1		-,		
oleracea. W.	common.			1569 9.10	HO	Schk.hand 3.t.324.
a spinosa.	prickly.			1000. 0.10.	11.0%	Schemand 5.1.324.
	4 9					
β inermis.	round.					
ACNIDA. W.	{Virginian }	Chenopodeæ. B.	D . (
	HEMP.	-				
cannabina. W.	common.		N. America.	1640. 6.7.	H.O.	
CANNABIS. W.	Немр.	Urticese J			_	
sativa. W.	common.		India.	6.7.	H.O.	Schk.hand.3. t.325.
HUMULUS. W.	Hop.	Urticeæ. J.				
Lupulus. W.	common,		Britain	6.8	TT 2L	Eng. bot. 427.
Lupuius. W.	COMMON		Diffair.	• • • • • • • • • • • • • • • • • • • •	11.24.	Eng. bot. 427.
		HEXANDRIA				
CRATT AND THE	C		•			
SMILAX. W.	SMILAX.	Smilaceæ. B. P.				
1 aspera. W.			S. Europe.	1648. 9.	H.h.	Schk.hand.3.t.328.
β auriculata.	ear-leaved.		S. Europe.	1648. 9.	H.h.	Schk.hand.3.t.328. Pluk.alm.t.110.f.3
			Syria.	1648. 9. 1739. 8.9.	H.h. G.h.	Schk.hand.3.t.328. Pluk.alm.t.110.f.3 Buxb.cent.1.t.27.
β auriculata. 2 excelsa. W.	ear-leaved. I		Syria. E. Ind	1739. 8.9.	H.h.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27.
β auriculata. 2 excelsa. W. 3 zeylanica. W.	ear-leaved. tall. Ceylon.		Syria. E. Ind.	1739. 8.9. 1778	H.h. G.h. S.h.	Schk.hand.3.t.328. Pluk.alm.t.110.f.3 Buxb. cent.1.t.27. Rum. amb.5.t.161.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W	tall. Ceylon. square-stalked.		Syria. E. Ind.	1739. 8.9. 1778	H.h. G.h. S.h.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W.	ear-leaved. { tall. Ceylon. square-stalked. medicinal.		Syria. E. Ind. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8.	H.h. G.h. S.h. H.h.	Pluk.alm. t.110. f.3 Buxb. cent. 1. t. 27. Rum. amb. 5. t. 161.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W 5 Sarsaparilla. W. 6 China. W.	ear-leaved. atall. Ceylon. square-stalked. medicinal. Chinese.		Syria. E. Ind. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759	H.h. G.h. S.h. H.h. G.h.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W.	ear-leaved. a tall. Ceylon square-stalked. medicinal. Chinese. round-leaved.		Syria. E. Ind. N. America. China. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759	H.h. G.h. S.h. H.h. G.h.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27. Rum.amb.5.t.161. Kæmpf.amæ.t.782.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W.	ear-leaved. at tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved.		Syria. E. Ind. N. America. China. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759	H.h. G.h. S.h. H.h. G.h.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27. Rum.amb.5.t.161. Kæmpf.amæ.t.782.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W.	ear-leaved. I tall. Ceylon square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved.		Syria. E. Ind. N. America. China. N. America.	1789. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7.	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27. Rum.amb.5.t.161. Kæmpf.amæ.t.782.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P.	ear-leaved. \(\) tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved.		Syria. E. Ind. N. America. China. N. America. N. S. W.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 6.7.	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm. t.110. f.3 Buxb. cent. 1. t. 27. Rum. amb. 5. t. 161.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W.	ear-leaved. I tall. Ceylon square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 6.7.	H.h. G.S.h. H.h.h. H.h.h. H.h.h. H.h.	Pluk.alm. t.110. f.3 Buxb. eent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W.	ear-leaved. \(\) tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 6.7.	H.h. G.S.h. H.h.h. H.h.h. H.h.h. H.h.	Pluk.alm. t.110. f.3 Buxb. eent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland.	1739. 8.9. 1778	H.h. G.h. H.h.h. G.h.h. H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland.	1739. 8.9. 1778	H.h. G.h. H.h.h. G.h.h. H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America.	1739. 8.9. 1778	H.h. G.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920?
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America.	1739. 8.9. 1778	H.h. G.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h.	Pluk.alm.t.110.f.3 Buxb. cent.1.t.27. Rum. amb. 5.t.161. Kæmpf.amæ.t.782. Cat. car. 1.t. 15. 1.t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920?
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P.	ear-leaved. § tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 6.7. 1815 1759. 6.7. 1739. 7. 1791 1785. 5.6.	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb. cent.1.t.27. Rum. amb. 5.t.161. Kæmpf.amæ.t.782. Cat. car. 1.t. 15. 1.t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920?
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W.	1789. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1739. 6.7. 1739 1791 1699. 7. 1785. 5.6. 1815	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W.	1789. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1739. 6.7. 1739 1791 1699. 7. 1785. 5.6. 1815	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W.	1789. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1739. 6.7. 1739 1791 1699. 7. 1785. 5.6. 1815	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 9 tamnoides. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W.	1789. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1739. 6.7. 1739 1791 1699. 7. 1785. 5.6. 1815	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 peduncularis. W. 20 glauca. B. M.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved.		Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W.	1789. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1739. 6.7. 1739 1791 1699. 7. 1785. 5.6. 1815	H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 peduncularis. W. 20 glauca. B. M. TAMUS. W.	ear-leaved. § tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY.	Smilaceæ?	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. N. S. W. N. America. N. America.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 7. 1759. 6.7. 1739. 7. 1739 1791 1699. 7. 1785. 5.6. 1815 1739. 5.6. 1815 1739. 5.6.	H.G.S.H.H.G.H.H.G.H.H.G.H.F.H.H. G.H.H.G.H.H.G.H.H.G.H.F.H.H.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 quadra B. M. TAMUS. W. 1 communis. W.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common.	Smilaceæ?	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. N. S. W. N. America. N. America.	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 6.7. 1815 1759. 6.7. 1739. 1791 1699. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7.	HGSHHGHHHGHHGHHGHHGHFHH H.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amcc.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846. Eng. bot. 91.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glycipylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot.	Smilaceæ?	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. N. S. W. N. America. C. B. S.	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 6.7. 1815 1759. 6.7. 1759. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7.	H.G.S.H.H.G.H.H.H.G.H.H.G.H.F.H.H. H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W.	ear-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan.	Smilaceæ?	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. N. S. W. N. America. C. B. S.	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 6.7. 1815 1759. 6.7. 1739. 1791 1699. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7.	H.G.S.H.H.G.H.H.H.G.H.H.G.H.F.H.H. H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.F.H.H. H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amcc.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846. Eng. bot. 91.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W.	ear-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA.	Smilaceæ? Dioscoreæ. B. P.	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. America. C. B. S. Candia.	1739. 8.9. 1778 1812. 6.7. 1864. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 7. 1791 1699. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7.	H. A.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.f.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W.	ear-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan.	Smilaceæ? Dioscoreæ. B. P.	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. America. C. B. S. Candia.	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 6.7. 1815 1759. 6.7. 1759. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7.	H. A.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amcc.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846. Eng. bot. 91.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W.	ear-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA.	Smilaceæ? Dioscoreæ. B. P.	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. America. C. B. S. Candia.	1739. 8.9. 1778 1812. 6.7. 1864. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 7. 1791 1699. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7.	H. A.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.f.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347.
β auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 quadratis. W. 11 communis. W. 12 communis. W. 13 cretica. W. 14 RAJANIA. W. 15 cordata. W. 16 Cordata. W. 17 CORDANIA. W. 18 PSEUGO-CHINA. W. 19 CORDANIA. W. 10 CORDANIA. W. 11 CORDANIA. W. 12 CORDANIA. W. 13 CORDANIA. W. 14 CORDANIA. W. 15 CORDANIA. W. 16 CORDANIA. W. 17 CORDANIA. W. 18 CORDANIA. W. 18 CORDANIA. W. 19 CORDANIA. W. 19 CORDANIA. W. 10 CORDANIA. W. 10 CORDANIA. W. 10 CORDANIA. W. 10 CORDANIA. W. 11 CORDANIA. W. 11 CORDANIA. W. 11 CORDANIA. W. 12 CORDANIA. W. 13 CORDANIA. W. 14 CORDANIA. W. 15 CORDANIA. W. 16 CORDANIA. W. 17 CORDANIA. W. 18 CORDANIA. W. 18 CORDANIA. W. 19 CORDANIA. W. 20 CORDANIA. W. 20 CORDANIA. W.	ear-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved.	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. America. C. B. S. Candia.	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 1739. 1791 1896 1739. 5.6. 1812. 5.7. 1811. 5.7 5.8. 1774. 7.8. 1786. 7.	H.	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amcc.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W.	ear-leaved. 1 tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved. DIOSCOREA. five-leaved.	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	N. S. W. N. America. N. America. N. S. W. N. America. N. Holland. N. S. W. N. America. N. S. W. Camerica. N. S. W. N. America. N. S. W. N. America. M. America. W. J. M. America. M. America. M. America. M. America. M. America. M. America. M. J. M.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 7. 1739. 7. 1785. 5.6. 1815 1806 1739. 5.6. 1812. 5.7. 1811. 5.7. 1786. 7.	H.G.S.H.H.G.H.H.H.G.H.H.G.H.F.H.H. H.G.H. S.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27. Rum.amb.5.t.161. Kæmpf.amce.t.782. Cat. car. 1.t.15.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W. 2 aculeata. W.	ear-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved. DIOSCOREA. five-leaved. prickly-stemmed	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. America. N. America. C. B. S. Candia. W. Ind. E. Ind.	1739. 8.9. 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 7. 1739. 7. 1785. 5.6. 1815 1806 1739. 5.6. 1812. 5.7. 1811. 5.7. 1786. 7.	H.G.S.H.H.G.H.H.H.G.H.H.G.H.F.H.H. H.G.H. S.	Pluk.alm.t.110.f.3 Buxb.cent.1.t.27. Rum.amb.5.t.161. Kæmpf.amce.t.782. Cat. car. 1.t.15.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W. 2 aculeata. W. 3 alata. W.	ear-leaved. 1 tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved. DIOSCOREA. five-leaved. prickly-stemmed wing-stalked.	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	Syria. E. Ind. N. America. China. N. America. N. S. W. N. America. N. Holland. N. America. N. America. America. N. America. C. B. S. Candia. W. Ind. E. Ind. India.	1739. 8.9. 1778 1812. 6.7. 1864. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1759. 6.7. 1739. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7. 1739. 5.8. 1739. 5.8. 1739. 7.	H.G.S.H.H.G.H.H.G.H.H.G.H.F.H.H. H.G.H. S. S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.f.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347. Plum.ic. t.155. f.1. Rheed.mal. 7. t. 35. 7. t. 37. 7. t. 38.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 oglauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W. 2 aculeata. W. 8 alata. W. 4 bulbifera. W.	car-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. Herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved. DIOSCOREA. five-leaved. prickly-stemmed wing-stalked. bulb-bearing.	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	N. S. W. N. America. N. S. W. N. Holland. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. N. S. W. N. America. M. J. M. America. L. M. America. L. L	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1760. 7.8. 1739. 7. 1815 1739. 6.7. 1739. 7. 1785. 5.6. 1815 1806 1739. 5.6. 1812. 5.7. 1811. 5.7. 1768 1768 1768 1768 1769. 7.8.	H.G.S.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.A.A.A.A	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amcc.t.782. Cat. car. f. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347. Plum.ic. t.155. f.1. Rheed.mal. 7. t. 35. 7. t. 37. 7. t. 38. Par. lond. 17.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 glauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W. 2 aculeata. W. 4 bulbifera. W. 5 sativa. W.	ear-leaved. a tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. deciduous. ciliated. broad-leaved. herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved. DIOSCOREA. five-leaved. prickly-stemmed wing-stalked. bulb-bearing.	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	N. S. W. N. America. N. America. N. Holland. N. America. N. Holland. N. America. N. S. W. N. America. N. America. W. Ind. E. Ind. India. E. Ind. W. Ind.	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1769. 7. 1815 1759. 6.7. 1739. 7. 1739. 7. 1739. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7. 1786. 7. 1768 1768 1768 1739 1768 1739 1768 1739 1768 1739 1768 1739 1769. 7.8. 1733. 8.	H.G.S.H.H.G.H.H.G.H.H.G.H.F.H.H. H.G.H. S. S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amæ.t.782. Cat. car. 1. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.f.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347. Plum.ic. t.155. f.1. Rheed.mal. 7. t. 35. 7. t. 37. 7. t. 38.
B auriculata. 2 excelsa. W. 3 zeylanica. W. 4 quadrangularis. W. 5 Sarsaparilla. W. 6 China. W. 7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 oglauca. B. M. TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W. 2 aculeata. W. 8 alata. W. 4 bulbifera. W.	car-leaved. tall. Ceylon. square-stalked. medicinal. Chinese. round-leaved. Laurel-leaved. Tamus-leaved. oblong-leaved. deciduous. ciliated. broad-leaved. Herbaceous. spear-leaved. Botany Bay Tea. downy. Bastard Chinese. long-peduncled. glaucous-leaved. BLACK BRYONY. common. Elephant's-foot. Cretan. RAJANIA. Tamus-leaved. DIOSCOREA. five-leaved. prickly-stemmed wing-stalked. bulb-bearing.	Smilaceæ? Dioscoreæ. B. P. Dioscoreæ. B. P.	N. S. W. N. America. N. S. W. N. Holland. N. America. N. S. W. N. America. N. Holland. N. America. N. S. W. N. America. N. S. W. N. America. M. J. M. America. L. M. America. L. L	1739. 8.9. 1778 1778 1812. 6.7. 1664. 7.8. 1759 1769. 7. 1815 1759. 6.7. 1739. 7. 1739. 7. 1739. 7. 1785. 5.6. 1815 1739. 5.6. 1812. 5.7. 1811. 5.7. 1786. 7. 1768 1768 1768 1739 1768 1739 1768 1739 1768 1739 1768 1739 1769. 7.8. 1733. 8.	H.G.S.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.H.G.H.A.A.A.A	Pluk.alm.t.110.f.3 Buxb. cent.1. t. 27. Rum. amb. 5. t.161. Kæmpf.amcc.t.782. Cat. car. f. t. 15. 1. t. 52. Pluk.alm.t.111.f.1. Bot. mag. 1920? Cat. car. 2. t. 84. Slo.jam.1.t.143.f.1. Bot. mag. 1846. Eng. bot. 91. Bot. mag. 1347. Plum.ic. t.155. f.1. Rheed.mal. 7. t. 35. 7. t. 37. 7. t. 38. Par. lond. 17.

DIŒCIA DODECANDRIA.

				OTTT.		
7 villosa. Ph.	pubescent.	Dioscoreæ. B. P.	N. America.	1752. 8.	н.ч.	Jac. ic. 3. t. 626.
8 oppositifolia. W.	opposite-leaved.	Dioscorea: Bill		1803	S. 24.	Pet. gaz. t. 31. f. 6.
MABA. J.	MABA.	Ebenaceæ. B. P.				
buxifolia. P. S.	Box-leaved.		E. Ind.	1810	S.h.	Rox. cor. 1. t. 45.
ELAIS. W.	OILY PALM.	Palmæ. B. P.				
guineensis. W.	Guinea.		Guinea.		S.h.	Jac. amer. t. 172.
CHAMÆDOREA. W.	-	Palmæ. B. P. Bo			0.1	T 1 0 1 0 1 0 1
gracilis, W.	slender.	D.1 D.D	Caracas.	1803	5. h.	Jac.schæ.2.t.247.8
BORASSUS, W. flabelliformis, W.	Borassus.	Palmæ. B. P.	Tr. Ind	1771	SI	Roxb.cor.1.t.71.72.
nabelinorinis. W.	fan-leaved.		E. Hid.	1//1	0.17.	1000,001.1.0.7 1.7 2.
		OCTANDRIA.				
POPULUS. W.	POPLAR.	Amentaceæ. J.				
1 alba. W.	Abele Tree.		Britain.	3.4.	H.h.	Eng. bot. 1618.
2 canescens. W.	gray.		England.			1619.
3 trepida. W.	Trembling \			1812	Н.Ь.	Mich. arb.3. t.8.f.1.
-	{ American. }		14. Hilleriea.			
4 tremula. W.	Aspen.		Britain.	3.4.	H.h.	Eng. bot. 1909.
5 lævigata. W.	smooth.		N. America.	1769.	H.h.	Mich. arb. 3. t. 11. Duha.arb.184.t.54.
6 græca. W.	Athenian.		Archipelago.	1779. 3.4.	H.n.	Eng bot 1010
7 nigra. W. 8 betulifolia. Ph.	black.		M America		п. д.	Mich arh 3 t 10 f 1
9 dilatata. W.	Black American. Lombardy.		Itoly	1758	Н.Ь.	Eng. bot. 1910. Mich.arb.3.t.10.f.1. Mich.arb.3.t.10.f.2. ——3.p.302.t.12.
10 monilifera. W.	Canadian.		Canada.	1772. 5.	H. b.	Mich.arb.3.t.10.f.2.
11 angulata. W.	Carolina.		Carolina.	1738. 3.	H. b .	3.p.302.t.12
12 balsamifera. W.	Tacamahac.					
13 candicans. W.	heart-leaved.			1772. 3.	н. р.	Cat. car. 1. t. 34.
14 hetcrophylla. W.	various-leaved.			1765. 4.5.	H.h.	Cat. car. 1. t. 34. Mich. arb. 3. t. 9,
RHODIOLA. W.	Rose Root.	Semperviveæ. J.				
rosea. W.	common.		Britain.	5.7.	H.4.	Eng. bot. 508.
MEDOUDIATES III	3.7	ENNEANDRIA	•	,		
MERCURIALIS. W. 1 perennis. W.		Euphorbiaceæ. J.	Paitain	4.5	ET L	Eng. bot. 1872.
2 ambigua. W.	perennial. doubtful.		Spain			Lin. fil. dec.1. t. 8.
3 annua. W.	annual.		Britain.			Eng. bot. 559.
4 elliptica. W.	oval-leaved.		Portugal			Vent. cels. 12.
5 tomentosa. W.	woolly.		Spain.	1640. 7.9.		
HYDROCHARIS. W.	FROG-BIT.	Hydrocharideæ.B.I	2.		, -	
Morsus-ranæ. W.	common.			6.7.	H.4.	Eng. bot. 808.
		DECANDRIA				
CARICA. W.	PAPAW TREE.	Cucurbitaceæ? J.		1000 =	C T	T71 -4 -2 4 4 0 C1
1 Papaya. W.	common.		India.		3. h .	
2 cauliflora. W.	stem-flowering.		0			Ehret pict. t.3.f.1.
3 microcarpa. W.			Caracas.	1806	S.h.	Jac.schæn.3.t.311.
GYMNOCLADUS W	small-fruited.	Laruminosa I		1806	S.h.	
GYMNOCLADUS.W.	GYMNOCLADUS.	Leguminosæ. J.	Guilandinæ sp	1806	S.h. S.h.	Jac.schœn.3.t.311.
canadensis. W.	Gymnocladus. Canadian.	Leguminosæ. J.	Guilandinæ sp · Canada.	1806	S.h. S.h.	Jac.schæn.3.t.311.
	Gymnocladus. Canadian. Kiggelaria.	Leguminosæ. J.	Guilandinæ sp · Canada.	1806	S.h. S.h. H.h.	Jac.schæn.3.t.311
canadensis. W. KIGGELARIA. W.	Gymnocladus. Canadian.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S.	1806	S.h. S.h. H.h.	Jac.schœn.3.t.311.
canadensis. W. KIGGELARIA. W. africana. W.	Gymnocladus. Canadian. Kiggelaria. African.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S.	1806	S.h. S.h. H.h.	Jac.schæn.3.t.311
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K.	Gymnocladus. Canadian. Kiggelaria. African. Schinus.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S.	1806	S.h. S.h. H.h. G.h. G.h.	Jac.schæn.3.t.311. 3.t.309.10. Mich. amer. 2.t.51. Lam. ill. t. 821. Mill. ic. 2. t. 246. Bot. rep. 620.
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K.	Gymnocladus. Canadian. KIGGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved.	Euphorbiaceæ. J.	Guilandinæ sp Canada. C. B. S.	1806	S.h. S.h. H.h. G.h. G.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama.	GYMNOCLADUS. Canadian. KIGGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved. W.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S.	1806	S.h. S.h. H.h. G.h. G.h.	Jac.schæn.3.t.311. 3.t.309.10. Mich. amer. 2.t.51. Lam. ill. t. 821. Mill. ic. 2. t. 246. Bot. rep. 620.
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W.	GYMNOCLADUS. Canadian. KIĞGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved. IV. CORIARIA.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili.	1806	S.h. S.h. H.h. G.h. G.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama.	GYMNOCLADUS. Canadian. KIGGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved. W.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S.	1806	S.h. S.h. H.h. G.h. G.h. H.h.	Jac.schæn.3.t.311. 3.t.309.10. Mich. amer. 2.t.51. Lam. ill. t. 821. Mill. ic. 2. t. 246. Bot. rep. 620.
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W.	Gymnocladus. Canadian. Kiggelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. W. Coriaria. Myrtle-leaved.	Euphorbiaceæ. J. Terebintaceæ. J.	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili.	1806	S.h. S.h. H.h. G.h. G.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W.	GYMNOCLADUS. Canadian. KIĞGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved. IV. CORIARIA. Myrtle-leaved.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA.	Guilandinæ sp. Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe.	1806	S.h. S.h. H.h. G.h. G.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W.	GYMNOCLADUS. Canadian. KIĞGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved. IV. CORIARIA. Myrtle-leaved.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili.	1806	S.h. S.h. S.h. H.h. G.h. G.h. H.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA, W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES, W. aloides. W.	Gymnocladus. Canadian. Kiğgelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. IV. Coriaria. Myrtle-leaved. Water Soldier Aloe-like.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe.	1806 1748 1683. 5.6. 1597. 7.8. 1795. 5.7. 1790 1629. 5.8. 6.7.	S.h. S.h. S.h. H.h. G.h. G.h. H.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W.	Gymnocladus. Canadian. Kiğgelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. IV. Coriaria. Myrtle-leaved. Water Soldier Aloe-like.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.i	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe.	1806	S.h. S.h. H.h. G.h. G.h. H.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES, W. aloides. W. HYÆNANCHE.H.K.	GYMNOCLADUS. Canadian. KIĞGELARIA. African. SCHINUS. Peruvian. tooth-leaved. entire-leaved. IV. CORIARIA. Myrtle-leaved. WATER SOLDIER Aloe-like. HYÆNA POISON.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.i	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. England. Toxicodend	1806	S.h. S.h. H.h. G.h. G.h. H.h. H.h.	Jac.schen.3.t.311. 3.t.309.10. Mich. amer. 2.t.51. Lam. ill. t. 821. Mill. ic. 2. t. 246. Bot. rep. 620. Cav. ic. 3.t. 239. Schk.hand.3.t.334. Eng. bot. 379.
canadensis. W. KIGGELARIA, W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES, W. aloides. W. HYÆNANCHE.H.K. globosa. H. K. EUCLEA. W. 1 racemosa. W.	Gymnocladus. Canadian. Kiggelaria. Kiggelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. W. Coriaria. Myrtle-leaved. Water Soldier Aloe-like. Hyæna Poison. Cape.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I.	Guilandinæ sp. Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. P. England. Toxicodend.	1806	S.h. S.h. S.h. H.h. G.h. G.h. H.h. H.h. H.h.	Jac.schen.3.t.311. 3.t.309.10. Mich. amer. 2.t.51. Lam. ill. t. 821. Mill. ic. 2. t. 246. Bot. rep. 620. Cav. ic. 3.t. 239. Schk.hand.3.t.334. Eng. bot. 379.
canadensis. W. KIGGELARIA, W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES. W. aloides. W. HYÆNANCHE.H.K. globosa. H. K. EUCLEA. W. 1 racemosa. W. 2 undulata. W.	Gymnocladus. Canadian. Kiğgelaria. Kiğgelaria. African. Schinus. Peruvian. tooth-leaved. http://ocolored. Coriaria. Myrtle-leaved. Water Soldier Aloe-like. Hyæna Poison. Cape. Euclea. round-leaved. wave-leaved.	Leguminosæ. J. Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.i	Guilandinæ sp. Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. P. England. Toxicodend.	1806	S.h. S.h. S.h. H.h. G.h. G.h. H.h. H.h. H.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA, W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES. W. aloides. W. HYÆNANCHE.H.K. globosa. H. K. EUCLEA. W. 1 racemosa. W. 2 undulata. W. DATISCA. W.	Gymnocladus. Canadian. Kiğgelaria. Kiğgelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. IV. Coriaria. Myrtle-leaved. Water Soldier Aloe-like. Hyæna Poison. Cape. Euclea. round-leaved. wave-leaved. Datisca.	Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. England. Toxicodend C. B. S.	1806	S.h. S.h. S.h. S.h. S.h. S.h. S.h. S.h.	Jac.schen.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES. W. aloides. W. HYÆNANCHE.H.K. globosa. H. K. EUCLEA. W. 1 racemosa. W. 2 undulata. W. DATISCA. W. cannabina. W.	Gymnocladus. Canadian. Kiggelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. Coriaria. Myrtle-leaved. Water Soldier Aloe-like. Hyæna Poison. Cape. Euclea. round-leaved. wave-leaved. Datisca. Hemp-like.	Leguminosæ. J. Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I	Guilandinæ sp. Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. England. Toxicodend. C. B. S. C. B. S.	1806	S.h. S.h. S.h. S.h. S.h. S.h. S.h. S.h.	Jac.schæn.3.t.311. ——————————————————————————————————
canadensis. W. KIGGELARIA, W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES. W. aloides. W. HYÆNANCHE.H.K. globosa. H. K. EUCLEA. W. 1 racemosa. W. 2 undulata. W. DATISCA. W. cannabina. W. MENISPERMUM. D.	Gymnocladus. Canadian. Kiğgelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. /// Coriaria. Myrtle-leaved. Water Soldier Aloe-like. Hyæna Poison. Cape. Euclea. round-leaved. wave-leaved. Datisca. Hemp-like. Moon Seed.	Leguminosæ. J. Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. P. England. Toxicodend C. B. S. C. B. S.	1806 1748 1683. 5.6. 1597. 7.8. 1795. 5.7. 1790. 1629. 5.8 6.7. lrum. W. 1783. 4.9. 1722. 11.19. 1640. 7.9.	S.h. S.h. S.h. S.h. S.h. S.h. S.h. S.h.	Jac.schen.3.t.311. 3.t.309.10. Mich. amer. 2.t.51. Lam. ill. t. 821. Mill. ic. 2. t. 246. Bot. rep. 620. Cav. ic. 3.t. 239. Schk.hand.3.t.334. Eng. bot. 379. Lamb.cinc.52.t.10. Jac. frag. 3.t. 1.f. 5. Schk.hand.3.t.3 6.
canadensis. W. KIGGELARIA. W. africana. W. SCHINUS. W. 1 Molle. W. 2 dentata. H. K. 3 dependens. H. K. Amyris polygama. CORIARIA. W. myrtifolia. W. STRATIOTES. W. aloides. W. HYÆNANCHE.H.K. globosa. H. K. EUCLEA. W. 1 racemosa. W. 2 undulata. W. DATISCA. W. cannabina. W.	Gymnocladus. Canadian. Kiggelaria. African. Schinus. Peruvian. tooth-leaved. entire-leaved. Coriaria. Myrtle-leaved. Water Soldier Aloe-like. Hyæna Poison. Cape. Euclea. round-leaved. wave-leaved. Datisca. Hemp-like.	Leguminosæ. J. Euphorbiaceæ. J. Terebintaceæ. J. DODECANDRIA. Hydrocharideæ.B.I	Guilandinæ sp Canada. C. B. S. Peru. Owhyhee. Chili. S. Europe. P. England. Toxicodend C. B. S. C. B. S.	1806 1748 1683. 5.6. 1597. 7.8. 1795. 5.7. 1790. 1629. 5.8 6.7. lrum. W. 1783. 4.9. 1722. 11.19. 1640. 7.9.	S.h. S.h. S.h. S.h. S.h. S.h. S.h. S.h.	Jac.schen.3.t.311. ——————————————————————————————————

DIŒCIA MONADELPHIA.

1	2014				
2 virginieum. W.	Virginian.	Menispermeæ. D.	N. America.	1732, 6.7, H.	h . Dill.elt.t.178.f.219
3 smilacinum. D.	Smilax-leaved.				h. Jac. ic. 3. t. 629.
Cissampelos smilac	ina. IV.				
COCCULÚS. D.	Cocculus.	Menispermeæ. D.	Menispermi .	sp. W.	
1 Plukenetii. D.	officinal.		E. Ind.	1790 S.	b. Pluk.man.t.345.f.2.
2 orbiculatus. D.	round-leaved.			S.	b. Rheed mal. 11.t.62.
3 villosus. D.	villous.			1800 S.	р. Pluk.man.t.345.f.2. р. Rheed.mal.11.t.62. р. Pluk.amal.t.384.f.8 р. ————————————————————————————————————
B hirsutus.	hairy.			— S.	ht.384.f.7
	•				
		ICOSANDRIA			
FLACOURTIA. W.	FLACOURTIA.	Tiliaceæ. J.		1	
Ramontchi. W.	shining-leaved.		Madagascar.	1775, 6.7. S.	. h. L'Her.stirp.59.t.30 . h . h. Roxb. cor. 1. t. 69.
2 flavescens. W.	yellow-flowered.		Guinea.	1780 S	.h.
3 cataphracta, W.	many-spined.		E. Ind.	1894 S	. b .
4 sapida. W.	esculent.			1800 S.	b. Roxb. cor. 1. t. 69.
GELÔNIUM. Rox.	GELONIUM.				
bifarium. W.	oval-leaved.			1793. 6.8. S	. Б .
ROTTLERA. Rox.	ROTTLERA.				
tinctoria. W.	dyer's.			1810 S.	h. Roxb. cor. 2. t.168.
•		POLYANDRIA	i e		
TREWIA. W.	TREWIA.	***************************************			
nudiflora. W.	naked-flowered.			1796 S	h. Rheed.mal. 1.t. 42.
EMBRYOPTERIS. W		Ebenaceæ, B. P.	Diospuri sn.	P.S.	
glutinifera. W.	Indian.	-	E. Ind.	1796 S	h. Roxb. cor. 1. t. 70.
CLIFFORTIA. W.	CLIFFORTIA.	Rosaceæ. J.	\$	17500 0000	7,7 220.001 0021 27 0. 1 00
1 cuneata. W.	wedge-leaved.		CBS	1787. 4. G.	h
2 ilicifolia. W.	Ilay-looged			1714 FO C	L Dill alt 4 or f or
3 tridentata. W.	three-toothed.			G	h. L. hort. cliff. t. 31.
4 ruscifolia. W.	Ruseus-leaved.			1759 67 G	h. L. hort, cliff, t. 21.
5 cincrea. W.	cinereous.				
6 pulchella. W.	beautiful.			1795. 4.5. G	h
7 crenata. W.	notched-leaved.			1791. 78. G	, . P
8 ericæfolia. W.	Heath-leaved.			1791. 7.0. G.	L .
9 obcordata. W.	heart-leaved.			1790 69 G	L.
10 trifoliata. W.	three-leaved.			1750 47 G	L Pluk wlm + 310 f 4
11 sarmentosa. W.	twiggy.			1702. 4.7. G.	h. Pluk.alm.t.319.f.4.
CYCAS. W.	CYCAS.	Cycadeæ. B. P.		1755, 0.5. U.	n•
Clons. W.	OTCASI				(Rhead mal 3 t
1 circinalis. W.	broad-leaved.	-	E. Ind.	1700 S.	h. { Rheed. mal. 3. t. 13. 21.
2 revoluta. W.	narrow-leaved.				h. Linn. trans. 6. t.29.
ZAMIA. W.	Zamia.	Cycadeæ. B. P.		1707. 7.0. 5.	η. Δinn. trans. σ. t.25.
1 pungens. W.	needle.			1775 G	h. Till. pis. 129. t. 45.
2 cycadifolia. W.	Cycas-leaved.		C. D. S.	G	h. Jac.frag.1.t.25.26.
3 angustifolia. Jac.	narrow-leaved.		Rahama Isl	7 9 8	h. Jac. ic. 3. t. 636.
4 media. Jac.	intermediate.		W Ind	S	h Bot mag 1838
5 debilis. W.	long-leaved.		W. And.	1777 — S.	h. Bot. mag. 1838. h. Comm.hort.1.t.59. h. Bot. mag. 1851.
6 integrifolia. W.	dwarf.			1777. — S.	h. Bot. mag. 1851.
7 pygmæa. B. M.	least.				
8 furfuracea. W.	broad learned			1001 70 8	I. Transcalent t OC #1
9 spiralis. B. P.	spiral.	,	NSW	1796 — G	h. Jac.frag.27.t.27.28 h. Th. act. ups. 2. t. 5.
10 horrida. W.	gray.		CBS	1900 G.	L Jac frag 97 1 27 28
11 Cycadis. W.	Cycas-like.		С. Б. б.	1775 G	L Th act up 0 t 5
	Cycus-sine.			1//0 0.	B.M
La Mille	7	MONADELPHIA.	•		
ARAUCARIA. J.	ARAUCARIA.				
		Coniferæ. J. Don		1706 G	L I am ill t 200
1 imbricata. W. 2 excelsa. H. K.	imbricated.		Chili.		h. Lam. ill. t. 328.
	Norfolk Island. JUNIPER.		Norfolk Isl.	1/93	h. Lamb.pin.t.39.40.
JUNIPERUS. W. 1 thur fera. W.	,	Coniferæ. J.	C T	INTO EC II	τ.
	Spanish.		S. Europe.	1752. 5.6. H.	n.
2 bermadiana. W.	Chinese.		China	1083. — F.	h. Herm. lugd. t.347.
3 chinensis. W.			China.	1804. — F.	
4 excelsa. W.	tall.		Siberia.	1806 H.	_*
5 Sabina. W.	Common Savin.		S. Europe.	1548. 5.6. H.	
6 tamariscifolia			NT A	1562. — H. — H.	n.
7 prostrata. P. S.	prostrate.		IN. America.		
8 daurica. H. K.	Daurian.		Dauria.	1791. 6.8. H.	h. Bot. rep. 534.
9 virginiana. W.	Red Cedar.		N. America.	1664. 5.6. H.	h. Mich. arb. 3. t. 5.
10 communis. W.	common.		Britain.	H.	h. Eng. bot, 1100.
11 succica.	Swedish.		N. Europe.	H.	η·

12 nana. W.	mountain.	Coniferæ. J.	Siberia.	5.6. H	I.h.	Pall. ross. 2. t. 54. f. A. B.	
13 Oxycedrus. W.	brown-berried.		Spain.	1739. — H		Duliam.arb,2.t.128	
14 phœnicea. W.	Phœnician.		S. Europe.			Pall. ross. 2. t. 57.	
15 lycia. W.	Lycian.		et Editoret			2. t. 56.	
16 barbadensis. W.						Pluk.alm.t.197.f.4	
TAXUS. W.	YEW-TREE.	Conifera, J.					
1 baccata. W.	common.		Britain.	2.4. H	l.b.	Eng. bot. 746.	
2 nucifera. W.	Acorn-bearing.		China.	1764 6	i.b.	Kæmp.amæn.t.815	
EPHEDRA, W.	EPHEDRA.	Coniferæ. J.					
1 distachya. W.	great.		France.	1570, 6.7, H	I. b .	Schk. han. 3. t. 339.	
2 monostachya. W.	small.		Siberia.			Pall. ross. 2. t. 83.	
CISSAMPELOS. D.	CISSAMPELOS.	Menispermeæ. D.	,				
1 Pareira. D.	velvet-leaf.		S. America.	1733, 7.8, \$	S. 9L .	Lam. ill. t. 830.	
2 Caapeba. D.	nervous-leaved.			8	5. 24 .	Plum. ic. 67. f. 2.	
3 capensis. D.	Cape.		C. B. S.	1775 G			
EXCECARIA. W.	EXCECARIA.	Euphorbiaceæ. J.	0.2	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12 :		
serrata. H. K.	saw-leaved.		Chili.	1796. 11.2. G	i.h.		
ADELIA. W.	ADELIA,	Euphorbiaceæ. J.	C-III,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
1 Bernardia. W.	villous-leaved.		Jamaica.	1768. 7.8. \$	S. b .		
2 Ricinella, W.	smooth-leaved.			6.8. 8			
3 Acidoton. W.	Box-leaved.	***************************************	Jamaica.	1768. 6.7. 8			
LOUREIRA. W.	Loureira.						
glandulosa. W.	glandulous.				S. b .	Cav. ic. 5. t. 430.	
MYRISTICA. W.	NUTMEG.	Myristicææ. B. P.		.,			
1 moschata. W.	true.		E. Ind.	1795 8	S. b .	Lam. ill. t. 832.	
2 fatua. W.	tasteless.		Surinam.			Pluk.alm.t.250.f.6.	
NEPENTHES, W.	PITCHER-PLANT.						
distillatoria. W.	Chinese.		China.	1789. 4.5. \$	S. 2L.	Burm.zeyl.42.t.17.	
**	SBUTCHER'S- }			.,			
RUSCUS. W.	BROOM.	Smilaceæ?					
1 aculeatus. W.	prickly.		England.	12.6. H	I. b .	Eng. bot. 560.	
2 laxus. L. T.	loose.		Portugal.	1.6. H			
3 Hypophyllum. W.	broad-leaved.		Italy.			Col.ecp.1.t.165.f.1.	0.12
4 Hypoglossum. W.	double-leaved.					Schk,hand.3.t.340.	
5 androgynus. W.	climbing.		Canaries.			Bot. mag. 1898.	
•	(Alexandrian)				•	· ·	
6 racemosus. W,	Laurel.	-	Portugal.	6. F.	1. h.	Herm. ludg.t. 681.	
LATANIA. J.	BOURBON PALM.	Palmæ. B. P.					
rubra. W.	red.		Mauritius.	1788	S.h.	Jac. frag. 13. t. 8.	
						5. +m · · · ·	
	•	GYNANDRIA	١.				
CLUYTIA. W.	CLUYTIA.	Euphorbiaceæ. J.					
1 alaternoides. W.	narrow-leaved.		C. B. S.	1692. 12.3. (3. h .	Bot. mag. 1321.	
2 polygonoides. W.	Polygonum-like.			1790. —— (G.h.	W. hort. ber. 51.	
3 daphnoides. W.	Daphne-leaved.			1721 56 6	2 L	50	
4 ericoides. W.	Heath-leaved.			1790. 4.6. (G. h	Jac. scheen. 2. t. 50	
5 polifolia. W.	Poley-leaved.			(3. h .	Jac. scheen. 2. t. 50	
6 tomentosa. W,	tomentose.	-		1812. —— (J.h.		
7 pulchella. W.	broad-leaved.			1739. 1.6. (J. h.	Bot. mag. 1945.	
s collina. W.	hill.	-	E. Ind.	1807	S.h.	Roxb. cor. 2. t. 169	

CLASS XXIII.

POLYGAMIA MONŒCIA.

MUSA. W.	PLANTAIN-TREE	. Musaceæ. J.	
1 paradisiaca. W.	common.	India.	1690. 10.12. S. h. Trew chret. 3. t
2 sapientum. W.	Banana-tree.	W. Ind.	1729. 10.3. S.h. — 4.t.21.23.
3 rosacea. W.	Rose-coloured.	Mauritius.	1805. 3.6. S.h. Jac.schæn.4.t.445.
4 coccinea. W.	scarlet-flowered.	China.	1792. 12.3. S. h. Bot. mag. 1559.
VERATRUM. W.	VERATRUM.	Melanthaceæ. B. P.	
1 album. W.	white.	Europe.	1548. 6.8. H.4. Fl. dan. 1120.
2 viride. W.	green-flowered.	N. America.	1742. 7.8. H.4. Bot. mag. 1096.

POLYGAMIA MONŒCIA.

	S virginicum. H. K.	Virginian.	Melanthaceæ. B.P.	N. America.	1768. 6.7. H.4.	Bot. mag. 985.
	4 nigrum. W.	dark-flowered.		Siberia.	1596. — H. 4. 1809. — H. 4.	963.
	5 parviflorum. W.			Carolina.	1809. — H. 4.	
	ANDROPOGON. W.	Andropogon.	Gramineæ. B. P.			
	1 striatus. W.	nerve-glumed.		E. Ind.	1793. 8. S.4.	
	2 contortus. W.	twisted.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		1779. 7.9. S.4.	
	3 Schenanthus. W.	Lemon-grass.	-		1786 S.4.	
	4 distachyos. W.	two-spiked.	-	S. Europe.	1805. 7.8. H.4.	Fl. græc. 1. t. 69.
	5 muticus. W.	smooth-spiked.		C. B. S.	1794. 7.9. G.4.	C. L
	6 Ischæmum. W CHLORIS. W.	woolly. Chloris.	Crominas P. D	S. Europe.	1768. 8. H.4.	Schreb.gram.2.t.33
- 1	1 petraæa. W.	flat-stalked.	Gramineæ. B. P.	Tompico	1779. 7.8. S.4.	Wahl cumb 0 t 07
	2 ciliata. W.	ciliated.			7.9. S.24.	vani. symb. 2. 0. 27.
	3 radiata. W.	many-spiked.		W Ind.	1739. 8.9. S.O.	Moris, s.8, t.3, f. 15,
	4 barbata. W.	bearded.		E. Ind.	1777. 6.7. S.O.	1/201101010101111111
	5 curtipendula. Ph.	short-spiked.		Illinois.	1808. 6.8. H. 4.	
	PENICILLARIA. 🔪	•				
	W. en.	Penicillaria.	Gramineæ. B. P			
	1 spicata. W. en.	spiked.		E. Ind.	1592. 6.7. S.O.	Pluk.alm.t.32.f.4.
	2 ciliata. W. en.	ciliated.		Jamaica.	1739. 7.10. H.⊙.	,
	Alopecurus indicus					•
- 1	SORGHUM. W. en.	Sorghum.	Gramineæ. B. P.			
	1 Gryllus.			S. Europe.	1791. 6.7. H.4.	Fl. græc. 1. t. 67.
	Andropogon Gryllu	s. W. Holcus Gr	yllus. B. P.			CM:
	2 bicolor. W. en.	two-coloured.		Persia.	1731. 7. H.O.	Mieg. act. helv. 8.
					1500 E TIO	t. 4. 1. 4.
÷	3 vulgare. W. en. 4 rubens. W. en.	Indian Millet.	*		1596. 7. H.O.	8. t. 4. 1. 3.
	4 rubens. w.en.	reu-seeded.			1817. — H.O.	CArd act ac nat 1
	5 saccharatum. W.en.	yellow-séeded.		India.	1759. 7.8. S.J.	Ard. act. ac. pat. 1. t. 4. f. 2.
	6 Iralepense. P. S.	panicled.	Coopings P. P.	Syria.	1691. —— H.4.	
	HOLCUS. W. en.	SOFT-GRASS.	Gramineæ. B. P.	Syria	1001.	
•	1 mollis. W.	creeping.		Britain.	7.8. Н. Ц.	Eng. bot. 1170.
	2 lanatus. W.	meadow.		*	6.7. H.4. H.4.	
	3 avenaceus. W. en.	Oat-like.	-		н. 4.	813.
	4 bulbosus. W. en.	bulbous-rooted.			H.24.	
	5 odoratus. W.	sweet-scented.		N. America.	1777. — H.4.	
	ISCHÆMUM. W.	Ischæmum.	Gramineæ. B. P.			
	1 aristatum. W.	bearded.		E. Ind.	1803. 6.7. S. 4.	
	2 rugosum. W.	rough.			1791. 7.8. S.O.	Sal. stirp. rar. 1.t.1.
	ÆGILOPS. W.	HARD-GRASS.	Gramineæ. B. P.			T1
	1 ovata. W.	oval-spiked.		S. Europe.	1683. 6.7. H.O.	
	2 triuncialis. W.	long-spiked.				Schreb.gr.1,t.10.f.1
	3 cylindrica. W.	cylindrical.		Hungary.		Host. gram. 2. t. 7. Schreb.gr.2.t.27.f.2
	4 squarrosa. W.	rough-spiked.		Candia	1794. — H. 4. 1789. — H. O.	
	5 candata. W.	Cretan.	Gramineæ. B. P.	- Candia.	1759. ——11.0.	r 1. giac. 1. t. 50.
	MANISURIS. W. granularis. W.	MANISURIS. round-grained.	Grammeæ. D. F.	E Ind.	1784. 67. S.O.	Roxb.cor. 2. t. 118.
	VALANTIA. W.	VALANTIA.	Rubiaceæ. J.	- 13. Ing.	1704. 0.7. 0.0.	ALONG COTT SE ES TIGE
	1 cruciata. W.	Crosswort.	Zettofaccter or 1	- Britain.	5.6. H.4.	Eng. bot. 143.
	2 muralis. W.	wall.		- S. Europe.	1739, 5.7. H.O.	
	3 hispida. W.	bristly.			- 1768. — H.O.	
¥	4 filiformis. W.	least.		- Canaries.	1780. 7.9. H.O.	
4	5 pedemontana. W.	Piedmont.		- Hungary.	1799. 7. H.⊙.	Pl.rar.hung.1.t.33.
	6 Cucullaria. W.	hooded.			1780. 5.6. H.⊙.	Bux.cent.1.t.19.f.2
	7 Aparine. W.	warty-fruited.		- Britain.	6.8. H.⊙.	Eng. bot. 2173.
	Galium verrucosum	n. E. B.				
	8 articulata. W.	jointed.		- Egypt.	1752. 7.8. H.⊙.	701 1 4
	9 glabra. W.	smooth.		- S. Europe.		Pl.rar.hung.1.t.32.
	10 aspera. W.	rough.		- Siberia.	1804. 6.7. H.4.	
	PARIETARIA. W.	PELLITORY.	Urticeæ. J.	T2 To 3	1500 45 831	
	1 indica. W.	Indian.		- E. Ind.	1790. 4.5. S. 4.	
	2 officinalis. W.	wall.			6.9. H. 4.	Schk.hand.3. t.346.
	3 judaica. W. 4 urticæfolia. W.	Basil-leaved. Nettle-leaved.		- Bourbon	1728. — H. 4. 1700. — S. O.	Solidinandio 000 401
	5 lusitanica. W.	Chielwood lood		- Snain	1710. 7.8. H.O.	Bocc. sic. t. 24.f.B.
	6 polygonoides. W.	Polygonum-lead		- Armenia.	1728. — H.O.	
	O POLIMONOUGH TES					
		ORACHE.	Chenopodeæ, B	Р.		a
	ATRIPLEX. W. 1 Halimus. W.	ORACHE. tall shrubby.	Chenopodeæ. B.		1640. 7.8. H.h.	Park.theat.724.f.2.
	ATRIPLEX. W.		Chenopodeæ. B.		1640. 7.8. H.h.	Park.theat.724.f.2. Eng. bot. 261.

	I OI	JIGAMIA	MONGRE	IA.	1676 L
3 glauca. W.	glaucous.	Chenopodeæ. B.P.	S. Europe.	1732. 7.8. G.b.	Dill. elt. t. 40. f. 46.
4 albicans. W.	white.	- Chenopoucur 212	C. B. S.	1774. 6.7. G.h.	
5 rosea. W.	Rose.		S. Europe.		Schk.hand.3. t.350.
6 sibirica. W.	Siberian.		Siberia.		3.p.538.t.350.
7 tatarica. W.	Tartarian.		Tartary.	1778. —— H.O.	3.p.539.t.349.
8 hortensis. W.	garden.			1548. — H.O.	
B rubra.	red garden.			•	
9 laciniata. W.	frosted sea.				Eng. hot. 165.
10 patula. W.	spreading.				936.
11 angustifolia. W.	narrow-leaved.			6.8. H.O.	1774.
12 erecta. W.	upright.		England.	8. H.⊙.	2223. 708.
13 littoralis. W.	Grass-leaved.	-	Britain.	8.9. H.O.	708.
14 pedunculata. W.	pedunculated.	2	England.	7.9. H.O.	232.
15 microsperma. W.	small-seeded.			1800. — H.⊙.	
RHAGODIA. B. P. hastata. B. P.	RHAGODIA.	Chenopodeæ. B. I		1000 67 G L	
TERMINALIA. W.		Combretaceæ. B.		1803. 6.7. G.h.	
1 Catappa. W.	TERMINALIA. broad-leaved.	Completacea. D.		1778 S. h.	Jac ic 1 + 107
2 moluccana. W.	Molucca.		II. Ind.	1804 S.h.	bac. 1c. 1. c. 197.
3 Chebula. W.	oval-leaved.				Roxb. cor. 2. t. 197.
4 angustifolia. W.	narrow-leaved.			1692 S. h.	Jac. vind. 3. t. 100.
FUSANUS. L.	Fusanus.	Santalaceæ. B. P.	Thesii sn. H	7.	
-compressus. H. K.					Berg.cap.38.t.1.f.1.
	[AFRICAN-]	·	,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
BRABEJUM. W.	ALMOND.	Proteaceæ. B. P.	109		
stellulifolium. W.	common.		C. B. S.	1731. 3.4. G.h.	Breyn. cent. 1. t. 1.
' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	(ELEPHANT-)				
FERONIA. L. T.	APPLE.	• • • • • • • • • • • • • • • • • • • •			
elephantum. W.	Indian.		E. Ind.	1804 S.h.	Roxb. cor. 2. t.141.
AILANTHUS. W.	AILANTHUS.	Terebintaceæ. J.			
1 glandulosa. W.	Chinese.		China.	1751. 8. H.h.	L'Her. stirp. t. 84.
2 excelsa. W.	Indian.	-	E. Ind.	1800 S.h.	Roxb. cor. 1. t. 23.
CLUSIA. W.	BALSAM-TREE.	Guttiferæ. J.			
1 rosea. W.	Rose-coloured.		Carolina.	1692. 7.8. S.h.	
2 alba. W.	white-flowered.		S. America.		Jac. amer. t. 166.
3 flava. W.	yellow-flowered.		Jamaica.	1759. 9. S.h.	
4 venosą. W.	veiny-leaved.	A 73.75	S. America.	1733 S.h.	Plum. ic. 87. f. 2.
OPHIOXYLON. W.	OPHIOXYLON.	Apocyneæ. B. P.	E L	1000 50 61	D-4
serpentinum. W.	red-flowered.	A I	E. Ind.	1690. 5.6. S.h.	Bot. mag. 784.
ACER. W.	MAPLE.	Acereæ. J.	T	1550 5 C II I	W out 10 4 1 f :
1 heterophyllum. W.	evergreen.	7100100101	Levant.		W. arb. 10. t. 1. f. 1.
2 tataricum. W. 3 Pseudo-Platanus.	Tartarian.		Partary.		
4 rubrum. W.	Sycamore.		Ni America	4.5. H.O.	Mich orb 0 4 14
5 dasycarpum. W.	SirChas Wager's		N. America.	1705 II L	Mich. arb. 2. t. 14.
6 barbatum. Ph.	bearded.			1/23. —— II. n.	2. 6. 10.
7 saccharinum. W.	Sugar.			1725 — H h	Mich. arb. 2. t. 15.
8 nigrum. Ph.	black.			1812. — H. h.	2 t 16
9 platanoides. W.	Norway.		Europe.	1683. 5.7. H.h.	Schm. arb. 1.t. 3.4.
B laciniatum.	cut-leaved.		-u.ope.	— H.h.	Schm. arb. 1.t.3.4.
10 striatum. Ph.	striped-barked.		N. America.	1755, 5.6, H.b.	Mich. arb. 2. t. 17.
11 montanum. Ph.	mountain.			1750. 4.5. H.b.	Schm. arb. 1. t. 11.
12 campestre. W.	common.		Britain.	5.6. H.h.	
13 Opalus. W.	Italian.		Italy.	1752. — H. h.	
14 monspessulanum.	M		-		
W.	Montpener.		France.	1739. 5. H.h.	Schm. arb. 1. t. 14.
15 creticum. W.	Cretan.		Levant.	1752. 5.6. H.h.	1. t. 15.
16 Negundo. W.	Ash-leaved.		N. America.	1688. 4. H.h.	1. t. 12.
CELTIS. W.	NETTLE-TREE.	Amentaceæ. J.			
1 australis. W.	European.		S. Europe.	1796. 5. H.h.	
2 Tournefortii. W.	Tournefort's.				Tourn. it. 2. t. 41.
3 occidentalis. W.	American.		N. America.	1656. 4.5. H.h.	Mill. ic. 1. t. 88.
4 crassifolia. Ph.	thick-leaved.				Duham. arb. 2. t. 9.
5 pumila. Ph.	dwarf.			5. H.h.	
6 micrantha. W.	smooth.		Jamaica.		Plum.ic.t.206.f.1.
7 aculeata. W.	prickly.	7)1 12 -	-	1791 S.h.	
GOUANIA. W.	GOUANIA.	Rhamni? J.	337 1. 3	1000 0.7	Distriction (co. c.
1 domingensis. W.	Chaw-stick.		w. Ind.		Pluk.alm.t.201.f.4.
2 tiliæfolia.	Lime-tree-leav'd.		E. Ind.	1810 S. 12.	Roxb. cor. 1. t. 98.

POLYGAMIA MONŒCIA.

				7			
	HERMAS. W. 1 depauperata. W.	HERMAS.	Umbelliferæ. J.	C. B. S.	1795. 6 .7	. G.4.	Burm. afr. t.71.f. 2,
	2 gigantea. W.	gigantic.			1794.	- G, 4.	Th. in act. pet. 14. t. 11.
	INGA. W.	INGA.	Leguminosæ. 3.	Mimose sn. L.			£ 11.
	1 dulcis. W.	sweet.				. Sh	Roxb. cor. 1. t. 99.
	2 Unguis-Cati. W.	four-leaved.		W Ind			Jac.schæn.3. t.392.
	3 microphylla. W. en.			Cumana	1815		5 AC. SCHOOL 5 . 1.59 2.
	4 vera. W.	common.		W Ind			Sl.jam. 2. t.183. f.1.
	5 rhoifolia. W. en.	villous.		Progil	1815		31. jani. 2. 6.103. 1.11
	6 alba. W.	white.		E Ind	1804		
	7 marginata. W.	Beech-leaved.		W Ind			Pluk.alm. t.141.f.2,
	8 nodosa. W.	knobbed.		Carlon			
	9 latifolia. W.	broad-leaved.	12 124	W Ind			Plum. ic. t. 9.
	10 purpurea. W.	Soldier Wood.		77. III.	1799	_ S. L	Rot reg 190
	11 circinalis. W.	spiral-podded.					Plum. ic. t. 5.
	MIMOSA. W.	Mimosa.	Leguminosæ. J.		1/20	. 5.17.	rum. ic. c. o.
	1 viva. W.			Jamaica	1720 70	S 21.	Slo.jam.2.t.182.f.7,
	2 casta. W.	chaste.		T Ind	1741 7	SL	Comm.hort.1.t.28.
	3 sensitiva. W.	Sensitive Plant.		Brazil	1649 40	S.7	Bot. reg. 25.
	4 obtusifolia. W. en.	blunt-leaved		1310211.	1040. 4.5	S.L.	Dot. 10g. 20.
	5 pudica. W.	Humble Plant.			1620 40	S.L	Bot. rep. 544. A. Mill.ic.2. t.182.f.5,
		straight-spined.		Vore Cruz	1799 65	S L	Millio 0 + 190 f =
	6 pigra. H. K. 7 rubicaulis. W.	Bramble-stalked		T Ind	1700	. S. n.	Roxb.cor. 2. t. 200.
	8 concinna. W.	neat.		E. Hu.			10,50.001.2. (. 200;
		mony onited		Montinian	1794		
	9 polystachya. W. en.	Schrankia.	I amuminaam I	Martinico.	1816	. s.n.	
	SCHRANKIA. W.		Leguminosæ. J.	Wimosæ sp. L	*	6 21	3531 in a 4 3 00 f 3
	1 aculeata. W.	Vera Cruz.		vera Cruz.	1733. 7.8	C 1	Mill.ic. 2. t. 182. f. 1, Vent. choix. 28.
	2 uncinata. W.	hooked.	T	N. America.	1789, -	- G. 4 .	vent. choix. 25.
	DESMANTHUS, W.	DESMANTHUS.	Leguminesæ.J.	Mimosæ sp. L			D-1 620
	1 natans. W.	floating.		Unina.	1800. 7.8	, a.⊙.	Bot. rep. 629.
,	2 plenus. W.	double yellow.		· Vera Cruz.	1733. —	→ 3.⊙.	Will.10.2.1.182.1.2.
	3 diffusus. W.	prostrate.	1	· W. Ind.	1731. 7.8	5. 3. n.	Pluk.aim. t.307.1.3,
	4 virgatus. W.	long-twigged.		* '	1774	- S.n.	Jac. vind. 1. t. 80. 245
	5 punctatus. W.	spotted-stalked.		Jamaica.	1686.	- S.J.	Comm. nort.1.t.31,
	6 cinereus. W.	Ash-coloured.		E. Ind.	1739. 6.7	. S.n.	Bot. rep. 629. Mill.ic.2.t.182.f.2. Pluk.alm. t.307.f.3. Jac. vind. 1. t. 80. 2457 Comm. hort.1.t.31. Roxb. cor. 2. t.174.
	7 divergens. W. en.					- 5. h.	•
	ACACIA. W.	Acacia.	Leguminosæ. J.				33 4 110
	1 verticillata. W.	whorl-leaved.		· Van Diem Isl	1780. 3.5	o. G. h.	Bot. mag. 110.
	2 juniperina. W.	Juniper-leaved.		N. S. W.	1790. 3.6	i. G. n.	Vent. maim. 64.
	3 acicularis. H. K.	needle-leaved.	-		1796. 3.8	6. G. h.	
	acicularis. W. en. i	s a different speci	es.				2 220
	4 sulcata. H. K.			N. Holland.	1803. 5.8	3. G. h.	47. 920
	5 suaveolens. W.	sweet-scented.		· N. S. W.	1790. 2.6	i. G.h.	Jac.schæn.3.t.391.
	6 glaucescens. W. en.					— G. h.	
	7 floribunda. W.	many-flowered.		·	1796. 5.6	i. G.h.	Vent. choix. 13.
	8 linifolia. W.	Flax-leaved.		·	1790. —	— G. ի ∙	Bot. rep. 394. 2168
	9 stricta. W.	double-headed.			2.	5. G.h.	53.
	10 longifolia. W.	long-leaved.			1792. 3.5	6. G.h.	207. P.O. A. 20
	11 falcata. W.	sickle-leaved.		-	1790. 5.6	s. G.h.	2166
	12 laurifolia. W.	Laurel-leaved.		· Tanna.	1775	S.h.	
	13 melanoxylon. H. K.	black-wooded.		· VanDiem.Isl	1808. 4.6	i. G.h.	Bot. mag. 1659.
	14 Sophoræ. H. K.	Sophora-podded.			1805. —	— G. ի .	Lab.nov.ho.2.t.237
	15 marginata. H. K.	marginate-leav'd.	·	- N.S.W.	1803. —	— G. ի ·	
	16 myrtifolia. W.	Myrtie-leaved.					
	17 hispidula. W.	little harsh.			1794. 4.5	5. G.ħ.	Sm.n. holl.53. t.16.
	18 decipiens. H. K.	paradoxical.		- N. Holland.	1803. 3.6	ვ. G.ફ.	Bot. mag. 1745.
	19 biflora. H. K.	two-flowered.				— G. ի .	
	20 armata. H. K.	simple-ld prickly			4.6	6. G.h.	Bot. mag, 1653.
	21 alata. H. K.	wing-stalked.			4.7	7. G. ħ.	201 200 3 - 16
	22 scandens. W.	climbing.		- India.	1780	S.h.	Rheed.mal. 9. t. 7.7.
	23 pulchella. H. K.	zigzag spiny.		- N. Holland.	1803. 4.	7. G.h.	
	24 ciliata. H. K.	ciliate-winged.		· ————			
	ciliata. IV. en. is a	different species.				/	Cs - P
	25 nigricans. H. K.	unequal-winged.			5.7	. G.h.	Lab. n.hol.2. t. 238. 218
	26 guianensis. W.	Guiana.		- Cavenne.		Տ. ի.	Aub. gui. 2. t.357.
	27 Houstoni. W.	Houstoun's.		- Vera Cruz.	1729. 9.1	1. S. h.	Bot. reg. 98.
	28 odoratissima. W.	fragrant.		- E. Ind.	1790	. S.b.	Roxb. cor. 2. t.120.
	29 venusta. W. en.	charming.		S. America.	1816	S.h.	
	30 arborea. W.	tree.		Jamaica.	1768	S.h.	Pluk.al.6. t.251.f.2.
		-					

	PO.	LIGAMIA	DIGECTA	1.	223
21 Julibrissin. W.	smooth tree.	Leguminosæ. J.	Levant.	1745. 8. H. h.	Scop. in. 1. t. 8.
32 speciosa. W.	splendid.		E. Ind.	1742. 8.9. S.h.	
33 latisiliqua. W.	broad-podded.		W. Ind.	1777. 3.6. S.h.	
34 discolor. W.	two-coloured.		N.S.W.	1788. — G. h. 1790. 3.6. G. h.	
35 pubescens. H. K. 36 lophantha. W.	hairy-stemmed. two-spiked.		N. Holland.	1803. 5.7. G.h.	Bot. rep. 563.
37 brachyloba. W.	Illinois.		N. America.	1803. 5.7. G.h. G.4.	•
38 glandulosa. W.	glandulous.			1806 G. h.	Vent. choix. 27.
39 decurrens. W.	decurrent.		N. S. W.	1790. 5.7. G.h.	Vent. malm. 61.
40 pernambucana. W.	slothful.		W. Ind.	1786. 7.8. S.h.	Pluk.alm. t.307.f.3.
41 peregrina. W. 42 grandiflora. W.	white-flowered. great-flowered.		E. Ind	1769. 6.9. S.h.	Bot. ren. 500
43 glauca. W.	glaucous.		America.	1690. 6.8. S.h.	Cat. car. 2. t. 42.
44 reticulata. W. en.	netted.		C. B. S.	1816 G. h.	Pluk.alm. t.123.f.2.
45 juliflora. W.	long-flowered.		Jamaica.	1793 S.h.	
46 Giraffæ. W. en.	camelopard's.		C. B. S.	1816 S.h.	
47 Cafra. W. 48 Chundra. W.	Troucentot.		E Ind	1800 $G.h$. 1789 $S.h$.	
49 Catechu. W.	hook-spined. medicinal.			1700 S.T.	Dowl con A 41#
50 leucophlœa. W. en.				1812 S. h.	2. t.150. Pluk.al.3.t.122.f.1. Roxb. cor. 2. t. 199.
51 cornigera. W.	Cuckold Tree.		S. America.	1692 S. h.	Pluk.al.3.t.122.f.1.
52 eburnea. W.	ivory-thorned.		E. Ind.	1792 S. h.	Roxb. cor. 2. t. 199.
53 hæmatoxylon.W.en	hoary.		C.B.S.	1816 S.h.	70 1 1 1 1 1 1
54 farnesiana. W. 55 vera. W.	Sponge Tree. Egyptian Thorn.		St. Domingo	1656, 6.8. S. h.	Duh.arb. ed.n. t.28.
56 cæsia. W.	gray.		E. Ind.	1773 S.h.	Duh.arb, ed.n. t.28. Pluk.al.3. t.123.f.1. Pl.man.1.t.390.f.1.
57 pennata. W.	fine-leaved.			S.h.	Burm. zeyl. 2. t. 1. Rheed. mal. 6. t. 4. Plum. ic. t. 8. Jac.scheen. 3. t. 396.
58 Întsia. W.	angular-stalked.			1778 S.h.	Rheed. mal. 6. t. 4.
59 Ceratonia. W.	round-leaved.		S. America.	1800 S. h.	Plum. ic. t. 8.
60 tamarindifolia. W.		D.L. D.D.	W.Ind.	1774 S.h.	Jac.scheen.3. t.396.
RHAPIS. W. 1 flabelliformis. W.	RHAPIS. creeping-rooted.	Paimæ, D. P.			
2 arundinacea. W.	simple-leaved.		Carolina.	1774. 8. S.h.	Bot. mag. 1371.
z urunamacem vi v	ompro remient		0 0	1,000 00 00,7	- 1
		DIŒCIA	•		
GLEDITSCHIA. W.	GLEDITSCHIA.	Leguminosæ. J.	ST 4 .		
1 triacanthos, Ph.	three-thorned. smooth.				Duham.arb.1.t.195
& inermis. 2 brachycarpa. Ph.	curved-spined.			— Н. Ь.	
3 monosperma. Ph.	single-seeded.			1723. — H. b	Cat. car.1. t. 48.
4 horrida. W.	strong-spined.		China.	1774. — H. h	
5 sinensis. P. S.	Chinese.			1723. — H. h. 1774. — H. h. 1812 F. h	•
CERATONIA. W.	CAROB TREE.	Legummosæ. o.			
Siliqua. W.	St. John's Bread. Ash Tree.	Oleinæ. B. P.	Levant.	1570. 9.10. G. h	Bot. rep. 567.
FRAXINUS. W. 1 simplicifolia. W.	various-leaved.	Olema. B. 1.	England.	4.5. H.h.	Eng hot 2476
2 excelsior. W.	common.		Britain.	— Н. h	
β pendula.	weeping.				
3 sambucifolia. W.	Elder-leaved.		N. America.	1800 H. h	
4 oxycarpa. W.	Caucasian.		Caucasus.	1815 H.h	
5 lentiscifolia. W. 6 americana. W.	Aleppo.		Aleppo.	1710. 5.6. H. h.	Pluk.alm.t.182.f.4.
acuminata. Ph.	winte.		14. Timerica.	1723. 3. 11. 7	
7 caroliniana. Ph.	shining.			1811 H. h	
8 pubescens. W.	black.				. Du Roi. ed. 2. t. 1.
9 juglandifolia. W.	Walnut-leaved.			5.6. H.h	•
10 aurea. W. en.	yellow-barked.			H.h	
11 nana. W. en.	dwarf.		• • • • • • • • • • • •	H.h	
12 atrovirens. P. S. BROSIMUM. W.	green curled-lea. Bread Nut.			H.h	
1 Alicastrum. W.	Jamaica.		Jamaica.	1776 S.b	Sw.fl.ind.oc.1.t.1.fl
2 spurium. W.	Milkwood.			1789 S. h	
DIOSPYROS. W.	DATE PLUM.	Ebenaceæ. B. P.		·	
1 Lotus. W.	European.		Italy.	1596. 6.7. H.h	
2 virginiana. W.	American.			1629. — H. h.	
3 pubescens. Ph. 4 sylvatica. W.	pubescent. wood.		E. Ind.	1812. 4. H.h	Roxb. cor. 1. t. 47.
				_	(D (1
5 Ebenum. W.	smooth.			1792 S.h	2. t. 5.
6 Kaki. W.	Japan.		Japan.	1789 G.h	. Kæmpf.amæ.t.806.

POLYGAMIA DIŒCIA.

7 cordifolia. W.	heart-leaved.	Ebenaceæ. J.	E. Ind.	1794	. S.h	. Roxh. cor. 1. t. 50.
8 obovata. W.	four-seeded.		- W. Ind.			. Jac.schæn.3. t.312.
MYRSINE. B. P.	MYRSINE.	Myrsineæ. B. P.			·	
1 africana. W.	African.		- C.B.S.	1691. 3.5	G. 7.	Comm.hort.1.t.64
2 retusa. W.	round-leaved.	**************************************	- Azores.	1778. 6.	G. h.	Vent. cels. 86.
3 Samara.	oval-leaved.		- C. B. S.	1770. 11.9		
Samara pentandra						
4 melanophleos.	Laurel-leaved.		- C. B. S.	1783	. G. ի .	Jac. vind. 1. t. 71.
Sideroxylon melan		0				
NYSSA. W.	Turelo.	Santalaceæ? B. I				
1 villosa. W.	hairy-leaved.		- N. America.	1806. 5.	H.h.	Mich. arb. 21.
2 biflora. W.	mountain.			- 1739. 4.5.	H.h.	22.
3 capitata. H. K.	round-headed.	-		1806	H.h.	200
4 candicans. W. 5 denticulata. W.	hoary.	~~~~		- 1812	H. h.	Mich. arb. 20. Cat. car. 1. t. 60.
HAMILTONIA. W.	water. OIL NUT.		D. w. Lusta	1/35	H.h.	Cat. car. 1. t. 60.
oleifera. W.	Olive-bearing.		N America	1000	ОТ	
LAUROPHYLLUS ?			· Iv. America.	1800	G. n.	
w.	LAUROPHYLLUS.					
- capensis. W.	Cape.		CRS	1901	G L	
BURSERA. W.	Bursera.	Terebintaceæ. J.	• С. Б. 5.	1801	. G.n.	
gummifera. W.	Jamaica.	Terebintacea. o.	W Ind	1600	S L	Jac. amer. t. 65.
ARCTOPUS. W.	ARCTOPUS.	Umbelliferæ? J.		10000	. D. r.	oac. amer. t. oe.
echinatus. W.	rough.	Chiberinette: 01		1774	G 21.	Burm. afr. 1. t. 1. 70
PANAX. W.	Panàx.	Araliæ. J.	0.2.3.	1,,11	0.4.	Darm. an. 1. (. 11) (
1 quinquefolium. W.			N. America.	1740. 6.	H. 2/ .	Bot. mag. 1333.
2 trifolium. W.	lesser.			1759. 5.6.	H. 2/.	1334.
3 aculeatum. W.	prickly.	Transaction and the second	China.			Jac. ic. 3. t. 634.
4 fruticosum. W.	shrubby.		Ternate.			Bot. rep. 595.
FICUS. W.	FIG TREE.	Urticeæ. J.			-	·
1 Carica. W.	common.		S. Europe.	1548. 6.7.	H. h.	Trew.ehret.t.73.4.
2 aquatica. W.	rough-leaved.		E. Ind.	1758	S. h.	Rheed mal 2 t 60
3 nymphæifolia. W.	Water-Lily-lead.		-	1759	S.h.	Rheed.mal. 1. t. 27.
4 religiosa. W.	Poplar-leaved.			1731	S.h.	Rheed.mal. 1.t. 27.
5 benghalensis. W.	Bengal.					
6 venosa. W.	vein-leaved.			1763	S. ħ.	W.hort. ber.1. t.36.
7 coriacea. W.	leathery-leaved.			1772	S.h.	
8 costata. W.	rib-leaved.			1763	s.h.	200
9 lucida. W.	shining-leaved.			1772	S.h.	
10 martinicensis. W.	round-fruited.		W. Liid.	1759	3.n.	Sioan. jam. 2. t. 223.
11 infectoria. W.	veiny.		E. Ind.	1763	S.h.	Rheed.mal. 3. t. 64.
12 pedunculata. W.	Willow-leaved.		S. America.	1776	S.h.	Pluk.alm.t.178.f.4.
13 cordata. W.	heart-leaved.		U. D. S.	1802		Thunb. diss. c. ic.
14 macrophylla. P. S.	large-leaved.		N. Flohand.			Vent malm + 114
15 australis. W. 16 elastica. Rox.	ferrugineous. elastic-gum.		IV. S. W.			Vent. malm. t. 114.
	trailing.		China	1815		
17 stipulata. W. 18 pumila. W.	dwarf.			1771		Kæmp.amæn.t.804
19 tinctoria. W.	Otaheite.		Society Isl.	1793. 5.6.		
20 benjamina. W.	oval-leaved.		E. Ind.	1757	S. h.	Rheed.mal.1. t. 26.
21 pertusa. W.	Laurel-leaved.	-	S. America.	1780	S.h.	
22 nitida. W.	glossy-leaved.		E. Ind.	1786. 3.6.	S.b.	Rheed. mal. 3.t. 55.
23 indica. W.	Banyan Tree.			1759	S.h.	
24 racemosa. W.	alustored				Q L	
25 retusa. W.	blunt-leaved.			1793	S.b.	
26 repens. W.	creeping-stemmd.		the recommendation of the	1805	S.h.	Y
27 aspera. W.	rough-leaved.		N. Holland.	1807. 3.6.	G.h.	
28 oppositifolia. W.	opposite-leaved.		E. Ind.			Roxb. cor. 2. t.124.
scabra. P. S.						
29 capensis. W.	Cape.		C. B. S.	1816.*	G.h.	
CHAMÆROPS. W.		Palmæ. B. P.			•	.05
1 humilis. W.	Dwarf Fan Palm.		S. Europe.	1731. 2.3.	G.h.	Bot. rep. 599. 245.2
2 serrulata. W.	saw-leaved.		N. America.	1809	G.h.	
3 Hystrix. Ph.	Porcupine.		Georgia.	1801		
4 Palmetto. W.	smooth-stemmed.		Carolina.	1809	G.h.	

CLASS XXIV.

CRYPTOGAMIA GONOPTERIDES.

EQUISETUM. W. 1 arvense. W. 2 fluviatile. W. 3 sylvaticum. W. 4 limosum. W. 5 palustre. W. 6 variegatum. W. 7 hyemale. W.	HORSE-TAIL. corn. great water. wood. smooth naked. marsh. variegated. Shave Grass.		Britain. Scotland. Britain.	• • • • • • • • • • • • • • • • • • • •	6.7.	H. 4. H. 4. H. 4. - H. 4.	Eng. bot. 2020. 2022. 1874. 929. 2021. 1987. 915.
		STACHYOPTER	IDES				
LYCOPODIUM. W.	CLUB-Moss.	Lycopodineæ. B.					
1 clavatum. W.	common.				7.8.	H.4.	Eng. bot. 224.
2 complanatum. W.	Arbor-vitæ-lead.		N. America.				
3 alpinum. W.	Savin-leaved.		Britain.	• • • •	8.		Eng. bot. 234.
4 dendroideum. W.	fan.		N. America.				Schk, fil. t. 164.
5 annotinum. W.	interrupted.		- Britain.	• • • •	6.8.	н. 4.	Eng. bot. 1727.
6 inundatum. W.	marsh.			• • • • •	6.7.	H.4.	239. 1148.
7 Selaginoides. W.	prickly.				8.	H.4,	——————————————————————————————————————
8 ornithopodioides.W. 9 helveticum. W.	Swiss.		Cwitmonlond	1812.	6.8.	11.4.	Dill.M.t. 66.f.1.B.
10 denticulatum. W.	toothed.		Switzerianu.	1779.	7	H 2	t. 64. f. 2. t. 66. f. 1.A.
11 Selago. W.	Fir.		Britain.		8.	H.71.	Eng. bot. 233.
PSILOTUM. Sw.	PSILOTUM.	Lycopodineæ. B.		a. IV.	•	,	200, 000, 200,
triquetrum. W.	triangular.		· W. Ind.		7.8.	8.21.	Schk. fil. t. 165, b
OPHIOGLOSSUM, W.	Adder's-tongue.	Filices. B. P.				•	
1 vulgatum. W.	common.		Britain.		5.6.	H.4.	Eng. bot. 108.
2 reticulatum. W.	netted.		· W. Ind.			· S.4.	Plum. fil. t. 164.
BOTRYCHIUM. Sw.	Moonwort,	•	smundæ sp. L.				
1 Lunaria. W.	common.		Britain.				Eng. bot. 318.
2 fumarioides. W. 3 dissectum. W.	Fumitory-leav'd.		Carolina. N. America.	1806.	7.8.	н. 4.	Schk. fil. t. 157.
4 virginicum. W.	cut-leaved. Virginian.		N. America,				t, 158.
a manadam was	y mgman.			1730	٥.	11.4.	t, 190°
	•	POROPTERII)FS				
MADATTIA C	M						
MARATTIA. Sw, alata. W.	MARATTIA.	Filices. B. P. My	riotheca. J. Jamaica.	1800		0 21	Con in all 4 40
aiaia. W.	winged.		· Jamaica.	1/93.		5.4.	Sm. ined. t. 46.
•		SCHISMATOPT	EBIDES				
********	SNAKE'S- 7						
	TONGUE.	Filices. B. P. Hy	droglossum. H	. Uge	ena. C	lav,	
scandens. Sw.	climbing.		E. Ind.	1793.	5.9.	S. 4.	
ANEMIA, Sw.	ANEMIA.	Filices. B. P.					
1 hirsuta. W.	hairy.		Jamaica.				Plum. fil. t. 162.
	Maiden-hair-l ^d .		W, Ind.	1793.	8.9.	S. 4.	t. 158.
	OSMUNDA.	Filices. B. P.	NT Amontos	1550	c	TT 3/	S-14: 61 + +40
2 regalis. W.	woolly. Flowering-Fern.		Reitain				Schk. fil. t. 146. Eng. bot. 209.
3 Claytoniana. Ph,	Clayton's.		N. America.	1779.	8	H 2/	Eng. 10t. 209.
	interrupted.		T TIME TOWN		6.7.	H. 2/ .	Schk, fil. t. 144.
	showy.		-	1311.	7.	H. 4.	Schk. fil. t. 144. Pluk.alm.t. 184. f.4
	African.	-	C. B. S.	1805.	5.8.	G. 24 .	Schk. fil, t. 147.
Todea africana. W.							
		FILICES					
ACROSTICHUM. W.	А спостисить	Filices. B. P.					
1 simplex. W.	simple.		Jamaica.	1793.		5.21	
	tongue-leaved.		China.				Th. fl. Jap. t. 33.
	hairy.		W. Ind.				Plum. fil. t. 125.
	Elk's-horn.		BT C TTT				Bot. reg. 262-3.
5 sorbifolium. W.	Sorbus-leaved.		W. Ind.				Plum. fil. t. 117.
	woolly.		Madeira.				Desf. alt. 2. t. 256.
7 calomelanos. W.	mealy.		W. Ind.	1790.	7.8.	S.4.	W. hort. ber. 41.
			Ge				

TIPMIONWITO IN	***************************************	TO 11: TO 20:					
HEMIONITIS. W.	Hemionitis.	Filices. B. P.	W. Ind.	1700		6 31	0.1.1. 61 4 0
2 palmata. W.	palmated.		w.ma.				Schk. fil. t. 6. Plum. fil. t. 151.
3 rufa. W.	rusty-haired.		Januaica.				Schk. fil. t. 17.21.
MENISCIUM. W.	MENISCIUM.	Filices. B. P.	- HILLIOW			2.4.	Scha. m. t. 17. 225
reticulatum. W.	netted.		Martinico.	1793.		8.21.	Plum. fil. t. 110.
GRAMMITIS. Sw.	GRAMMITIS.	Filices. B. P.					
Ceterach. Sw.	common.		Britain.		5.10.	H.4.	Eng. bot. 1244.
POLYPODIUM. Sw.	POLYPODY.	Filices. B. P.					
1 piloselloides. W.	Mouse-ear.		W. Ind.	1793.	• • • •	S. 4.	Plum. fil. t. 118. Schk. fil. t. 8. c. p.
2 lycopodioides. W.	Club-moss.				• • • •	S.4.	Schk. fil. t. 8. c. p.
3 phyllitidis. W. 4 aureum. W.	Hart's-tongue.			1540	6.9.	S.4.	Plum. fil. t. 130.
5 vulgare. W.	golden. common.		Pritain	1742.	3.4.	5.4.	Eng. bet 1140
β cambricum.	Welsh.		Dittain.	• • • •	5.10.	H 2	Eng. bot. 1149. Bolt. fil. t. 2. f. 5. a.
6 virginianum. W.	Virginian.		N America		7.	H. 7/	Plum. fil. t. 77.
7 pectinatum. W.	comb-leaved.		TIV Trad	1500	00	6 31	Cable C1 4 1# h
8 asplenifolium. W.	Splcenwort-lead.		Martinico.	1790.		S. 21 .	Plum. fil. t. 109. A.
9 incanum. Ph.	hoary.			1811.	7.	H. 4.	Schk. fil. t. 11. b.
10 Phegopteris. W.	Sun-fern.						
11 hexagonopterum.W			N. America.	1811.	7.	н.4.	Pluk.alm.t.284.f.2.
12 pruinatum. W.	white-leaved.		Jamaica.	1793.	• • • •	S.4.	
13 effusum. W.	spreading.			1769.	11.	5.4.	S10a.jam.1.t.57.1.3.
14 Dryoptiris. W.	tender-branch d.		Britain.	• • • •			Eng. bot. 616.
15 calcareum. W.	Wasper.	12:1: P. D		• • • •	7.	н.4.	
WOODSIA. L. T. 1 hyperborea. Ph.	Woodsia.	Filices. B. P.	Castland		~ 0	XX 3/	Eng hot 0000
2 ilvensis. Ph.	rock.		N America	1010	6.7	H 7	Eng. bot. 2023. Schk. fil. t. 19.
NEPHRODIUM. B.P.		Filices. B. P. Asp	idii sn. W. As	nidium	Snre	200.	Schike his to 13.
1 trifoliatum. W.	three-leaved.	1 mees: 15: 1: 215p	W. Ind.				Jac. ic. 3. t. 638.
2 Lonchitis. W.	rough Alpine.			••••		HN	Eng hot 707
0 W	-					6 21	Burm. zeyl. 98. t.
3 auriculatum. W.	eared.			1793.	7.	5.4.	44. f. 2.
4 exaltatum. B. P.	lofty.		Jamaica.			S.4.	Schk. fil. t. 32. b.
5 unitum. B. P.	smooth-united.		E. Ind.			S.4.	Burm. zeyl. 98. t.
6 propinguum. B. P.	pubescent.	0				S 21.	44. f. 1.
7 patens. W.	downy.	•	Januaica.	1784.	7.9.	S. 2L.	Schk. fil. t. 334.
8 noveboracense. W.			N. America.	1812.	7.	н. ц.	t. 46.
9 Oreopteris., W.	Heath.		Britain.			H. 4.	Eng. bot. 1019.
10 Thelypteris. W.	Lady-fern.				7.8.	н. 4.	1018.
11 cristatum. W.	lesser crested.		England.		6.8.	H.4.	1018. 2125.
12 aculeatum. W.	common prickly.		Britain.	• • • •		H.4.	1562.
13 marginale. W.	marginal-flowerg.		N. America.	1772.	6.9.	H.4.	Schk. fil. t. 45. b.
14 Filix-mas. W.			Britain.				
15 lobatum. W.	close-leaved.	•=	England.	• • • •		н. 4.	1563.
16 spinulosum. W.	crested prickly.		Britain.	• • • •		п. 4.	1460. 1461.
17 dilatatum. W.	great-crested.		Madaira	1770	7 0	G. 4.	1461.
18 elongatum. W. 19 villosum. W.	villous.		W. Ind.	1779.			Schk. fil. t. 46. b.
- ALLANTODIA. B. P		Filices. B. B. As		.,,,,,,	**	~	
umbrosa. B. P.	Madeira.	Timees, B. D. 210		1779.	6.9.	G. 24.	Schk. fil. t. 61.
ASPIDIUM. B. P.	SHIELD-FERN.	Filices. B. P. At	hyrium. Spren	ıg.			
1 dentatum. W.	toothed.		Wales.		7.	н.4.	Eng. bot. 1588.
2 bulbiferum. W.	bulbifercus.		N. America.	1638.	7.8.	H.4.	
3 axillare. W.	slender.		Madeira.	1779.		G. 4.	
4 fragile. W.	brittle.		Britain.	• • • •			Eng. bot. 1587.
5 regium. W.	laciniated.			• • • •		H.4.	163,
6 rhæticum. W.	stone.		-	• • • •		H.4.	
7 irriguum. E. B.	brook.		Madain-	1000		H. 4.	
8 æmulum. W. ASPLENIUM. B. P.	dwarf. Spleenwort.	Filices. B. P.	Madeira.	1779.	• • • •	G.4.	
	smooth rock.		England.		6.8	H 2/	Eng. bot. 2024.
1 fontanum. B. P. Aspidium fontanum			ziigialiu.	• • • •	0.0.	11.4.	Ling. 000. 2024.
	1. F. 15.						
			Britain.		6.9	H. 21.	1459.
2 Filix-femina. B. P.	female.		Britain.				1459.
	female.	,	Britain.				1950-
2 Filix-femina. B. P. 3 Adiantum-nigrum	female.		Britain. N. America.		4.10. 7.	H.4.	1950-
2 Filix-femina. B. P. 3 Adiantum-nigrum W.	female. black.		-		4.10. 7. 6.10.	H.4.	

	CILI	LIOGHMIA	1 PILIC	110.	22.
7 Ruta-muraria. W.	Wall-rue.	Filices. B. P.	Britain.	6.10. H.	24 . Eng. bot. 150.
8 præmorsum. W.	snip-leaved.		Jamaica		4. Pluk.alm.t.73.f.5.
9 striatum. W.	striated.	•	W. Ind.	- 68. S	21. Plum, fil. t. 18, 19.
				0.00	(Sloan.iam.1.t.29.
10 rhizophorum. W.	root-bearing.		Jamaica.	S.	24. { Sloan.jam.1, t. 29. 30. f. 1.
11 viride. W.	green.		Britain.		4. Eng. bot. 2257.
12 melanocaulon. Ph.	black-stalked.		N. America.	1812. 7. H.	
13 Trichomanes. W.	Maiden-hair.		D '4- '		24. Eng. bot. 576.
14 Breynii. Sw.	alternate-leaved.		Scotland.		24. ———— 2258.
15 ebeneum. Ph.	ivory-striped.		N. America.		24. Schk. fil. t. 73.
16 monanthemum. W.			ODE		24. Smith ined. t. 73.
17 marinum. W.	sea.		Britain.	6.10. H.	24. Eng. bot. 392.
18 angustifolium. W.	narrow-leaved,		N. America.	1812. 6.7. H.	4. Schk. fil. t. 67. 69.
19 septentrionale. W.	forked.		Britain.		4. Eng. bot. 1017.
20 Hemionitis. W.	Mules-fern.		Madeira.	1779. 6.7. G.	4. Schk. fil. t. 66.
21 rhizophyllum. W.	rooting-leaved.		N America	1680. — H.	24. Pluk.alm.t.105.f.s.
22 serratum. W.	saw-leaved.		W. Ind.		24. Schk. fil. t. 64.
SCOLOPEN-	{ HART's- }	Filices. B. P.			
DRIUM. W.	{HART's- }				
officinarum. W.	common.		Britain.	7.8. H.	24. Eng. bot. 1150.
β crispum.	curled-leaved.			H.	4.
y undulatum.	wave-leaved.			H.	11. Pluk nhvt. 248 f.1.
δ multifidum.	clustered.			— Н	21
e ramosum.	branching.		-	— H.	4. Pluk.phyt.248.f.2.
DIPLAZIUM. Sw.	DIPLAZIUM.	Filices. B. P.	·		
grandifolium. W.	large-leaved.		Jamaica.	1793 S.	4.
PTERIS. W.	BRAKE.	Filices. B. P.			
1 longifolia. W.	long-leaved.		W. Ind.	1770. 7.9. S.	4. Jac.sch.3.t.399.400
2 grandifolia. W.	large-leaved.			1793 S.	4. Schk. fil. t. 89.
3 serrulata. W.	various-leaved.		India.	1770. 8.9. S.	4. Jac.sch.3.t.399.400 4. Schk. fil. t. 89. 4. — t. 91. 4. — t. 101.
4 atropurpurea. W.	purple.		N. America.	—— —— H	.4. ———— t. 101.
5 arguta. W.	sharp-notched.		Madeira.	1778. — G.	. 4. Pluk.alm.t.290.f.2.
6 crispa. W.	curled.		Britain.		4. Eng. bot. 1150.
7 aculeata. W.	prickly-stemm'd.		W. Ind.		h. Plum.fil.t.5. et 11.
8 esculenta. B. P.			N. S. W.		.4. Lab.n.holl.2.t.244.
9 caudata. W.	American.		N. America.		. 4. Jac. ic. 3. t. 645.
10 aquilina. W.	common.		Britain.		.4. Eng. bot. 1679.
11 podophylla. W.	pedated.		Jamaica.	1793. 6.7. S	.4. Brown.jam.89.t.1.
VITTARIA. Sm.	VITTARIA.	Filices. B. P.			
lineata. W.	linear-leaved.		- America.	1793, S	. 4. Schk. fil. t. 101. b.
ONOCLEA. Sw.	ONOCLEA.	Filices. B. P.			
1 sensibilis. W.	sensitive.		Virginia.	1799. 8. H	.4. Schk. fil. t. 102.
2 obtusilobata. Ph.	obtuse-lobed.		N. America.	1812. 7. H	.4 t. 103.
3 Struthiopteris. Sw.	Russian.		· Europe.	1760. 7.8. H	.4 t. 105.
BLECHNUM. Sw.	BLECHNUM.	Filices. B. P.	m :/ :	w TT	21 E 1 1 2 2 2 2
1 boreale. W.	northern.		- Britain.	7. H	.4. Eng. bot. 1159.
2 australe. W.	Cape.		C. B. S.	1691. 3.9. G	24. Schk. fil. t. 110. b.
3 occidentale. W.	American.	Title D. D.	- S. America.	1777. — 3	. 4. Jac. 1c. 3. L. 644.
WOODWARDIA. Sm	Onoclea-like.	Filices. B. P.	N. Amonico	1010 C LI	.4. Schk. fil. t. 111.
1 onocleoides. Ph.			- N. America,	1012. 0. II	.4. Pluk.alm.t.179.f.2.
2 virginica. Ph. 3 radicans. W.	Virginian. rooting-leaved.		Modeiro		.4. Schk. fil. t. 112.
DOODIA. B. P.	Doodia.	Filices, B. P.	- Madena.	1779. 9. 0	. 4. Schk. m. t. 112.
aspera. B. P.	rough-stalked.		N. S. W.	1808. 3.9. G	21
ADIANTUM. W.	MAIDENHAIR.	Filices. B. P.	14. 0. 11.	2000. 0.3. 0	
1 reniforme. W.	kidney-leaved.	Finces, D. 1.	- Madeira	1600 60 G	.4. Piuk.alm.t.287.f.5.
2 radiatum. W.	radiated.		. W. Ind.	1776. 4.8. S	.4. Plum. fil. t. 100.
3 macrophyllum. W.			- Jamaica.	1793 8	3.4. Brown.jam.t.38.f.1
4 pedatum. W.	Canadian.	•	N. America.	1640. 8.9. H	.4. Schk. fil. t. 115.
5 villosum. W.	hairy-stalked.		- Jamaica.	1775, 6.9. 8	.4 t. 120.
6 pulverulentum. W.			- W. Ind.	1793	5.21 t. 119.
7 trapeziforme. W.	rhomb-leaved.			S	5.4. — t. 119. 5.4. — t. 122.
8 Capillus-veneris. W				5.9. H	.2. Eng. bot. 1564.
9 tenerum. W.	tender.		- Jamaica.		5.4. Pluk.alm.t. 254.f.1,
CHEILANTHES. Sw		Filices. B. P.			
1 vestita. W.	hairy.		- N. America.	1812 7. H	. 24 . Schk. fil. t. 124.
2 pteroides. W.	Pteris-like.		C. B. S.		. 4. Hout.n.his.t.96.f.3.
3 fragrams. W.	sweet-scented.		Madeira.	_	. 4. Sw. sym. fil. t. 3. f.6.
LONCHITIS. W.	LONCHITIS.	Filices. B. P.			
hirsuta. W.	hairy.		- W. Ind.	1793 5	5.4. Schk. fil. t. 86.
		Gg2			

CRYPTOGAMIA HYDROPTERIDES.

DAVALLIA. Sm.	DAVALLIA.	Filices. B. P.				
1 pyxidata. B. P.	shining.		N. S. W.	1808.	4.9. G.h.	
2 canariensis. W.	Hare's-foot.		Canaries.	1699.	G. 4.	Jac. ic. 1. t. 200.
DICKSONIA. W.	DICKSONIA.	Filices. B. P.			•	
1 arborescens. H. K.	tree.		St.Helena.	1786.	6.12. S.h.	
2 Culcita. W.	shining-leaved.		Madeira.	1779.	9.10. G. 4.	
3 dissecta. W.	cut-leaved.		Jamaica.	1793.	- S.4.	
4 pilosiuscula. W.	hairy.		N. America.	1811.	7.9. H. 4.	Schk. fil. t. 131.
CYATHEA. W.	CYATHEA.	Filices. B. P.				
arborea. W.	treé.		W. Ind.	1793.	S.4.	Plum. fil. 1. t. 1. 2.
TRICHOMANES.B.P.	TRICHOMANES.	Filices. B. P.			•	
brevisetum. H. K.	short-styled.		Britain.		5.6. H.4.	Eng. bot. 1417.
Hymenophyllum al	atum. E. B.					-
HYMENOPHYL- }	FILMY-LEAF.	Filices. B. P.				
tunbridgense. W.			Britain.	• • • •	5.6. H.4.	Eng. bot. 162.
		HYDROPTE	RIDES.			
ISOETES. W.	QUILLWORT.	Marsileaceæ, B. P				
lacustris. W.	marsh.				5.10. H. 24.	Eng. bot. 1084.
PILULARIA. W.	PILLWORT.	Marsileaceæ. B. P.				
globulifera. W.	Pepper-grass.			****	6.9. H.4.	Eng. bot. 521.

ADDENDA ET CORRIGENDA.

MO	NANDRIA MO	ONOGYN	IA.		
©ANNA. 8 iridiflora. P. S. ALPINIA. INDIAN SHOT. nodding-flowerd. ALPINIA.	Scitamineæ.	Peru.			Bot. mag. 1968. 4. 6
7 spiralis. Jac. spiral. 8 Galanga. W. loose-flowered. AMOMUM. AMOMUM.	Scitamineæ.				Jac. scheen. 1. t. 1. Rumph.amb.5.t.63
3 augustifolium. Rox. narrow-leaved. 4 Granum Paradisi.W. Grain of Paradise		E. Ind. Madagascar.	2.3.	S.4. S.4.	Sonn. it. 2. t. 137. Rheed. mal. 11. t. 6.
DIA	NDRIA MON	OGYNIA			
JASMINUM. JASMINE.	Jasmineæ.				
14 simplicifolium. B.M. simple-leaved. CODARIUM. Vahl. CODARIUM.	• • • • • • • • • • • • • • • • • • • •	Society Isles.	3.6.	S.h.	Bot. mag. 980.
nitidum. Vahl. glossy-leaved.				S.h.	Ræm.archiv.1. t.6.
VERONICA. SPEEDWELL.	Scrophularinæ.		1015 CO	TT 3/	
63 polymorpha. W. en. variable. WULFENIA. Jac. WULFENIA.	Scrophularing.	• • • • • • • • • • • • • • • • • • • •			
carinthiaca. Jac. annual.		Carinthia.	1817. 6.9.	H.O.	Jac. ic. 1. t. 2. 2500
TRI	ANDRIA MO	NOGYNI	Α.		
MARICA. B. reg. MARICA.	Irideæ. Marica	and Sisyrinch	ium. H. K.		_/
9 Bermudiana. Ker. Iris-leaved.		Bermudas.	1732. 5.7.	G.4.	Bot. mag. 94. 464. W. hort. ber. 91. 92.
10 anceps. Ker. narrow-leaved.		S. America.	1816. 5.7.	G.21.	W. hort her 01
12 tenuifolia. Ker. slender-leaved.	***************************************	- Innerious	1010. 0.,.	G. 4.	92.
13 spathacea. Ker. sheathed.		C. B. S.	1798. 7.	G. 4.	020
Moræa spathacea. page 11. GYROTHECA. Sal. GYROTHECA.	Hæmodoraceæ. B		٠,٠		
tinctoria. red-rooted. Dilatris tinctoria. Ph. Herietiera (Smelini. Mi.	N. America.	1812. 6.7.	G.4.	Mich. amer. 1. t. 4.
ጥርን	ΓRANDRIA M	IONOGVN	JT A		
HEDYOTIS. G. HEDYOTIS.	Rubiaceæ. J.	IONOGII	ATTY.		
		D 7 1			(Burm. ind. 37. t.
herbacea. P. S. herbaceous.		E. Ind.	1816. 6.9.	s. ₀ .	Burm. ind. 37. t. 14. f. 1.
GONIOCARPUS. Th. GONIOCARPUS. micranthus. Th. small-flowered.	Onagrariæ. J.	China.	1805. 6.9.	G.⊙.	Th. jap. 69. t. 15.
PE	NTANDRIA M	10NOGY1	NIA.		
ALDÆA. W. en. ALDÆA.	Boragineæ. B. P.				
circinata. W. en. woolly.		Magelfan.	1816. 6.10.	н.4.	Lam. journ. his.
Hydrophyllum magellanicum. Lam	. Heliotropium pir	unatum. Vahl.			(
ANDROSACE. Androsace.	Primulaceæ.	*, *			444
10 obtusifolia. W. blunt-leaved. IPOMŒA.	Convolvulaceæ.	Italy.	1817. 4.7.	н.⊙.	All. ped. t. 46. f. 1.
46 cœrulea. B. reg. Roxburgh's.		E. Ind.	1817. 6.10	. s.o.	Bot. reg. 276.
47 chryseides. B. reg. golden.		China.		- G. 21	970
48 Turpethum. B. reg. square-stalked.	~	Ceylon.	1752. 3.4.	S. 4.	279.
GARDENIA. GARDENIA.	Rubiaceæ.	177 Taka	1015	e 1	•
12 campanulata. Rox. bell-flowered. 13 longispina. Rox. long-spined.		To Ind.	1815		
SOLANDRA. SOLANDRA.	Solaneæ.				
2 viridiflora. B. M. green-flowered.	-	S. America.	1816. 5.8.	S. 7.	Bot. mag. 1948
3				,	-

ADDENDA ET CORRIGENDA.

COT A STYTE	**	6.1					
SOLANUM. 55 decurrens. B. reg.	Nightshade. decurrent.	Solaneæ.	S. America.	1816.	4.9.	G.b.	Bot. reg. 140.
56 aculeatissimum. W	. prickly.					G.h.	Jac. ic. 1. t. 41.
ARDISIA. 8 crenata. B. M.	Ardisia.	Myrsineæ.	China.	1800	6.0	GL	Bot. mag. 1950.
SCLEROXYLON. 2	Scleroxylon.	Sapoteæ.	China		0.3.	a. 17.	Dot. mag. 1930.
W. en. Jacquini.	spear-leaved.	-	CRC		6.0	C I	Bot. mag. 1858.
		a Milleriana. P. Š.		• • • •	0.9.	G.n.	Dot. mag. 1858.
SABBATIA.	SABBATIA.	Gentianeæ.					
4 paniculata. Ph. ECHITES.	panicled. Еснітея.	Apocyneæ.	N. America.	1817.	7.8.	н. 4.	
7 caryophyllata. B.M.			E. Ind.	1812.	10.	S.h.	Bot. mag. 1919.
		DIGYNIA					
NAMA. L.	Nama.	Convolvulaceæ. j.					
jamaicensis. W.	Jamaica.	Convolvulaceæ. 5.		1812.	6.9.	s.⊙.	Lam. ill. t. 184.
BUMALDA. Th.	BUMALDA.	Rhamni? J.					
trifolia. Th.	three-leaved.		Japan.	1812.	6.9.	G. h.	
	HEX	ANDRIA MO	NOGYNI	Α.			
PANCRATIUM.	PANCRATIUM.	Amaryllideæ.					•
21 guianenese. B. reg.	long-tubed.		Guiana.	1803.	6.9.	S.4.	Bot. reg. 265.
NARTHECIUM. p. BUONAPARTEA. p		Junceæ. B. P. Bromeliæ. J.					. "
DOURILLIAND P		Diometric of					
	OCT	ANDRIA MO	NOGYNI	A.			
CENOTHERA.	ŒNOTHERA.	Onagrariæ.					•
22 corymbosa. B. M. ERICA.	corymbed. Heath.	Ericeæ.	Mexico.	1816.	9.10.	G. 3.	Bot. mag. 1974.
321 sulphurea. B. M.	sulphur-colour'd		C. B. S.	1800.	5.9.	G. h.	Bot. mag. 1984.
	ENN	EANDRIA T	RIGYNIA				•, = •
PLEEA. Mi.	PLEEA.	Junceæ. B. P.	Canalina	1010	- 0	C 31	Dat was sore
tenuifolia. Mi.	slender-leaved.	,	Caronna.	1812.	5.8.	G. 4.	Bot. mag. 1956.
	DEC	ANDRIA MO	NOGYNI	A.			
CACUCIA. Aub.	CACUCIA.	Onagrariæ. J. Sc.	housbæa. W.				
coccinea. P. S.	scarlet.		Guiana.	• • • •	• • • •	S.h.	Aub. gui. 1. t. 179
	DOL	NEC A NEDE A	MONOCI	UNTEA			
e in court		DECANDRIA	MONOG	INIA	•		
GARCINIA. 2 cornea. W.	GARCINIA. nodding-flowerd.	Guttiferæ.	E. Ind.	1817.		S.b.	Rum. amb. 2. t.30
	3						,
	•	TRIGYNIA	•				
EUPHORBIA.	Spurge.	Euphorbiaceæ.	Cili.			C 2/	Dat was and
124 rigida. M. B.	rigid.		Siberia.	1816.	1.3.	G. 4.	Bot. reg. 274.
		DODECAGYNI	ΙΛ.				
SEMPERVIVUM.	Houseleek.	Sempervivæ.					
18 Smithii. B. M.	hispid-stemmed.		Canaries.	1815.	9.	G.h.	Bot. mag. 1980,
19 Simsii. ciliatum. B. M. no	ciliated. t of W.en.		-		9.4.	G. 4.	Bot. mag. 1978.
	ISCO	SANDRIA M	IONOGYI	NIA.			
PSIDIUM.	GUAVA.	Myrti.				•	
6 polycarpum. L. T.	many-fruited.		W. Ind.	• • • •	1.12.	S.h.	
	POL	YANDRIA T	RIGYNIA				
HIBBERTIA.	HIBBERTIA.	Dilleniaceæ. D. M					
3 dentata. D.	toothed.				1.8.	G.4.	Bot. reg. 282.
\$1							

	,		OLULUL		
DELPHINIUM.	LARKSPUR.	Ranunculaceæ.			
18 chinense.	Chinese.		China.	1816. 6.9. F	1.4.
grandiflorum β. ch	incuse. $oldsymbol{D_{oldsymbol{\cdot}}}$			_	
19 ochroleucum. D.		,———	Iberia.	1817. 7.9. H	1.4.
20 revolutum. D.	revolute.			F	1.4.
21 cuneatum. D.	wedge-leaved.		Siberia.	1815. — F	1.4. I N
22 flexuosum. D.	flexuose.	Dannerla -a	· Caucasus.	1817. — F	1.4.
ACONITUM. 18 neubergense. D.	WOLF'S-BANE. Clusius's.	Ranunculaceæ.	Furane	69 F	1.4. Clus.his.2.p.96.f.1.
16 neubergense. D.	Clusius s.		Larope.	0.0. 1	1.4. 0.43.112.12.19.00.11.74
		DENTE A CITATI			.\
		PENTAGYN	A.		
COLBERTIA. D.	COLBERTIA.	Dilleniaceæ. D.			0.7. 7. 1
coromandeliana. D.		-	E. Ind.	1803	S. h. Roxb. cor. 1. t. 20.
Dillenia pentagynia.	p. 126.				
		POLYGYNIA			
DILLENIAD	December			106	
DILLENIA. D. UNONA. D.	DILLENIA. Unona.	Dilleniaceæ. D Anonaceæ. D.	nagnome: p	120.	
odorata. D.	sweet-scented.	Anonacea. D.	Java.	1804, 5.7,	S. h. Rumph.amb.2.t.65.
Uvaria odorata. p.			o aras	10011 0111	Stift Transfer
		Anonaceæ. D.			
GUATTERIA. D. virgata. D.	Lance-wood.		Jamaica.	1793	S. h. Dunal. mon. t. 31.
Uvaria lanceolata.					
	•				
	POLY	ANDRIA PO	LYGYNIA	١.	
ASIMINA. D.	ASIMINA.	Anonaceæ. D. I	Porcelia n 196		
1 parviflora. D.	small-flowered.	Tillonacca: D: 1	N. America.	1806. 4.5. I	H.h. Dunal. mon. t. 9.
Porcelia parviflora			141 IIIICIICUI	10001 1101 1	20,20 - 4111111 - 411111
2 triloba. D.	trifid-fruited.			1736. 7.8. H	H. h . Mich. arb. 3. t. 9.
Porcelia triloba. p.					
3 pygmæa. D.	dwarf.			1812 I	H.h. Dunal. mon. t. 10.
ANEMONE.	ANEMONE.	Ranunculaceæ.			
16 pavonina. D.	acute-petalled.		- Europe.	4.5. H	H.4. Lob. ic. t. 278.
B flore pleno.	double-flowered.				
NARAVELIA, D.	NARAVELIA.	Ranunculaceæ.	0.1		C. I. Dark o 4100
zeylanica. D.	Ceylon.	-	· Ceylon.	1796	S.h. Roxb. cor. 2. t.188,
Atragene zeylanica CLEMATIS.	v. p. 127. Virgin'sBower	Denunculeacon			
22 triternata. D.	triternate.	Manuficulaceæ.		1806 I	н. Б.
THALICTRUM.	MEADOW-RUE.	Ranunculaceæ.		1000	
27 glaucescens. D.	glaucous.		- Russia.	6. 1	H. 24.
28 nutans. D.	nodding.		· Italy.	6.4. I	н. Б.
29 saxatile. D.	rock.			6.8. I	1.4.
ADONIS.	ADONIS.	Ranunculaceæ.			
5 flava. D.	yellow.		France.	6.8. I	H.⊙. Tab. ic. 790. f. 1, H.4.
6 pyrenaica. D.	Pyrenean.		- Pyrenees.	1817. 6.7. I	н. 4.
RANUNCULUS.	CROW-FOOT.	Ranunculaceæ.			7 N D L C N
43 tripartitus. D.	three-parted.		- Britain.	5.8. 1	H. 4. D.ic.Gall.rar.1. t. 49.
44 fumariæfolius. D.	Fumitory-leav'd.			— I	H. 4. {Desf. ic. pict. h. par. t. 74.
	•				par. t. 74.
	מזמ	YNAMIA A	CIOCDEI	2 MT A	
			101081 121	LIVILIA.	
HEBENSTRETIA.	HEBENSTRETIA.				
7 fruticosa. B. M.	shrubby.		- C. B. S.	1816. 5.11,	G.h. Bot. mag. 1970.
•					
1	MOI	NADELPHIA	L PENTAL	NDRIA,	
PASSIFLORA.	PASSION-FLOWE	R Passiflorm.			
					J. ann. mus. p.
34 mexicana. J.	-			1812	S. h. $\begin{cases} J. \text{ ann. mus. p.} \\ 108, t. 38, f. 2. \end{cases}$
35 racemosa. L. T.	scarlet-flowered.		- S. America.	1816. 11.6.	S. h . Bot. reg. 285.
				7.2.2	•
	DIA	DELPHIA T	ECANDE	TA.	
XXOXD A		DELPHIA I	DECANDR	IA.	
HOVEA.	Hovea.	Leguminosæ.			O.I. P.4.
5 Celsi. B. reg.	HOVEA. Cels's.	Leguminosæ.			G. h . Bot. reg. 289.
5 Celsi. B. reg. GALACTIA.	Hovea. Cels's. Galactia.	Leguminosæ.	N. Holland.	1817. 3.4.	
5 Celsi. B. reg.	HOVEA. Cels's.	Leguminosæ.	N. Holland.		

ADDENDA ET CORRIGENDA.

POLYADELPHIA POLYANDRIA.

CITRUS.

CITRUS.

Aurantiæ.

1 Medica. W.

Lemon-tree.

acida. p. 173. errata.

Lime-tree.

2 acida. Rox.

limonia. p. 173.

GYNANDRIA MONANDRIA.

LIMODORUM. Sw. falcatum. Sw.

LIMODORUM. sickle-leaved.

Orchideæ, B. P.

- Japan.

1816. 3.4. G. 4. Bot. reg. 283,

MONŒCIA POLYANDRIA.

BEGONIA.

BEGONIA. 9 spathulata. B. reg. spathulate. Hydrocharideæ.

...... 1816. 3.6. S.h.

POLYGAMIA MONŒCIA.

BRIDELIA. W. scandens. W. BRIDELIA. climbing.

Euphorbiaceæ. J.

__ E. Ind.

1804. S. h. Rox. cor. 2. t. 173,

INDEX GENERUM.

ABROMA, Page 173. Abrus, 159. Acacia, 222. Acæna, 7. Acalypha, 211. Acanthus, 138. Acarna, 180. Acer, 221. Aceras, 200. Achania, 157. Achillea, 193. Achras, 43. Achyranthes, 48. Acidoton, 208. Acisanthera, 94. Acmella, 194. Acnida, 216. Aconitum, 125. Acorus, 76. Acrostichum, 225. Actæa, 121. Actinocarpus, 79. Acynos, 134. Adansonia, 154. Adelia, 219. Adenandra, 45. Adenanthera, 92. Adiantum, 227. Adina, 23. Adonis, 128. Adoxa, 89. Ægilops, 220. Ægiphila, 25. Ægle, 123. Ægopodium, 59. Aerides, 202. Ærua, 48. Æschynomene, 167. Æsculus, 79. Æthionema, 143. Æthusa, 58. Agapanthus, 67. Agathosma, 45. Agave, 75. Ageratum, 181. Agrimonia, 106. Agrostemma, 104. Agrostis, 14. Ailanthus, 221. Aira, 17. Aitonia, 153. Aizoon, 117. Ajuga, 129. Alangium, 123. Albuca, 70. Alchemilla, 28. Alcina, 197. Aldæa, 229. Aletris, 67.

Alisma, 79. Allamanda, 49. Allantodia, 226. Allionia, 24. Allium, 69. Alnus, 205. Aloe, 74. Alonsoa, 142. Alopecurus, 18. Aloysia, 137. Alpinia, 1. Alstræmeria, 73. Alternanthera, 48. Althæa, 155. Alyssum, 144. Amaranthus, 206. Amaryllis, 65. Ambrosia, 206. Amellus, 193. Amerimnum, 159. Amethystea, 5. Ammannia, 27. Ammi, 56. Amomum, 2. Amorpha, 160. Amsonia, 50. Amygdalus, 111. Amyris, 81. Anabasis, 53. Anacampseros, 106. Anacardium, 89. Anacyclus, 192. Anagallis, 33. Anagyris, 90. Anarrhinum, 140. Anastatica, 143. Anchusa, 30. Andersonia, 34. Andrachne, 213, Andromeda, 95. Andropogon, 220, Androsace, 32. Andryala, 177. Anemia, 225. Anemone, 126. Anethum, 59. Angelica, 57. Anguria, 203. Anigozanthus, 76. Anisomeles, 129. Anona, 126. Anomatheca, 10. Anthemis, 192. Anthericum, 71. Anthocercis, 142. Antholyza, 11. Anthospermum, 215. Astroloma, 34. Anthoxanthum, 7.

Anthyllis, 162. Antidesma, 216. Antirrhinum, 140. Anychia, 48. Aotus, 91. Apargia, 176. Aphelandra, 139. Aphyllanthes, 69. Apios, 163. Apium, 59. Apocynum, 50. Aponogeton, 79. Aquilegia, 125. Arabis, 145. Arachis, 162. Aralia, 61. Araucaria, 218. Arbutus, 96. Arctium, 178. Arctopus, 224. Arctotheca, 196. Arctotis, 193. Ardisia, 43. Arduina, 49. Areca, 210. Arenaria, 101. Arethusa, 201. Aretia, 32. Argemone, 121. Aristea, 11. Aristolochia, 202. Aristotelia, 105. Armeniaca, 112. Armeria, 61. Arnica, 190. Arnopogon, 175. Artedia, 56. Artemisia, 183. Arthropodium, 72. Artocarpus, 203, Arum, 209. Arundo, 17. Asarum, 105. Asclepias, 51, Ascyrum, 174. Asimina, 231. Aspalathus, 160. Asparagus, 72. Asperugo, 31. Asperula, 24. Asphodelus, 71. Aspidium, 226. Asplenium, 226. Aster, 187. Astragalus, 169. Astrantia, 55.

Atractylis, 180. Atragene, 127. Atraphaxis, 77. Atriplex, 220. Atropa, 41. Aubletia, 122. Aucuba, 205. Aulax, 215. Avena, 15. Averrhoa, 102. Avicennia, 137, Axyris, 205. Ayenia, 49. Azalea, 33. Babiana, 11. Baccharis, 185. Bactris, 207. Bæckia, 81. Balbisia, 193. Ballota, 133. Balsamita, 183. Baltimora, 197. Bambusa, 77. Banisteria, 102. Banksia, 22. Baptisia, 90. Barbarea, 146, Barleria, 138. Barosma, 45. Barringtonia, 157. Bartholina, 200. Bartonia, 110. Bartsia, 142. Basella, 61. Bassia, 105. Batschia, 30. Baucra, 124. Bauhinia, 91. Beaufortia, 173. Beckmannia, 18. Begonia, 207. Bejaria, 105. Bellis, 190. Bellium, 190. Berardia, 180. Berberis, 77. Berckheya, 195, Besleria, 139. Beta, 53. Betonica, 132. Betula, 209. Bidens, 181. Bignonia, 137. Billardiera, 46. Biscutella, 143. Biserrula, 169.

Aleurites, Page 212. Anthriscus, Page 58. Athanasia, Page 188. Blakea, Page 105. Blandfordia, 67. Blechnum, 227. Blechum, 139. Bletia, 201. Blighia, 81. Blitum, 2. Bocconia, 105. Boehmeria, 206. Boerhaavia, 2. Boltonia, 192. Bombax, 154. Bontia, 137. Borago, 31. Borassus, 217. Borbonia, 159. Boronia, 81. Borya, 214. Bosea, 53. Bossiæa, 161. Botrychium, 225. Bourreria, 32. Bouvardia, 25. Brabejum, 221. Brachysema, 90. Brassavola, 202. Brassia, 202. Brassica, 147. Briza, 18. Brodiæa, 69. Bromelia, 64. Bromus, 15. Brosimum, 223. Brossæa, 46. Brotera, 199. Broughtonia, 202. Broussonetia, 215. Browallia, 139. Brownea, 153. Brucea, 215. Brugmansia, 41. Brunia, 45. Brunnichia, 101. Brunsfelsia, 142. Brunsvigia, 65. Bryonia, 212. Bryophyllum, 88. Bubon, 58. Bubroma, 173. Buchnera, 142. Bucida, 96. Buddlea, 26. Buffonia, 28. Bulbocodium, 69. Bumalda, 230. Bumelia, 43. Bunias, 143. Bunium, 56.

Buonapartea, 74.

Bixa, 122.

Blæria, 26.

194. Bupleurum, 55. Bursaria, 46. Bursera, 224. Burtonia, 91. Butea, 159. Butomus, 89. Buttneria, 49. Buxus, 205. Bystropogon, 131. Cacalia, 182. Cachrys, 57. Cactus, 109. Cacucia, 230. Cadia, 92. Cæsalpinia, 92. Cæsia, 72. Cæsulia, 182. Cakile, 142. Caladenia, 201. Caladium, 210. Calamagrostis, 17. Calamintha, 134. Calanius, 76. Calceolaria, 5. Caldasia, 36. Calea, 182. Calcuchoe, 88. Calendula, 198. Caleya, 201. Calistachys, 90. Calla, 79. Callicarpa, 25. Callicoma, 106. Calligonum, 108. Callisia, 13. Callitriche, 2. Calluna, 82. Calodendrum, 46. Calophyllum, 122. Calopogon, 201. Calothamnus, 173. Calotropis, 51. Caltha, 129. Calycanthus, 121. Calypso, 201. Calyptranthes, 111. Calystegia, 35. Camelina, 144. Camellia, 157. Cameraria, 50. Campanula, 36. Camphorosma, 28. Canarina, 77. Canella, 105. Canna, 1. Cannabis, 216. Capparis, 121. Capraria, 139. Capsicum, 42. Caralluma, 52. Cardamine, 145. Cardiospermum, 88. Carduus, 178. Carex, 204. Careya, 157. Carica, 217. Carissa, 49. Carlina, 180.

Buphthalmum, Page Carolinea, Page 154. Chrysocoma, Page 182. Cornus, Page 27. Carpesium, 185. Carpinus, 209. Carpopogon, 162. Carthamus, 180. Carum, 59. Caryophyllus, 111. Caryota, 210. Cassia, 92. Cassine, 60. Cassinia, 199. Castanea, 209. Castilleja, 142. Casuarina, 203. Catalpa, 3. Catananche, 178. Catesbæa, 25. Cathartocarpus, 92. Caucalis, 55. Caulophyllum, 76. Ceanothus, 44. Gecropia, 213. Cedrela, 46. Celastrus, 44. Celosia, 48. Celsia, 142. Celtis, 221. Cenchrus, 14. Cenia, 192. Centaurea, 196. Centunculus, 26. Cephaclis, 39. Cephalanthus, 23. Cephalophora, 181. Cerastium, 104. Ceratocarpus, 203. Ceratocephalus, 63. Ceratonia, 223. Ceratophyllum, 207. Cerbera, 49. Cercis, 91. Cerinthe, 31. Cestrum, 42. Chærophyllum, 58. Chamædorea, 217. Chamærops, 224. Chaptalia, 198. Chara, 203. Cheilanthes, 227. Cheiranthus, 146. Chelidonium, 121. Chelone, 138. Chenolea, 48. Chenopodium, 53. Cherleria, 101. Chimaphila, 96. Chiococca, 39. Chionanthus, 3. Chironia, 49. Chlora, 81. Chloranthus, 28. Chloris, 220. Chlorophytum, 72. Chomelia, 25. Chondrilla, 176. Chorispernium, 148. Coriandrum, 58. Chorizema, 90. Chrysanthellum, 193. Coris, 40. Chrysanthemum, 191. Corispermum, 2. Chrysobalanus, 112. Cornucopiæ, 14.

Chrysophyllum, 43. Chrysosplenium, 97. Chrysurus, 18. Cicca, 205. Cicer, 165. Cichorium, 178. Cicuta, 58. Cimicifuga, 125. Cinchona, 38. Cineraria, 189. Circæa, 4. Cissampelos, 219. Cissus, 27. Cistus, 123. Citharexylum, 136. Citrus, 173. Cladium, 14. Claytonia, 47. Clematis, 127. Cleome, 148. Cleonia, 135. Clerodendrum, 136. Clethra, 96. Cliffortia, 218. Clinopodium, 134. Clitoria, 163. Clusia, 221. Cluytia, 219. Clypcola, 143. Cneorum, 8. Cnicus, 179. Cobœa, 35. Coccocypsilum, 25. Coccoloba, 88. Cocculus, 218. Cochlearia, 144. Cocos, 207. Codarium, 229. Codon, 93. Coffea, 39. Coix, 204. Colbertia, 231. Colchicum, 78. Coldenia, 29. Collinsonia, 7. Columnea, 139. Colutea, 166. Comarum, 120. Commelina, 12. Commersonia, 63. Comocladia, 8. Comptonia, 205. Conium, 56. Conocarpus, 40. Convallaria, 75. Convolvulus, 34. Conyza, 185. Cookia, 93. Copaifera, 93. Coptis, 129. Corallorhiza, 201. Corchorus, 122. Cordia, 32. Coreopsis, 195. Coriaria, 217.

Cornutia, 136. Coronilla; 166. Coronopus, 143. Corræa, 81. Corrigiola, 61. Cortusa, 33. Corydalis, 158. Corylus, 209. Corypha, 76. Cosmea, 195. Costus, 1. Cotula, 192. Cotyledon, 102. Crambe, 143. Crassula, 63. Cratæva, 105. Crepis, 177. Crescentia, 142. Crinum, 65. Cristaria, 154. Crithmum, 57. Crocus, 9. Crossandra, 139. Crotalaria, 161. Croton, 211. Crowea, 93. Crucianella, 25. Crypsis, 19. Cryptarrhena, 202. Cryptospermum, 24. Cryptostemma, 196. Cucubalus, 99. Cucumis, 212. Cucurbita, 212. Cullumia, 195. Cuminum, 58. Cunila, 6. Cunonia, 97. Cuphea, 106. Cupressus, 210. Curatella, 124. Curculigo, 74. Curcuma, 2. Curtisia, 28. Cuscuta, 54. Cussonia, 54. Cyanella, 74. Cyathea, 228. Cycas, 218. Cyclamen, 33. Cyclopia, 90. Cydonia, 113. Cylista, 163. Cymbaria, 140. Cymbidium, 202. Cynanchum, 51. Cynara, 180. Cynodon, 18. Cynoglossum, 30. Cynometra, 92. Cynosurus, 18. Cyperus, 13. Cyphia, 38. Cypripedium, 202. Cyrilla, 46. Cyrtanthus, 65. Cyrtopodium, 202. Cysticapnos, 158. Cytisus, 165.

Dactylis, Page 18. Dæmia, 51. Dahlia, 190. Dais, 94. Dalbergia, 159. Dalca, 170. Dalcchampia, 211. Dalibarda, 120. Damasonium, 79. Dampiera, 38. Daphne, 87. Datisca, 217. Datura, 40. Daucus, 56. Davallia, 228. Daviesia, 91. Decumaria, 105. Deeringia, 48. Delphinium, 125. Dendrobium, 202. Dentella, 39. Desmanthus, 222. Dianella, 72. Dianthus, 99. Diapensia, 33. Dichondra, 54. Dicksonia, 228. Dictamnus, 93. Didelta, 195. Diervilla, 40. Digitalis, 140. Digitaria, 19. Dilatris, 13. Dillenia, 126. Dillwynia, 91. Dimocarpus, 81. Dionæa, 94. Dioscorea, 206. Diosma, 45. Diospyros, 223. Diotis, 205. Dipliylleia, 76. Diplazium, 227. Dipsacus, 23. . Dipterix, 159. Dirca, 87. Disa, 200. Disandra, 79. Disperis, 200. Diuris, 201. Dodartia, 139. Dodecatheon, 33. Dodonæa, 81. Dolichos, 162. Dombeya, 153. Doodia, 227. Doronicum, 190. Dorstenia, 27. Doryanthes, 67. Dorycnium, 172. Draba, 144. Dracæna, 73. Dracocephalum, 134. Dracontium, 79. Drimia, 72. Drosera, 62. Dryandra, 23. Dryas, 120. Drypis, 61. Duranta, 136.

Echinaria, Page 13. Echinophora, 55. Echinops, 199. Echites, 50. Echium, 31. Eclipta, 194. Edwardsia, 90. Ehretia, 32. Ehrharta, 77. Ekebergia, 93. Elæagnus, 28. Elæocarpus, 123. Elæocharis, 13. Elæodendrum, 43. Elais, 217. Elate, 207. Elatine, 89. Elegia, 214. Elephantopus, 199. Elettaria, 1. Eleusine, 18. Elichrysum, 184. Ellisia, 32. Elsholtzia, 131. Elymus, 16. Elytraria, 4. Embryopteris, 218. Empetrum, 214. Empleurum, 205. Enkianthus, 96. Epacris, 34. Ephedra, 219. Ephielis, 81. Epidendrum, 202. Epigæa, 95. Epilobium, 80. Epimedium, 27. Epipactis, 201. Equisetum, 225. Eranthemum, 5. Eranthis, 129. Erica, 82. Erigeron, 185. Erinus, 142. Eriocaulon, 20. Eriocephalus, 199. Eriogonum, 89. Eriophorum, 14. Eriospermum, 70. Erithalis, 39. Erodium, 150. Ervum, 165. Erucaria, 147. Eryngium, 54. Erysimum, 146. Erythræa, 49. Erythrina, 159. Erythronium, 69. Ethulia, 182. Eucalyptus, 111. Euchilus, 91. Euclea, 217. Euclidium, 143. Eucomis, 68. Eucrosia, 67. Eugenia, 110. Eupatorium, 181. Euphorbia, 107. Euphrasia, 142. Euryale, 122.

Eustoma, Page 49. Eustrephus, 72. Eutaxia, 91. Euthales, 38. Evolvulus, 54. Evonymus, 44. Exacum, 26. Excecaria, 219. Fabricia, 110. Fagara, 27. Fagonia, 93. Fagus, 209. Falkia, 77. Farsetia, 145. Fedia, 8. Feronia, 221. Ferraria, 148. Ferula, 57. Festuca, 15. Ficaria, 128. Ficus, 224. Filago, 199. Flacourtia, 218. Flagellaria, 78. Flaveria, 197. Flemingia, 168. Fontanesia, 3. Forskohlea, 89. Fothergilla, 124. Fragaria, 120. Frankenia, 77. Franseria, 206. Frasera, 26. Fraxinus, 223. Fritillaria, 68. Fuchsia, 81. Fumaria, 158. Furcrœa, 75. Fusanus, 221. Gærtnera, 93. Gagea, 70. Galactia, 163. Galactites, 197. Galanthus, 65. Galardia, 195. Galax, 46. Galaxia, 148. Galega, 168. Galenia, 87. Galcobdolon, 132. Galeopsis, 132. Galinsogea, 194. Galipea, 3. Galium, 24. Garcinia, 105. Gardenia, 38. Garidella, 101. Garuga, 94. Gastrolobium, 91. Gaultheria, 96. Gaura, 80. Gazania, 195. Geissorhiza, 9. Gelonium, 218. Gelsemium, 49. Genipa, 38. Genista, 160. Gentiana, 54. Geodorum, 201. Geoffroya, 165.

Geranium, Page 153. Halleria, Page 139. Gerardia, 141. Geropogon, 174. Gesneria, 138. Gethyllis, 67. Getonia, 94. Geum, 120. Ghinia, 5. Gisekia, 62. Gladiolus, 10. Glaucium, 121. Glaux, 49. Glechoma, 132. Gleditschia, 223. Glinus, 108. Globba, 2. Globularia, 23. Glossodia, 201. Gloriosa, 69. Gloxinia, 138. Glyceria, 17. Glycine, 163. Glycyrrhiza, 166. Gmelina, 136. Gnaphalium, 184. Gnidia, 87. Gomesa, 202. Gomphia, 93. Gomphocarpus, 51. Gompholobium, 90. Gomphrena, 48. Goniocarpus, 229. Gonolobus, 51. Goodenia, 38. Goodia, 161. Goodyera, 200. Gordonia, 157. Gorteria, 195. Gossypium, 156. Gouania, 221. Grammitis, 226. Grangea, 192. Gratiola, 5. Grevillea, 22. Grewia, 122. Grias, 122. Grielum, 103. Grindelia, 190. Grislea, 81. Gronovia, 47. Guaiacum, 93. Guarea, 81. Guatteria, 230. Guettarda, 207. Guilandina, 92. Gundelia, 199. Gunnera, 202. Gustavia, 157. Gymnadenia, 200. Gymnema, 51. Gymnocladus, 217. Gymnostyles, 199. Gypsophila, 98. Gyrotheca, 229. Habenaria, 200. Hæmanthus, 64. Hæmatoxylon, 93. Hæmodorum, 13. Hakea, 22. Halesia, 105. Hh 2

Hallia, 167. Haloragis, 89. Hamamelis, 28. Hamellia, 39. Hamiltonia, 224. Hasselquistia, 55. Hebenstretia, 136. Hedeoma, 6. Hedera, 46. Hedychium, 1. Hedyotis, 229. Hedypnois, 178. Hedysarum, 167. Helenium, 190. Helianthemum, 123. Helianthus, 194. Heliconia, 47. Helicteres, 153. Heliocarpus, 106. Heliophila, 145. Heliopsis, 194. Heliotropium, 29. Helleborus, 129. Hellenia, 1. Helminthia, 177. Helonias, 78. Hemerocallis, 67. Hemidesmus, '50. Hemionitis, 226. Hepatica, 126. Heracleum, 57. Heritiera, 212. Hermannia, 148. Hermas, 222. Herminium, 200. Hernandia, 205. Herniaria, 53. Herpestis, 139. Hesperantha, 9. Hesperis, 147. Heterospermum, 191. Isatis, 143. Heuchera, 54. Heynea, 94. Hibbertia, 125. Hibiscus, 156. Hieracium, 176. Hillia, 77. Hippia, 199. Hippocratea, 9. Hippocrepis, 166. Hippomane, 211. Hippophae, 215. Hippuris, 2. Hirtella, 46. Hoffmanseggia, 92. Holcus, 220. Holmskioldia, 136. Holosteum, 20. Hopea, 173. Hordeum, 16. Hornemannia, 140. Hosta, 136. Hottonia, 33. Hovea, 161. Hovenia, 44. Houstonia, 24. Hoya, 51. Hudsonia, 105. Huernia, 52.

Humea, Page 182. Humulus, 216. Hura, 212. Hutchinsia, 143. Hyacinthus, 73. Hyænanche, 217. Hydrangea, 97. Hydrastis, 129. Hydrocharis, 217. Hydrocotyle, 55. Hydrolea, 54. Hydropeltis, 129. Hydrophyllum, 32. Hymenæa, 92. Hymenopappus, 181. Hymenophyllum, 228. Hyoscyamus, 41. Hyoseris, 178. Hypecoum, 28. Hyperanthera, 92. Hypericum, 173. Hypochæris, 178. Hypoxis, 73. Hyptis, 132. Hyssopus, 130. Iberis, 144. Ichnocarpus, 50. Ilex, 29. Illecebrum, 48. Illicium, 126. Impatiens, 47. Imperatoria, 58. Indigofera, 168. Inga, 222. Inocarpus, 96. Inula, 189. Ionidium, 47. Ipomœa, 35. Ipomopsis, 36. Iresine, 216. Iris, 11. Ischæmum, 220. Isnardia, 27. Isochilus, 201. Isoetes, 228. Isolepis, 13. Isopogon, 20. Isopyrum, 129. Itea, 46. Iva, 199. Ixia, 9. Ixodia, 182. Ixora, 25. Jacksonia, 91. Jacquinia, 43. Jambolifera, 81. Jasione, 37. Jasminum, 2. Jatropha, 211. Jeffersonia, 81. Jonesia, 79. Juglans, 208. Juncus, 76. Juniperus, 2184 Jussieua, 94. Justicia, 5. Kæmpferia, 2. Kalmia, 94. Kennedia, 163.

Kiggelaria, Page 217. Lilium, Page 68. Kitaibelia, 156. Kleinhofia, 106. Kleinia, 182. Knappia, 14. Knautia, 24. Knowltonia, 128. Kochia, 53. Kœleria, 17. Kœlreuteria, 81. Kœnigia, 20. Krigia, 178. Kyllinga, 13. Lachenalia, 73. Lachnæa, 87. Lactuca, 175. Lagasca, 182. Lagerstræmia, 123. Lagetta, 87. Lagœcia, 47. Lagunæa, 154. Lagurus, 18. Lambertia, 22. Lamium, 132. Lanaria, 76. Lantana, 137. Lapeyrousia, 11: Lappago, 18. Lappula, 30. Lapsana, 178. Larochea, 62. Laserpitium, 57. Lasiopetalum, 45. Latania, 219. Lathræa, 138. Lathyrus, 164. Lavandula, 131 Lavatera, 155. Lavenia, 182. Laurophyllus, 224. Laurus, 89. Lawsonia, 81. Lebeckia, 160: Lechea, 20. Ledum, 94. Leea, 46. Leersia, 20. Lemna, 203. Leonotis, 133. Leontice, 76. Leontodon, 176. Leonurus, 133. Lepechinia, 132. Lepidium, 144. Leptanthus, 13. Leptospermum, 110. Lessertia, 166. Lestibudesia, 48. Leucadendron, 215. Leucas, 133. Leucojum, 65. Leucopogon, 34. Leucospermum, 21. Leysera, 191. Liatris, 180. Licuala, 76. Lidbeckia, 192. Lightfoctia, 36. Ligusticum, 57. Ligustrum, 3.

Limeum, 79. Limnetis, 14. Limodorum, 232. Limonia, 93. Limosella, 139. Linaria, 141. Lindernia, 139. Linnæa, 142. Linociera, 3. Linum, 62. Liparia, 165, Liquidambar, 209. Liriodendron, 126. Lisianthus, 49. Listera, 201. Lithospermum, 30. Littorella, 205. Lobelia, 37. Loddigesia, 161. Læflingia, 9. Logania, 49. Lolium, 16. Lomatia, 22. Lonchitis, 227. Lonicera, 39. Lopezia, 2. Lophiola, 76. Lotus, 171. Loureira, 219. Ludwigia, 27. Luffa, 206. Lunaria, 145. Lupinaster, 170. Lupinus, 162. Luzula, 76. Lychnis, 104. Lycium, 43. Lycopodium, 225. Lycopsis, 5. Lycopus, 31. Lygeum, 14. Lygodium, 225. Lysimachia, 33. Lysinema, 34. Lythrum, 106. Maba, 217. Macroenemum, 39. Macropodium, 146. Madia, 185. Magnolia, 126. Mahernia, 63. Malachra, 154. Malaxis, 201. Malcomia, 147. Malope, 156. Malpighia, 101. Malva, 155. Mammea, 123. Mandragora, 41. Manettia, 25. Mangifera, 46. Mauisuris, 220. Manulea, 142. Maranta, 1. Marattia, 225. Marcgravia, 121. Marica, 12. Mariscus, 13.

Marrubium, 133.

Marsdenia, Page 51. Marshallia, 181. Martynia, 138. Massonia, 71. Mathiola, 147. Matricaria, 192. Maurandia, 140. Mazus, 139. Medeola, 78. Medicago, 172. Melaleuca, 173. Melampodium, 193. Melampyrum, 141. Melananthera, 181: Melanthium, 78. Melasphærula, 11. Melastonia, 94. Melhania, 149. Melia, 94. Melianthus, 142. Melica, 18. Melicocca, 81. Melilotus, 170. Melissa, 134. Melittis, 135. Melochia, 149. Melodinus, 50. Melothria, 9. Memccylon, 81. Meniscium, 226. Menispermum, 217. Mentha, 131. Mentzelia, 123. Menyanthes, 48. Menziesia, 87. Mercurialis, 217. Mesembryanthemum, 114. Mespilus, 112. Metrosideros, 110. Meum, 58. Michauxia, 81. Michelia, 126. Microchloa, 20. Microloma, 50. Micropus, 199. Mikania, 180. Milium, 18. Milleria, 197. Mimetes, 21. Mimosa, 222. Mimulus, 139. Mimusops, 81. Minuartia, 20. Mirabilis, 40. Mirbelia, 91. Mitchella, 25. Mitella, 98. Mœhringia, 87. Mœnchia, 29. Mollia, 48. Mollugo, 20. Moluccella, 133. Momordica, 212. Monarda, 6. Monetia, 27. Monn:eria, 158. Monotoca, 34. Monotropa, 94. Monsonia, 153

Montia, Page 20. Montinia, 215. Moræa, 11. Morina, 7. Morinda, 39. Morus, 206. Mullera, 165. Muntingia, 1226 Murraya, 93. Musa, 64. 2/3 Muscari, 78. Mussænda, 38. Myagrum, 143. Myginda, 28. Mylocaryum, 96. Myoporum, 137. Myosotis, 29. Myosurus, 63. Myrica, 215. Myriophyllum, 207. Myristica, 219. Myrodia, 157. Myrrhis, 58. Myrsine, 224. Myrsiphyllum, 78. Myrtus, 111. Nama, 230. Nandina, 77. Napæa, 154. Naravelia, 231. Narcissus, 66. Nardus, 14. Narthecium, 72. Nasturtium, 146. Nauclea, 39. Nauenbergia, 199. Nelumbium, 126. Nemesia, 140. Neottia, 200. Nepenthes, 219. Nepeta, 130. Nephelium, 206. Nephrodium, 226. Nerium, 50. Nicandra, 41. Nicotiana, 41. Nigella, 125. Nissolia, 159. Nitraria, 105. Nivenia, 21. Nolana, 32. Nolina, 78. Notelæa, 3. Notoceras, 146. Nuphar, 122. Nyctanthes, 2. Nymphæa, 122. Nyssa, 224. Ochna, 123. Ochroma, 149. Ochrus, 163. Ocymum, 135. Octomeria, 201. Œdera, 199. Œnanthe, 58. Œnothera, 80. Oldenlandia, 27. Olea, 3. Oliveria, 58. Olyra, 204.

Omphalea, Page 211: Oncidium, 202. Onoclea, 227. Ocenis, 161. Onopordum, 179. Onosnia, 31. Onosmodium, 30. Opercularia, 24. Ophicglossum, 225. Ophiopogon, 76. Ophioxylon, 221. Ophrys, 200. Orchis, 200. Origanum, 134. Ormosia, 90. Ornithidium, 201. Ornithogalum, 70. Ornithopus, 166. Ornitroplie, 81. Ornus, 3. Orobanche, 138. Orobus, 164. Orontium, 76. Ortegia, 9. Orthopogon, 19. Oryza, 77. Osbeckia, 80. Osmites, 195. Osmunda, 225. Osteospermum, 198. Ostrya, 209. Osyris, 214. Othonna, 198. Oxalis, 103. Oxyanthus, 39. Oxybaphus, 8. Oxycoccus, 81. Oxylobium, 90. Oxystelma, 51. Oxytropis, 168. Pachysandra, 205. Pæderia, 39. Pæonia, 124. Palavia, 154. Pallasia, 195. Panax, 224. Pancratium, 67. Pandanus, 213. Panicum, 19. Papaver, 121. Pardanthus, 12. Pariana, 210. Parietaria, 220. Paris, 89. Parkinsonia, 92. Parnassia, 61. Paronychia, 48. Parthenium, 199. Pascalia, 194. Paspalum, 19. Passerina, 87. Passiflora, 149. Pastinaca, 59. Patersonia, 148. Pavetta, 25. Paullinia, 88. Pavonia, 157. Pectis, 191. Pedalium, 137. Pedicularis, 141.

INDEX GENERUM.

33.

Rafnia, 160.

Rajama, 216.

Ramonda, 40.

Reseda, 106.

Restio, 214. Retzia, 35.

Rhamnus, 43. Rhapis, 223.

Rheum, 89.

Rhexia, 80.

Rhodora, 94.

Rhopala, 22.

Rhus, 59.

Ribes, 46.

Richardia, 77.

Ricinus, 211.

Ricotia, 145.

Robinia, 165.

Rivina, 28.

Roella, 37.

Rosa, 117.

Rothia, 177.

Royena, 97.

Rubia, 25.

Rubus, 119.

Ruellia, 139.

Ruizia, 156.

Rumex, 77.

Ruppia, 29.

Ruta, 93.

Sabal, 79.

Sabbatia, 49.

Sagina, 29.

Sagus, 207.

Salix, 213.

Salsola, 58.

Salicornia, 2.

Ruscus, 219.

Peganum, Page 105. Pelargonium, 150. Peliosanthes, 69. Peltaria, 143. Penæa, 26. Penicillaria, 220. Pennisetum, 19. Pentapetes, 153. Penthorum, 103. Pentstemon, 138. Pentzia, 183. Peplis, 77. Perdicium, 190. Pergularia, 51. Perilla, 132. Periploca, 50. Perotis, 14. Persoonia, 22. Petalostemum, 158. Petiveria, 79. Petrea, 136. Petrocallis, 144. Petrophila, 20. Peucedanum, 56. Phaca, 168. Phalangium, 72. Phalaris, 19. Pharnaceum, 61. Pharus, 207. Phaseolus, 162. Phellandrium, 58. Philadelphus, 110. Philoxerus, 48. Philydrum, 2. Phleum, 18. Phlomis, 133. Phlox, 36. Phœnix, 215. Phormium, 73. Phryma, 136. Phrynium, 1. Phylica, 44. Phyllanthus, 211. Phyllis, 54. Phylloma, 73. Physalis, 41. Phyteuma, 37. Phytolacca, 105. Piaranthus, 52. Picramnia, 216. Picridium, 175. Picris, 176. Pilularia, 228. Pimelea, 3. Pimpinella, 59. Pinckneya, 38. Pinguicula, 5. Pinus, 210. Piper, 7. Piqueria, 182. Piscidia, 159. Pisonia, 79. Pistacia, 216. Pisum, 163. Pitcairnia, 64. Pittosporum, 46. Plantago, 26. Platanus, 209. Platylobium, 160. Plectranthus, 135. Plectronia, Page 45. Pyxidanthera, Page Pleea. 230. Pleurothallis, 201. Quassia, 93. Plecama, 39. Quercus, 208. Plukenetia, 211. Queria, 20. Plumbago, 34. Plumeria, 50. Radiola, 29. Poa, 17. Podalyria, 90. Podolepis, 190. Podocarpus, 211. Randia, 39. Podolobium, 90. Podophyllum, 121. Pogonia, 201. Poinciana, 92. Polemonium, 35. Pollichia, 2. Polianthes, 68. Polycarpon, 20. Polycnemum, 9. Polygala, 158. Polygonatum, 75. Polygonum, 88. Polymnia, 198. Polypodium, 226. Polypogon, 14. Pomaderris, 44. Pongamia, 159. Pontederia, 64. Ponthieva, 201. Populus, 217. Porcelia, 126. Portlandia, 38. Portulaca, 105. Portulacaria, 61. Potamogeton, 29. Potentilla, 120. Poterium, 208. Pothos, 28. Prasium, 135. Prenanthes, 176. Primula, 32. Prinos, 76. Priva, 137. Prosopis, 93. Prostanthera, 135. Protea, 20. Prunella, 135. Prunus, 112. Psiadia, 199. Psidium, 110. Psilotum, 225. Psoralea, 170. Psychotria, 39. Ptelea, 27. Pteris, 227. Pterocarpus, 159. Pteronia, 180. Pterospermum, 154. Pterostylis, 201. Pterygodium, 200. Pulmonaria, 30. Pulsatilla, 127. Pultenæa, 91. Punica, 111. Pupalia, 48. Pycnanthemum, 130. Pyrethrum, 191. Pyrola, 96. Pyrus, 113.

Quisqualis, 94. Ranunculus, 128. Raphanus, 148. Rapistrum, 143. Rauwolfia, 49. Reaumuria, 126. Relhania, 191. Rhagadiolus, 178. Rhagodia, 221. Rhinanthus, 142. Rhipsalis, 110. Rhodiola, 217. Rhododendron, 94. Rhynchospora, 14. Rolandra, 199. Rondeletia, 39. Rosmarinus, 6. Rotthoellia, 19. Rottlera, 218. Roxburghia, 81. Rudbeckia, 195. Russelia, 139. Saccharum, 19. Sagittaria, 207. Salisburia, 209.

Salvia, Page 6. Sambucus, 60. Samolus, 38. Samyda, 96. Sanguinaria, 121. Sanguisorba, 27. Sanicula, 55. Sanseviera, 68. Santalum, 28. Santolina, 182. Sanvitalia, 193. Sapindus, 88. Sapium, 211. Saponaria, 98. Sarcophyllum, 160. Sarcostemma, 50. Sarracenia, 122. Satureja, 130. Satyrium, 200. Saururus, 79. Saxifraga, 97. Scabiosa, 23. Scævola, 38. Scandix, 58. Schæfferia, 215. Scheuchzeria, 78. Schinus, 217. Schisandra, 206. Schkuhria, 191. Scheenus, 14. Schotia, 93. Schrankia, 222. Schwenkia, 5. Scilla, 71. Scirpus, 13. Scleranthus, 97. Sclerocarpus, 195. Sclerothamnus, 91. Scleroxylon, 230. Scolopendrium, 227. Scolymus, 178. Scoparia, 26. Scopolia, 49. Scorpiurus, 166. Scorzonera, 175. Scottia, 161. Scrophularia, 140. Scutellaria, 135. Sebæa, 26. Secale, 16. Secamone, 50. Securidaca, 159. Securinega, 216. Sedum, 102. Selago, 136. Selinum, 56. Sempervivum, 108. Senacia, 44. Senecio, 186. Septas, 80. Serapias, 200. Seriana, 88. Seriola, 178. Serissa, 39. Serpicula, 205. Serratula, 178. Serruria, 21. Sersalisia, 43. Sesamum, 138. Sesbana, 166.

Seseli, Page 58. Sesleria, 14. Sesuvium, 113. Sherardia, 24. Sibbaldia, 63. Sibthorpia, 142, Sicyos, 213. Sida, 154. Sideritis, 131. Siderodendrum, 25. Sideroxylon, 43. Sigesbeckia, 194. Silene, 99. Silphium, 197. Sinapis, 147. Sison, 58. Sisymbrium, 146. Sium, 57. Sloanea, 122. Smilacina, 75. Smilax, 216. Smithia, 167. Smyrnium, 59. Solandra, 41. Solanum, 41. Soldanella, 33. Solidago, 188. Sonchus, 175. Sophora, 90. Sorghum, 220. Sorocephalus, 22. Sowerbæa, 69. Spananthe, 55. Sparaxis, 9. Sparganium, 203. Sparrmannia, 122. Spartium, 159. Spatalla, 22. Spathelia, 60. Spergula, 104. Spermacoce, 24. Sphæranthus, 199. Sphærolobium, 91. Sphenogyne, 196. Spielmannia, 137. Spigelia, 49. Spilanthes, 181. Spinacia, 216. Spiræa, 113. Spondias, 102. Sporobolus, 14. Sprengelia, 34. Staavia, 45. Stachys, 132. Stachytarpheta, 5. Stæhelina, 180. Stapelia, 51. Staphylea, 61. Starkea, 193. Statice, 62. Stauracanthus, 160. Stelis, 201. Stellaria, 101. Stellera, 87. Stemodia, 139. Stenanthera, 34. Stenochilus, 137. Sterculia, 212. Stevia, 181. Stilago, 214.

Stillingia, Page 212. Stipa, 15. Stizolobium, 163. Stobæa, 180. Steebe, 199. Stokesia, 180. Stratiotes, 217. Strelitzia, 48. Streptopus, 75. Strumaria, 65. Struthiola, 28. Strychnos, 49. Stuartia, 157. Stylidium, 202. Styphelia, 34. Styrax, 96. Subularia, 144. Succowia, 143. Sutherlandia, 166. Swainsona, 166. Swertia, 54. Swietenia, 94. Symphoria, 40. Symphytum, 30. Synedrella, 194. Syringa, 3. Tabernæmontana, 50. Tacca, 76. Tagetes, 191. Talinum, 106. Tamarindus, 143. Tamarix, 61. Tamus, 216. Tanacetum, 183. Tarchonanthus, 182. Taxus, 219. Tectona, 43. Teedia, 139. Teesdalia, 143. Telephium, 61. Telopea, 22.

Templetonia, Page 161. Tephrosia, 168. Terminalia, 221. Tetragonia, 114. Tetragonotheca, 190. Tetratheca, 81. Teucrium, 129. Thalia, 1. Thalictrum, 127. Thapsia, 59. Thelygonum, 208. Thelymitra, 201. Theobroma, 172. Thermopsis, 90. Thesium, 40. Thlaspi, 143. Thrinax, 76. Thrincia, 176. Thuja, 210. Thunbergia, 138. Thymbra, 130. Thymus, 134. Thysanotus, 70. Tiarella, 98. Tigridia, 148. Tilia, 122. Tillæa, 29. Tillandsia, 64. Tofieldia, 78. Tolpis, 177. Tordylium, 55. Tormentilla, 120. Tournefortia, 31. Tourrettia, 138. Tozzettia, 19. Trachelium, 37. Tradescantia, 64. Tragia, 205. Tragopogon, 175. Trapa, 27.

Trevirana, Page 139. Trewia, 218. Trianthema, 97. Tribulus, 93. Trichilia, 93. Trichodesma, 31. Trichodium, 14. Trichomanes, 228. Trichonema, 9. Trichophorum, 14. Trichosanthes, 212. Trichostema, 135. Trientalis, 79. Trifolium, 170. Triglochin, 78. Trigonella, 172. Trillium, 78. Triodia, 17. Triosteum, 40. Tripsacum, 204. Trisetum, 15. Tristania, 173. Triticum, 16. Tritoma, 67. Tritonia, 10. Triumfetta, 105. Trollius, 129. Tropæolum, 80. Trophis, 215. Troximon, 175. Tulbagia, 68. Tulipa, 68. Tupistra, 76. Turnera, 61. Turritis, 146. Tussilago, 186. Typha, 203. Ulex, 160. Ulmus, 53, Uniola, 18. Unona, 231.

Urania, Page 64. Urena, 156. Uropetalon, 72. Urtica, 206. Utricularia, 5. Uvaria, 126. Uvularia, 69. Vaccinium, 95. Valantia, 220. Valeriana, 8. Vanguiera, 39. Vanilla, 202. Velezia, 54. Vella, 143. Veltheimia, 68. Veratrum, 219. Verbascum, 40. Verbena, 137. Verbesina, 194. Vernonia, 180. Veronica, 4. Vesicaria, 145. Vestia, 36. Viburnum, 60. Vicia, 164. Villarsia, 49. Viminaria, 91. Vinca, 49. Viola, 47. Virgilia, 90. Viscum, 215. Visnaga, 56. Visnea, 108. Vite**x**, 136. Vitis, 46. Vittaria, 227. Volkameria, 136. Wachendorfia, 13. Waldsteinia, 112. Waltheria, 148. Watsonia, 10. Webera, 39.

Wendlandia, Page 79. Westringia, 130. Wiborgia, 161. Willdenovia, 214. Witheringia, 25. Witsenia, 11. Woodsia, 226. Woodwardia, 227. Wrightia, 50. Wulfenia, 229. Xanthium, 206. Xanthochymus, 173. Xanthorrhœa, 70. Xeranthemum, 184. Ximenesia, 190. Ximenia, 81. Xiphidium, 13. Xylomelum, 22. Xylophylla, 61. Xylopia, 126. Xyris, 13. Xysmalobium, 51. Yucca, 74. Zacintha, 178. Zaluzania, 194. Zamia, 218. Zannichellia, 203. Zanthorhiza, 63. Zanthoxylum, 216. Zapania, 137. Zea, 204. Zieria, 25. Zingiber, 1. Zinnia, 191. Zizania, 207. Ziziphora, 6. Zizyphus, 44. Zœgea, 196. Zornia, 168. Zygophyllum, 93.

ENGLISH INDEX.

ABELE TREE, Page Adam's Needle, 74. Adder's-tongue, 225. Balsam Apple, 212. African Almond, 221. Balsam Herb, 5. African Fleabane, 182. African Lily, 67. African Marygold, 191. Agrimony, 106. Air Plant, 202. Akee Tree, 81. Alaternus, 44. Alder, 205. Alexanders, 59. Alexandrian Laurel, 219. Alligator Pear, 89. Allseed, 20. Allspice, 121. Allspice Tree, 111. Almond, 106. Althæa-frutex, 156. Amaranth, 206. Amber Tree, 215. American Cowslip, 33. Anchovy Pear, 122. Angelica, 57. Angelica Tree, 61. Anise, 59. Aniseed Tree, 126. Apple, 113. Apple-berry, 46. Apricot, 112. Arbor-vitæ, 210. Archangel, 132. Arrow Grass, 78. Arrowhead, 207. Arrow Root, 1. Artichoke, 180. Asarabacca, 105. Ash Tree, 223. Aspen, 217. Asphodel, 71. Auricula, 32. Avens, 120. Awlwort, 144. Azarole, 112. Bahama Red Wood, 44. Balm, 134.

134. Balsam, 47. Balsam of Capevi, 93. Bindweed, 34. Balsam Tree, 221. Bamboo Cane, 77. Banana, 64. Bane Berry, 121. Banyan Tree, 224. Barbadoes Bastard Cedar, 173. Barbadoes Cherry, 101. Barberry, 77. Barley, 16. Barrenwort, 27. Base Rocket, 106. Basil, 135. Bastard Balm, 135. Bastard Cabbage Tree, 165. Bastard Cedar, 46. Bastard Hare's-ear, Bastard Indigo, 160. Bastard Lupine, 170. Box Thorn, 43. Bastard Mangeneel, 50. Bastard Orpine, 213. Brasiletto, 92. Bastard Pimpernell, 26. Bastard Toad Flax, 40. Bastard Vervain, 5. Bastard Vetch, 168. Bawd-money, 58. Bay, 89. Bead Tree, 94. Bean, 165. Bean Caper, 93. Bean Trefoil, 90. Bear-bind, 35. Bear Berry, 96. Bear's-breech, 138. Bear's-ear Sanicle, 33. Bed Straw, 24. Beech, 209. Beet, 53. Bell Flower, 36. Benjamin Tree, 89.

Balm of Gilead, Page Bent Grass, Page Berry-bearing Alder, 43. Betony, 132. Birch. 209. Bird Pepper, 42. Bird's-eye, 32. Bird's-foot, 166. Bird's-foot Trefoil, 171. Birthwort, 202. Bishop's Weed, 56. Bitter-sweet, 41. Bitter Vetch, 164. Black Bryony, 216. Black Saltwort, 48. Black Snakeroot, 125. Bladder Nut, 61. Bladder Senna, 166. Blood Flower, 64. Bog Rush, 14. Borage, 31. Bourbon Palm, 219. Box Tree, 205. Brake, 227. Bramble, 119. Bread Fruit, 203. Bread Nut, 223. Bread Root, 170. Brome Grass, 15. Brooklime, 4. Brookweed, 38. Broom, 159. Broom Rape, 138. Bryony, 212. Buck Bean, 48. Buckler Mustard, 143. Buck Thorn, 43. Buck Wheat, 88. Buck Wheat Tree, 96. Bugle, 129. Bugloss, 30. Bugwort, 125. Burdock, 178. Burnet, 208.

Bur Parsley, Page 55. Bur Reed, 203. Butcher's Broom, Butter Bur, 186. Butterwort, 5. Button Tree, 40. Button Flower, 93. Button Weed, 24. Button Wood, 23. Cabbage, 147. Cabbage Tree, 210. Calabash Tree, 142. Calamint, 134. Calathian Violet, 54. Caltrops, 93. Camphire Tree, 89. Campion, 99. Canada Rice, 207. Canary Grass, 19. Candleberry Myrtle, 215. Candy Carrot, 56. Candytuft, 144. Canterbury Bell, 37. Cape Jasmine, 38. Caper Tree, 121. Caraway, 59. Cardamom, 1. Cardinal Flower, 37. Cardoon, 180. Carline Thistle, 180. Carnation, 99. Carob Tree, 223. Carrot, 56. Cashew Nut, 89. Cassava, 211. Castor Oil Plant, 211. Catchfly, 99. Cat Mint, 130. Cat's-ear, 178. Cat's-tail, 203. Cat's-tail Grass, 18. Cat Thyme, 129. Cedar of Goa, 210. Cedar of Lebanon, 210. Celandine, 121. Celery, 59. Centaury, 196. Burnet Saxifrage, 59. Chamomile, 192.

Chaste Tree, Page 136. Chawstick, 221. Cheese Rennet, 24. Cherry, 112. Cherry Pepper, 42. Chervil, 58. Chesnut, 209. Chick Pea, 165. Chickweed, 101. Chocolate Nut, 172. Christmas Rose, 129, Christ's Thorn, 44. Chulan, 28. Cicely, 58. Cinnamon, 89. Cinquefoil, 120. Clary, 7. Clearing Nut, 49. Cleavers, 25. Cloud Berry, 120. Clover, 171. Clove Tree, 111. Clown's All-heal, 132. Club Moss, 225. Club Rush, 13. Cock's-comb, 48. Cock's-foot Grass, 13. Cocoa Nut, 207. Cocoa Plum, 112. Codlins and Cream 80. Coffee Tree, 39. Cogwood Tree, 89, Colewort, 143. Colpoon Tree, 60. Colt's-foot, 186. Columbine, 125. Comfrey, 30. Common Acacia, 165. Common Dragon, 209. Contrajerva Root, 27. Coral Tree, 159. Coriander, 58. Cork Tree, 208. Cornelian Cherry, 27. Corn Flag, 10. Costmary, 183. Cotton, 156. Cotton Grass, 14. Cotton Rose, 199.

Cotton Thistle, Page Felwort, Page 54. Couch Grass, 16. Cowbane, 58. Cowitch, 163. Cow Parsnep, 57. Cowslip, 32. Cow Wheat, 141. Cranberry, 81. Crane's-bill, 153. Cress, 144. Cress Rocket, 143. Crosswort, 220. Crowberry, 214. Crowfoot, 128. Cuckoo Flower, 145. Flax, 62. Cucumber, 212. Cumin, 58. Currant, 46. Custard Apple, 126. Cypress, 210. Daffodil, 67. Daisy, 190. Dandelion, 176. Darnel, 16. Date Palm, 215. Date Plum, 223. Day Lily, 67. Deadly Carrot, 59. Deadly Nightshade, 41. Devil's Bit, 23. Dill, 59. Dittany, 134. Dock, 77. Dodder, 54. Dog's-bane, 50. Dog's Cabbage, 208. Dog's-tail Grass, 18. Dog's-tooth Violet, 69. Dogwood, 27. Dragon, 79. Dragon's-head, 134. Dragon Tree, 73. Dropwort, 113. Duck's-foot, 121. Duck-weed, 203. Dumb Cane, 210. Dwarf Fan Palm, 924. Earth Nut, 56. Earth Pea, 164. Egg Plant, 42. Elder, 60. Elecampane, 189. Elephant Apple, 221. Goat's Beard, 175. Elephant's-foot, 216. Goat's Rue, 168. Elm Tree, 53. Enchanter's Nightshade, 4. Endive, 178. Eryngo, 54. Evening Flower, 9. Everlasting, 184. Everlasting Pea, 164. Eyebright, 142. Gooseberry, 46. Feather Grass, 15. Goosefoot, 53.

Fennel, 59. Fennel Flower, 125. Fenugreek, 172. Fescue Grass, 15. Feverfew, 191. Feverwort, 40. Fiddlewood, 136. Field Madder, 24. Fig Marygold, 114. Fig Tree, 224. Figwort, 140. Filmy Leaf, 228. Finger Grass, 19. Fir Tree, 210. Flax Lily, 73. Flat Pea, 160. Fleabane, 185. Fleawort, 189. Flixweed, 146. Flower Fence, 92. Flowering Ash, 3. Flowering Fern, 225. Hart's Tongue, 227. Flowering Rush, 89. Hartwort, 55. Fool's Parsley, 58. Hassagay Tree, 28. Foxglove, 140. Fox-tail Grass, 18. Fraxinella, 93. French Honeysuckle, Heart's Ease, 47. 167. French Marygold, 194. Friar's Cowl, 209. Fringe Tree, 3. Fritillary, 68. Frog Bit, 217. Fumitory, 153. Furze, 160. Galangale, 2. Garland Flower, 1. Garlick, 69. Garlick Pear, 105. Genip Tree, 38. Gentian, 54. Germander, 129. German Madwort, 31. Giant Fennel, 57. Ginger, 1. Ginseng, 224. Gladwyn, 12. Glasswort, 2. Globe Amaranth, 48. Hop, 216. Globe Flower, 129. Globe Thistle, 199. Goat's Thorn, 169. Goat Weed, 142. Golden Rod, 188. Golden Rod Tree, 53. Horse Radish Tree, Golden Saxifrage, 97. Golden Thistle, 178. Goldylocks, 182.

Gourd, Page 212. Goutweed, 59. Grass of Parnassus, 61. Grape, 46. Grape Hyacinth, 73. Hyacinth, 73. Great Burnet, 27. Greek Valerian, 35. Green Dragon, 209. Gromwell, 30. Ground Ivy, 132. Ground Pine, 129. Groundsel, 186. Groundsel Tree, 185. Indian Fig, 109. Guelder Rose, 60. Gum Succory, 176. Hair Grass, 17. Hard Grass, 19. Hare's Ear, 55. Hare's Foot Fern, 228. Hare's Tail Grass, 18. Hatchet Vetch, 169. Hawkweed, 176. Hawthorn, 112. Heart Seed, 88. Heath, 82. Hedge Hyssop, 5. Hedge Mustard, 146. Hedge Nettle, 132. Hemlock, 56. Hemp, 216. Hemp Nettle, 132. Henbane, 41. Henbit, 132. Herb Robert, 153. Heron's Bill, 150. Hog Plum, 102. Hogweed, 2. Holly, 29. Hollyhock, 155. Honesty, 145. Honewort, 58. Honey Berry, 81. Honey Flower, 142. Honevsnckle, 39. Honeywort, 31. Hooded Milfoil, 5. Hop Hornbeam, 209. Hornbeam, 209. Horned Poppy, 121. Hornwort, 207. Hørse Chesnut, 79. Horse Radish, 144. 92. Horseshoe Vetch, 166. Horsetail, 225, Horsetail Tree, 207. Horse Thistle, 179.

Hottentot Cherry, Page 60. Houseleek, 108. Humble Plant, 222. Hyana Poison, 217. Hyssop, 130. Ice Plant, 115. Indian Corn, 204. Indian Cress, 80. Indian Cucumber, 78. Indian Madder, 27. Indian Millet, 220. Indian Shot, 1. Indigo, 168 Iron Tree, 25. Ironwort, 131. Ivy, 46. Jaca Tree, 203. Jack in a Box, 205. Jalap, 35. Jasmine, 2. 194. Jerusalem Sage, 133. Malabar Nut, 5. Job's Tears, 204. Jonquil, 66. Judas Tree, 91. Juniper, 218. Kanguru Vine, 27. Kidney Bean, 162. Kidney Vetch, 162. Knapweed, 196. Knawel, 97. Knot Grass, 48. Laburnum, 165, Ladies' Mantle, 28. Ladies' Slipper, 202. Ladies' Smock, 145. Lady Fern, 226. Lamb's Lettuce, 8. Lancashire Asphodel, 72. Larch, 210. Larkspur, 125. Laserwort, 57. Lavender, 131. Lavender Cotton, 182. Laurel, 112. Laurestine, 60 Leadwort, 34. Leather Wood, 87. Lee Chee, 81. Leek, 69. Lemon Grass, 220. Lentil, 165. Leopard's Bane, 191. Lettuce, 175. Lignum Vitæ, 93. Lilac, 3. Lily, 68. Lily of the Valley, 75. Lily Pink, 69.

Lily Thorn, Page 25. Lime Tree, 122. Hound's Tongue, 30. Lion's Tail, 133. Liquorice, 166. Lizard's Tail, 79. Locust Tree, 92. Logwood, 93. Looking-glass Plant, 212. Loose Strife, 33. Loquat, 113. Lovage, 57. Love Apple, 42. Love Grass, 17. Lousewort, 141. Lungwort, 30. Lupine, 162. Lychnidea, 36. Lyme Grass, 16. Macaw Tree, 207. Madder, 25. Madwort, 144. Mahogany, 94. Maidenhair, 227. Maiden Plum, 8. Jerusalem Artichoke, Malabar Nightshade, 60. Malay Apple, 110. Mallow, 155. Mammee Tree, 123. Manchineel, 211. Mandrake, 41. Mangosteen, 105. Mango Tree, 46. Maple, 221. Mare's Tail, 2. Marjoram, 134. Marsh Mallow, 155. Marsh Marygold, 129. Martagon, 68. Marvel of Peru, 40, Marygold, 198. Masterwort, 55. Mastick Tree, 216, Mat Grass, 14. May Apple, 121. Meadow Grass, 17. Meadow Rue, 127. Meadow Saxifrage, 58. Medick, 172. Medlar, 112. Melic Grass, 18. Melilot, 170. Melon, 212. Mercury, 217. Mignonette, 106, Milfoil, 193. Milk Parsley, 56. Milk Vetch, 169. Milk Wood, 223. Milkwort, 153. Millet Grass, 18. Mint, 131. Misseltoe, 215. Molucca Balm, 133.

Moneywort, Page 33. Pea, Page 163. Monkey Flower, 139. Peach Tree, 111. Monkshood, 125. Pearlwort, 29. Moon Seed, 217. Pear Tree, 113. Moon Trefoil, 172. Pellitory, 220. Pennyroyal, 132. Moonwort, 225. Moschatel, 89. Pennywort, 55. Motherwort, 133. Pepper, 7. Pepper Vine, 27. Moving Plant, 167. Mountain Ebony, 91. Pepperwort, 144. Mouse-ear Chickweed, Periwinkle, 49. 104. Persicaria, 88 Phillyrea, 3. Mouse Tail, 63. Mudwort, 139. Physic Nut, 211. Mugwort, 183. Pilewort, 128. Pillwort, 228. Mulberry, 206. Mule's Fern, 227. Pimpernell, 33. Mullein, 40. Pine Apple, 64. Pine Tree, 210. Mustard, 147. Myrrh, 58. Pink, 99. Myrtle, 111. Pipewort, 20. Pistachia Tree, 216. Naseberry Tree, 43. Pitcher Plant, 219. Navelwort, 102. Nettle, 206. Nettle Tree, 221. Plane Tree, 209. Plank Plant, 161. New Jersey Tea, 44. Plantain, 26. New Zealand Tea, Plantain Tree, 64. Plowman's Spikenard, 110. Nicker Tree, 92. 185. Plum Tree, 112. Nightshade, 41. Poet's Cassia, 214. Nipplewort, 178. Poison Nut, 49. Nutmeg, 219. Nut Tree, 209. Poison Oak, 60. Oak, 208. Oat, 15. Polypody, 226. Pomegranate, 111. Oil Nut, 224. Pond Weed, 29. Poplar, 217. Oily Grain, 138. Oily Palm, 217. Poppy, 121. Old Man's Beard, Potatoe, 42. Primrose, 32. 174. Oleander, 50. Prince's Feather, 207. Screw Tree, 153. Privet, 3. Oleaster, 28. Olive, 3. Puccoon, 121. Pumpkin, 212. Olive-bark Tree, 96. Purslane, 105. Olive Wood, 43. Purslane Tree, 61. Onion, 70. Orache, 220. Quaking Grass, 18. Quillwort, 228. Orange Tree, 173. Quince Tree, 113. Orpine, 61. Radish, 148. Osier, 214. Oswego Tea, 6. Ragged Robin, 104. Otaheite Chesnut, Ragwort, 198. Ramoon Tree, 215. 96. Otaheite Myrtle, 216. Rampion, 37. Ox-eye, 194. Ramson, 70. Ox-eye Daisy, 191. Rape, 147. Oxlip, 32. Raspberry, 119. Ox-tongue, 176. Red Cedar, 218. Pæony, 124. Palma Christi, 211. Reed, 17. Rest Harrow, 161. Panic Grass, 19. Rhubarb, 89. Papaw Tree, 217. Rib Grass, 26. Paper Mulberry, 215. Rice, 77. Parsley, 59. Rocambole, 69. Parsley Piert, 28. Rocket, 147. Parsnep, 59. Rock Rose, 123. Pasque Flower, 127. Rope Grass, 214,

Passion Flower, 149. Rose, 117.

Rose Acacia, Page 166. Rose Campion, 104. Rosemary, 6. Rose of Jericho, 143. Rose Root, 217. Rough Chervil, 58. Rue, 93. Rupturewort, 53. Rush, 76. Rush Broom, 91. Rush Nut, 13. Rye, 16. Rye Grass, 16. Sacred Bean, 126. Sage, 6. Sago Palm, 207. St. Andrew's Cross, 174. Saintfoin, 167. St. John's-wort, 173. St. Peter's-wort, 40. Salt Tree, 166. Saltwort, 53. Samphire, 57. Sandal Wood, 28. Sandbox Tree, 212. Sandwort, 101. Sanicle, 55. Sassafras Tree, 89. Savanna Flower, 50. Savin, 218. Såvory, 130. Saw-wort, 178. Saxifrage, 97. Scabious, 23. Scammony, 34. Scorpion Grass, 29. Scorpion Senna, 166. Screw Pine, 213. Scunk Weed, 28. Scurvy Grass, 144. Sea Buckthorn, 215. Sea Heath, 77. Sea Holly, 55. Sea Kale, 143. Sea Lavender, 62. Sea Parsnep, 55. Sea Rocket, 142. Seaside Grape, 88. Seaside Laurel, 212. Seaside Oat, 18. Self Heal, 135. Sensitive Plant, 222. Septfoil, 120. Service Tree, 113. Shallot, 69. Sheep's Beard, 175. Sheep's Scabious, 37. Shepherd's Purse, 143. Shepherd's Club, 40. Shield Fern, 226. Shoreweed, 205. Shrubby Trefoil, 27.

Side-saddle Flower, Page 122. Silk-cotton Tree, 154. Silver Tree, 215. Single-seeded Cucum- Supple Jack, 88. ber, 213. Skirret, 57. Skull Cap, 135. Slipperwort, 5. Snake's Beard, 76. Snake's Tongue, 225. Sweet Pea, 164. Snake Wood, 213. Snap Dragon, 140. Snap Tree, 5. Sneezewort, 193. Snowberry, 39. Snowdrop, 65. Snowdrop Tree, 105. Snowflake, 65. Soapberry, 88. Soapwort, 98. Soft Grass, 220. Soldier Wood, 222. Solomon's Seal, 75. Sorrel, 78. Sour Gourd, 154. Southernwood, 183. South Sea Tea, 29. Sow Thistle, 175. Spanish Elm, 32. Spanish Nut, 11. Sparrow-wort, 87. Speedwell, 4. Spiderwort, 64. Spignel, 56. Spike Rush, 13. Spinage, 216. Spindle Tree, 44. Spleenwort, 226. Spring Grass, 7. Spurge, 106. Spurrey, 104. Squash, 212. Squill, 71. Staff Tree, 44. Star Apple, 43. Star of Bethlehem, 70. Star of the Earth, 26. Star Thistle, 197. Starwort, 187. Stinking Horehound, 133. Stitchwort, 101. Stock, 147. Stonecrop, 102. Storax, 96. Stork's Bill, 150. Strapwort, 61. Strawberry, 120. Strawberry Blite, 2. Strawberry Tree, 96. Stramonium, 40. Succory, 178. Sugar Cane, 19. Sulphurwort, 56.

Sumach, Page 59. Sundew, 62. Sun Fern, 226. Sunflower, 194. Sun Rose, 123. Swallow-wort, 51. Sweet Flag, 76. Sweet Gale, 215. Sweet Gum Tree, 209. Swine's Succory, 178, Syrian Rue, 105. Syringa, 110. Tacamahac, 217. Tallow Tree, 212. Tamarind, 148. Tamarisk, 61. Tansy, 183. Tare, 165. Tea Tree, 157. Teak Wood, 43. Teasel, 23. Thistle, 178. Thorn Apple, 40. Thrift, 61. Throatwort, 37. Thyme, 134. Tickseed, 2. Tiger Flower, 148. Tile Root, 9. Toad Flax, 141. Tobacco, 41. Tenquin Bean, 159. Toothach Tree, 216. Toothpick, 56. Toothwort, 138. Touch me not, 47. Tower Mustard, 146. Treacle Mustard, 143. Tree Celandine, 105. Tree Mallow, 155. Trefoil, 170. Trumpet Flower, 137. Tuberose, 68. Tulip, 68. Tulip Tree, 126. Tupelo, 224. Turmerick, 2. Turnep, 147. Turnsole, 29. Twayblade, 201. Umbrella-wort, 8. Valerian, 8. Venus's Comb, 58. Venus's Flytrap, 94. Vervain, 137. Vetch, 164. Vine, 46. Violet, 47. Viper's Bugloss, 31. Viper's Grass, 175. Virginian Poke, 105. Virgin's Bower, 127. Wall Cress, 145.

ENGLISH INDEX.

Wallflower, Page	Water Leaf, Page 32.	White Cedar, P
Walnut, 208,	Water Lily, 122.	White Thorn, 11
Wampee Tree, 93.	Water Milfoil, 207.	Whitlow Grass,
Warratah, 22.	Water Parsnep, 57.	Whortle Berry,
Wart Cress, 143.	Water Plantain, 79.	Widow Wail, 8.
Wartwort, 108.	Water Soldier, 217.	Wild Basil, 134.
Water Caltrops, 27.	Water Starwort, 2.	Wild Bugloss, 3
Water Chickweed,	Water Violet, 33.	Wild Cumin, 47
20.	Waterwort, 89.	Wild Liquorice,
Water Dropwort, 58.	,	Willow, 213.
	Wayfaring Tree, 60.	Willow Herb, 80
Water Horehound, 5.		Winter Aconite.

Winter Berry, Page Page 76. 12. Winter Cherry, 41. 144. Winter Cress, 146. Winter Green, 79. 95. Witch Hazel, 28. Woad, 143. Wolfsbane, 125. 31. Woodbine, 39. 159. Woodruff, 24. Wood Sage, 130. 0. Wood Sorrel, 99. 129.

Worm Grass, Page
49.
Wormwood, 183.
Yam, 216.
Yarvow, 193.
Yellow Bird's Nest,
94.
Yellow Rattle, 142.
Yellow Root, 63.
Yellow-wort, 81.
Yew Tree, 219.
Zedoary, 2.

THE END.







